2451

Section **A** for the entry of Daily Obser — **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOR RAINFALL ORGANIZATION.

FORM 1090.

REGISTER O 1931.

2451 — 454736

STUDLEY COLLEGE

1931 — 1940

780408

Kept at Studley College

in the County of Warwick

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground ft.

,, Ground ,, Sea Level

THE MORNING MEASUREMENT I US DAY.

An observer who does not conform to this rule shoul st of the following year in the space on the right of this paragraph.

Please read af.

Jan. 1, following ·05

Date	Jan.	Feb.	March	April	Ma					Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in					in.	in.	in.	
1	·02	Tr.	Tr.	·1	Tr.	·13	—	Tr.	·39	·02	Tr.	Tr.	1
2	·06	·075	—	·46	Tr.	Tr.	Tr	·35	·46	·012	·005	·1	2
3	—	Tr.	—	·05	Tr.	Tr	·02	·01	1·01	—	·54	·15	3
4	—	·01	—	·16	·07	·01	—	{·011	·26	—	·16	—	4
5	—	·095	—	·15	·03	·9	Tr		·055	Tr	Tr	·31	5
6	—	·18	—	·10	·005	Tr	·01	Tr	—	·22	·20	·02	6
7	—	·02	Tr.	Tr.	Tr.	·01	·57	·66	—	·03	Tr	·01	7
8	·07	·03	—	{·09	Tr.	·09	·02	·74	—	Tr	·23	Tr	8
9	Tr.	·32	—		·03	·02	—	·035	—	Tr	·49	—	9
10	—	·15	—	Tr	Tr	·025	Tr	·25	·06	—	·15	—	10
11	·21	Tr	Tr	Tr	Tr	·05	·06	·005	·08	Tr	·07	Tr	11
12	—	·3	·01	—	·01	Tr	·2	·05	·47	·005	Tr	—	12
13	·01	—	—	—	Tr	Tr	·021	·08	—	·025	{·22	Tr	13
14	—	·09	Tr	{·12	·05	·73	·89	1·05	·07	—		—	14
15	Tr	·06	—		·02	·01	·3	·45	Tr.	Tr.	Tr	—	15
16	·04	·07	—	·26	{1·24	·47	·005	·11	·15	Tr	·022	·04	16
17	·21	·19	—	·14		Tr	·13	·02	·01	Tr	·26	Tr	17
18	·03	·015	Tr	—	·01	·05	{·34	·31	·01	—	Tr	—	18
19	—	·1	—	·01	·005	·91		·07	—	—	Tr	—	19
20	—	·125	·09	—	·42	Tr	·04	·065	—	Tr	·01	Tr	20
21	Tr	·01	·005	Tr.	·03	—	Tr	·03	—	—	·03	·01	21
22	Tr	Tr	—	·025	·015	—	Tr	{·18	—	—	Tr	—	22
23	·44	·015	Tr	·075	·7	·29	·37		—	—	·15	Tr	23
24	·005	Tr	—	·06	·14	·01	·02	·01	—	—	Tr	·14	24
25	·01	·01	—	·85	·03	Tr	Tr	Tr	—	—	·04	·095}	25
26	·005	·018	—	·2	·01	—	Tr	Tr	—	—	·18		26
27	·012	·6	—	·1	·4	—	—	—	—	—	·09		27
28	·1	·075	—	—	·41	—	Tr	—	—	·045	Tr		28
29	·0135	×	—	Tr	·042	—	·05	—	—	·325	Tr	·035	29
30	·005	×	Tr	Tr.	Tr	—	Tr	—	—	Tr	Tr	·025	30
31	·31	×	·06	×	Tr	×	Tr	—	×	Tr	×	·015	31
TOTAL	1·5505	2·558 ~~2·448~~	·165	2·95	3·667	3·705	3·045	4·486	3·025	·682	2·847	·95 ~~·87~~	YEAR'S TOTAL 29·~~4405~~ ·6305
*Days with ·01 in. or more.	14 ~~13~~	22	3	19	20 ~~19~~	15	16	20 ~~21~~	12	7 ~~8~~	17	12	177
*Days with ·04 in. or more.	7 ~~8~~	13 ~~14~~	2	17	10	9	11	14	10	3	14	6	116 ~~118~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) M Buckle
Secretary

P.T.O.

2451

Section **A** for the entry of Daily Obser

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Studley College

in the County of Warwick

Diameter of Funnel of Gauge 6" in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	Tr.	Tr.	·1	Tr.	·13	—	Tr.	·39	·02	Tr.	Tr.	1
2	·06	·075	—	·46	Tr.	Tr.	Tr.	·35	·46	·012	·005	·1	2
3	—	Tr.	—	·05	Tr.	Tr	·02	·01	1·01	—	·54	·15	3
4	—	·01	—	·16	·07	·01	—	·011	·26	—	·16	—	4
5	—	·095	—	·15	·03	·9	Tr		·055	Tr	Tr	·31	5
6	—	·18	—	·10	·005	Tr	·01	Tr	—	·22	·20	·02	6
7	—	·02	Tr.	Tr.	Tr.	·01	·57	·66	—	·03	Tr	·01	7
8	·07	·03	—	·09	Tr.	·09	·02	·74	—	Tr	·23	Tr	8
9	Tr.	·32	—		·03	·02	—	·035	—	Tr	·49	—	9
10	—	·15	—	Tr	Tr	·025	Tr	·25	·06	—	·15	—	10
11	·21	Tr	Tr	Tr	Tr	·05	·06	·005	·08	Tr	·07	Tr	11
12	—	·3	·01	—	·01	Tr	·2	·05	·47	·005	Tr	—	12
13	·01	—	—	—	Tr	Tr	·021	·08	—	·025	·22	Tr	13
14	—	·09	Tr	·12	·05	·73	·89	1·05	·07	—		—	14
15	Tr	·06	—		·02	·01	·3	·45	Tr.	Tr.	Tr	—	15
16	·04	·07	—	·26	1·24	·47	·005	·11	·15	Tr	·022	·04	16
17	·21	·19	—	·14		Tr	·13	·02	·01	Tr	·26	Tr	17
18	·03	·015	Tr	—	·01	·05	·34	·31	·01	—	Tr	—	18
19	—	·1	—	·01	·005	·91		·07	—	—	Tr	—	19
20	—	·125	·09	—	·42	Tr	·04	·065	—	Tr	·01	Tr	20
21	Tr	·01	·005	Tr.	·03	—	Tr	·03	—	—	·03	·01	21
22	Tr	Tr	—	·025	·015	—	Tr	·18	—	—	Tr	—	22
23	·44	·015	Tr	·075	·7	·29	·37		—	—	·15	Tr	23
24	·005	Tr	—	·06	·14	·01	·02	·01	—	—	Tr	·14	24
25	·01	·01	—	·85	·03	Tr	Tr	Tr	—	—	·04	·095	25
26	·005	·018	—	·2	·01	—	Tr	Tr	—	—	·18		26
27	·012	·6	—	·1	·4	—	—	—	—	—	·09		27
28	·1	·075	—	—	·41	—	Tr	—	—	·045	Tr		28
29	·0135	×	—	Tr.	·042	—	·05	—	—	·325	Tr	·035	29
30	·005	×	Tr	Tr.	Tr	—	Tr	—	—	Tr	Tr	·025	30
31	·31	×	·06	×	Tr	×	Tr	—	×	Tr	×	·015	31
TOTAL	1·5505	2·558 ~~2·448~~	·165	2·95	3·667	3·705	3·045	4·486	3·025	·682	2·847	·95 ~~·87~~	YEAR'S TOTAL ·6305 29·~~4405~~
*Days with ·01 in. or more.	14 ~~13~~	22	3	19	20 ~~19~~	15	16	20 ~~21~~	12	7 ~~8~~	17	12	177
*Days with ·04 in. or more.	7 ~~8~~	13 ~~14~~	2	17	10	9	11	14	10	3	14	6	116 ~~118~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Budde
Secretary

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2451

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Studley College

in the County of Warwick

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground – ft 9 in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	Tr	-	·035	1·00	·03	-	·18	·01	-	-	-	1
2	·035	-	-	·07	·40	Tr	-	·03	·25	·07	-	·07	2
3	·025	·01	-	·11	·038	Tr	-	Tr	Tr	·13	·12	-	3
4	·015	tr	-	·11	Tr	-	-	-	-	·28	-	·01	4
5	·465	-	·02	·095	·055	-	-	-	·12	Tr	-	-	5
6	·62	·	·075	·29	Tr	-	-	-	·43	Tr	tr	-	6
7	·026	-	·11	·08	·02	-	-	-	·11	·35	-	-	7
8	Tr	-	·017	·045	-	-	-	-	·45	·22	-	-	8
9	·025	snow	Tr	·02	·06	-	-	-	·15	-	-	-	9
10	·065	·04	Tr snow	·78	·07	-	-	-	Tr	-	-	-	10
11	·085	snow ·019	-	·03	·035	·16	·16	-	·15	·16	-	-	11
12	·105	Tr	-	-	·24	-	-	-	Tr	Tr	Tr	Tr	12
13	·085	·015	-	·03	·015	-	·14	Tr	·18	·18	·04	·1	13
14	·23	Tr	-	·14	Tr	-	-	·10	·005	Tr	·09	·04	14
15	-	-	-	-	1·04	-	-	Tr	-	·02	Tr	-	15
16	·16	-	-	·16	·07	-	Tr	Tr	-	-	-	·01	16
17	-	-	Tr	-	·01	-	·05	-	-	·08	Tr	·01	17
18	-	-	-	Tr	·01	-	-	-	Tr	Tr	·12	-	18
19	tr	-	-	Tr	·05	-	-	-	Tr	·14	·08	·01	19
20	-	Tr	-	·13	·84 +	-	-	·66	-	·18	·05	·03	20
21	-	-	·088	·147	1·01	-	-	·36	-	·38	·14	-	21
22	-	-	·23	·018	·34	-	-	Tr	-	·25	-	·08	22
23	-	-	Tr	·02	1·08	-	·16	-	·75	·07	·04	tr	23
24	·015	·013	-	Tr	·01	Tr	Tr	-	·07	·08	·005	·03	24
25	tr	·013	-	·032	·01	·03	·07	-	·11	·14	·03	·01	25
26	tr	Tr	·08	·47	·15	-	·04	-	·17	·02	·05	tr	26
27	-	-	·335	·39	·34	-	·065	-	·03	·02	tr	·005	27
28	-	-	-	·06	·26	·26	·15	·24	·01	·14	-	-	28
29	-	-	·35	·145	·02	·11	·025	·04	Tr	·21	·13	·21	29
30	-	X	·06	·115	·18	·94	·49	·13	Tr	·25	-	·12	30
31	1·98	X	·055	X	·01	X	·18	-	X	Tr	X	·08	31 27·32
TOTAL	1·976 ~~1·586~~	·11	1·42	3·562 ~~2·882~~	7·368	1·53	1·53	1·74	~~3·00~~ 2·995 ~~2·825~~	3·38 ~~3·35~~	·895 ·955	·82 ·815	YEAR'S TOTAL 27·316 [illegible]
*Days with ·01 in. or more.	15	6	11	24	27	6	~~6~~ 11	8	~~10~~ 15	21	11	14	169 ~~170~~
*Days with .04 in. or more.	~~10~~ 9	1	9	17	17	4	~~9~~ 10	7	~~13~~ 12	~~17~~ 18	10	~~8~~ 7	121 ~~131~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Vida Moncrieff

P.T.O.

2451

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~2451~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1933.

Kept at Studley College

in the County of Warwickshire.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 256 ft.

906 sent 12/6/34 suggesting amendments to March, April May and June & July.
May & June part estimated by surrounding stations for omissions
March & April corrected for observer's errors.

Amendments as shewn below in Red recommended to observer on form 906.

Observer agrees. 12/4/34 Stinchy 9/24/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·30	·14	–	·02	–	–	–	–	–	·03	–		1
2	·01	–	·21	–	·01	–	–	–	–	–	·01	–		2
3	tr.	–	tr.	–	–	–	–	–	–	–	tr	–		3
4	·27	–	tr.	–	–	–	–	–	–	–	–	–		4
5	·01	–	·41	–	·3	–	–	–	–	–	·04	–		5
6	Trace (·00)	·25	·26	–	–	–	–	–	–	·1	–	–		6
7	(·04)	·47	tr.	–	·28	–	–	–	–	·15	·04	–		7
8	·02	tr.	·24	–	–	–	(·25)	–	–	·02	tr	–		8
9	·13	tr.	·12	–	–	–	(·31) ~~·56~~	–	–	·18	·03	–		9
10	·12	·45	tr	–	–	–	·02	–	–	1·5	·1	–		10
11	·15	–	tr	tr	–	–	·5	·05	–	·03	tr	–		11
12	·01	–	–	–	–	–	·11	–	–	·02	–	–		12
13	tr	–	–	–	(·11)	(·05)	·18	–	·24	·13	·2	–		13
14	tr	–	·21	–	–	–	–	·05	tr	·1	·27	–		14
15	tr.	–	·24	–	–	(·01)	–	·07	–	·02	·04	·03		15
16	snow	–	–	–	–	(·05)	–	–	–	·05	tr	·06		16
17	(·50) snow	–	–	–	–	(·05)	–	–	–	–	·01	·01		17
18	snow	–	–	–	–	·03	–	–	–	–	tr	·01		18
19	–	–	–	–	–	·31	–	–	–	–	·02	tr		19
20	–	–	·38	–	(·02)	(·50)	–	·06	·05	·03	–	tr		20
21	–	–	–	–	–	·13	–	·07	·01	tr	tr	–		21
22	–	–	–	~~·35~~	–	·07	–	·3	–	·16	–	–		22
23	–	–	–	·07	–	·07	–	–	·24	·26	·01	–		23
24	–	snow	–	·34	(·08)	·5	–	–	·58	·01	tr	–		24
25	–	(1·50) snow	–	·13	–		–	–	·07	–	–	·16		25
26	–	snow	–	·06	–	–	–	–	·02	·23	–			26
27	–	tr.	–	–	(·40)	–	–	–	·04	–	–	–		27
28	–	tr.	~~·8~~	·38	(·10)	–	–	–	·01	·09	–	·05		28
29	–	–	·03 ~~·3~~	–	–	–	–	–	–	·07	–	·01		29
30	·08	×	–	–	–	–	–	–	–	·03	–	·07		30
31	·05	×	–	×	–	×	–	–	×	·1	×	–		31 (18·63)
TOTAL	(1·64) ~~3·00~~	(2·97) ~~1·47~~	2·24 ~~3·31~~	·98 ~~1·33~~	(1·32)	(1·77) ~~1·11~~	1·37	·60	1·26	3·28	·80	·40	Year's Total ~~18·54~~	~~(18·68)~~
*Days with ·01 in. or more.	~~13~~ (17)	~~4~~ (6)	~~8~~ 10	~~6~~ 5	~~4~~ (9)	(12) ~~6~~ ~~(8)~~	~~5~~ 6	6	9	20	12	~~8~~ (9)	(112)	~~(121)~~
*Days with ·04 in. or more.	~~9~~ (13)	~~4~~ (6)	~~8~~ 9	~~6~~ 5	~~4~~ (6)	(10) ~~5~~ ~~(8)~~	~~4~~ 5	6	6	13	6	~~4~~ (5)	(84)	~~(90)~~

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) M Buckle

[P.T.O.

File No 11029/31 2451

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Studley College

in the County of Warwick

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 286 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	—	—	—	—	—	—	·21	Tr	·02	·01	·50		1
2	·04	—	·06	—	—	—	—	·065	·22	—	·15	·24		2
3	·04	·02	—	—	—	—	—	·02	·01	·025	Tr	·12		3
4	·05	—	·14	·10	—	—	—	—	·30	·075	·07	·34		4
5	tr.	Tr	·05	·01	·01	—	—	·66	—	·01	·11	·24		5
6	—	—	·05	·04	·01	·01	—	·09	—	·19	—	·51		6
7	·09	—	—	—	·03	—	—	·13	—	·195	Tr	·28		7
8	—	—	—	—	·05	·02	—	·05	—	Tr	·12	·04		8
9	—	—	·15	Tr	—	—	—	—	—	—	·57	·18		9
10	·13	—	·20	·15	—	—	—	·075	—	—	·07	·02		10
11	·60	—	·05	·25	—	—	Tr	·175	—	—	·01	·26		11
12	—	—	·09	·01	—	—	·06	·01	—	—	—	·015		12
13	·46	—	·01	·17	—	—	·62	Tr	—	·035	—	·085		13
14	·01	—	·17	—	Tr	—	—	—	—	·015	—	·29		14
15	tr	—	·10	—	·18	—	·08	—	·11	·30	·37	·165		15
16	·14	—	·10	—	—	—	Tr	—	—	Tr	·195	Tr		16
17	·01	—	·005	—	—	—	·02	—	·20	·03	·01	·11		17
18	—	—	·04	·34	·02	—	—	—	·015	—	·01	·08		18
19	—	—	·11	·02	—	·06	—	—	—	—	Tr	·075		19
20	—	—	·01	·09	—	—	—	·03	—	Tr	Tr	Tr		20
21	tr	—	—	—	—	·15	—	·10	Tr	Tr	—	—		21
22	—	—	—	—	·02	—	—	·29	·25	·02	—	·15		22
23	—	Tr	—	·19	—	·15	·05	·04	·075	Tr	—	·05		23
24	—	·36	—	·04	—	·01	·105	—	·36	·05	Tr	—		24
25	·13	Tr	Tr	·06	—	·22	—	—	Tr	·15	—	·63		25
26	·05	—	·04	·29	—	·06	—	—	·03	Tr	—	·06		26
27	tr	—	—	·27	—	Tr	—	—	Tr	Tr	·01	·145		27
28	—	—	—	·40	—	·21	Tr	·18	—	Tr	Tr	·33		28
29	—	—	—	—	—	—	·265	·05	·60	·05	Tr	Tr		29
30	·02	×	—	—	—	—	·19	—	·065	·01	Tr	·15		30
31	—	×	—	×	—	×	—	·01	×	Tr	×	·115		31
TOTAL	1·84	·38	1·375	2·43	·32	·89	1·39	2·185	2·235	1·175	1·705	5·13 ~~4·93~~	Year's Total. ~~20·855~~	21·055
* Days with .01 in. or more.	14	2	16	16	7	9	8	17	12	15	13	26 ~~27~~	~~156~~	155
* Days with .04 in. or more.	11	1	14	13	2	6	7	13	9	7	8	23	114	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. Buckle

[P.T.O.

2451

File No 111029/31.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2451

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Studley College

in the County of Warwick.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft 9 in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·03	—	·03	·01	—	·025	—	·27	·11	·10	·02		1
2	tr.	—	—	—	—	·16	—	—	·15	·25	—	·01		2
3	—	·24	·015	·05	—	—	—	—	·42	·03	·18	·085		3
4	—	tr.	—	—	—	·29	—	—	·07	·30	·05	·08		4
5	—	·60	·25	·07	—	·015	tr	—	·05	·10	·04	·01		5
6	—	·01	·02	·46	—	·24	—	—	—	tr.	·20	·01		6
7	—	—	—	·34	—	·095	—	—	—	·02	·22	·15		7
8	—	—	—	·20	—	·01	—	·17	—	·25	·39	·07		8
9	—	—	—	·32	—	·27	—	—	—	·12	tr	tr.		9
10	—	—	—	·04	—	—	—	—	—	·63	tr.	—		10
11	2·8 Snow	tr.	tr.	—	—	·045	—	tr.	tr.	·02	·28	tr		11
12	Snow	·06	—	—	—	·2	—	·04	tr.	—	·01	—		12
13	·12	·13	—	·20	·11	—	—	—	—	tr	·01	—		13
14	—	tr.	—	—	·07	·05	—	—	·04	—	·42	Snow		14
15	—	·02	—	·79	·02	·245	·01	—	·35	—	·20	Snow		15
16	—	·03	·24	·27	—	·175	—	—	·48	·28	·80	·16		16
17	—	·005	tr.	·10	·06	·34	—	—	tr.	tr.	·26	—		17
18	—	—	—	·20	·13	—	·36	tr.	·1	·04	·11	—		18
19	—	—	—	·08	·03	·17	·19	—	·11	·03	·31	—		19
20	—	·12	—	·27	—	·12	·05	—	·2	—	·475	—		20
21	—	·22	·03	tr.	—	—	—	—	·03	·63	·08	—		21
22	—	·05	—	·09	—	—	—	tr.	·12	—	tr	—		22
23	·02	—	·05	tr.	—	—	—	·44	tr	·44	—	Snow		23
24	·08	·19	tr.	—	—	—	—	tr.	·88	·03	tr.	·27		24
25	·10	·09	—	·11	—	1·67	—	—	—	tr.	—	·04		25
26	—	·006	—	—	—	—	—	·4	·09	tr	—	·55		26
27	—	·15	—	—	—	—	—	—	·11	tr	·15	1·10		27
28	Snow	·01	—	—	·23	—	—	·04	·01	·05	tr.	·08		28
29	·04	—	·045	—	—	—	—	·05	·08	·03	·16	·17		29
30	tr	×	—	·065	·32	tr.	—	·48	·04	·32	·36	·13		30
31	—	×	—	×	—	×	—	tr.	×	·56	×	·15		31
TOTAL	3·18	1·961	·66	3·85	·98	4·095	·635	1·62	3·60	3·64	4·805	3·085	Year's Total. 31·~~36~~94	
* Days with .01 in. or more.	7	15	7	18	9	16	5	7	19	20	21	17	161	
* Days with .04 in. or more.	5	10	4	17	6	14	3	7	17	13	19	13	128	

† Spare column, no entries required.

40-9999

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2451

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Studley College

in the County of Warwickshire

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·108	·025	·34	—	·38	·13	·14	—	—	·07	·05		1
2	·04	Tr	·025	·12	—	·74	·17	Tr	—	—	·101	—		2
3	·005	Tr	—	—	—	·69	·06	Tr	·59	—	Tr	·02		3
4	—	—	·12	—	—	·09	—	Tr	·38	—	·02	·10		4
5	·075	·04	·11	—	—	Tr	·03	·07	·03	Tr	Tr	Snow ·25		5
6	—	—	—	—	·18	·07	·45	·20	·14	—	·19	·05		6
7	·05	—	·10	—	—	—	·59	—	·18	—	·04	·11		7
8	·27	—	·04	—	—	—	·11	—	Tr	—	·41	·02		8
9	·32	—	·27	—	—	—	·74	—	·15	·01	·06	·01		9
10	·11	—	Tr	—	—	—	·20	·01	·09	—	Tr	—		10
11	—	—	—	·08	—	·07	·11	Tr	·03	—	·48	—		11
12	—	—	—	·03	·08	·15	·59	—	·51	Tr	·06	(Ice) ·12		12
13	—	—	—	·03	—	·11	·02	—	Tr	·05	Tr	·22		13
14	—	—	—	·16	·12	·03	·25	—	·29	·06	Tr	·47		14
15	—	—	—	Tr	—	—	·09	—	Tr	—	·05	·06		15
16	—	·05	—	Tr	·08	—	·09	—	—	—	·28	—		16
17	Snow —	·25	Tr	—	—	—	·11	—	—	·08	·03	·15		17
18	—	·70	—	—	—	·46	·20	·02	—	·05	—	·05		18
19	Snow ·39	·06	·07	·11	—	·10	—	·07	—	·04	—	—		19
20	·01	·15	Tr	·07	Tr	·04	Tr	—	·06	Tr.	—	Tr		20
21	—	·12	—	·27	—	·60	·01	—	Tr	—	Tr	—		21
22	Snow Tr Rain	—	·02	Tr	Tr	—	·20	—	—	—	Tr	·08		22
23	·61	·72	·40	·08	·04	—	·43	—	—	·03	—	—		23
24	·18	Tr	—	Tr	·01	—	·02	—	·12	·17	·01	Tr		24
25	·125	·07	·16	·40	—	—	·09	—	·15	·04	·04	—		25
26	·04	Tr	·13	—	—	·01	·04	—	Tr	Tr		—		26
27	·18	·07	·02	—	—	—	·01	—	·15	·10	Tr	—		27
28	·34	Tr	·13	—	—	—	·015	—	—	Tr	·06	·08		28
29	Tr	·14	·01	—	—	·575	·13	—	—	·03		~~·08~~		29
30	·05	×	—	—	·10	·775	·11	—	—	·23	—	Tr		30
31	·48	×	·18	×		×	·05	—	×	·24	×	·21		31
TOTAL	~~2·295~~ 2·685	2·47	1·81	1·69	·61	4·8~~2~~9	5·045	·51	2·87	1·13	1·91	~~2·13~~ 2·03	Year's Total ~~27·36~~ 27·87	
* Days with .01 in. or more.	~~16~~ 17	12	16	11	7	16	28	6	14	13	16 ~~15~~	~~13~~ 17	~~172~~ 173	
* Days with .04 in. or more.	13	12	11	9	6	14	~~22~~ 21	4	12	10	11 ~~12~~	~~15~~ 14	~~140~~ 13~~8~~7	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) F.F. STUDLEY COLLEGE. [P.T.O.

File ~~No~~ 11029/31

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2451

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Studley College

in the County of Warwickshire

Diameter of Funnel of Gauge 6 in. Call 5"

Height of top of Gauge above Ground ..... ft. 9 in.

,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	Tr.	–	·10	–	–	·09	–	·09	–	·05	·47		1
2	–	·10	·02	·44	–	–	–	–	–	–	Tr	·18		2
3	·09	·08	·18	–	Tr. ·03	Tr	·01	–	–	–	Tr	·12		3
4	Tr.	·20	·01	–	–	·01	–	–	–	–	Tr	·53		4
5	·10	–	·15	–	·09	–	–	–	–	–	Tr	Snow –		5
6	·14	·04	·05	·05	Tr	–	Tr ·05	–	–	·11	Tr	Tr		6
7	–	·68	–	·17	–	Tr	–	–	–	–	–	Tr		7
8	–	·07	–	·01	} ·27 x	–	·01	–	–	–	·32	Tr		8
9	–	·05	Snow ·23	·06		–	·25	–	·28	–	Tr	Ice ·05		9
10	·02	–	Snow ·04	·30	Tr	·10	·02	–	–	–	–	·09		10
11	Tr	–	·15	Tr	·32	Tr	·02	–	–	–	–	Snow ·70		11
12	·07	·40	·36	–	·15	·06	–	·13	·18	–	–	·18		12
13	·12	·02	·26	·02	Tr	·13	–	·02	·03	–	–	Tr		13
14	–	·01	Snow ·06	·03	–	–	–	·17	·02	–	–	·08		14
15	·15	·09	–	·41	–	–	2·12	·02	·14	–	Tr	Tr		15
16	Tr	·03	·44	·19	–	Tr	–	·05	Tr	–	–	Tr		16
17	·27	·08	·33	·06	–	–	Tr	–	·19	Tr	–	–		17
18	·37	·08	·16	Tr	–	·03	·04	–	·44	Tr	·19	Snow ·06		18
19	·02	·03	·11	·12	Tr	·17	·39	–	–	Tr	·06	–		19
20	·18	·07	·12	·60	·21	–	–	–	–	Tr	–	·01		20
21	·12	·37	·01	·13	Tr	–	·21	–	–	Tr	Tr	·07		21
22	·20	·03	Snow ·01	·01	·07	·37	·24	–	–	·65	·51	Tr		22
23	·10	·05	·02	–	·08	–	·07	–	–	·15	·13	–		23
24	·20	–	·01	–	·02	–	·01	–	·07	·25	Tr	·01		24
25	·11	·34	·01	–	·03	–	–	–	·07	·49	Tr	·02		25
26	Tr	·20	·02	–	·56	–	–	–	–	Tr	–	Tr		26
27	–	·22	–	·18	Tr	–	–	–	–	·60	Tr	–		27
28	–	Snow ·10	–	–	–	Tr	–	–	–	·04	–	·02		28
29	Snow	–	–	–	–	·01	–	–	–	·02	·02	·01		29
30	·35	✕	–	–	–	Tr	–	·68	Tr	–	·08	·01		30
31	·22	✕	–	✕	–	✕	–	Tr	✕	·12	✕	–		31
TOTAL	2·95	3·32	2·75	2·88	1·83	·88	3·53	1·07	1·51	2·43	1·36	2·04	Year's Total 26·52	✓ ✓
* Days with .01 in. or more.	19	23	22	17	~~11~~ 12	8	14	6	10	9	8	17	16~~4~~5	✓ ✓
* Days with .04 in. or more.	17	17	14	13	~~8~~ 9	5	9	4	8	8	7	11	12~~[illegible]~~2	✓ ✓

† Spare column, no entries required.

P.P. STUDLEY COLLEGE

(*Signed*) M B[illegible] [P.T.O.

SECRETARY

* See Instruction 3 (f) on other side.

File No 111029/31

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2451

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Studley College
in the County of Warwickshire
Diameter of Funnel of Gauge 6·5 in.
Height of top of Gauge above Ground ft. 9 in.
,, Ground ,, Sea Level 256 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	Tr.	–	–	Tr.	·37	–	–	–	Tr.	·04	·38		1
2	·023	Tr.	–	·035	·045	·07	Tr.	–	–	·26	–	Tr.		2
3	Tr.	–	–	–	·05	·01	·16	–	Tr.	·325	–	–		3
4	Tr.	–	–	–	–	–	·22	·66	–	·45	–	·26		4
5	–	–	Tr	–	–	·25	·14	·85	Tr.	·105	Tr	–		5
6	·08		–	–	–	·075	·38	Tr.	·06	·02	–	Tr.		6
7	Tr.	–	Tr	–	–	–	·225	·32	·04	·22	–	·06		7
8	·35	–	–	–	–	–	·16	·64	Tr.	·17	–	Tr.		8
9	·15	·335	–	–	–	–	Tr.	·09	–	Tr.	–	·26		9
10	·135	–	–	–	–	·195	·28	·15	–	–	–	·06		10
11	·45	Tr.	–	–	–	Tr.	–	Tr.	–	·01	·13	·02		11
12	·15	·03	–	–	·10	–	Tr.	Tr.	–	·31	·35	Tr.		12
13	–	snow	–	–	Tr	–	·35	–	–	Tr	·04	·62		13
14	·22	snow	Tr.	–	Tr	–	·05	–	·02	–	Tr.	Tr.		14
15	·048	snow	–	–	·05	–	·08	Tr.	–	–	·05	·36		15
16	·23	–	–	–	Tr.	–	·05	Tr.	–	Tr	·04	·03		16
17	Tr.	·04	–	–	·41	–	·02	Tr.	·01	·12	·01	–		17
18	–	–	–	–	·025	·03	Tr.	Tr.	·38	Tr.	·24	–		18
19	·028	–	–	–	–	·08	–	·25	Tr.	Tr.	·12	·03 snow		19
20	–	–	–	–	–	–	–	–	Tr.	–	·27	snow		20
21	·027	–	–	Tr	–	–	Tr	·06	·045	–	·07	snow		21
22	·018	–	–	·03	–	–	–	–	·02	–	·29	·18		22
23	–	–	–	–	–	·06	–	–	·095	Tr.	Tr.	Snow		23
24	–	–	·135	–	·07	–	–	Tr.	·10	–	·02	·04		24
25	·145	·175	·08	–	·02	–	·04	·025	·15	·13	·27	·09		25
26	·21	·31	·165	–	·05	–	–	·08	·125	·25	–	·20		26
27	·1	·02	–	–	·21	·21	·31	·245	·13	·06	·27	–		27
28	·205	Tr	Tr	–	·35	·04	·04	·64	·03	–	·11	·02		28
29	·375	×	–	–	·34	·06	Tr.	–	Tr.	·05	·08	·22		29
30	·06		–	–	·02	·21	–	–	·59	–	·25	·19 snow		30
31	·185		–		·21		–	–		·11		·218		31
TOTAL	3·14	·617	·38	·065	1·45	1·66	3·105	4·01	1·795	2·54	2·65	3.218	Year's Total 25·18	✓
* Days with .01 in. or more.	20	6	3	2	14	13	15	12	14	15	18	18	150	✓
* Days with .04 in. or more.	15	3	3	–	11	11	14	11	10	13	16	14	121	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) P.P. STUDLEY COLLEGE M Buckle Secretary

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2451

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at STUDLEY COLLEGE

in the County of Warwick

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground ft. 9 in.

,, Ground ,, Sea Level 256 ft.

January & December entries adjusted for snowfall

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
0·18 1	—	—	·005	·17	·04	—	—	·38	·02	Tr	—	—		1
0·20 2	·018	—	—	·005	—	—	·01	·45	·62	—	·02	·03		2
0·25 3	(·20) Snow	—	Tr	·28	—	—	—	·35	Tr	—	·24	·32		3
4	·025	—	·3	·32	·09	—	·42	·08	Tr	·285	·1	·22		4
5	(·10) Snow	·005	·02	·065	·34	—	·16	·01	—	·08	·16	·20		5
6	·65	—	Tr	—	Tr	—	·31	—	—	—	·045	·03		6
7	·006	·04	·22	—	—	—	·21	·12	—	—	·34	·22		7
8	—	·09	Tr	—	—	—	·45	·22	Tr	·6	·25	·42		8
9	·025	·03	Tr	—	—	—	—	·21	—	·42	·02	·18		9
10	·36	—	·03	—	—	·02	—	·05	·04	·04	Tr	Tr		10
11	—	Tr	·1	—	—	·085	—	—	—	Tr	—	—		11
12	—	·01	·06	—	—	·035	—	—	—	Tr	Tr	—		12
13	—	—	—	Tr	·02	Tr	·14	—	·02	·2	—	—		13
14	·36	—	·03	·06	·17	·09	·095	—	Tr	·14	·10	—		14
15	·34	—	·01	·015	·18	·49	1·07	—	Tr	·12	·145	Tr		15
16	·17	—	Tr	·04	·07	·09		—	—	·3	·3	—		16
17	·43	·02	Tr	Tr	·01	Tr	·12	—	—	√·53	·03	—		17
18	·13	·05	·04	—	—	·26	·14	—	—	·03	·41	—		18
19	·23	Tr	Tr	—	—	·40	·75	—	Tr	—	Tr	—		19
20	·28	—	Tr	—	—	·02	·02	·08	—	—	—	—		20
21	·075	·13	·23	·02	·09	Tr	·02	Tr	·01	Tr	—	—		21
22	·13	·14	·03	·07	Tr	·11	Tr	Tr	Tr	·02	·39	Tr		22
23	·065	—	Tr	·05	—	Tr	·08	—	—	·02	·58	—		23
24	(·25) ~~Snow~~	—	Tr	·01	—	Tr	·25	Tr	—	·07	·005	—		24
25	(1·10) ~~Snow~~	·08	—	·01	—	—	—	—	—	—	·21	—		25
26	·10	·018	·005	·01	—	—	·10	·03	—	·02	·35	Tr		26
27	(·01) ~~Snow~~	—	·09	Tr	—	·02	·15	Tr	—	·06	·03	·04		27
28	—	·18	·08	—	—	·06	·57	·09	—	Tr	·19	(·15) Snow		28
29	—	·12	Tr	·21	—	—	—	·03	—	·16	·09	—		29
30	—	✕	—	·15	—	·17	·08	—	—	—	·07	—		30
31	5·06	✕	—	✕	—	✕	·18	·12	✕	Tr	✕	·04	28·892	31
TOTAL	~~3·40~~ 3·39~~4~~	·91 ·913	1·250	1·485	1·01	1·850	5·325	2·22	·71	3·095	4·175	1·85 ~~1·70~~	Year's Total ~~27·13~~	
* Days with .01 in. or more.	22 ~~16~~	12	13	15	9	13	22 ~~21~~	14	5	17	21	10	173 ~~168~~	
* Days with .04 in. or more.	17 ~~13~~	8	8	10	7	9	19 ~~18~~	11	2	13	17	8	129 ~~122~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

P.P. STUDLEY COLLEGE.

(*Signed*) M Buckle [P.T.O.

SECRETARY

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 2451

FORM 1[illegible]0

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Studley College
in the County of Warwick
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground........ft.........in.
,, Ground ,, Sea Level ....ft.

Jan & Feb cord for snow.
April 18-30 estd from nearby stns.
Query form sent 16/4/41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	(–) Snow	–	Tr	Tr	Tr	–	–	–	–	·15	·01		1
2	–	(–) Snow	–	·21	–	–	–	–	–	–	1·01	·06		2
3	–	·16	–	·07	–	–	·01	–	–	·11	1·20	·09		3
4	–	·07	–	·12	–	–	Tr	–	–	·14	·12	·06		4
5	–	·03	–	–	·05	–	·05	–	–	·15	·72	–		5
6	·06	·29	–	–	·02	–	·07	–	–	·33	·13	–		6
7	·01	·18	–	·01	–	–	Tr	–	·02	Tr	·01	–		7
8	Tr	Tr	–	·03	Tr	–	Tr	–	Tr	·15	·03	·18		8
9	–	–	–	–	–	–	·09	·20	·02	·21	·39	·13		9
10	–	–	·01	–	–	·08	·60	·04	Tr	·09	·06	·09		10
11	–	Snow	·07	–	–	–	·15	–	–	–	·53	·16		11
12	–	Snow	·08	–	–	Tr	·29	–	·24	–	·05	–		12
13	–	Snow ✓	Snow+rain ·42	·01	–	–	·09	Tr	·04	–	Tr	–		13
14	–	Snow	Snow+rain ·08	·03	·50	–	Tr	·20	·31	·09	·05	·25		14
15	–	(·30)	·03	·06	·25	–	·01	–	·07	·06	·09	·16		15
16	(·10) Snow	Snow ✓	·19	Tr	Tr	Tr	·18	–	·14	·56	·47	·04		16
17	–	Snow ✓	·22	–	–	–	·01	–	–	–	·16	Tr		17
18	–	Snow+rain ·48	·23	– ✓	–	–	Tr	·04	–	·17	·08	·11		18
19	–	·24	·02	– ✓	–	–	·38	–	·32	–	·09	·01		19
20	–	Tr	Tr	–	–	Tr	·04	·03	–	·36	Tr	Tr		20
21	(·10) Snow	Tr	·02	– ✓	–	·10	·04	Tr	–	Tr	·96	–		21
22	–	–	·04	~~·20~~ ✓	·20	·21	–	Tr	·03	–	Tr	–		22
23	–	·10	·06	~~·53~~ ✓	·53	·05	Tr	Tr	·02	·02	Tr	·01		23
24	–	–	–	~~·30~~	·30	–	·16	–	–	–	–	Tr		24
25	·01	–	–	(2·00) –	–	–	–	–	–	Tr	–	Tr		25
26	Snow+rain 1·21	·11	·01	Tr ✓	Tr	–	·11	–	–	–	·01	–		26
27	Snow+rain ~~·11~~ ✓	·07	–	~~·27~~ ✓	·27	–	·16	·01	–	–	–	–		27
28	Snow ✓	·18	–	Tr ✓	Tr	–	–	–	–	–	–	–		28
29	(1·31) Snow	–	·06	~~·14~~ ✓	·14	·05	–	–	–	Tr	–	·24		29
30	–	✕	·02	Tr ✓	Tr	–	·65	–	–	·45	–	–		30
31	·05	✕	–	✕	Tr	✕	–	–	✕	·76	✕	·02		31
TOTAL	2·85 ~~1·45~~	2·21 ~~1·94~~	1·56	2·54 ~~3·09~~	2·26	·49	3·05	·52	1·21	3·65	6·31	1·62	Year's Total ~~27·15~~	28·27
* Days with .01 in. or more.	~~8~~ 90	~~11~~ 14	16	~~13~~ 18	9	5	18	6	10	15	20	16	~~145~~	~~149~~ 157
* Days with .04 in. or more.	~~3~~ 7	~~10~~ 13	10	~~9~~ 11	8	5	14	3	6	14	17	12	~~111~~	~~118~~ 120

Print wt

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) D. J. Elliott

P.T.O.

"d"

✓ ✓ ✓

2452

Section **A** for the entry of Daily Obse

AIR MINISTRY.—METEOR AINFALL ORGANIZATION.

FORM 1090.

REGISTER C 1931 .

2452 – 451550

WARWICK – CASTLE GARDENS

1931 – 1940

780408

400

Kept at Warwick Castle Garden

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft

,, Ground ,, Sea Level 19

THE MORNING MEASUREMENT I S DAY.

An observer who does not conform to this rule shoul of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and

Date	Jan.	Feb.	March	April	May					Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	0.03		0.17	...	0.14	...	...	0.49	0.01	...	...	1
2	0.07	0.07	...	0.89	0.02	0.01	...	0.42	0.43	...	...	0.05	2
3	...	0.01	...	0.13	...	...	0.03	...	0.61	...	0.57	0.08	3
4	...	0.06	...	0.16	...	...	0.40	0.12	0.03	...	0.11	...	4
5	...	0.08	...	0.11	0.10	0.85	...	...	0.03	...	...	0.34	5
6	...	0.14	...	0.06	...	0.03	0.06	...		0.16	0.15	0.02	6
7	...	...	...	0.01	...	...	...	0.58		0.01	0.02	...	7
8	0.04	0.05	...	0.07	...	0.16	...	0.58		...	0.27	...	8
9	...	0.27	...	0.01	...	0.04	...	0.04		...	0.23	...	9
10	0.01	0.03	...	...	0.01	...	0.02	0.18		...	0.01	...	10
11	0.18	0.16	...	...	...	0.05	0.02	0.01	0.14	...	0.14	...	11
12	...	0.10	...	...	...	...	0.69	0.04	0.40	0.09	...	...	12
13	0.01	...	...	...	...	...	...	0.03	...	0.03	...	...	13
14	...	0.05	...	...	0.04	0.15	0.62	0.84	0.06	...	0.03	...	14
15	...	0.08	...	0.09	0.26	...	0.21	0.35	...	...	0.01	0.03	15
16	0.05	0.06	...	0.20	0.11	0.60	...	0.06	0.12	...	...	...	16
17	0.01	0.39	...	0.17	0.51	...	0.11	...	0.02	...	...	...	17
18	0.08	0.02	0.02	0.24	...	0.10	0.03	0.26	...	...	0.30	...	18
19	0.03	0.03	...	0.14	...	0.41	0.08	0.02	...	...	...	...	19
20	...	0.06	0.02	0.02	...	...	...	0.06	...	0.01	...	...	20
21	0.18	0.01	...	...	0.45	...	...	0.01	...	...	0.03	...	21
22	0.16	0.02	...	...	0.01	...	...	0.02	...	...	...	...	22
23	0.20	...	0.04	...	0.37	0.24	...	0.03	0.09	...	0.11	0.10	23
24	...	0.02	...	0.16	0.38	0.01	0.03	...	...	...	...	...	24
25	0.02	...	...	0.64	0.01	...	0.57	...	...	...	0.08	0.01	25
26	...	0.02	...	0.45	...	...	0.08	...	...	...	0.21	...	26
27	0.13	0.58	...	0.02	0.33	...	0.01	...	...	...	0.18	0.02	27
28	0.08	0.22	...	0.02	0.24	...	...	...	...	0.03	0.01	0.07	28
29	0.01	×	...	...	0.08	...	0.12	...	...	0.28	...	0.06	29
30	...	×	...	...	...	...	...	...	...	...	...	...	30
31	0.16	×	...	×	0.01	×	...	...	×	...	×	0.03	31
TOTAL	1.45	2.57	0.08	3.79	2.93	2.79	2.97	3.65	2.39	0.62	2.46	0.81	YEAR'S TOTAL 26.51
Days with ·01 in. or more.	19	24	3	20	16	13	16	18	11	8	17	11	174
Days with ·04 in. or more.	11	15	1	15	11	10	10	12	8	3	11	6	113

40-9999

(Signed) H. J. Smale [P.T.O.

✓ ✓ ✓ 107

2452

Section **A** for the entry of Daily Obse

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Warwick Castle Gardens

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 197 ft.

100 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	0.08		0.17	--	0.14	...	...	0.49	0.01	...	...	1
2	0.07	0.07	...	0.89	0.02	0.01	...	0.42	0.43	...	...	0.05	2
3	- -	0.01	...	0.13	...	...	0.03	...	0.61	...	0.57	0.08	3
4	...	0.06	...	0.16	...	...	0.40	0.12	0.03	...	0.11	...	4
5	...	0.08	...	0.11	0.10	0.85	...	...	0.03	...	...	0.34	5
6	...	0.14	...	0.06	...	0.03	0.06	...		0.16	0.15	0.02	6
7	...	...	...	0.01	...	...	...	0.58		0.01	0.02	...	7
8	0.07	0.05	...	0.07	...	0.16	...	0.58		...	0.27	...	8
9	...	0.27	...	0.01	...	0.04	...	0.04		...	0.23	...	9
10	0.01	0.03	...	...	0.01	...	0.02	0.18		...	0.01	...	10
11	0.18	0.16	...	...	...	0.05	0.02	0.01	0.11	...	0.14	...	11
12	...	0.10	...	...	...	...	0.69	0.04	0.40	0.09	...	...	12
13	0.01	- -	...	...	...	...	...	0.03	...	0.03	...	...	13
14	...	0.05	...	...	0.04	0.15	0.62	0.84	0.06	...	0.03	...	14
15	...	0.08	...	0.09	0.26	...	0.21	0.35	...	...	0.01	0.03	15
16	0.05	0.06	...	0.20	0.11	0.60	...	0.06	0.12	...	...	...	16
17	0.01	0.39	...	0.17	0.51	...	0.11	...	0.02	...	...	...	17
18	0.08	0.02	0.02	0.24	...	0.10	0.03	0.26	...	...	0.30	...	18
19	0.03	0.03	...	0.14	...	0.41	0.08	0.02	...	...	...	...	19
20	...	0.06	0.02	0.02	...	...	...	0.06	...	0.01	...	...	20
21	0.18	0.01	...	...	0.45	...	...	0.01	...	...	0.03	...	21
22	0.16	0.02	...	...	0.01	...	...	0.02	...	...	...	...	22
23	0.20	...	0.04	...	0.37	0.24	...	0.03	0.09	...	0.11	0.10	23
24	...	0.02	...	0.16	0.38	0.01	0.03	...	...	...	...	...	24
25	0.02	...	...	0.69	0.01	...	0.57	...	...	...	0.08	0.01	25
26	...	0.02	...	0.45	...	...	0.08	...	...	...	0.21	...	26
27	0.13	0.58	...	0.02	0.33	...	0.01	...	...	...	0.16	0.02	27
28	0.08	0.22	...	0.02	0.24	...	...	...	...	0.03	0.01	0.07	28
29	0.01	×	...	...	0.08	...	0.12	...	...	0.28	...	0.06	29
30	...	×	...	...	...	...	...	...	...	...	...	...	30
31	0.16	×	...	×	0.01	×	...	...	×	...	×	0.03	31
TOTAL	1.45	2.57	0.08	3.39	2.93	2.79	2.97	3.65	2.39	0.62	2.46	0.81	YEAR'S TOTAL 26.59
Days with ·01 in. or more.	19	24	3	20	16	13	16	18	11	8	19	11	174
Days with ·04 in. or more.	11	15	1	15	11	10	10	12	8	3	11	6	113

40-9999

(Signed) H. F. Smale [P.T.O.

2452

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. √ Kg. Station No. 2452

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Warwick Castle Gardens
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 197 ft.

100
400.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·06	0·02	...	0·07	0·94	0·01	0·03	0·29	0·03	0·24	0·01	...	1
2	0·02	...	...	0·16	0·20	...	...	0·01	0·22	0·20	...	0·07	2
3	...	...	...	0·12	0·06	...	...	...	...	...	...	...	3
4	0·02	...	...	0·09	...	...	...	...	...	...	0·32	...	4
5	0·17	0·01	0·06	0·01	0·04	...	...	...	0·10	...	...	...	5
6	0·29	...	0·06	0·33	...	...	...	...	0·43	...	...	...	6
7	0·01	...	0·20	0·07	...	...	...	...	0·05	0·03	...	...	7
8	...	...	...	0·11	...	...	...	...	0·11	0·33	...	...	8
9	0·17	0·09	...	0·09	0·03	...	...	...	0·11	...	...	...	9
10	0·14	0·05	...	0·31	0·06	...	...	...	0·10	0·12	...	...	10
11	...	0·01	...	0·05	0·04	...	0·29	...	...	0·07	...	0·03	11
12	0·21	...	...	...	0·24	...	...	...	0·09	0·38	0·03	...	12
13	...	...	...	0·11	...	...	1·06	...	0·01	0·06	0·03	0·04	13
14	0·18	0·03	...	0·01	...	...	...	0·01	...	0·03	0·08	...	14
15	...	...	...	0·02	0·07	...	0·04	...	...	0·03	...	0·03	15
16	0·17	...	...	0·19	0·02	...	...	...	...	...	...	...	16
17	...	...	...	...	...	...	0·05	...	...	0·12	...	...	17
18	...	...	...	...	0·10	...	...	...	0·01	0·02	0·11	...	18
19	...	0·02	...	0·04	0·02	...	...	...	...	0·17	...	...	19
20	0·01	...	...	0·17	0·90	...	0·01	0·68	...	0·37	0·09	...	20
21	...	...	0·11	0·47	1·17	...	...	0·43	...	0·30	0·05	0·08	21
22	...	...	0·13	0·02	0·26	0·02	0·19	...	0·77	0·10	0·31	...	22
23	...	0·01	...	0·01	0·83	...	...	...	0·08	0·11	0·01	0·04	23
24	0·01	...	...	...	...	...	0·03	...	0·07	0·02	0·11	...	24
25	...	0·01	...	...	0·01	...	0·13	...	...	0·13	0·01	0·01	25
26	...	...	0·07	0·41	0·12	...	0·02	...	0·03	0·03	0·02	...	26
27	...	...	0·28	0·40	0·41	0·14	0·10	...	...	...	0·04	0·01	27
28	0·01	...	0·09	0·11	0·22	0·26	0·16	0·09	...	0·03	...	0·03	28
29		...	0·28	0·13	0·20	0·12	0·01	0·03	0·14	0·34	0·01	0·08	29
30		×	0·07	0·01	...	0·50	0·24	0·26	0·96	0·07	0·42	0·25	30
31		×	0·13	×	0·01	×	0·53		×	...	×	0·07	31
TOTAL	1·47	0·25	1·48	3·51	6·45	1·05	2·89	1·80	3·31	3·30	1·65	0·74	YEAR'S TOTAL 27·90
*Days with ·01 in. or more.	14	9	11	25	22	6	15	8	17	23	16	12	178
*Days with .04 in. or more.	8	2	~~12~~ 11	19	17	4	10	5	~~12~~ 13	16	9	7	121

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) S.E. Smale

P.T.O.

✓ 97

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ~~2452~~ 2452

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

File 160. 875-126/28.

Kept at Warwick Castle Gardens

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 197 ft.

100

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.19	0.24	0.03	...	...	...	...	...	...	...	...	...	1
2	0.09	...	0.43	...	0.06	...	...	...	...	...	0.08	...	2
3	...	0.12	0.38	...	0.13	...	...	...	...	...	0.04	...	3
4	0.07	...	0.02	...	0.28	...	...	...	...	...	...	...	4
5	0.08	0.02	0.25	...	0.01		...	...	...	...	0.02	...	5
6	...	0.20	0.03	...	0.23	...	...	...	...	0.07	0.01	...	6
7	0.08	0.11	0.01	...	...	...	...	...	...	0.22	...	...	7
8	0.03	...	0.06	...	0.07	...	0.21	...	...	0.04	...	...	8
9	...	...	...	...	0.10	...	0.31	...	...	0.08	0.03	...	9
10	0.05	0.37	...	...	0.04	0.05	...	0.02	...	1.08	0.02	...	10
11	...	...	...	...	0.01	0.08	0.35	0.01	...	...	0.02	...	11
12	0.05	...	...	...	0.01	0.01	0.10	...	0.27	...	...	...	12
13	0.02	...	...	...	0.13	0.06	0.23	0.01	0.02	...	0.27	...	13
14	...	...	...	...	...	...	0.01	0.03	...	0.27	0.23	0.04	14
15	0.36	...	...	...	...	...	0.14	0.09	...	0.01	0.04	0.02	15
16	0.06	...	0.59	...	...	0.06	0.03	0.01	...	0.06	0.08	0.02	16
17	0.10	...	0.40	...	...	...	0.03	...	0.04	...	0.01	...	17
18	...	0.07	0.08	...	...	0.06	...	...	...	...	0.01	...	18
19	...	...	0.62	...	...	0.11	...	...	0.12	...	...	...	19
20	...	0.03	0.02	...	0.01	0.27	...	...	0.01	0.06	...	0.01	20
21	...	...	...	...	...	0.24	...	0.32	0.02	...	0.01	...	21
22	...	002	...	...	...	0.18	...	0.32	...	0.12	...	...	22
23	...	...	...	0.16	...	0.07	...	...	0.44	0.06	0.01	...	23
24	...	0.76	...	0.12	0.08	0.37	...	...	0.17	0.01	0.01	...	24
25	...	0.50	...	0.27	...	0.19	...	...	0.11	...	...	0.04	25
26	...	0.63	...	0.12	...	...	...	...	0.02	0.18	...	...	26
27	...	0.01	...	...	0.34	...	...	...	0.02	0.05	...	0.03	27
28	...	...	...	0.37	0.16	...	0.02	...	...	0.23	...	0.03	28
29	0.08	X	...	0.06	...	...	0.15	...	...	0.32	...	0.01	29
30	0.06	X	0.07	0.01	...	...	0.10	...	...	0.01	...	0.04	30
31	0.02	X	0.16	X	...	X	...	0.08	X	0.17	X	0.04	31
TOTAL	1.33	2.97	2.90	1.10	1.66	1.67	1.68	0.89	1.24	3.04	0.84	0.28	YEAR'S TOTAL 19.60
*Days with ·01 in. or more.	15 ✓	13 ✓	15 ✓	7 ✓	15 ✓	18 ✓	12 ✓	~~8~~ 9	11 ✓	18 ✓	16 ✓	19 ✓	154 ✓
*Days with .04 in. or more.	12 ✓	9 ✓	~~8~~ 9	6 ✓	11 ✓	11 ✓	8 ✓	~~5~~ 4	6 ✓	15 ✓	5 ✓	4 ✓	100 ✓

19.60 in

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) H. F. Arnold

P.T.O.

File I/o 875126/28.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2452.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Warwick Castle Gardens

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 197 ft.

100

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07	...	...	...	...	...	...	0.18	...	0.01	0.05	0.52		**1**
2	0.04	...	0.10	...	...	...	...	0.01	0.28	0.01	0.05	0.30		**2**
3	0.02	0.06	...	0.07	...	...	...	...	...	0.04	0.01	0.01		**3**
4	0.04	...	0.12	0.05	0.07	...	...	...	0.09	0.10	0.06	0.26		**4**
5	...	...	0.02	0.01	0.08	0.02	...	0.30	...	0.03	0.06	0.14		**5**
6	...	...	0.05	0.05	0.23	...	...	...	...	0.21	...	0.53		**6**
7	0.08	...	...	...	...	0.03	...	0.16	...	0.04	...	0.25		**7**
8	...	...	...	...	0.06	0.01	...	0.07	...	...	0.13	0.01		**8**
9	...	...	0.06	0.01	...	...	...	...	...	...	0.65	0.20		**9**
10	0.04	...	0.08	0.13	...	...	...	0.06	...	...	0.05	0.01		**10**
11	0.53	...	0.11	0.33	...	...	0.06	0.07	...	...	...	0.14		**11**
12	...	...	0.13	...	...	...	0.05	0.12	...	...	...	0.01		**12**
13	0.38	...	0.01	0.02	...	...	0.43	0.11	...	0.04		0.22		**13**
14	0.01	...	0.19	...	...	0.02	...	...	0.01	0.09	0.21	0.22		**14**
15	0.04	...	0.13	...	0.11	...	0.12	...	0.01	0.29	0.31	0.08		**15**
16	0.14	...	0.06	...	...	...	...	...	...	0.05	0.02	0.02		**16**
17	0.01	...	0.01	...	...	...	0.01	...	0.18	0.08	0.03	0.15		**17**
18	0.14	...	0.01	0.12	...	...	0.20	...	...	...	...	0.02		**18**
19	...	...	0.17	0.01	...	0.04	...	...	0.03	...	0.01	0.06		**19**
20	...	...	0.03	0.10	...	...	...	...	...	...	...	...		**20**
21	...	...	...	...	...	0.08	...	0.04		0.09	...	...		**21**
22	...	...	...	...	...	...	...	0.24	0.20	...	...	0.17		**22**
23	...	0.01	...	0.13	0.14	0.22	0.05	...	0.02	...	0.05	0.08		**23**
24	...	0.29	0.12	0.01	...	0.03	0.25	...	0.44	0.03	0.03	0.01		**24**
25	0.17	...	...	0.11	...	0.23	...	...	...	0.05	...	0.25		**25**
26	0.01	...	0.08	0.22	...	0.07	...	...	0.04	0.01	...	0.02		**26**
27	...	...	...	0.12	...	...	...	...	...	0.02	...	0.17		**27**
28	...	...	...	0.70	...	0.28	...	0.38	...	0.02	...	0.37		**28**
29	...	X	...	...	...	...	0.33	0.04	0.52	0.01	...	0.02		**29**
30	0.01	X	...	...	...	...	...	...	0.03	...	...	0.12		**30**
31	...	X	...	X	...	X	...	0.02	X	0.15	X	0.02	Year's Total.	**31**
TOTAL	1.73	0.36	1.48	2.19	0.69	1.03	1.49	1.80	1.80	1.37	1.62	4.38	19.94	
* Days with .01 in. or more.	16	3	18	17	6	11	9	14	12	20	15	29	170	
* Days with .04 in. or more.	11	2	13	12	6	6	8	12	7	12	10	19	118	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE. ✓ ✓ ✓ K

Section **A** for the entry of Daily Observations. Station No. 2459

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193~~5~~4.

Kept at Warwick Castle Gardens

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 197 ft.

100
400

File 70875/26/28.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	0·01	...	...	0·04	0·05	0·08	...	0·59	0·12	0·08	...		1
2	...	...	0·03	...	...	...	...	...	...	0·23	...	0·08		2
3	...	0·21	0·05	...	...	0·20	...	...	0·25	0·31	0·21	0·13		3
4	...	...	...	0·10	...	0·30	...	...	0·12	0·06	...	0·01		4
5	...	0·66	0·08	0·11	...	0·24	0·02	...	0·09	0·01	0·11	...		5
6	...	0·01	0·01	0·40	...	0·25	...	...	...	...	0·04	...		6
7	...	...	...	0·32	...	0·06	...	...	...	0·24	0·27	0·13		7
8	...	...	...	0·18	...	0·01	...	0·19	...	0·19	0·13	0·05		8
9	...	...	...	0·25	...	0·30	...	...	...	0·61	0·43	0·01		9
10	...	...	...	0·01	...	0·01	...	...	...	...	0·01	0·01		10
11	...	...	...	...	...	0·36	...	...	0·01	0·02	0·15	...		11
12	0·24	0·02	...	...	...	0·21	...	0·02	...	...	...	...		12
13	0·12	0·08	...	0·09	0·14	...	...	...	...	...	...	...		13
14	...	...	...	...	0·04	...	...	...	0·07	...	0·42	0·09		14
15	...	0·04	...	0·76	0·04	0·07	...	...	0·29	...	0·17	0·22		15
16	...	0·05	0·10	0·27	...	0·03	...	...	0·25	0·14	0·80	...		16
17	...	...	...	0·34	...	0·18	...	...	0·06	0·06	0·31	...		17
18	...	0·09	...	0·22	0·14	0·17	0·19	...	0·15	0·06	0·02	...		18
19	...	...	...	0·10	0·32	0·16	0·10	...	0·05	0·04	0·31	...		19
20	0·01	0·31	...	0·13	0·04	0·11	0·06	...	0·04	...	0·29	...		20
21	...	0·12	0·03	0·55	...	...	...	...	0·60	0·01	0·17	...		21
22	...	0·02	...	0·12	...	...	...	...	0·04	...	...	...		22
23	...	...	0·09	...	...	...	...	0·25	0·04	0·34	...	...		23
24	0·07	0·11	...	...	...	...	...	...	1·15	0·02	0·01	0·43		24
25	0·12	0·15	...	0·10	...	1·45	...	...	...	...	...	0·12		25
26	0·01	0·05	...	...	...	...	...	0·15	0·13	...	...	0·51		26
27	...	0·10	...	...	0·03	...	...	...	0·08	0·01	0·15	1·15		27
28	0·02	0·07	...	...	0·80	...	...	...	0·06	0·06	0·01	0·05		28
29	...	✕	0·07	...	...	...	...	...	0·10	0·04	...	0·08		29
30	0·03	✕	...	0·11	0·02	...	...	0·42	0·01	0·26	0·38	0·08		30
31	...	✕	...	✕	...	✕	...	...	✕	0·57	✕	0·21		31
TOTAL	0·63	2·10	0·46	3·36	1·61	3·86	0·45	1·03	4·18	3·37	4·47	3·36	Year's Total 28·88	
* Days with .01 in. or more.	9	14	8	18	10	18	5	5	21	21	21	17	170	
* Days with .04 in. or more.	4	13	5	17	8	15	4	4	19	16	17	14	136	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. J. Smale [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No 2452

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1936.

File 1/0 875126/28.

100
400

June 22nd supported
27/2643/2

Kept at Warwick Castle Gardens
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 197 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Copy by B.R.O.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	0.09	0.02	0.43	...	0.11	0.27	0.08	-	—	·04	·09		1
2	0.05	0.01	0.12	0.04	...	0.17	0.17	0.01	-	—	·16	·03		2
3	0.01	0.01	...	...	...	0.22	0.02	...	·25	—	·03	·03		3
4	...	...	0.09	...	...	0.05	...	...	·33	—	·03	·06		4
5	0.11	0.01	0.04	...	...	...	0.02	...	·14	·01	—	·30		5
6	0.01	...	...	...	0.22	0.07	0.16	0.31	·10	—	·07	—		6
7	0.08	...	0.03	...	...	0.01	0.66	...	·08	—	·06	·02		7
8	0.14	...	0.16	...	...	...	0.02	...	·03	—	·32	·06		8
9	0.42	...	0.07	...	...	...	0.89	...	·20	—	·02	·01		9
10	0.03	...	...	...	...	...	0.28	0.01	·04	—	·07	—		10
11	...	...	...	0.07	...	...	0.08	0.02	·20	—	·35	-		11
12	...	...	...	0.02	0.04	0.12	0.63	...	·54	—	·12	·12		12
13	...	...	...	0.03	...	0.33	0.05	0.01	-	·05	—	·11		13
14	...	...	...	0.19	...	0.05	0.40	...	·25	·05	·01	·61		14
15	...	...	...	...	...	...	0.02	...	·05	—	·01	·07		15
16	0.23	0.16	...	...	...	...	0.40	...	-	—	·35	·03		16
17	0.08	0.33	...	...	...	...	0.08	...	-	·11	·04	·10		17
18	...	0.01	...	...	...	0.20	0.08	0.01	-	·14	—	·02		18
19	0.30	0.04	0.07	0.10	...	0.09	...	0.06	-	—	—	-		19
20	0.01	0.04	0.05	0.08	...	...	0.01	...	·10	—	—	-		20
21	...	...	...	0.24	...	0.01	0.04	...	·07	—	—	-		21
22	...	0.62	0.03	...	0.07	1.35	0.20	...	-	—	·01	-		22
23	0.01	...	1.00	0.11	0.05	...	0.17	...	-	·05	—	-		23
24	0.29	0.05	0.08	0.01	...	...	...	...	·17	·14	·01	·09		24
25	0.04	...	0.20	0.39	...	...	0.22	...	·18	·06	·02	-		25
26	...	0.05	0.22	...	...	...	0.12	...	-	·02	·03	-		26
27	0.05	...	0.01	...	...	...	0.01	...	-	·11	—	-		27
28	0.38	0.05	0.10	...	...	...	0.30	...	-	·02	·02	·05		28
29	0.02	0.15	...	...	...	0.32	0.02	...	-	·02	·16	·09		29
30	0.04	✕	...	...	0.21	0.05	0.05	...	-	·31	—	-		30
31	0.58	✕	0.05	✕	...	✕	0.04	...	✕	·14	✕	·22		31
													Year's Total	
TOTAL	2.89	1.62	2.35	1.71	0.59	3.15	5.05	0.51	2.73	1.23	1.87	2.11	25.71	✓
* Days with .01 in. or more.	21	14	17	12	5	15	28	8	16	14	21	19	190	✓
* Days with .04 in. or more.	14	10	13	9	5	13	21	3	15	10	10	13	136	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2452

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Warwick Castle Gardens

in the County of Warwickshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

100

400

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	–	·02	·02	–	–	·12	–	·05	–	·14	·35		1
2	·01	·10	·01	·65	–	–	–	–	–	·01	–	·23		2
3	–	·08	–	–	·12	–	–	–	–	–	–	·04		3
4	·11	·17	–	–	·04	–	–	–	–	–	–	·11		4
5	·13	–	·20	–	–	–	·03	–	–	–	–	–		5
6	·22	·02	·14	·07	·13	–	·02	–	–	·06	·01	–		6
7	–	·62	·01	·12	·01	–	–	–	–	–	–	–		7
8	–	·09	–	·01	·07	–	–	–	–	–	·50	·02		8
9	–	–	·02	·02	·23	–	·22	–	·24	–	–	–		9
10	–	·03	·35	·41	–	·26	·03	–	–	–	–	·15		10
11	–	–	·16	·01	·48	·03	·02	–	–	–	–	·12		11
12	·09	·37	·37	–	·19	·09	–	1·57	·12	–	–	·15		12
13	·22	·04	·15	·01	·01	·05	–	1·50	·46	–	–	·02		13
14	·01	·01	·38	·07	–	·01	–	1·84	·02	–	·01	·10		14
15	·11	·08	–	·23	–	–	·94	·01	·10	–	–	·01		15
16	–	·05	·30	·22	–	–	–	·03	·28	–	–	–		16
17	·18	·02	·26	–	–	–	–	–	·19	–	–	–		17
18	·28	·10	·17	·15	–	·01	·07	–	·73	–	·30	·04		18
19	·09	–	·14	·14	·03	·16	·30	–	–	–	·08	–		19
20	·21	·01	–	·49	·37	–	–	–	–	·02	–	·02		20
21	·12	·34	·24	·04	·03	–	·20		–	–	–	·08		21
22	·11	·01	·10	–	·07	·12	·19	–	–	·34	·32	–		22
23	·29	·01	–	–	·02	–	·10	–	–	·28	·12	–		23
24	·10	·34	·02	–	·02	–	·06	–	·06	·34	–	·01		24
25	·14	·30	–	–	·08	–	–	–	·04	·40	·01	·01		25
26	·01	·25	·03	–	·34	–	–	–	–	·01	–	·01		26
27	–	·32	–	·29	–	–	–		–	·70	–	–		27
28	·05	·05	–	–	–	–	–	–	–	·02	–	·04		28
29	–	✕	–	–	–	·01	–	–	–	·02	·01	·02		29
30	·28	✕	–	–	–	–	–	·54	–	–	·12	–		30
31	·20	✕	–	✕	–	✕	–	–	✕	·10	✕	–		31
TOTAL	3·11	3·41	2·87	2·95	2·24	·74	2·30	2·~~03~~ ·49	2·29	2·3~~1~~ 0	1·62	1·53 ✓	Year's Total 27·85	✓
* Days with .01 in. or more.	22	23	19	17	17	9	13	6	11	12	11	19	179	✓
* Days with .04 in. or more.	19	16	13	12	11	5	8	4	10	~~8~~ 7	7	10	~~[illegible]~~	✓124

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2452

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

100

Copy by B.R.O.

400

Kept at Warwick Castle Gardens

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 197 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·42	·04	–	–	·11	·01	·32		1
2	·07			·04	·05	·08	–	–	–	·16	·01	·01		2
3	·01				·05	·01	·17	–	–	·45	–	–		3
4	·01					·02	·02	·24	–	·16	–	·22		4
5							–	·64	–	·11	–	–		5
6						·03	·14	–	·04	·04	–	–		6
7	·05					·06	·12	·20	·11	·24	–	·05		7
8	·23						·02	·34	–	·18	–	·02		8
9	·02	·03				·02	·04	·08	–	–	–	·30		9
10		·04				·12	·17	·04	–	–	–	·09		10
11	·52	·01					·01	·03	–	·01	·11	·01		11
12	·12				·10		–	·16	–	·40	·05	–		12
13		·01					–	–	–	–	·13	·39		13
14	·23	·04			·03		·67	–	·10	–	–	–		14
15	·10				·01		·05	–	–	–	·02	·18		15
16	·20						·08	–	–	–	·01	·09		16
17		·06					·01	–	·02	·17	·01	–		17
18	·03				·06	·09	·01	·01	·76	–	·31	–		18
19						·01	–	·19	·03	–	·15	–		19
20							–	–	·02	–	·33	·01		20
21							–	–	–	–	·05	–		21
22				·005		·06	–	·01	·01	–	·36	·52		22
23							–	–	·25	–	–	–		23
24			·03		·03		–	–	·30	–	·01	·08		24
25	·11	·24	·13				·02	·05	·01	·14	·37	–		25
26	·15	·39	·06		·01		–		·06	·19	–	·30		26
27	·05	·01			·30	·16	·32	·01	·27	·04	·32	–		27
28	·14				·25	·11	·01	·16	·09	–	·07	·13		28
29	·45	✕		·005	·28		–	1·06	–	·06	·08	·10		29
30	·04	✕			·01	·28	–		·43	–	·20	·10		30
31	·13	✕		✕	·25	✕	–		✕	·16	✕	·19		31
TOTAL	2·66	·83	·22	·05	1·43	1·47	1·90	3·22	2·50	2·62	2·60	3·11	Year's Total 22·61	✓
* Days with .01 in. or more.	19	9	3	2	13	14	17	15	15	16	19	19	~~160~~	161
* Days with .04 in. or more.	15	5	2	1	8	9	10	11	10	15	13	15	114	✓

* See Instruction 3 (f) on other side.

1·10

† Spare column, no entries required.

(*Signed*) H. F. Smale

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2452

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

100

Copy by B.R.O.

400

Kept at Warwick Castle Gardens

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ..... in.

,, Ground ,, Sea Level 197 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	–	–	·13	·05	–	–	·39	–	·04	–	–		1
2	·05	–	–	·08	–	–	–	·37	·58	·02	·08	–		2
3	·16	–	–	·41	–	–	–	·68	·05	·01	·13	·28		3
4	·12	–	·35	·28	–	–	·53	·36	–	·31	·03	·18		4
5	–	–	–	·06	·20	–	·07	·41	–	·01	·20	·13		5
6	·55	–	·01	–	–	–	·51	·02	–	–	·03	–		6
7	·01	·03	–	–	–	–	·18	·02	–	–	·47	·35		7
8	–	·09	·31	–	–	–	·39	·12	–	·71	·12	·42		8
9	·03	·05	–	–	–	–	–	·21	–	·35	·05	·21		9
10	·28	–	·02	–	–	·04	–	·16	·03	·04	·01	–		10
11	–	–	·19	–	–	·09	–	·01	·02	·02	–	·01		11
12	·01	·01	–	–	–	·10	–	–	–	–	·01	–		12
13	–	–	–	·03	·01	–	·19	–	·02	·21	–	–		13
14	·45	–	·02	·02	·18	·05	·02	–	–	·10	·07	·01		14
15	·51	–	–	–	·06	·43	·55	–	–	·29	·36	–		15
16	·28	–	·05	·02	·23	·14	·35	–	–	·04	·23	–		16
17	·31	·05	·01	–	·08	·03	·19	–	–	·84	·05	–		17
18	·24	·03	·04	–	–	·31	·13	–	–	–	·49	–		18
19	·31	–	–	–	–	–	·58	–	–	–	–	–		19
20	·23	–	·01	–	–	–	·05	·13	–	–	–	–		20
21	·12	·06	·23	–	–	·39	·04	2·70	·02	–	–	–		21
22	·23	·22	·04	–	–	·02	·01	–	·01	·01	·42	·01		22
23	·03	–	–	·03	–	·03	·04	–	–	·04	·76	–		23
24	·10	–	–	–	–	–	–	–	–	·13	–	–		24
25	1·24	·14	·02	–	–	–	·12	–	–	·02	·26	–		25
26	·28	·02	–	·01	–	–	–	·03	–	·01	·28	·06		26
27	–	·13	·06	–	–	·02	·09	–	–	–	·03	–		27
28	·01	·16	·12	·01	–	·02	·18	·01	–	–	·19	·06		28
29	–		–	·25	–	–	·29	–	–	·19	·04	–		29
30	–	✕	–	·25	–	·21	·02	–	–	–	·05	–		30
31	–	✕	–	✕	–	✕	·01	·10	✕	–	✕	·02		31
													Year's Total	
TOTAL	5·57	·99	1·48	1·58	·81	1·88	4·54	5·66	·73	3·39	4·36	1·74	32.73	
* Days with .01 in. or more.	23	12	15	13	7	14	22	16	7	20	23	12	184	
* Days with .04 in. or more.	17	8	9	7	6	9	18	11	2	13	18	8	126	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2452

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Warwick Castle Gardens

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 197 ft.

BRITISH RAINFALL ORGANIZATION.

100

x00

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·01	·01	–	–	–	–	–	·12	–		1
2	–	–	–	·29	–	–	–	–	–	–	·94	–		2
3	–	·18	–	·05	–	–	–	–	–	·15	·78	·05		3
4	–	·07	–	·20	–	–	·01	–	–	·16	·24	–		4
5	–	·04	–	–	·05	–	·03	–	–	·15	·56	·13		5
6	·11	·25	–	–	·02	–	·05	–	–	·41	·32	–		6
7	·02	·21	–	–	–	–	·02	–	·01	–	·01	–		7
8	–	–	–	–	·01	–	–	–	–	–	·01	·24		8
9	–	–	–	–	–	–	·08	·09	·01	·06	·09	·11		9
10	–	–	·05	–	–	–	·73	–	–	·02	·16	·10		10
11	–	–	·03	·05	–	–	·07	–	–	·16	·52	·18		11
12	–	–	·06	–	–	·02	·20	–	·09	–	·16	–		12
13	–	–	·48	·01	–	–	·28	–	·06	–	·06	–		13
14	–	–	·07	·04	·30	–	·09	–	·09	·02	–	·31		14
15	–	–	·05	·07	·23	–	·01	–	·01	·08	·10	–		15
16	–	·17	·27	–	–	–	·18	–	·12	·57	·58	–		16
17	–	–	·25	–	–	–	·02	–	–	–	·22	–		17
18	·13	·50	·39	·29	–	–	–	·03	·02	·23	·17	·09		18
19	–	·27	·01	·20	–	–	·51	–	·14	–	·11	·02		19
20	–	–	·02	–	–	–	·01	–	–	·31	·01	–		20
21	–	–	–	–	·60	·12	·04	·01	–	·08	1·31	–		21
22	–	·01	·02	·16	·34	·23	–	–	·23	–	–	–		22
23	–	·06	·02	–	·08	·09	–	–	·03	–	–	·06		23
24	–	–	·01	–	–	–	·12	–	–	·01	–	·01		24
25	–	–	–	·27	–	–	–	–	–	–	–	–		25
26	1·10	·19	–	–	·04	–	·30	–	–	–	·02	–		26
27	–	·14	–	·01	–	–	·04	–	–	–	–	–		27
28	1·32	·19	–	–	·04	–	–	–	–	–	–	–		28
29	–	–	·09	·05	·23	·01	–	–	–	–	–	·25		29
30	–	✕	–	·32	·05	–	–	–	–	·61	–	·02		30
31	·08	✕	·08	✕	–	✕	–	–	✕	·44	✕	·04		31
TOTAL	2·76	2·28	1·90	2·02	1·96	·47	2·79	·13	·81	3·46	6·49	1·61	Year's Total 26·68	✓ ✓
* Days with .01 in. or more.	6	13	16	15	13	5	19	3	11	16	21	14	152	✓ ✓
* Days with .04 in. or more.	5	12	10	12	9	3	13	1	6	13	~~18~~ 17	11	112	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. F. Smale

[P.T.O.

Section A for the
AIR M

Station No. 2452/3
LL ORGANIZATION.

FORM 1090. R

2452/3

WARWICK, MYTON LODGE
1935 – 36

7P0407

Kept at Myton Lod
in the County of W
Diameter of Funnel of Ga
Height of top of Gauge a
" Ground "
THE MORNING M

35.
Jan & Feb.
2/36

An observer who does not
year in the space on the ri

following

Jan. 1, following

Date	Jan.	Feb.	M								v.	Dec.		Date
	in.	in.										in.	†	
1			-	·05	·03	·09	·07	-	·37	·12	·05	·01		1
2			·09	-	-	·02	-	-	·02	·18	-	·12		2
3		·05	·05	-	-	·15	-	-	·17	·26	·18	·12		3
4			trace	·11	-	·21	-	-	·17	·10	-	·01		4
5			·09	·15	-	·39	·03	-	·10	·01	·11	-		5
6	·15		·02	·33	-	·25	-	-	-	trace	·02	-		6
7			-	·33	-	·13	-	·09	-	·25	·26	·13		7
8			·01	·19	-	·02	-	-	-	·18	·12	·06		8
9			-	·27	-	·29	-	-	-	·61	·46	trace		9
10		·87	-	·01	-	·03	-	-	-	-	·06	-		10
11			-	-	-	·07	-	·03	·01	·04	·15	-		11
12			-	-	-	·18	-	-	·01	-	trace	-		12
13	·23		-	·09	·16	·01	-	-	-	-	trace	-		13
14			-	·05	·05	trace	-	-	·07	-	·39	·08		14
15			-	·72	·05	·05	-	-	·33	-	·18	·20		15
16			·09	·23	trace	·04	trace	-	·27	·11	·73	·15		16
17		·18	-	·04	trace	·19	·03	-	·06	·07	·48	-		17
18			-	·22	·13	·09	·13	-	·17	·03	·02	-		18
19			-	·11	·26	·17	·12	-	·08	·03	·23	·01		19
20	·12		-	·14	·05	·11	·04	-	·03	trace	·24	-		20
21			·03	·07	-	-	-	-	·61	·01	·17	-		21
22			-	·12	-	-	-	·35	·05	trace	-	-		22
23			·10	-	-	-	-	-	·04	·33	-	-		23
24		·55	·01	-	-	-	-	-	1·09	·02	·01	·30		24
25			-	·10	-	1·37	-	·14	-	-	-	·07		25
26			-	-	-	-	-	-	·13	-	-	·48		26
27	·22		-	-	·17	-	-	·05	·07	·02	·15	1·12		27
28		·43	-	-	·43	-	-	-	·09	·06	·01	·05		28
29			·06	-	-	-	-	·43	·10	·03	·08	·08		29
30		✕	-	·11	-	-	-	-	·01	·27	·29	·07		30
31		✕	-	✕		✕			✕	·57	✕	·22	d	31
	2·80												Year's Total	
TOTAL	(·72)	(2·08)	·55	3·42	1·33	3·86	·42	1·09	4·05	3·30	4·38	3·28	28·48	
* Days with .01 in. or more.	~~-~~	~~-~~	~~10~~	~~20~~	~~9~~	~~20~~	~~6~~	~~6~~	~~23~~	~~21~~	~~22~~	~~18~~	~~155~~	
* Days with .04 in. or more.	~~-~~	~~-~~	~~6~~	~~18~~	~~8~~	~~16~~	~~4~~	~~5~~	~~18~~	~~14~~	~~18~~	~~15~~	~~122~~	

For January & February weekly readings only were taken totalling 2·80

40-9999.
* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.
(Signed) H. M. Blenkinsop [P.T.O.

Section **A** for the ~~entry of Daily Observations.~~ Station No. 2452/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Mylton Lodge Warwick

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 1/4 in.

,, Ground ,, Sea Level 174 ft. Approx.

X File 389937/35.

Allocate Jan & Feb 2/36

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			-	·03	·03	·09	·07	-	·37	·12	·05	·01		1
2			·09	-	-	·02	-	-	·02	·18	-	·12		2
3		·05	·05	-	-	·15	-	-	·17	·26	·18	·12		3
4			trace	·11	-	·21	-	-	·17	·10	-	·01		4
5			·09	·15	-	·39	·03	-	·10	·01	·11	-		5
6	·15		·02	·33	-	·25	-	-	-	trace	·02	-		6
7			-	·33	-	·13	-	·09	-	·25	·26	·13		7
8			·01	·19	-	·02	-	-	-	·18	·12	·06		8
9			-	·27	-	·29	-	-	-	·61	·46	trace		9
10		·87	-	·01	-	·03	-	-	-	-	·06	-		10
11			-	-	-	·07	-	·03	·01	·04	·15	-		11
12			-	-	-	·18	-	-	·01	-	trace	-		12
13	·23		-	·09	·16	·01	-	-	-	-	trace	-		13
14			-	·05	·05	trace	-	-	·07	-	·39	·08		14
15			-	·72	·05	·05	-	-	·33	-	·18	·20		15
16			·09	·23	trace	·04	trace	-	·27	·11	·73	·15		16
17		·18	-	·04	trace	·19	·03	-	·06	·07	·48	-		17
18			-	·22	·13	·09	·13	-	·17	·03	·02	-		18
19			-	·11	·26	·17	·12	-	·08	·03	·23	·01		19
20	·12		-	·14	·05	·11	·04	-	·03	trace	·24	-		20
21			·03	·07	-	-	-	-	·61	·01	·17	-		21
22			-	·12	-	-	-	·35	·05	trace	-	-		22
23			·10	-	-	-	-	-	·04	·33	-	-		23
24		·55	·01	-	-	-	-	-	1·09	·02	·01	·30		24
25			-	·10	-	1·37	-	·14	-	-	-	·07		25
26			-	-	-	-	-	-	·13	-	-	·48		26
27	·22		-	-	·17	-	-	·05	·07	·02	·15	1·12		27
28		·43	-	-	·43	-	-	-	·09	·06	·01	·05		28
29			·06	-	-	-	-	·43	·10	·03	·08	·08		29
30		✕	-	·11	-	-	-	-	·01	·27	·29	·07		30
31		✕	-	✕		✕			✕	·57	✕	·22	d	31
TOTAL	2·80 (·72)	(2·08)	·55	3·42	1·33	3·86	·42	1·09	4·05	3·30	4·38	3·28	Year's Total 28·48	
* Days with .01 in. or more.	-	-	10	20	9	20	6	6	23	21	22	18	155	
* Days with .04 in. or more.	-		6	18	8	16	4	5	18	14	18	15	122	

For January & February weekly readings only were taken totalling 2·80

40-9999.

* See Instruction 2 (f) on other side.

N

† Spare column, no entries required.

(*Signed*) H. M. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2452/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Myton Lodge, Warwick

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 3 ft. 4 in.

" Ground " Sea Level 174 ft. a/1/1020

File 389937/35

Part Nov & Dec est. from sur. stns.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·08	·40	·38	-	·1	·41	·08	—	·	·05			1
2		·03		·03	·	·22	·25	—	—	·	·19			2
3	-	·01		-	-	·23	·03	—	·14	·	·			3
4	-	-	-	-	-	·05	-	·01	·34	·	·04			4
5	·09	·01	·14	-	·	-	·02	·06	·15	·	trace			5
6	-	-	-	-	·04	·07	·13	·19	·10	·	-			6
7	·08	-	·05	-	-	·02	·56	—	·09	·	·13			7
8	·14	·	·13	-	-	-	·03	—	·02	trace	·32			8
9	·39	·	·07	-	-	-	·93	—	-	·	·03			9
10	·02	·	-	-	trace	-	·25	—	·01	-	·04			10
11	·	·	trace	·07	-	·23	·09	·03	·21	·	·31			11
12	-	·03	-	·05	·04	·15	·61	—	·53	-	·09			12
13	-		-	·04	-	·5	·03	·02	—	·08	·01			13
14	·02		-	·17	-	·05	·42	—	·15	·11	·02			14
15	-			·	-	-	·02	—	·02	-	·34			15
16	·28	·13	-	·	-	trace	·10	—	-	·08	·04			16
17	·03	·30	trace	·	·02	-	·07	—	-	·26				17
18	-	-	·	·	-	·32	·16	—	-					18
19	·29	·03	·06	·11	-	-	·01	·09	-	·03				19
20	·	·05	·06	·07	-	·06	·02	—	·12	-				20
21	·	-	-	·25	-	-	·05	—	·08	-				21
22	·02	·67	·04	-	·09	1·1	·21	—	·	-				22
23	·01	·01	·52	·11	·05	·	·15	—	trace	·07				23
24	·23	·04	-	-	-	-	trace	—	·21	·16				24
25	·03	-	·20	·37	-	-	·22	—	·18	·08				25
26	-	-	·20	·01	-	·02	·15	—	·02	·02				26
27	·06		·01	-	-	-	·01	—	·	·15				27
28	·38		·14	·	·	-	·04	—	·	·05				28
29	·05			·	·	·27	·01	—	·	·03				29
30	·04	×	-	-	·20	·03	·07	—	·	·33	(·30)			30
31	·55	×	·19	×	-	×	·05	—	×	·13	×			31
TOTAL	2·75	1·39	2·21	1·66	·44	3·22	5·10	·48	2·37	1·68	(1·91)	(2·00)	Year's Total (25·21)	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

Moved to Woodland Grange

Nr Leamington

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

2452/4

ST NICHOLAS MEADOW
WARWICK

1933 - 1940

Section **A** **for the**
AIR M

FORM 1090.

RE

tion No. 2452/4
ORGANIZATION.
Warwick

Kept at Warwick
in the County of W

Diameter of Funnel of Ga
Height of top of Gauge abo
,, Ground ,,

which was a
19.

THE MORNING

An observer who does not co *wing*
year in the space on the rig

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10											·15		10
11													11
12													12
13											·26		13
14											·22	·02	14
15											·04	·03	15
16											·03	·02	16
17											·01		17
18											·01		18
19													19
20													20
21													21
22													22
23													23
24											·01		24
25												·05	25
26													26
27												·02	27
28												·04	28
29													29
30		×										·05	30
31		×		×		×			×		×		31
TOTAL											[illegible]	·23	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.											[illegible]	4	[illegible]
*Days with ·04 in. or more.											~~7~~	3	[illegible]

40-9999
*See Instruction 2 (*f*) on other side,

(Signed)

XR. WORMELL, ESQ, C.E. X

P.T.O.

Section **A** for the entry of Daily Observations. ……tion No. 2452/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Warwick

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Warwick (St. Nicholas Meadow)

in the County of Warwick.

Diameter of Funnel of Gauge ………… in.

Height of top of Gauge above Ground ………… ft ………… in.

,, Ground ,, Sea Level ………… ft.

g. from 2452/5. (1360' 14° S.E.) which was on roof g.

c1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10											·15		10
11													11
12													12
13											·26		13
14											·22	·02	14
15											·04	·03	15
16											·03	·02	16
17											·01		17
18											·01		18
19													19
20													20
21													21
22													22
23													23
24											·01		24
25												·05	25
26													26
27												·02	27
28												·04	28
29													29
30		×										·05	30
31		×		×		×			×		×		31 incp [illegible]
TOTAL											incp ~~·73~~	·23	YEAR'S TOTAL ~~[illegible]~~
*Days with ·01 in. or more.											~~[illegible]~~	4	~~[illegible]~~
*Days with ·04 in. or more.											~~7~~	3	~~[illegible]~~

40-9999

*See Instruction 2 (*f*) on other side,

D N

(Signed) ………… X R. WORMELL, ESQ, C.E. X

P.T.O.

f680979/26

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2452/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

VI/Warwick/1

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at (ST NICHOLAS PARK) WARWICK

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 155 ~~145~~ ft.

Days.

c imp 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·04	-	-	-	-	-	-	0·19	0·01	-	0·04	0·53		1
2	0·03	-	0·09	-	-	-	-	-	0·25	0·01	0·06	0·30		2
3	0·02	0·07	-	0·06	-	-	-	0·01	0·02	0·05	0·01	0·01		3
4	0·05	-	0·12	0·06	0·08	-	-	-	0·08	0·13	-	0·28		4
5	-	-	0·02	-	0·08	-	-	0·30	-	0·03	0·12	0·12		5
6	-	-	0·05	0·06	0·24	0·02	-	-	-	0·21	-	0·55		6
7	0·09	-	-	-	-	0·04	-	0·17	-	0·04	-	0·23		7
8	-	-	-	-	-	-	-	0·08	-	Trace	0·13	0·01		8
9	-	-	0·06	-	0·07	-	-	-	-	-	0·54	0·22		9
10	0·02	-	0·09	0·11	-	-	-	0·08	-	-	0·06	Trace		10
11	0·65	-	0·12	0·33	-	-	-	0·08	-	-	-	0·44		11
12	-	-	0·14	-	-	-	0·08	0·16	-	-	0·01	Trace		12
13	0·31	-	-	-	-	-	0·73	0·08	-	0·04	-	0·22		13
14	0·05	-	0·19	-	-	0·02	-	-	-	0·11	0·29	0·20		14
15	0·03	-	0·15	-	0·11	-	0·11	-	-	0·27	0·23	0·09		15
16	0·14	-	0·08	-	-	-	-	-	0·02	0·06	0·01	-		16
17	-	-	-	-	0·01	-	0·02	-	-	0·08	-	0·16		17
18	0·16	-	0·01	0·08	-	-	0·33	-	0·16	-	-	0·01		18
19	-	-	0·15	-	-	0·05	-	-	-	-	-	0·06		19
20	-	-	0·01	-	-	-	-	-	0·02	-	-	0·17		20
21	-	-	-	-	-	0·08	-	-	-	0·08	-	0·08		21
22	-	0·01	-	-	-	-	-	0·28	-	-	-	0·01		22
23	-	-	-	0·13	0·12	0·24	0·07	-	0·20	-	0·05	0·01		23
24	-	0·29	0·15	0·03	-	0·05	0·22	-	-	0·02	-	0·01		24
25	-	-	-	0·11	-	0·19	-	-	0·44	0·05	-	0·24		25
26	0·18	-	0·08	0·23	-	0·07	-	-	-	-	-	0·01		26
27	0·03	0·01	-	0·14	-	-	-	-	0·04	0·02	-	0·18		27
28	-	-	-	0·66	-	0·27	-	0·39	-	0·01	Trace	0·33		28
29	-		-	-	-	-	0·31	0·02	0·50	0·01	-	0·02		29
30	0·02	X	-	-	-	-	-	-	0·02	-	-	0·13		30
31	-	X	-	X	-	X	-	-	X	0·16	X	0·02		31
TOTAL	1·72	0·38	1·51	2·00	0·73	1·03	1·87	1·64	1·76	1·38	1·55	4·34	Year's Total. 19·91	
* Days with .01 in. or more.	~~6~~ 15	~~2~~ 4	~~3~~ 16	~~1~~ 12	~~1~~ 7	~~2~~ 10	~~1~~ 8	~~2~~ 12	~~5~~ 12	~~5~~ 17	~~3~~ 12	~~8~~ 28	~~40~~	153.
* Days with .04 in. or more.	9	2	13	11	6	8	7	10	7	12	9	19	113	

V.G. print

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. WORMELL ESQ Cc

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2452/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at St. Nicholas Park

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 155.43 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	0·08	—	—	0·74	0·22	0·06	0·07		1
2	—	—	0·06	0·04	—	0·15	—	—	—	0·11	—	0·09		2
3	—	0·21	—	—	—	0·17	—	—	0·26	0·23	0·19	0·14		3
4	—	—	0·05	0·07	—	0·15	—	—	0·19	0·28	—	—		4
5	—	0·65	0·09	0·13	—	0·28	—	—	0·09	0·06	0·07	—		5
6	—	—	0·01	0·35	—	0·25	—	—	—	0·01	0·10	—		6
7	—	—	—	0·40	—	—	—	—	—	0·19	0·23	0·16		7
8	—	trace	—	0·18	—	0·08	—	0·17	—	0·24	0·12	0·04		8
9	—	—	—	0·27	—	0·33	—	—	—	0·63	0·47	0·01		9
10	—	—	—	—	—	0·02	—	—	0·01	—	—	0·01		10
11	0·23	—	—	—	—	0·07	—	—	—	0·03	0·15	0·05		11
12	—	—	—	—	—	0·18	—	0·03	—	—	—	0·01		12
13	0·12	0·10	—	0·10	0·16	0·01	—	—	—	—	—	—		13
14	—	—	—	—	0·10	—	—	—	—	—	0·47	0·11		14
15	—	—	—	0·74	—	—	—	—	0·47	—	0·09	0·01		15
16	—	0·09	—	0·25	—	0·08	—	—	0·25	0·12	0·85	0·23		16
17	—	—	0·10	0·03	—	0·17	—	—	0·07	—	0·36	—		17
18	—	0·09	—	0·22	0·11	0·07	0·15	—	0·14	0·06	0·02	—		18
19	—	—	—	0·11	0·33	0·20	0·05	—	0·02	—	0·28	—		19
20	—	0·30	—	0·12	0·02	0·08	0·15	—	0·07	—	0·25	—		20
21	—	0·13	0·03	0·11	—	—	—	0·03	0·62	—	0·17	—		21
22	—	0·01	—	0·06	—	—	—	0·27	0·04	—	—	—		22
23	—	—	—	—	—	—	—	—	0·08	0·35	—	—		23
24	0·07	0·10	0·10	—	—	—	—	—	1·09	0·03	—	0·44		24
25	0·13	0·16	—	0·11	—	1·45	—	0·16	0·13	—	—	0·11		25
26	—	0·01	—	—	—	—	—	—	—	—	—	0·56		26
27	—	0·14	—	—	0·02	—	—	—	0·07	—	0·15	0·96		27
28	0·01	trace	—	—	0·67	—	—	—	0·14	0·06	—	0·01		28
29	—		0·07	—	—	—	—	—	0·06	0·04	0·09	0·07		29
30	0·02		—	0·10	—	—	—	0·41	0·02	0·37	0·25	0·08		30
31	—		—		—		—	—		0·57		0·18		31
TOTAL	0·58	2·00	0·51	3·39	1·41	3·82	0·35	1·07	4·56	3·60	4·37	3·34	Year's Total 29·00	
* Days with .01 in. or more.	6	12	8	18	7	18	3	6	20	18	19	20	155	
* Days with .04 in. or more.	4	10	7	17	5	16	3	4	17	15	18	15	131	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2452/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at St. Nicholas Park Warwick

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 155·43 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·06	–	0·11	0·47	–	0·43	0·57	0·02	–	–	0·01	0·11		1
2	–	0·03	0·05	0·05	–	0·07	0·05	–	0·25	–	0·01	0·02		2
3	0·02	0·04	–	0·01	–	0·21	0·10	–	0·22	–	0·03	0·01		3
4	0·01	–	0·09	–	–	0·02	–	0·01	0·06	–	–	0·10		4
5	0·10	0·04	0·04	–	–	0·03	0·07	0·03	0·16	–	–	0·30		5
6	0·02	–	–	–	·16	0·07	–	0·18	0·11	–	0·02	–		6
7	0·08	–	0·12	–	–	–	0·10	–	0·02	–	0·01	0·03		7
8	0·14	–	0·07	–	–	–	0·09	–	0·03	–	0·34	0·05		8
9	0·41	–	0·04	–	–	–	0·75	–	0·21		0·05	0·01		9
10	–	–	–	–	–	–	0·20	–	0·07		–	–		10
11	–	–	–	0·07	–	0·03	0·22	–	0·09		0·31	–		11
12	–	–	–	0·02	–	0·05	0·49	–	0·67		0·12	0·14		12
13	–	–	–	0·04	–	0·46	0·05	–	0·02	0·77	0·20	0·03		13
14	–	–	–	0·18	–	0·05	0·42	0·02	0·24		0·02	0·94		14
15	–	0·03	–	–	–	–	0·02	–	0·03		0·02	0·17		15
16	0·27	0·14	–	0·01	–	–	0·03	–	0·04		0·16	0·05		16
17	–	0·06	–	–	–	–	0·21	–	–		0·01	0·02		17
18	–	0·02	–	–	0·06	0·29	0·01	–	–		0·03	0·03		18
19	0·29	0·18	–	0·10	–	–	0·02	–	–	0·03	0·02	0·17		19
20	0·01	0·09	0·10	0·08	–	0·05	0·04	–	0·17	–	–	–		20
21	–	0·05	0·02	0·24	–	1·40	–	–	–	–	–	0·01		21
22	–	0·62	0·06	–	0·07	–	0·16	–	–	–	0·01	–		22
23	0·01	–	0·59	–	0·05	–	0·18	–	–	–	–	–		23
24	0·25	0·05	0·01	0·11	–	–	0·03	–	–	0·19	0·01	–		24
25	0·04	–	0·07	0·47	–	–	0·26	–	–	0·01	0·02	–		25
26	0·05	0·05	0·35	–	–	–	0·06	–	–	0·02	0·03	–		26
27	0·09	–	0·01	–	–	–	–	–	–	0·12	0·02	–		27
28	0·27	0·03	0·10	–	–	–	0·30	–	–	0·08	–	0·01		28
29	0·04	0·13	–	–	0·02	0·08	0·02	–	–	0·04	0·25	0·10		29
30	0·04	✕	–	–	0·17	0·13	0·07	–	–	0·25	0·02	–		30
31	0·59	✕	0·06	✕	0·01	✕	0·04	–	✕	0·02	✕	0·30	Year's Total	31
TOTAL	2·79	1·56	1·89	1·85	0·54	3·37	4·56	0·26	2·36	1·59	1·70	2·60	25·07	✓
* Days with .01 in. or more.	20	15	17	13	7	15	27	5	16	~~10~~ 14	28	20	~~185~~ 192	✓
* Days with .04 in. or more.	14	11	14	10	5	12	21	1	12	~~1~~ 9	7	11	12~~5~~7	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2452/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

BOROUGH OF WARWICK
BOROUGH SURVEYOR'S OFFICE
REC 3 JAN. 1938
ACKD.
ANSD.

Kept at St. Nicholas Park, Warwick

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 155.43 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0·06	0·05	0·01	0·01	—	—	—	—	0·05	—	—	0·36		1
2	0·01	0·06	0·02	0·04	0·20	—	—	—	—	—	0·10	0·24		2
3	—	0·10	—	—	—	—	—	—	—	—	—	—		3
4	0·02	0·08	—	—	0·02	—	0·06	0·03	—	—	—	0·51		4
5	0·24	0·02	0·17	—	—	—	0·03	—	0·02	0·07	—	—		5
6	0·23	0·05	0·16	0·16	0·01	—	—	—	—	—	—	—		6
7	—	0·64	0·02	0·01	0·06	—	—	—	—	—	—	—		7
8	—	0·02	0·02	0·02	0·24	—	—	—	—	—	0·49	—		8
9	—	—	0·30	0·40	—	—	0·01	—	0·08	—	—	0·02		9
10	—	0·03	0·15	0·02	0·51	0·17	—	—	—	—	—	0·06		10
11	0·01	—	0·18	—	0·19	—	—	—	—	—	—	0·13		11
12	0·09	0·34	0·42	0·01	0·02	—	—	0·67	0·09	—	—	0·16		12
13	0·22	0·04	0·17	0·08	—	0·12	—	0·83	0·29	—	—	0·02		13
14	0·01	0·02	0·04	0·22	—	—	—	0·72	0·05	—	0·02	0·11		14
15	0·12	0·08	0·09	0·03	—	—	1·03	0·02	0·24	—	—	0·01		15
16	0·01	0·04	0·11	0·23	—	—	—	0·05	0·20	—	—	—		16
17	0·21	0·02	0·23	0·04	—	—	—	—	0·76	—	—	0·04		17
18	0·24	0·01	0·25	0·19	—	—	—	—	—	—	0·31	—		18
19	0·21	0·01	0·22	0·06	0·04	0·13	0·29	—	—	—	—	0·02		19
20	0·09	0·02	0·01	0·46	0·38	—	—	—	—	—	0·02	0·02		20
21	0·12	0·35	—	—	—	0·12	0·11	—	—	—	—	—		21
22	0·19	0·01	—	—	0·13	—	—	—	—	0·33	0·33	0·05		22
23	0·18	0·01	0·02	—	—	—	—	—	—	0·27	0·13	0·01		23
24	0·12	0·34	—	—	—	—	—	—	0·08	0·31	—	0·02		24
25	0·14	0·45	—	—	0·07	—	—	—	—	0·40	0·02	0·07		25
26	0·13	0·11	—	—	—	—	—	—	0·02	0·01	—	0·02		26
27	—	0·16	—	0·33	—	—	—	—	—	0·68	—	0·06		27
28	—	0·19	—	—	—	0·01	—	—	—	0·03	—	0·01		28
29	—	×	—	—	—	—	—	—	—	0·03	0·03	0·02		29
30	0·42	×	0·03	—	—	0·12	—	0·54	—	0·07	0·05	0·03		30
31	0·10	×	—	×	—	×	—	—	×	—	×	0·04		31
TOTAL	3·17	3·25	2·62	2·31	1·87	0·67	1·53	2·86	1·88	2·20	1·50	2·03	Year's Total 25·89	✓
* Days with .01 in. or more.	23	26	20	17	12	6	6	7	11	10	10	23	171	✓
* Days with .04 in. or more.	18	16	13	11	8	5	3	5	9	7	6	12	113	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2452/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at St. Nicholas Park Warwick

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 155·43 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	0·44	0·07	—	—	0·27	0·02	0·31		1
2	0·01	—	0·01	—	—	0·08	—	—	—	—	0·01	—		2
3	0·01	—	—	—	—	—	0·17	—	—	—	—	—		3
4	—	—	—	—	—	—	0·02	0·24	—	0·60	—	0·24		4
5	0·01	—	—	—	—	0·01	0·01	0·83	—	0·12	—	—		5
6	—	—	—	—	—	0·02	0·13	0·01	0·04	0·03	—	—		6
7	0·05	—	—	—	—	0·06	0·14	0·20	0·12	0·22	—	0·05		7
8	0·20	—	—	—	—	—	0·03	0·36	—	0·18	—	0·01		8
9	0·20	0·03	—	—	—	—	0·05	0·09	—	—	—	0·29		9
10	—	0·04	—	—	—	—	0·17	0·04	—	—	—	0·08		10
11	0·50	0·10	—	—	—	0·01	0·09	0·04	—	—	0·11	—		11
12	0·11	—	—	—	0·12	—	—	0·12	—	0·40	0·06	—		12
13	0·03	0·01	—	—	—	—	—	—	—	—	0·13	0·37		13
14	0·21	0·04	—	—	0·01	0·01	0·65	—	0·10	—	—	—		14
15	0·13	—	—	—	0·02	0·04	0·08	0·16	—	—	0·02	0·17		15
16	0·19	—	—	—	—	—	0·08	—	—	—	0·01	0·13		16
17	—	0·07	—	—	—	—	0·05	0·01	0·03	0·16	0·01	—		17
18	0·04	—	—	—	0·06	0·21	0·01	—	0·75	—	0·15	—		18
19	—	—	—	—	—	0·10	0·01	—	0·04	—	0·15	—		19
20	—	—	—	—	—	—	—	—	—	—	0·33	0·01		20
21	0·02	—	—	—	—	—	—	—	0·01	—	0·06	0·50		21
22	—	—	—	0·02	0·03	0·08	—	0·01	—	—	0·38	0·01		22
23	—	—	—	—	—	—	—	—	0·27	—	—	0·07		23
24	—	—	—	—	0·01	—	—	—	0·34	—	0·01	—		24
25	0·12	0·22	0·12	—	—	—	—	—	—	0·14	0·28	—		25
26	0·15	0·41	0·07	—	0·01	—	—	0·01	0·11	0·19	—	0·31		26
27	0·06	0·01	—	—	0·25	0·15	0·31	0·16	0·26	0·03	0·33	—		27
28	0·10	—	—	—	0·27	0·11	0·04	1·05	0·07	—	0·07	0·13		28
29	0·44	X	—	0·01	0·28	—	—	—	—	0·16	0·06	0·10		29
30	0·04	☒	—	—	0·02	0·28	—	—	0·42	—	0·21	—		30
31	0·12	☒	—	☒	0·19	☒	—	—	☒	—	☒	0·04		31
TOTAL	2·56	0·93	0·20	0·03	1·27	1·60	2·11	3·33	2·56	2·50	2·40	2·82	Year's Total 22·31	✓
* Days with .01 in. or more.	21	9	3	2	12	14	18	15	13	12	19	17	155	✓
* Days with .04 in. or more.	16	6	2	0	6	10	13	11	11	10	13	14	112	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2452/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at St. Nicholas Park, Warwick

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 155·43 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	—	—	0·15	0·05	—	—	0·42	—	0·04	—	0·03		1
2	0·06	—	—	—	—	—	—	0·38	0·81	0·02	0·11	—		2
3	0·15	—	—	0·44	—	—	—	0·59	—	0·01	0·13	0·27		3
4	0·13	—	0·35	0·36	0·04	—	0·46	0·30	—	0·31	0·03	0·10		4
5	—	—	—	0·06	0·18	—	—	0·51	—	0·01	0·20	0·24		5
6	0·53	—	0·01	—	—	—	—	0·02	—	—	0·02	0·02		6
7	0·01	—	—	—	—	—	0·18	0·02	—	—	0·44	0·46		7
8	—	0·12	0·30	—	—	—	0·39	0·12	—	0·72	0·12	0·23		8
9	0·03	0·06	—	—	—	—	—	0·24	—	0·36	0·04	0·18		9
10	0·29	—	0·03	—	—	0·04	—	0·16	—	0·04	0·01	—		10
11	—	—	0·18	—	—	0·09	—	—	—	0·01	—	0·02		11
12	0·01	—	—	—	—	0·10	—	—	—	—	0·01	—		12
13	—	—	—	0·03	0·02	0·06	0·18	—	0·01	0·13	—	—		13
14	0·40	0·01	0·02	0·01	0·18	—	0·03	—	—	0·09	0·07	—		14
15	0·53	—	—	—	0·02	0·45	0·42	—	—	0·30	0·30	—		15
16	0·28	—	0·06	—	0·26	0·13	0·25	—	—	0·04	0·23	—		16
17	0·21	0·05	—		0·08	0·04	0·18	—	—	0·91	0·05	—		17
18	0·30	0·03	0·04	—	—	0·32	0·17	—	—	—	0·52	—		18
19	0·23	—	—	—	—	0·01	0·68	—	0·02	—	—	—		19
20	—	—	0·02	—	—	—	0·06	0·15	—	—	—	—		20
21	0·13	0·05	0·23	—	—	0·37	0·12	2·25	—	—	—	—		21
22	0·22	0·21	0·04	—	—	0·02	0·02	—	—	—	0·43	—		22
23	0·03	—	—	0·03	—	0·03	0·05	—	—	0·03	0·76	—		23
24	0·32	—	0·01	—	—	—	—	—	—	—	0·01	—		24
25	1·03	0·14	—	—	—	—	0·10	—	—	—	0·28	—		25
26	0·21	0·02	—	0·01	—	—	—	0·03	—	—	0·27	0·12		26
27	0·01	0·13	0·09	—	—	0·02	0·09	—	0·02	—	0·04	0·06		27
28	—	0·16	0·13	0·01	—	0·02	0·16	0·01	—	—	0·05	0·02		28
29	—	X	—	0·25	—	—	—	—	0·01	0·19	0·08	—		29
30	—	X	—	0·26	—	0·20	0·24	—	—	—	0·09	—		30
31	—	X	—	X	—	X	0·20	—	X	—	X	0·02		31
TOTAL	5·135	0·97	1·51	1·61	0·83	1·90	3·80	5·31	0·87	3·37	4·29	1·77	Year's Total 31·37	✓
* Days with .01 in. or more.	22	11	14	11	8	15	19	14	5	16	24	13	172	✓
* Days with .04 in. or more.	17	8	9	6	6	10	17	10	1	11	19	8	122	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No ~~2455~~.2452/4

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at St. Nicholas Park, Warwick.

in the County of Warwickshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 155.43 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	0•02	0•12	0•06	-	-	-	-	-	-	0•09	-		1
2	-	0•01	-	0•05	-	-	-	-	-	-	0•44	0•18		2
3	-	-	-	-	-	-	-	-	-	0•40	0•37	0•06		3
4	-	-	-	0•23	-	-	-	-	-	0•02	0•96	0•16		4
5	-	-	-	-	0•06	-	-	-	-	0•22	0•61	-		5
6	-	-	-	-	-	-	-	-	-	0•45	0•30	0•07		6
7	-	-	-	0•05	-	-	0•02	-	0•03	0•15	0•05	-		7
8	-	0•21	-	-	-	-	-	-	-	0•01	-	0•23		8
9	-	-	-	-	-	-	-	0•07	0•02	0•01	0•23	0•07		9
10	-	-	-	-	-	-	0•87	-	-	0•09	0•33	-		10
11	-	-	0•09	0•02	-	-	0•10	-	-	-	0•12	-		11
12	-	0•02	0•23	-	-	-	0•22	-	0•10	0•07	0•15	0•05		12
13	-	-	-	-	-	-	-	-	-	-	-	0•02		13
14	-	-	0•28	-	-	-	0•12	-	-	-	-	-		14
15	-	-	-	0•04	-	-	0•01	-	-	-	0•16	-		15
16	0•03	0•23	0•47	-	-	-	0•02	-	-	0•56	0•28	0•08		16
17	-	0•09	0•18	-	-	-	-	-	-	0•02	0•48	0•02		17
18	0•09	0.28	0.40	0.34	-	-	0.01	-	-	0.29	0.06	-		18
19	-	0.29	-	-	-	-	0.82	-	-	0.31	0.07	0.16		19
20	-	-	0.04	-	-	-	-	-	-	-	-	0.03		20
21	-	-	-	-	0.66	-	-	-	-	-	0.68	-		21
22	-	-	-	0.17	0.30	0.18	-	-	-	0.01	-	-		22
23	-	-	-	-	0.06	0.23	0.24	-	0.38	-	-	-		23
24	-	-	-	-	-	-	0.17	-	-	0.04	0.11	-		24
25	-	-	-	-	-	-	-	-	-	0.07	0.06	0.02		25
26	0.57	0.25	-	0.45	-	-	0.02	-	0.09	-	0.03	-		26
27	0.78	-	-	-	-	-	0.06	-	0.04	-	-	0.03		27
28	0.24	0.21	-	-	-	-	-	-	-	0.17	0.07	-		28
29	0.68	-	0.15	0.06	0.36	-	-	-	-	0.06	-	0.19		29
30	-	✕	-	0.34	-	-	-	-	0.04	0.04	-	0.03		30
31	-	✕	0.28	✕	-	✕	-	-	✕	0.86	✕	0.04		31
TOTAL	2.39	1.61	2.24	1.81	1.44	041	2.68	0.07	0.70	3.85	5.65	1.44	Year's Total 24.29	^
* Days with .01 in. or more.	~~8~~7	16 ~~10~~	17 ~~10~~	14 ~~11~~	~~5~~ 10	~~2~~ 4	15 ~~13~~	2 ~~1~~	~~7~~13	20	21	17	156 ~~125~~	✓
* Days with .04 in. or more.	~~5~~ 6	~~7~~ 12	13 ~~10~~	11 ~~10~~	~~5~~ 8	23	10 ~~8~~	1	~~5~~ 9	15	20	11	1 199	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

2452/5

Se n **A** for the ent ation No.
AIR MINI ORGANIZATION.

FORM 1090. REG

Kept at The Corpora
in the County of W

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,, S

THE MORNING ME

An observer who does not confor owing
year in the space on the right

—

2452/5
WARWICK CORPORATION DEPOT
1932 + 33

780407

Jan. 1, following
·05

Date	Jan.	Feb.	Mar								Nov.	Dec.	Date
	in.	in.	in								in.	in.	
1	·05	—	—	—	—	—	·52	·58	—	—	—	—	1
2	·05	·03	—	—	·83	—	·01	·23	·03	·17	·02	·44	2
3	·02	—	—	·15	·20	—	—	—	·25	·14	—	·06	3
4	—	—	—	·07	—	—	—	—	—	—	—	—	4
5	·04	—	—	·08	—	—	—	—	—	—	—	—	5
6	·19	—	·07	—	·09	—	—	—	·11	—	—	—	6
7	·27	—	·07	·32	—	—	—	—	·42	—	—	—	7
8	—	—	—	·08	—	—	—	—	—	—	—	—	8
9	—	—	—	·13	·02	—	—	—	—	·31	—	—	9
10	·21	·03	—	·09	—	—	—	—	—	—	—	—	10
11	·15	·07	—	·32	·08	—	—	—	·30	—	—	—	11
12	—	—	—	·06	·04	—	·26	—	—	·46	·28	·05	12
13	·24	—	—	—	·20	·01	—	—	·10	—	—	—	13
14	—	·02	—	·11	—	—	·99	—	—	·06	·05	—	14
15	·19	—	—	—	—	—	—	—	—	—	—	·05	15
16	—	—	—	·05	·52	—	·02	—	—	·05	—	—	16
17	·19	—	—	·15	·03	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	·05	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	·10	—	19
20	—	—	—	·08	·02	—	—	—	—	·19	—	—	20
21	—	—	—	·15	·76	—	·02	·43	—	·33	·10	—	21
22	—	—	·12	·49	1·19	—	—	·28	·75	—	—	·10	22
23	—	—	·15	—	·25	—	·17	—	·06	·28	·31	—	23
24	—	—	—	—	·76	—	—	—	·06	·22	—	·04	24
25	—	—	—	—	·67	—	·03	—	—	—	—	—	25
26	—	·02	—	—	·01	—	—	—	·04	—	—	—	26
27	—	—	·10	·40	—	—	—	—	—	—	—	·02	27
28	—	—	·25	—	·38	·18	—	—	—	—	·02	·03	28
29	—	—	·10	·18	·21	·25	—	·07	·15	—	—	—	29
30	—	×	·28	·16	·22	·13	—	·04	1·06	·52	·05	·09	30
31	—	×	·08	×	·01	×	·52	·25	×	—	×	·36	31
TOTAL	1·60	·17	1·22	3·07	6·49	·57	2·59	1·88	3·33	2·73	·93	1·24	YEAR'S TOTAL 25·82
*Days with ·01 in. or more.	11	5	9	18	20	4	10	7	12	11	8	10	125
*Days with ·04 in. or more.	10	1	9	18	15	3	6	7	10	11	6	8	104

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

Se n **A** for the ent ation No. 2452/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Corporation Dept Warwick

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 ft 0 in.

,, Ground ,, Sea Level 208 ft.

Letter sent 15/3/33 re exposure.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·05

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	—	—	—	·52	·58	—	—	—	—	1
2	·05	·03	—	—	·83	—	·01	·23	·03	·17	·02	·44	2
3	·02	—	—	·15	·20	—	—	—	·25	·14	—	·06	3
4	—	—	—	·07	—	—	—	—	—	—	—	—	4
5	·04	—	—	·08	—	—	—	—	—	—	—	—	5
6	·19	—	·07	—	·09	—	—	—	·11	—	—	—	6
7	·27	—	·07	·32	—	—	—	—	·42	—	—	—	7
8	—	—	—	·08	—	—	—	—	—	—	—	—	8
9	—	—	—	·13	·02	—	—	—	—	·31	—	—	9
10	·21	·03	—	·09	—	—	—	—	—	—	—	—	10
11	·15	·07	—	·32	·08	—	—	—	·30	—	—	—	11
12	—	—	—	·06	·04	—	·26	—	—	·46	·28	·05	12
13	·24	—	—	—	·20	·01	—	—	·10	—	—	—	13
14	—	·02	—	·11	—	—	·99	—	—	·06	·05	—	14
15	·19	—	—	—	—	—	—	—	—	—	—	·05	15
16	—	—	—	·05	·52	—	·02	—	—	·05	—	—	16
17	·19	—	—	·15	·03	—	—	—	—	—	—	—	17
18	—	—	—	—	—	—	·05	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	·10	—	19
20	—	—	—	·08	·02	—	—	—	—	·19	—	—	20
21	—	—	—	·15	·76	—	·02	·43	—	·33	·10	—	21
22	—	—	·12	·49	1·19	—	—	·28	·75	—	—	·10	22
23	—	—	·15	—	·25	—	·17	—	·06	·28	·31	—	23
24	—	—	—	—	·76	—	—	—	·06	·22	—	·04	24
25	—	—	—	—	·67	—	·03	—	—	—	—	—	25
26	—	·02	—	—	·01	—	—	—	·04	—	—	—	26
27	—	—	·10	·40	—	—	—	—	—	—	—	·02	27
28	—	—	·25	—	·38	·18	—	—	—	—	·02	·03	28
29	—	—	·10	·18	·21	·25	—	·07	·15	—	—	—	29
30	—	×	·28	·16	·22	·13	—	·04	1·06	·52	·05	·09	30
31	—	×	·08	×	·01	×	·52	·25	×	—	×	·36	31
TOTAL	1·60	·17	1·22	3·07	6·49	·57	2·59	1·88	3·33	2·73	·93	1·24	YEAR'S TOTAL 25·82
*Days with ·01 in. or more.	11	5	9	18	20	4	10	7	12	11	8	10	125
*Days with ·04 in. or more.	10	1	9	18	15	3	6	7	10	11	6	8	104

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

35A

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2452/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Corporation Depot Warwick

in the County of Warwick

comm. 1932. roff/pp

Diameter of Funnel of Gauge 5' in.

Height of top of Gauge above Ground 9 ft 0 in.

,, Ground ,, Sea Level 208 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20												1
2	·08		·28		·06						·07		2
3	·09	·22	·52		·11						·05		3
4		·25			·27								4
5	·08	·11	·27		·02						·01		5
6		·23			·25					·08	·02		6
7	·05	·04								·19	·01		7
8		·05			·06		·21			·04			8
9					·14		·33			·11	·04		9
10	·13					·05				·95			10
11					·03	·02	·33						11
12					·02	·01	·13		·25	·01			12
13					·13	·06	·21		·02	·01			13
14							·02			·25			14
15	·38		·16				·13	·05		·02			15
16	·09		·42			·06	·03	·09		·04			16
17			·41					·01	·05				17
18						·05							18
19			·51			·32			·13				19
20			·02						·01	·04			20
21						·21							21
22						·12		·24		·13			22
23				·17				·29	·39	·06			23
24		·95		·13	·08	·33			·19	·01			24
25				·29		·21			·14				25
26		·85		·12					·02	·23			26
27		·02			·37				·02	·01			27
28				·37	·13		·02			·18			28
29	·20	×		·06			·12			·03			29
30		×	·05				·10			·01			30
31	·15	×	·17	×		×		·09	×	·18	×		31
TOTAL	1·45	2·72	2·81	1·14	1·67	1·44	1·63	·77	1·22	2·58			YEAR'S TOTAL
*Days with ·01 in. or more.	10	9	10	6	13	11	11	6	10	20			
*Days with ·04 in. or more.	10	8	9	6	10	9	8	5	6	13			

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed)

P.T.O.

FORM 1090.

B

2453

2453

WARWICK RADFORD HOUSE

1931–32

780407

*** The following register &c., is required if values are not given o

n and also the space for

register should be sent:—

in Summer

Direction from gauge

Direction from gauge

RAINFALL IN

At Radfd Ho

In the County of Wa

Rain Gauge
- Diameter of Funnel
- *Height of Top above Ground*
- *Height of Ground above Sea*

Month.	Total Depth.	Greatest in 24 hou			
	Inches.	Inches.			
JAN.	1·32	·20			
FEB.	2·46	·57	27	19	16
MAR.	·03	—		1	—
APRIL	3·66	·79	2d	19	17
MAY	2·92	·59	17th	12	10
JUNE	2·27	·79	5th	12	10
JULY	2·77	·42	14th	12	13
AUG.	3·60	·83	8th	15	11
SEPT.	2·88	1·27	3d	11	9
OCT.	·55	·27	29th	7	3
NOV.	2·31	·55	3d	17	12
DEC.	·70	·30	5th	9	5
Total	25·47			154	118

Signature Charles E. L. Hotherall

If gauge has been moved during the year state—

Date of move.................. Distance.................. Direction..................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is* 10 *a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. *Price* 1*d.* net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(164) Wt.2398/185/162 14,000 5/29. Gp. 119/110.

40-9999

FORM 1090. **B**

2453

*** The following register of monthly totals &c., is required if daily or weekly values are not given on the other side.

RAINFALL IN 1931

At Radford House

In the County of Warwickshire

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* 1 *ft.* 2 *in.*
- *Height of Ground above Sea Level* 240 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.		
JAN.	1·33	·20	21	16	12
FEB.	2·46	·57	27	19	16
MAR.	·03	—		1	—
APRIL	3·66	·79	2d	19	17
MAY	2·93	·59	17th	12	10
JUNE	2·27	·79	5th	12	10
JULY	2·77	·43	14th	16	13
AUG.	3·60	·83	8th	15	11
SEPT.	2·88	1·27	3d	11	9
OCT.	·55	·27	29th	7	3
NOV.	2·31	·55	3d	17	12
DEC.	·70	·30	5th	9	5
Total	25·47			154	118

Signature Charles E. L. Hotherall

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{c}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. *Price* 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(164) Wt.2398/185/162 14,000 5/29. Gp. 119/110.

40-9999

2453

FORM 1090. **B** Monthly Summary.

⁎ The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Radford House

In the County of Warwickshire

Rain Gauge
- Diameter of Funnel 5" in.
- *Height of Top above Ground* 1 *ft* 2 *in.*
- *Height of Ground above Sea Level* 240 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1·37	·34	6	11	8
FEB.	·21	·08	10	7	2
MAR.	1·37	·28	27	9	9
APRIL	2·87	·44	26	22	17
MAY	5·97	1·30	21	21	19
JUNE	1·05	·43	28	6	4
JULY	3·02	1·20	13	14	8
AUG.	1·83	·65	20	8	5
SEPT.	3·08	·99	30	15	12
OCT.	3·33	·41	1	22	19
NOV.	1·60	·35	22	16	9
DEC.	·75	·26	30	11	6
Total	26·45			162	118

Signature

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

C. L. G. Hatherell Esqre J.P.
Radford House. Nr Leamington Spa

Hour of observation by the clock—in Winter ____ in Summer ____

Nearest Railway Station ____ Distance ____ Direction from gauge ____

Nearest Parish Church at ____ Distance ____ Direction from gauge ____

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move ____ Distance ____ Direction ____

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
4 JAN 1933

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

2454

146

Section A for the ent

AIR MINI

FOR OFFICIAL USE.

LL ORGANIZATION.

FORM [illegible]o. **REC** 1.

2454

LEAMINGTON SPA
PUMP ROOM GDNS

1931 - 40

780408.

Kept at Leamin

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	in.	~~in.~~	~~in.~~	in.	in.	~~in.~~	
1				50		08			121	02			1
2	16	15		227·[illegible]		02		80		01		24	2
3	02			32			08		245 [illegible]		162·[illegible]	08 [illegible]	3
4		18		43			96	27	16		03	[illegible]	4
5		14		28	20	206 [illegible]			16			88·[illegible]	5
6		38		09		04	03				44	01	6
7						01		204 [illegible]		02	04	02	7
8	02	10		16		39	02	159			73		8
9	05	82	01	04		10	02	20			48		9
10					02	03	03	22	01		04		10
11	34	44				10	13		38		36		11
12	03	22					141	04	85	30			12
13							05	25		04			13
14		17	01		18	47	140	170	12		12		14
15	01	17		06	67		50	76	01		02	06	15
16	12	66		48	41	148		08	32				16
17	10	86		63	116		21		01		03		17
18	17	02	05·[illegible]	62		32	13	53			60		18
19	14	13		35		82	33	10			03		19
20		04	03				06	07		02	04		20
21	52·[illegible]				119						03		21
22	40			02				06			01		22
23	35		01	04	145 [illegible]	50			29		32	24	23
24				58	46		07						24
25	07	05		219			158 [illegible]				18		25
26	03			72			19				46		26
27	28	138·[illegible]		08	95		03			06	38	07	27
28	15	40		15	44							20	28
29		X			10		32			72·[illegible]		08	29
30		✕											30
31	44	✕		✕		✕			✕		✕	05	31
TOTAL	1·34	2·48	·04	3·94	2·85	2·53	2·97	3·43	2·55	0·47	2·35	0·76	YEAR'S TOTAL 25·71
*Days with ·01 in. or more.	18	18	2	20	12	13	20	15	9	7	19	10	163
*Days with ·04 in. or more.	12	17	0	14	11	9	11	11	9	2	11	4	108
40-9999	34·0	63·1	1·1	100·1	72·3	64·2	75·5	87·1	64·7	11·9	59·6	19·3	652·9

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

2454

126

Section **A** for the entry of Daily Observations. **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1?30.

REGISTER OF RAINFALL IN 1931.

Kept at Leamington Spa

in the County of Warwk

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft............in.

,, Ground ,, Sea Level............ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	in.	~~in.~~	~~in.~~	in.	in.	~~in.~~	
1				50		08			121	02			1
2	16	15		227.		02		80		01		24	2
3	02			32			08		295		162	08	3
4		18		43			96	27	16		03		4
5		14		28	20	206			16			88.	5
6		38		09		04	03				44	01	6
7						01		204		02	04	02	7
8	02	10		16		39	02	159			73		8
9	05	82	01	04		10	02	20			48		9
10					02	03	03	22	01		04		10
11	34	44				10	13		38		36		11
12	03	22					141	04	85	30			12
13							05	25		04			13
14		17	01		18	47	140	170	12		12		14
15	01	17		06	67		50	76	01		02	06	15
16	12	66		48	41	148		08	32				16
17	10	86		63	116		21		01		03		17
18	17	02	05.	62		32	13	53			60		18
19	14	13		35		82	33	10			03		19
20		04	03				06	07		02	04		20
21	52.				119						03		21
22	40			02				06			01		22
23	35		01	04	145.	50			29		32	24	23
24				58	46		07						24
25	07	05		219			158				18		25
26	03			72			19				46		26
27	28	138.		08	95		03			06	38	07	27
28	15	40		15	44							20	28
29		×			10		32			72.		08	29
30		×											30
31	44	×		×		×			×		×	05	31
TOTAL	1·34	2·48	·04	3·94	2·85	2·53	2·97	3·43	2·55	0·47	2·35	0·76	YEAR'S TOTAL 25·71
*Days with ·01 in. or more.	18	18	2	20	12	13	20	15	9	7	19	10	163
*Days with ·04 in. or more.	12	17	0	14	11	9	11	11	9	2	11	4	108
40-9999	34·0	63·1	1·1	100·1	72·3	64·2	75·5	87·1	64·7	11·9	59·6	19·3	652·9

*See Instruction 2 (*f*) on other side.

(Signed)..........................

[P.T.O.

2454

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

146

FORM [illegible].

REGISTER OF RAINFALL IN 1932.

Kept at Leamington Spa

in the County of Warwick

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	10	07		14	230		03	20	08	6·8	06		1
2	01			26	50			06	61	2·1		22	2
3				28	03						03		3
4	06			17							78		4
5	53		22	02					26				5
6	75.		13	78					98				6
7	03		23	19	13				14	16			7
8		01		34					24	72			8
9	34	14		20	07								9
10	44	16.		72	14				37	40			10
11				10	10		53			13		03	11
12	60				60				16	78	11		12
13		05		39.			282			38	08	10	13
14	48							05		27	12	04	14
15				08	68					10		02	15
16	40			42	26								16
17							09			36			17
18					36				01		20		18
19				15	01					42			19
20				33	173		03	218.		98	22		20
21			39	158	326			104		71	20	16	21
22	03		20	07	25	05	53		181	31	84		22
23			20		240				15	28	01	08	23
24							02		12		30		24
25		03			03	10	41		02	31	01		25
26			26	95	48		03		10	02	08		26
27			58	77	104	04	38				21		27
28			18	30	54	67	44	15		05		06	28
29			64.	30	17	25		08	37	76	02	44	29
30		×	22	08		113,	100	70	274	18	96.	58.	30
31	02	×	37	×	02	×	107		×		×	15	31
TOTAL	1·49	0·18	[illegible]·43	3·36	5·94	0·88	2·91	1·76	3·22	3·23	1·64	0·74	YEAR'S TOTAL 26·81
*Days with ·01 in. or more.	12	5	12	23	21	6	13	8	15	21	15	11	162
*Days with ·04 in. or more.	8	2	12	19	17	4	8	5	13	19	10	6	123
40-9999	37·9	4·6	36·2	85·3	151·0	22·3	73·8	44·6	81·6	82·1	42·3	18·8	680·5

(Signed)..........

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE. 2454

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

126.

Kept at Leamington Spa.

in the County of Warwick.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

" Ground " Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	47	54	02										1
2	25		125		22	06					13		2
3	28	31	92		20						20		3
4	25	39	05		79								4
5	20		74		06						05		5
6		74	03		35					20	01		6
7	19	06	05							68		05	7
8	03		16		11		60			08	02		8
9					25		90			30	06		9
10	20	75			07	09	02	01		203	09		10
11	03						82	02					11
12	08					05	42		70				12
13					28	16	45			04	73		13
14	25						23	12		53	54		14
15	79		12				54	05		02	16	08	15
16	19		127			22		02		10	02	07	16
17	07	03	75		07	01	10		11				17
18	06	10	04			11					04		18
19			112			27	38		26		01		19
20		08	03			50		01	44	16			20
21		06				46		51	09		01		21
22						02		79		42			22
23				45		63			129	07			23
24		138		30	22	90			54	06			24
25		88		64		18			09			1.0	25
26		155		30					07	53			26
27		01			53				09			04	27
28				95	69		04			22		09	28
29	30	×		08			28			03			29
30	08	×	15				28			04		1.0	30
31	03	×		×		×		22	×	38	×		31
TOTAL	1.48	2.71	2.64	1.07	1.48	1.44	1.99	0.69	1.45	2.32	0.81	0.21	YEAR'S TOTAL 18.29
*Days with ·01 in. or more.	18	13	15	6	13	13	13	7	10	18	11	7	144
*Days with ·04 in. or more.	11	9	9	5	10	9	11	4	6	11	5	2	92
40-9999	37.5	68.8	67.0	27.2	37.5	36.6	50.6	17.5	36.8	58.9	20.7	5.3	

(Signed)..........

P.T.O.

464.4

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** ~~40~~ 2454

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Leamington Spa

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	08							35		02	12	126		1
2	09		20					02	67		12	71		2
3	04	18		02					08	08		04		3
4	10		25	14	25				03	38	13	65		4
5			03		08			76			15	36		5
6			11	14	78	10				50		120		6
7	17					11		36		10		55		7
8					18	18		18			43	09		8
9			17								123	96		9
10	18		12	28				14			10			10
11	117		47	83			04	25				38		11
12			28				10	42						12
13	88			02			533	10		04		67		13
14	05		44		02	02				30	75	53		14
15	08		40		23		19			61	51	15		15
16	37		20							17	01			16
17				08	02		02		48	24	07	40		17
18	30		04	38			173					04		18
19			35			10			06			11		19
20			04	26		01								20
21						16		08		17				21
22			04					44	63			46		22
23				35	28	60			26		11	05		23
24		71	36	42		04	63		93	06				24
25	43			37		14				08		60		25
26			20	48		15			13			03		26
27		06		50		02				03		46		27
28				160		105		103				86		28
29		X					82	05	100	01		07		29
30		×					12		06			29		30
31		×		×		×			×	36	×	03		31
TOTAL	1·55	·37	1·46	2·37	·72	1·06	3·54	1·65	1·70	1·24	1·47	4·31	Year's Total 21·38	
*Days with ·01 in. or more.	13	3	17	15	8	12	9	13	11	15	12	25	153	
*Days with .04 in. or more.	8	2	13	12	5	9	7	10	7	9	10	18	110	
40-9999	39·4	9·5	37·0	58·7	18·4	26·8	89·8	41·8	43·3	31·5	37·3	109·5	543·0	

† In this column no entries required.

(Signed) ....

*See Instruction 2 (*f*) on other side.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2454

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

146

Kept at Leamington Spa
in the County of Warwick

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	02	02		08	06	31	14		101	22	07	02		1
2			16			06			01	44		20		2
3		48	13	16		32			45	66	41	25		3
4				16		35			52	26				4
5		158	21	37		58	10		20		11			5
6				80		72				07	04			6
7				93		35				71	73	33		7
8			02	45		07		132		32	32	13		8
9				70		71				159	112			9
10				02		02						02		10
11	51					16		05		08	38			11
12		07				42								12
13	29	13			39	02								13
14				27	15				16		132	18		14
15		10		175	12	13	07		94		38	52		15
16		10	20	52		07			67	32	188	44		16
17				09		46	05		12	10	102			17
18		24		49	58	14	43		37	08				18
19				28	31	44	35		18	07	64	01		19
20	02	70		63	05	18	10				55			20
21		30	04	22					146	02	40			21
22		02		08				25	08					22
23		02	25					45	38	88				23
24	16	31	02						209			76		24
25	38	36		28		283						46		25
26		20						31	30			108		26
27		23			40				16	10	38	272		27
28	04	03			109			15	31	11		04		28
29		×	14						07	18	24	24		29
30	07	×		25	10			100	02	86	65	23		30
31		×		×		×			×	121	×	42		31
TOTAL	0.59	1.92	0.46	3.36	1.28	3.28	0.49	1.39	3.74	3.26	4.19	3.17	Year's Total 27.13	
*Days with ·01 in. or more.	8	17	9	20	10	20	7	7	19	20	18	17	172	
*Days with .04 in. or more.	4	12	6	16	8	15	5	6	16	15	16	14	133	
40-9999	14.9	48.9	11.7	85.3	32.5	83.4	12.4	35.3	95.0	82.8	106.4	80.5	689.1	

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)..........

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2454

146

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Leamington Spa

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	02	22	13	78		26	115	11			09	19		1
2	06	15	31	08		86	49				44	09		2
3		02			01	47	07		40		03	06		3
4			20			15			50		05	17		4
5	20	02	05				02	17	27			18		5
6	02				10	24	27	39	21		16	26		6
7	26		15				119		61		12	04		7
8	32		33				09				71	18		8
9	103		28				202		50		01	02		9
10	01						62	02	01	04	03			10
11				16		08	22	03	51		73			11
12				07	16	46	146		187		22	34		12
13				02		114	13	04		16		30		13
14				45		10	114		32	28		134		14
15		02					01		03			18		15
16	57	26					20				84	10		16
17		75			10		30			30	04	31		17
18		01				40	30			40		10		18
19	93		18	40		18		13		04				19
20		10	10	03					33					20
21				53		288	15		06					21
22		178	13		17		50					21		22
23	03		113	25	05		15			15				23
24	50	08							44	42				24
25	07		56	87		04	49		53	18	11			25
26		13	36				25				05			26
27	14								15	46				27
28	88	14	29			15	14			04	08			28
29	05	34	06			63				03	51	34		29
30	08	×			48	10	20			84				30
31	151	×	59	×		×	05		×	20	×	64		31
TOTAL	2·63	1·58	1·91	1·43	0·42	3·20	4·57	0·35	2·65	1·39	1·66	1·99	Year's Total 23·78	√
* Days with .01 in. or more.	17	13	16	11	6	16	24	7	15	14	16	19	174	√
* Days with .04 in. or more.	10	9	14	7	5	14	20	4	13	10	9	15	130	√
40-9999	66·8	40·2	48·5	36·4	10·7	81·4	116·1	8·9	67·4	35·4	42·2	50·5	604·5	

† Shaded column; no entries required.

(Signed) ....

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2454

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Leamington Spa (Pump Rm Gdns)

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 163 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	24	02	04	04			07		08		31	117		1
2		22		147								42		2
3		27			49							15		3
4		37			10							145		4
5	38		44				05							5
6	42		30	36			04			14		03		6
7		152		10	03									7
8		19			18						128	03		8
9			02	11	53		68		40			23		9
10		07	76	82		59						21		10
11			61		120	50						37		11
12	17	88	36		83	31		154	35			30		12
13	40	10	28	02	01	20		228	163			04		13
14			106	18				221	03			24		14
15	29	23		53			308		43			01		15
16		10	104	88				12	54					16
17	74	08	39	29					26					17
18	46	19	23	06			15		178		68	13		18
19	20	04	12	33	18	35	53			02	19			19
20	55			128	104					01		03		20
21	24	81	08	06			44				02	16		21
22	59		25		26	44	68			133	74			22
23	46	02					02			29	27			23
24	22	87	03		06		05		14	67				24
25	30	125			32				10	95				25
26		17	03		97					10				26
27		71		82						156				27
28	01	03								11		09		28
29	03	×				07				08	03	06		29
30	70	×						222			35	01		30
31	69	×		×		×			×	32	×			31
TOTAL	2.79	3.20	2.38	2.89	2.44	·97	2.28	3.30	2.26	2.20	1.52	2.02	Year's Total. 28.25	
* Days with 0.2 mm. or more.	18	21	17	16	13	7	11	5	11	11	9	17	156	
* Days with 1.0 mm. or more.	17	15	12	12	11	6	6	5	9	9	7	11	120	
	70.9	81.4	60.4	73.5	62.0	24.6	57.9	83.7	57.4	55.8	38.7	51.3	717.6	

(144 w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999 (Signed) ....

P.T.O.

146

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2454

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM ●.

REGISTER OF RAINFALL IN 1938.

Kept at Leamington Spa (Pump Room Gdns).

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 163 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1						9·5	07			11	03	68		1
2	12			10	09	13				48				2
3					15		31			113		02		3
4	05					06	09	38		38		57		4
5							39	58	06	21				5
6	02					04	22		05	10				6
7	09						30	42	23	44		11		7
8	61						06	86		44		01		8
9	02	08				14	07	41				88·		9
10		12				43	32	10				12		10
11	122·	03								04	30	02		11
12	30				26			60		92	30			12
13		04									20	82		13
14	84	03			07		137		23					14
15	20						20				04	33		15
16	58						16				04	22		16
17		14					06		05	28	04			17
18	06				16	44	03	20	97		74			18
19								26	05		36			19
20									01		78	07		20
21	05							10			12	54		21
22				09		12		01			81·	74		22
23									24			18		23
24			30·		11				83					24
25	22	65	10				06	04		29	56	22		25
26	31	84·	14					03	40	40		62		26
27	13				62	45	72	38	84	1·10	81·			27
28	27				63·	27		281	09	01	07	30		28
29	102	X			61					06	15	26		29
30	08	✕			02	62			122	05	50	42		30
31	30	✕		✕	62	✕			✕	40	✕	88		31
TOTAL	64·9	19·3	5·4	1·9	33·4	36·1	44·3	71·8	52·7	58·4	58·5	80·1	Year's Total 526·8	
* Days with 0.2 mm. or more.	20	8	3	2	11	11	16	14	13	17	17	20	152	
* Days with 1.0 mm. or more.	13	4	3	1	8	9	9	12	8	14	12	17	110	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999 2·56 ·76 ·21 ·07 1·31 ✓ 1·42 1·74 (Signed) 2·07 2·30 2·30 3·15 20·72 P.T.O.

2·83

2454

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939 .

Kept at Leamington Spa (Pump Room Gdns.)
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 163 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	05			36	09			95		19			1
2	11			10				94	167		22	02	2
3	37			90				134	14	01	25	65	3
4	13		96 ~~128~~	88	10		42	50		80	05	48	4
5				12	42		37	124		01	52	27	5
6	135		03				132	08			06		6
7	01	06					40	02			89	70	7
8		23	64				105	37		184	22	107	8
9	07	14						48		79	15	45	9
10	77		04			14		12	06	07	04		10
11			40			18			03	68		02	11
12		05			01	22							12
13				02	03		37		09	52			13
14	109		02	02	54	19	05			14	12		14
15	125			01	19	115	133			97	55		15
16	87		32		49	30	110			06	57		16
17	67	14	01		18	06	39			294	15		17
18	55	06	10			169	38			01	141		18
19	73						205						19
20	66					01		46					20
21	12	25	44			76	28	168	07				21
22	50	41	01	16		01	01			01	80		22
23	07			02		07	10			04	197	01	23
24	35			02			04			16			24
25	332	36	09				13			03	63		25
26	50	03		07				14		07	67	17	26
27		33	16	03		04	28	04			07	06	27
28		44	31	02		15	40	02			41	09	28
29				63			62			30	07		29
30		×		55		46					09		30
31		×		×		×	04	25	×		×	02	31
TOTAL	135·4	25·0	35·3	39·1	20·5	53·4	111·3	86·3	20·6	96·4	99·1	40·1	YEAR'S TOTAL 762·5
Days with 0·2 mm. or more.	20	12	12	15	8	13	20	16	6	16	22	12	172
Days with 1·0 mm. or more.	17	8	8	8	6	10	17	12	2	11	16	7	122
	5·33	·98	1·39	1·54	·81	2·10	4·38	3·40	·81	3·80	3·90	1·58	30·02

(144W)
40-9999

(Signed)............ [P.T.O.

146

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2454

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Leamington Spa (Pump Room Gdns.)

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 163 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Rl.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1		03		01							28			1
2		15		72						07	223			2
3		12		10						30	219	11		3
4		29		77		~~01~~	01			37	22	10		4
5		01			15	~~10~~	10			39	142	21		5
6	31	60			05	~~03~~	03			110	75			6
7	04	52		02	01	~~34~~	34		04					7
8	02					~~02~~	02			18	02	51		8
9						~~29~~	29	22	03	08	12	26		9
10			06			~~192~~	192			38	27	34		10
11			15	14		~~04~~	04				135	10		11
12		01	17			~~53~~	53		19		22			12
13		03	148			~~14~~	14		09		19			13
14			04	19	76	~~08~~	08		25	05		66		14
15			07	18	23	~~03~~	03		09	02	34			15
16	10	34	78	01		~~42~~	42		21	155	150	03		16
17		03	57			~~03~~	03				81			17
18	12	129	115	71				08	27	76	20	16		18
19		52	02	43		[illegible]	135		29		40	03		19
20		04	04	03		02	12	01		69	01			20
21	16	03	02		139	58	12			07	314			21
22			07	01	74	21			69					22
23		13	07	33	07	17			03	03		16		23
24	01		01			02	28			02	01	02		24
25										01				25
26	246	57		57	07		143				03			26
27	107	28			06									27
28	262	46			31									28
29	04		22	12	54	02						51		29
30	08	✕		97						145		02		30
31	05	✕	18	✕		✕			✕	129	✕	07		31
TOTAL	70·8	54·5	51·0	53·1	43·8	10·2	72·8	3·1	21·8	88·1	157·0	32·9	Year's Total 659·1	
* Days with 0.2 mm. or more.	12	17	16	14	11	6	18	2	11	18	19	16	160	
* Days with 1.0 mm. or more.	7	12	8	12	7	3	12	1	6	11	17	11	107	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

2·79 2·15 2·01 2·09 1·72 ·40 2·87 ·12 ·86 3·47 6·18 1·30 25·96

(Signed) .... P.T.O.

LEAMINGTON SPA (CAM /32

2454/5

Section **A** for the ent tation No.

AIR MIN ORGANIZATION.

FORM 1090. **RE** 4. VI/Warwick/1

Kept at Campion Te

in the County of W

Diameter of Funnel of Gau

Height of top of Gauge above ch Pump Room Gardens

,, Ground ,,

THE MORNING ME

An observer who does not con following
year in the space on the rig

Jan. 1, following

2454

LEAMINGTON SPA, CAMPION TERR.

1934 – 39

280407

Date	Jan.	Feb.	M									Dec.		Date
	in.	in.										in.	†	
1	·03	—	—	—	—	—	—	·14	—	·01	·05	·48		1
2	·03	—	·09	—	—	—	—	—	·27	—	·04	·28		2
3	·02	·08	—	—	—	—	—	—	—	·05	—	·01		3
4	—	—	·10	·06	·11	—	—	—	·04	·13	·07	·29		4
5	—	—	·01	—	·03	—	—	·20	—	—	·07	·12		5
6	·04	—	·04	·06	·30	·04	—	—	—	·20	—	·48		6
7	·06	—	—	—	—	·06	—	·15	—	·03	—	·22		7
8	—	—	—	—	·10	·04	—	·06	—	—	·18	·02		8
9	—	—	·07	·01	—	—	—	·01	—	—	·62	·28		9
10	—	—	·06	·11	—	—	—	·03	—	—	·06	—		10
11	·53	—	·15	·28	—	—	·03	·13	—	—	—	·15		11
12	—	—	·14	·02	—	—	—	·15	—	—	—	—		12
13	·31	—	—	—	—	—	2·10	·05	—	·03	—	·27		13
14	·06	—	·17	—	·03	—	—	—	—	·13	·25	·20		14
15	·03	—	·15	—	·10	—	·08	—	—	·22	·24	—		15
16	·14	—	·07	—	—	—	—	—	—	·08	·01	·04		16
17	—	—	—	—	—	—	·02	—	·17	·10	·03	·17		17
18	·15	—	·01	—	—	—	·92	—	·01	—	—	·02		18
19	—	—	·12	—	—	·04	—	·02	—	—	—	·04		19
20	—	—	—	—	—	—	—	—	—	—	—	—		20
21	—	—	·02	—	—	·08	—	·03	—	·07	—	—		21
22	—	—	—	—	—	—	—	·20	·24	—	—	·10		22
23	—	—	—	·13	·10	·23	·05	—	·08	—	·05	·08		23
24	—	·29	·14	·09	—	·02	·52	—	·37	·03	—	—		24
25	·19	—	—	·12	—	·14	—	—	—	·08	—	·24		25
26	—	—	·06	·19	—	·06	—	·02	·06	—	—	·02		26
27	—	·03	—	·15	—	·01	—	—	—	—	—	·17		27
28	—	—	—	·62	—	·41	—	·03	—	—	—	·37		28
29	—	×	—	—	—	—	·37	·20	·45	—	—	—		29
30	·01	×	—	—	—	—	·04	—	·01	—	—	·15		30
31	—	×	—	×	—	×	—	—	×	·17	×	·02		31
TOTAL	1·60	·40	1·40	1·84	·77	1·13	4·13	1·52	1·70	1·33	1·67	4·22	Year's Total. 21·71	
* Days with .01 in. or more.	~~3~~ 13	~~5~~ 3	~~3~~ 16	~~2~~ 12	~~3~~ 7	~~3~~ 11	~~3~~ 9	~~10~~ 15	~~2~~ 10	~~4~~ 14	~~8~~ 12	~~3~~ 24	~~36~~	146
* Days with .04 in. or more.	8	2	13	10	5	9	7	9	8	10	10	19	110	

OK print

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.

BORO' ENGINEER

N X BOROUGH ENGINEER

LEAMINGTON SPA (CAM /32 2454/S

Section **A** for the ent tation No.

AIR MINISTRY ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934. VI/Warwick/1

Kept at Campion Terrace Pumping Station. Leamington Spa

in the County of Warwick

C 1934

Excellent agreement with Pump Room Gardens Print

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ~~215~~ ~~35~~ 225 ft. A.O.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	–	–	·14	–	·01	·05	·48		1
2	·03	–	·09	–	–	–	–	–	·27	–	·04	·28		2
3	·02	·08	–	–	–	–	–	–	–	·05	–	·01		3
4	–	–	·10	·06	·11	–	–	–	·04	·13	·07	·29		4
5	–	–	·01	–	·03	–	–	·30	–	–	·07	·12		5
6	·04	–	·04	·06	·30	·04	–	–	–	·20	–	·48		6
7	·06	–	–	–	–	·06	–	·15	–	·03	–	·22		7
8	–	–	–	–	·10	·04	–	·06	–	–	·18	·02		8
9	–	–	·07	·01	–	–	–	·01	–	–	·62	·28		9
10	–	–	·06	·11	–	–	–	·03	–	–	·06	–		10
11	·53	–	·15	·28	–	–	·03	·13	–	–	–	·15		11
12	–	–	·14	·02	–	–	–	·15	–	–	–	–		12
13	·31	–	–	–	–	–	2·10	·05	–	·03	–	·27		13
14	·06	–	·17	–	·03	–	–	–	–	·13	·25	·20		14
15	·03	–	·15	–	·10	–	·08	–	–	·22	·24	–		15
16	·14	–	·07	–	–	–	–	–	–	·08	·01	·04		16
17	–	–	–	–	–	–	·02	–	·17	·10	·03	·17		17
18	·15	–	·01	–	–	–	·92	–	·01	–	–	·02		18
19	–	–	·12	–	–	·04	–	·02	–	–	–	·04		19
20	–	–	–	–	–	–	–	–	–	–	–	–		20
21	–	–	·02	–	–	·08	–	·03	–	·07	–	–		21
22	–	–	–	–	–	–	–	·20	·24	–	–	·10		22
23	–	–	–	·13	·10	·23	·05	–	·08	–	·05	·08		23
24	–	·29	·14	·09	–	·02	·52	–	·37	·03	–	–		24
25	·19	–	–	·12	–	·14	–	–	–	·08	–	·24		25
26	–	–	·06	·19	–	·06	–	·02	·06	–	–	·02		26
27	–	·03	–	·15	–	·01	–	–	–	–	–	·17		27
28	–	–	–	·62	–	·41	–	·03	–	–	–	·37		28
29	–	X	–	–	–	–	·37	·20	·45	–	–	–		29
30	·01	X	–	–	–	–	·04	–	·01	–	–	·15		30
31	–	X	–	X	–	X	–	–	X	·14	X	·02		31 OK print
TOTAL	1·60	·40	1·40	1·84	·47	1·13	4·13	1·52	1·70	1·33	1·67	4·22	Year's Total. 21·71	
* Days with .01 in. or more.	~~3~~ 13	~~3~~ 3	~~3~~ 16	~~2~~ 12	~~2~~ 7	~~3~~ 11	~~3~~ 9	~~3~~ 15	~~2~~ 10	~~3~~ 14	~~3~~ 12	~~3~~ 24	~~36~~	146
* Days with .04 in. or more.	8	2	13.	10	5	9	7	9	8	10.	10.	19	110.	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) BORO' ENGINEER

N XBOROUGH ENGINEER

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2454/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Campion Terrace Pumping Station,Leamington Soa.

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 215.35 ft. A.O.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	-	-	.04	.03	.12	.07	-	.01	.06	.05	-		1
2	-	-	.10	-	-	.05	-	-	.19	.18	-	.09		2
3	-	.20	.06	-	-	.13	-	-	.15	.32	.17	.09		3
4	-	-	-	.11	-	.09	-	-	.08	.19	-	-		4
5	-	.61	.08	.06	-	.17	.03	-	-	.01	.09	-		5
6	1	1	-	.32	-	.30	-	-	-	.31	.02	-		6
7	-	-	-	.41	-	.10	-	-	-	.23	.31	.13		7
8	-	-	-	.18	-	.02	-	.63	-	.20	.10	.04		8
9	1	-	-	.27	-	.26	-	-	-	.85	.42	-		9
10	-	-	-	-	-	.01	-	-	-	-	.07	.01		10
11	.21	-	-	-	-	.08	-	-	-	.04	.15	-		11
12	-	.02	-	-	-	.17	-	.02	-	-	-	-		12
13	.12	.05	-	.08	.15	.01	-	t	-	-	-	-		13
14	-	-	-	.10	.05	-	-	-	.07	-	.45	.08		14
15	-	.04	-	.70	.06	.06	.01	-	.33	-	.18	.21		15
16	-	.05	.10	.22	-	.06	-	-	.26	.16	.68	.12		16
17	-	.01	-	.02	-	.20	.02	-	.05	.01	.45	-		17
18	-	.09	-	.19	.11	.08	.18	-	.15	.06	.26	-		18
19	-	-	-	.11	.22	.18	.12	-	.06	.02	.22	-		19
20	-	.29	-	.17	.04	.09	.10	-	.01	-	-	-		20
21	-	.13	.02	.09	-	-	-	-	.53	.01	.15	-		21
22	-	-	-	.06	-	-	-	.10	.03	-	-	-		22
23	-	-	.10	-	-	-	-	.18	.15	.35	-	.02		23
24	.08	.14	.01	-	-	-	-	-	.80	.02	-	.29		24
25	.17	.13	-	.09	-	1.06	-	-	-	-	-	.07		25
26	-	-	-	-	-	-	-	.13	.12	-	-	.45		26
27	-	.16	-	-	.16	-	-	-	.06	.04	.15	1.11		27
28	.02	.01	-	-	.49	-	-	-	.06	.05	-	.06		28
29	-	X	.05	-	-	-	-	-	.10	.04	.10	.10		29
30	.02	X	-	.12	.09	-	-	.40	.04	.24	.28	.06		30
31	-	X	-	X	-	X	-	.43	X	.55	X	.23		31
TOTAL	.63	1.93	.52	3.34	1.40	3.24	.53	1.89	3.25	3.94	4.30	3.16	Year's Total 28.13	
* Days with .01 in. or more.	~~7~~ 7	~~7~~ 14	~~2~~ 8	~~7~~ 19	~~7~~ 10	20 ~~3~~	~~3~~ 7	~~1~~ 7	~~3~~ 20	~~5~~ 22	~~11~~ 19	~~2~~ 17	~~88~~	170
* Days with .04 in. or more.	4	11	6	18	9	17	4	6	17	17	18	15	142	

40-9999

† Spare column, no entries required.

(*Signed*) BORO' ENGINEER [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2454|5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Campion Terrace Pumping Station, Leamington Spa.

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 215.35 ft. A.O.D.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·10	·03	·35	–	·11	·41	·03	–	–	·04	·07		1
2	·03	·07	·12	·03	–	·37	·20	·04	–	–	·16	·03		2
3	–	–	–	–	–	·23	·06	–	·13	–	·05	–		3
4	–	–	·08	–	–	·07	–	–	·30	–	·02	·07		4
5	·08	–	·01	–	–	–	–	·07	·08	–	–	·18		5
6	·01	–	–	–	·01	·10	·12	·16	·09	–	·06	–		6
7	·15	–	·05	–	–	–	·43	–	·09	–	·05	·02		7
8	·14	–	·13	–	–	–	·03	–	–	–	·27	·08		8
9	·40	–	·10	–	–	–	·80	–	·20	–	·01	–		9
10	·02	–	–	–	–	–	·36	–	·01	·02	–	–		10
11	–	–	–	·06	–	·02	·10	·02	·19	–	·30	–		11
12	–	–	–	·04	·05	·22	·57	–	·76	–	·09	·14		12
13	–	–	–	·02	–	·42	·08	·02	–	·07	–	·13		13
14	–	–	–	·19	–	·05	·48	–	·13	·09	–	·52		14
15	–	·03	–	–	–	–	–	–	·02	–	–	·08		15
16	·25	·10	–	–	–	–	·09	–	–	–	·34	·02		16
17	·02	·30	–	–	·05	–	·09	–	–	·12	·02	·13		17
18	–	–	–	–	–	·06	·12	–	–	·17	–	·03		18
19	·26	·02	·08	·14	–	·05	–	·06	–	·02	–	–		19
20	–	·04	·02	·02	–	–	–	–	·16	–	–	–		20
21	–	–	–	·21	–	1·13	·06	–	·04	–	–	–		21
22	–	·70	·04	–	·07	–	·19	–	–	–	–	·09		22
23	–	–	·40	·10	·03	–	·16	–	–	·06	–	–		23
24	·22	·04	–	–	–	–	–	–	·20	·16	–	–		24
25	·04	–	·15	·39	–	·01	·21	–	·24	·06	·05	–		25
26	–	·06	·20	–	–	–	·09	–	–	·03	·04	–		26
27	·05	–	–	–	–	–	–	–	·08	·21	–	–		27
28	·39	·06	·09	–	–	·03	·06	–	–	·01	–	·04		28
29	·02	·14	·05	–	–	·26	–	–	–	·02	·24	·10		29
30	·03	✕	–	–	·32	·07	·09	–	–	·32	–	–		30
31	·62	✕	·16	✕	–	✕	·02	–	✕	·11	✕	·20		31
TOTAL	2·74	1·66	1·71	1·55	·53	3·20	4·82	·40	2·72	1·47	1·74	1·93	Year's Total 24·47	
* Days with .01 in. or more.	18 ~~7~~	~~2~~ 12	~~3~~ 16	~~3~~ 11	~~2~~ 6	~~3~~ 16	~~2~~ 23	~~3~~ 7	~~2~~ 16	~~5~~ 15	~~3~~ 15	~~4~~ 17	~~39~~	172
* Days with .04 in. or more.	11	10	13	8	4	13	21	4	14	10	12	13	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Boro' Engineer.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2454/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at CAMPION TERRACE PUMPING STATION, LEAMINGTON SPA.

in the County of WARWICK.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 215·35 ft. A.O.D.

Days ff.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·01	-	·01	-	-	·02	-	·03	-	·15	·48		1
2	-	·08	-	·59	-	-	-	-	-	-	-	·18		2
3	-	·06	-	-	·26	-	-	-	-	-	-	·05		3
4	·10	·15	-	-	·05	-	-	-	-	-	-	·56		4
5	·15	-	·18	-	-	-	·02	-	-	-	-	-		5
6	·16	-	·12	-	·14	-	·05	-	-	·07	·02	-		6
7	-	·60	-	·07	·02	-	-	-	-	-	-	-		7
8	-	·09	-	-	·07	-	-	-	-	-	·42	-		8
9	-	-	·01	-	·22	-	·29	-	·17	-	-	·12		9
10	-	·04	·38	·42	-	·20	·02	-	-	-	-	·09		10
11	-	-	·20	-	·49	·06	·02	-	-	-	-	·15		11
12	·06	·33	·13	-	·35	·13	-	·53	·13	-	-	·11		12
13	·15	·04	·24	·01	-	·09	-	·98	·43	-	-	-		13
14	-	-	·24	·10	-	-	-	·67	·02	-	-	·12		14
15	·12	·08	-	·22	-	-	1·11	-	·15	-	-	·01		15
16	-	·05	·30	·29	-	-	-	·05	·31	-	-	-		16
17	·20	·02	·22	·13	-	-	-	-	·08	-	-	-		17
18	·29	·08	·16	·02	-	-	·16	-	·78	-	·27	·05		18
19	·09	·03	·05	·12	·18	·15	·20	-	-	-	·06	·01		19
20	·21	-	-	·47	·41	-	-	-	-	-	-	-		20
21	·10	·30	·03	·02	-	-	·20	-	-	-	-	·06		21
22	·14	-	·11	-	·09	·20	·29	-	-	·44	·29	-		22
23	·22	-	-	-	-	-	-	-	-	·24	·10	-		23
24	·10	·38	·01	-	·02	-	·05	-	·06	·25	-	·01		24
25	·13	·36	-	-	·16	-	-	-	·04	·37	-	-		25
26	-	·22	·01	-	·40	-	-	-	-	·03	-	·01		26
27	-	·31	-	·32	-	-	-	-	-	·65	-	-		27
28	-	·02	-	-	-	-	-	-	-	·04	-	·02		28
29	·02	✕	-	-	-	·01	-	-	-	·03	·03	·05		29
30	·27	✕	-	-	-	·03	-	·74	-	—	·13	-		30
31	·28	✕	-	✕	-	✕	-	-	✕	·14	✕	-		31
TOTAL	2·94	3·25	2·39	2·79	2·86	·87	2·43	2·97	2·20	2·26	1·47	2·08	Year's Total 28·51	✓
* Days with .01 in. or more.	19 +	20 ~~4~~	16 ~~4~~	14 ~~4~~	14 ~~2~~	8 ~~2~~	12 ~~4~~	5	11 ~~2~~	10 ~~2~~	9 2	17 ~~5~~	~~57~~	155 ✓
* Days with .04 in. or more.	18	16	12	10	12	6	8	5	9	8	7	12	173	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2454/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at CAMPION TERRACE PUMPING STATION LEAMINGTON SPA
in the County of WARWICK
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 215.35 ft. A.O.D.

Days w27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	·01	–	–	·35	·06	–	–	·06	–	·28		1
2	·05	–	~~·04~~	·05	·03	·05	–	–	–	·19	–	–		2
3	NIL ~~·05~~	–	–	~~·05~~	·07	–	·26	–	–	·49	–	–		3
4	–	–	–	–	–	·03	·02	·21	–	·13	–	·21		4
5	–	–	–	–	–	–	·20	·16	·04	·11	–	–		5
6	·04	–	–	–	–	·01	·09	–	·04	·04	–	–		6
7	·05	–	–	–	–	–	·13	·24	·10	·18	–	·05		7
8	·23	–	–	–	–	–	·02	·35	–	·47	–	–		8
9	–	·01	–	–	–	·04	·03	·13	–	–	–	·40		9
10	–	·09	–	–	–	·25	·13	·05	–	–	–	–		10
11	·49	·01	–	–	–	–	–	–	–	·02	·14	–		11
12	·12	–	–	–	·10	–	–	·30	–	·34	·07	–		12
13	–	–	–	–	–	–	–	–	–	–	·11	·34		13
14	·31	·03	–	–	·04	–	·57	–	·10	–	–	–		14
15	·08	–	–	–	·01	–	·08	–	–	–	–	·13		15
16	·22	–	–	–	–	–	·07	–	–	–	·04	·10		16
17	–	·06	–	–	–	–	·03	–	·02	·12	·01	–		17
18	·02	–	–	–	·08	·18	–	·10	·48	–	·29	–		18
19	–	–	–	–	–	–	–	·10	·02	–	·16	–		19
20	–	–	–	–	–	–	–	–	–	–	·31	–		20
21	–	–	–	–	–	–	–	·01	–	–	–	–		21
22	·01	–	–	·03	–	·08	–	·02	–	–	·37	–		22
23	–	–	–	–	–	–	–	–	·10	–	–	–		23
24	–	–	·03	–	·07	–	–	–	·33	·12	–	·61		24
25	·09	·26	·12	–	·01	–	·03	·01	–	·14	·23	·15		25
26	·11	·34	·05	–	–	–	–	·02	·08	·04	–	·18		26
27	·05	–	–	–	·27	·18	·30	·16	·32	–	·34	–		27
28	·11	–	–	–	·24	·12	–	1·18	·04	·03	·03	·13		28
29	·40	–	–	–	·25	–	–	–	–	–	·06	·10		29
30	·03	✕	–	–	–	·31	–	–	·41	·18	·20	·16		30
31	·10	✕	–	✕	·28	✕	·01	–	✕		✕	·33		31
TOTAL	2·57	·80	·21	·08	1·45	1·60	2·03	3·04	2·08	2·36	2·36	3·17	Year's Total 21·69	✓
* Days with .01 in. or more.	18 ~~5~~	7 ~~8~~	4 ~~2~~	2 ~~x~~	12 ~~3~~	11 ~~4~~	16	15 ~~4~~	13 ~~8~~	16 ~~2~~	~~1~~ 14	14	~~30~~	142 ✓
* Days with .04 in. or more.	15	4	2	1	9	9	10	11	11	14	12.	14	112.	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. [illegible]
BOROUGH ENGINEER

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2454/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at CAMPION TERRACE PUMPING STATION LEAMINGTON SPA

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 215·35 ft. A.O.D

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·13	·03	–	–	·46	–	·08	–	–		1
2	–	–	–	·04	–	–	–	·40	·72	·01	·08	·01		2
3	–	–	–	·37	–	–	–	·56	–	–	·10	·24		3
4	–	–	·39	·32	·02	–	·12	·21	–	·35	·02	·16		4
5	–	–	–	·06	·18	–	·30	·45	–	·01	·21	·11		5
6	·77	–	·02	–	–	–	·54	·03	–	–	·03	–		6
7	·06	·02	–	–	–	–	·17	·02	–	–	·33	·26		7
8	–	·08	·24	–	–	–	·45	·15	–	·72	·09	·46		8
9	·02	·05	–	–	–	–	–	·19	–	·32	·11	·19		9
10	·32	–	·02	–	–	·07	–	·07	·11	·03	·02	–		10
11	–	–	·16	–	–	·08	–	–	–	·05	–	·01		11
12	–	·02	–	–	–	·09	–	–	–	–	–	–		12
13	–	–	–	·01	–	–	·13	–	·05	·20	–	–		13
14	·42	–	·01	·01	·26	·09	·07	–	–	·06	·06	–		14
15	·49	–	–	–	·08	·45	·44	–	–	·40	·18	–		15
16	·32	–	·12	–	·20	·09	·57	–	–	·02	·25	–		16
17	·26	·05	·01	–	·05	·03	·25	–	–	1·24	·08	–		17
18	·23	·02	·04	–	–	·66	·16	–	–	–	·59	–		18
19	·27	–	–	–	–	–	1·11	–	–	–	–	–		19
20	·22	–	–	–	–	–	–	·18	–	–	–	–		20
21	·07	·09	·18	–	–	·27	·20	·75	–	–	–	–		21
22	·19	·16	–	·07	–	–	·02	–	·04	–	·30	–		22
23	·02	–	–	·01	–	·03	·04	–	–	·02	·78	–		23
24	–	–	–	·02	–	–	·02	–	–	·05	–	–		24
25	1·32	·16	·04	–	–	–	·04	–	–	·02	·21	–		25
26	·29	·01	–	·03	–	–	–	·05	–	·04	·26	·09		26
27	–	·14	·06	·01	–	·02	·11	–	–	–	·02	·04		27
28	·01	·18	·12	·02	–	·04	·16	·02	–	–	·16	–		28
29	–	×	–	·24	–	–	·25	–	–	·19	·03	–		29
30	–	×	–	·22	–	·15	–	–	–	–	·05	–		30
31	–	×	–	×	–	×	–	·12	×	–	×	·02		31
TOTAL	5·28	·98	1·41	1·56	·82	2·07	5·15	3·66	·92	3·81	3·96	1·59	Year's Total 31·21	
* Days with .01 in. or more.	17 ~~3~~	12 ~~4~~	13 ~~4~~	15 ~~7~~	7 ~~2~~	13 ~~3~~	20 ~~2~~	15 ~~3~~	4 ~~+~~	18 ~~6~~	22 ~~5~~	11 ~~3~~	~~47~~	167
* Days with .04 in. or more.	14	8	9	8	5	10	18	12	4	12	17	8	~~126~~	125

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Cuttliffe

BOROUGH ENGINEER

[P.T.O.

FORM 1090. **B** Mo
Su

2455
WARWICK GREAT PINLEY
1931
780407

2455

. **The following register of month &c., is NOT required if daily o values are given on the other si** so the space for

hould be sent:—

RAINFALL IN 1931

At Warwick (Gre

In the County of Warw

mmer

Rain Gauge
Diameter of Funnel
Height of Top above Ground ft.
Height of Ground above Sea Level

irection from gauge

irection from gauge

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
Total	27.18				

Signature

*See Instruction 2 (*f*) below.

Heights of objects

Distances ..

Directions from gauge ..

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Obs. says 'measured irregularly'.

Copied from letter in file

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090.

2455

B Mo Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Warwick (Great Pinley),

In the County of Warwick

Rain Gauge

Diameter of Funnel .... in.

Height of Top above Ground .... *ft.* .... *in.*

Height of Ground above Sea Level .... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.					
FEB.					
MAR.					
APRIL					
MAY					
JUNE					
JULY					
AUG.					
SEPT.					
OCT.					
NOV.					
DEC.					
Total	27.18				

Signature ....

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station .... Distance .... Direction from gauge ....

Nearest Parish Church at .... Distance .... Direction from gauge ....

Nature of objects nearest to gauge				
Heights of objects				
Distances ..				
Directions from gauge ..				

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Obsr says 'measured irregularly'.

Copied from letter in file

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02, *or* 0·3.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

WARWICK (HATTO

Section **A** for the entry
AIR MINIST

FORM 1090

REGI

Kept at HATTON

in the County of WARW

Diameter of Funnel of Gauge.....

Height of top of Gauge above G

,, Ground ,, S

THE MORNING MEASU

An observer who does not conform
year in the space on the right of

P

n No. 2455/3

RGANIZATION

ing

Jan. 1, following

2455/3

WARWICK HATTON
1938–40

7f0407

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·45	·03	—	—	·18				1
2						·11	—	—	—	·27	—	·33		2
3						·01	·53	—	—	·43	—	—		3
4						·01	·02	·56	—	·36	—	·21		4
5						·03	— +	·56	·03	·18	—	—		5
6						·02	·35 +	—	·04	·05	—	—		6
7						·01	·18	·20	·05	—	—	·06		7
8						— —	·02	·18	—	·12	—	·04		8
9						— +	— +	·32	—	·10	—	·30		9
10						·20 +	·21 +	·10	—	·16	—	+		10
11						—	—	·02	—	·05	—	·12 +		11
12						—	—	·15	—	·06	—	—		12
13						—	—	—	—	—	—	·60		13
14						—	·54	—	— +	—	—	—		14
15						—	·15	—	—	·10	—	·28 +		15
16						—	·06	—	—	—	—	— +		16
17						—	—	—	— ✓	·14	·39	—		17
18						·20 ·02	—	— +	— +	—	—	—		18
19						—	—	·21 +	·54 +	—	·42	—		19
20						—	—	—	·12	—	·35	—		20
21						—	—	·01	—	—	·07	—		21
22						·11	—	—	—	—	·35	—		22
23						—	—	—	·13	—	—	·10		23
24						—	—	—	·20	—	—	·35		24
25						—	·04	— ✓	·03	·15	·31	·05		25
26						—	—	— ✓	·06	·20	·33	— +		26
27						·17	·42	— +	·35	·05		—		27
28						·10	·01	1·25	·22	—	·12	— +		28
29						·03	·02	—	·51	—	·07	— +		29
30		▨				·43	—	—	—	—	·16	—		30
31		▨		▨		▨	—	—	▨	·22	▨	·65 +		31
TOTAL						1·88 ~~1·70~~	2·58	3·56	2·28	2·82	2·57	3·09	Year's Total ~~18·60~~	
* Days with .01 in. or more.						15 ~~14~~	11 ~~14~~	~~11~~ 15	~~12~~ 14	17	10	17 ~~12~~	—	
* Days with .04 in. or more.						9 ~~7~~	11 ~~9~~	11 ~~9~~	~~10~~ 11	17	10	17 ~~12~~		

12.1.39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C.H. Morris [P.T.O.

WARWICK (HATTON

Section **A** for the entry … No. 2455/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at HATTON

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level ……ft.

no directions ?

June 18th adjusted from nearby stns.

Axa

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·45	·03	—	—	·18				1
2						·11	—	—	—	·27	—	·33		2
3						·01	·53	—	—	·43	—	—		3
4						·01	·02	·56	—	·36	—	·21		4
5						·03	— +	·56	·03	·18	—	—		5
6						·02	·35 +	—	·04	·05	—	—		6
7						·01	·18	·20	·05	—	—	·06		7
8						— —	·02	·18	—	·12	—	·04		8
9						— +	— +	·32	—	·10	—	·30		9
10						·20 +	·21 +	·10	—	·16	—	+		10
11						—	—	·02	—	·05	—	·12 +		11
12						—	—	·15	—	·06	—	—		12
13						—	—	—	—	—	—	·60		13
14						—	·54	—	— +	—	—	—		14
15						—	·15	—	—	·10	—	·28 +		15
16						—	·06	—	—	—	—	— +		16
17						—	—	—	— ✓	·14	·39	—		17
18						20 ·02	—	— +	— +	—	—	—		18
19						—	—	·21 +	·54 +	—	·42	—		19
20						—	—	—	·12	—	·35	—		20
21						—	—	·01	—	—	·07	—		21
22						·11	—	—	—	—	·35	—		22
23						—	—	—	·13	—	—	·10		23
24						—	—	—	·20	—	—	·35		24
25						—	·04	— ✓	·03	·15	·31	·05		25
26						—	—	— ✓	·06	·20	·33	— +		26
27						·17	·42	— +	·35	·05		—		27
28						·10	·01	1·25 +	·22	—	·12	— +		28
29						·03	·02	—	·51	—	·07	— +		29
30		✕				·43	—	—	—	—	·16	—		30
31		✕		✕		✕	—	—	✕	·22	✕	·65 +		31
TOTAL						1·88 ~~1·70~~	2·58	3·56	2·28	2·82	2·57	3·09	Year's Total ~~18·60~~	
* Days with .01 in. or more.						15 ~~14~~	11 ~~14~~	~~11~~ 15	~~12~~ 14	17	10	17 ~~12~~		
* Days with .04 in. or more.						9 ~~7~~	11 ~~9~~	11 ~~9~~	~~10~~ 11	17	10	17 ~~12~~		

12.7.39

N

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) E H Morris

[P.T.O.

WARWICK (HATTON)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2455/3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at HATTON

in the County of WARWICK

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 317 ~~360~~ ft.

1938 ~ p imp

f879022/28

× est'd from ½ inch map

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·02	·22	·04	—	—	·44	·09	—	—	·04	—	1
2	—	—	—		—	—	—	·38	—	—	·06	—		2
3	·10	—	—	·57	—	—	—	·53	—	—	·12	·38		3
4	·25	—	·24	·29	—	—	·80	·22	·11	—	·12	—		4
5	—	—	·20	·03	·46	—	·12	·26	—	·18	·10	·12		5
6	—	—	·03	—	—	—	·55	·11	—	·03	—	—		6
7	·72	·04	—	—	—	—	·18	·03	—	—	·47	·32		7
8	—	·09	·29	—	—	—	·50	·11	·10	·70	·20	·39		8
9	·02	·06	—	—	—	—	—	·28	—	·44	—	·21		9
10	·36	—	—	—	—	·11	—	—	—	—	—	—		10
11	—	—	·21	—	—	·06	—	·10	·17	·08	—	—		11
12	—	·01	—	—	—	·05	—	·12	—	—	·08	—		12
13	—	—	—	·02	—	—	— ×	·06	—	·12	—	—		13
14	·71	—	·02	·02	·20	·06	·80	—	·08	·24	·15	—		14
15		—	—	—	·04	·43		—	—	·20	·15	—		15
16	·20	—	·03	·03	·23	·18	·27	—	·04	·10	·28	—		16
17	·50	·05	—	·01	·07	—	·20	—	—	·59	·10	—		17
18	·22	—	·05	—	—	1·22	·53	—	—	·07	·50	—		18
19	·20	—	—	—	—	—	·58	—	·09	—	—	—		19
20	·28	—	—	—	—	—	TRACE	·09	—	—	—	—	—	20
21	·25	·11	·19	—	—	·30	—	·88	—	—	—	—		21
22	·27	·23	·04	·06	—	·02	—	—	—	—	~~·14~~	~~·17~~		22
23	·05	—	—	—	—	·02	·10	—	—	·08	·64	—		23
24	·35	—	—	—	—	—	·08	—	—	—	—	—		24
25	·57	·15	·01	·01	—	—	·03	—	—	·11	·25	—		25
26	·07		—	·03	—	—	·08	·03	—	—	·23	—		26
27	—	·20	·10	—	—	—	·08	—	—	·05	·03	—		27
28	—	·11	·10	—	—	·03	·18	·01	—	·20	·22	·12		28
29	—	—	—	·41	—	—	·34	·16	—	·20	—	—		29
30	—	✕	—		—	—	TRACE	—	—	—	·06	·04		30
31	—	✕	—	✕	—	✕	TRACE	·10	✕	—	✕	—		31
TOTAL	5·12	1·05	1·53	1·70	1·04	2·48	5·42	3·91	·68	3·39	3·90	1·62	Year's Total 31·84	Paint wh.
* Days with .01 in. or more.	1~~7~~8	1~~0~~1	14	1~~2~~5	6	11	1~~7~~9	18	7	16	19	8	~~155~~ 162	
* Days with .04 in. or more.	1~~6~~7	9	9	~~5~~7	6	8	1~~6~~7	15	7	15	18	8	13~~7~~6	

GRAND UNION CANAL CO.

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E H Morris.

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2455/3.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at HATTON.

in the County of WARWICK.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 316.80 ft. L.D.

Aces.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				.14	.37		.03				.11			1
2		✓		.12						✓	.25			2
3		✓		.40	.04	.02	.02			.10	1.16	.04		3
4		✓					.01			.25	1.10	.02		4
5		✓					.02			.10	✓	✓		5
6	✓	.55			.21					.50	.36	✓		6
7	✓	.21					.03		✓		✓	.19		7
8							✓		.34	.11	✓	✓		8
9							✓		✓	.07	.44			9
10							.94			.14	.60	.03		10
11			.18	.06	.03		.09			.07	✓	✓		11
12			.06			.03	✓		✓		.06			12
13		✓	.28	.07			.03		✓		.14			13
14			.04	.04	✓		.11		✓	.02	/	.70		14
15			.07	✓	.75		✓		✓	.05	✓			15
16	✓	.46	.49	.18			.05		✓	.58	✓			16
17			✓	.21							.64	.11		17
18	.20	.54	.31	✓			✓		✓	.30	.48	.09		18
19		✓		.12			.69		.50		.14			19
20		✓	.20	.10			✓			.30	.04			20
21	✓				.67	✓	.10			✓	1.27			21
22			✓	.13	.30	.37				✓		.10		22
23		✓	✓		✓	.12	.02			.09				23
24			✓	.27					.15	✓	.10	.04		24
25				✓					.20	.02				25
26	1.07	✓			✓	✓	.04				.05			26
27	1.00	✓			✓		.46							27
28	.55	.84		.87	✓							.25		28
29			.20	.03	.75									29
30		✗		.12	✓	.01				.67		.10		30
31	.07	✗	✓	✗	.02	✗			✗	.59	✗			31
TOTAL	2.89	2.60	1.83	2.86	3.14	.55	2.64	-	1.19	3.96	6.94	1.67	Year's Total 30.27	"d"
* Days with .01 in. or more.	5 9	15 ~~16~~	~~10~~ ~~9~~ 14	18 ~~15~~	15 9	7 5	21 ~~15~~	-	~~4~~ 11	~~17~~ 21	23 ~~16~~	~~11~~ 15	~~111~~	43 169
* Days with .04 in. or more.	5 6	11 ~~56~~	10 9	14	11 8	3 2	12 8	-	4 9	15	29 ~~16~~	11 9	~~94~~	122 ~~96~~

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) C. A. Wilson
Engineer

P.T.O.

LEAMINGTON (WOODL

2455/6

LEAMINGTON WOODLAND GRANGE
1937 — 40

780407

2455/6

Section **A** for the entry … tion No. ~~2452/3~~
AIR MINIS … ORGANIZATION.

FORM 1090. **REG** … File 389937/35

Kept at Woodland Gran
in the County of War

Diameter of Funnel of Gauge
Height of top of Gauge above G
,, Ground ,, S

THE MORNING MEAS

An observer who does not confor … lowing
year in the space on the right

Please read the Notes and Instructions Overleaf.

Jan. 1, following ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·01	·02	·02	—	—	Tr	—	·06	Tr	·11	·46		1
2	·01	·11	·01	·64	—	—	—	—	Tr	—	Tr	·22		2
3	—	·08	Tr	Tr	·22	Tr	—	—	—	—	Tr	·05		3
4	·09	·15	—	—	·05	—	—	—	—	—	Tr	·60		4
5	·17	—	·16	Tr	—	—	·03	Tr	—	—	—	·02		5
6	·15	·01	·13	·07	·15	—	·02	—	—	·08	·02	·01		6
7	·01	·65	·01	·10	·02	—	—	—	·01	—	Tr	Tr		7
8	—	·06	—	·01	·09	—	—	—	—	—	·52	·03		8
9	—	·01	·01	·03	·26	—	·24	—	·19	Tr	Tr	·06		9
10	·01	·06	·37	·24	—	·18	·01	—	Tr	Tr	—	·10		10
11	—	—	·17	—	·44	·11	·02	—	Tr	—	Tr	·17		11
12	·10	·32	·38	Tr	·32	·13	—	·42	·14	—	—	·13		12
13	·09	·06	·22	·02	·01	·06	—	1·02	·35	—	Tr	·02		13
14	·01	·01	·27	·05	—	—	—	·61	·03	—	·01	·10		14
15	·13	·09	Tr	·21	—	—	·93	·01	·10	—	—	·02		15
16	—	·09	·28	·30	Tr	—	—	·03	·20	—	·01	—		16
17	·17	·03	·33	·12	—	—	—	—	·11	—	—	Tr		17
18	·30	·08	·20	·03	—	Tr	·08	—	·70	·01	·25	·05		18
19	·11	·04	·14	·13	·09	·15	·29	—	·01	·02	·08	·01		19
20	·21	Tr	·02	·46	·41	—	—	—	Tr	·01	Tr	·03		20
21	·12	·26	·03	·03	·01	—	·24	—	Tr	—	Tr	·07		21
22	·15	Tr	·09	—	·09	·15	·31	—	Tr	·39	·34	Tr		22
23	·25	·01	—	—	·01	—	·02	Tr	Tr	·22	·09	—		23
24	·10	·33	·02	—	·02	—	·02	—	·06	·27	·01	·02		24
25	·14	·38	—	—	·10	—	—	—	·05	·35	—	·02		25
26	Tr	·25	·02	—	·35	—	—	—	Tr	·03	—	—		26
27	·02	·32	—	·32	—	—	Tr	Tr	—	·69	Tr	—		27
28	·01	·01	—	—	—	·01	—	—	—	·05	—	·05		28
29	·04	×	—	—	—	·03	—	—	—	·03	·03	·03		29
30	·30	×	—	—	—	·01	—	·89	—	·01	·14	Tr		30
31	·27	×	—	×	—	×	Tr	Tr	×	·14	×	—		31
TOTAL	3·11	3·42	2·88	2·78	2·64	·83	2·21	2·98	2·01	2·30	1·61	2·27	Year's Total. 29·04	
* Days with ·01 in. or more.	25	24	20	17	17	9	12	6	13	14	12	22	191	
* Days with ·04 in. or more.	19	18	12	11	12	6	6	4	10	8	7	12	125	

Print

40-9999

* See Instruction 2 (f) on other side. H.M. BLENKINSOP ESQ

† Spare column, no entries required

(Signed) H. M. Blenkinsop

[P.T.O.

LEAMINGTON (WOODL

2455/6

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. ~~2462/3~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937 . File 38937/35

Kept at Woodland Grange, Leamington Spa

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 200 ft. approx

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.15	.01	.02	.02	—	—	Tr	—	.06	Tr	.11	.46		1
2	.01	.11	.01	.64	—	—	—	—	Tr	—	Tr	.22		2
3	—	.08	Tr	Tr	.22	Tr	—	—	—	—	Tr	.05		3
4	.09	.15	—	—	.05	—	—	—	—	—	Tr	.60		4
5	.17	—	.16	Tr	—	—	.03	Tr	—	—	—	.02		5
6	.15	.01	.13	.07	.15	—	.02	—	—	.08	.02	.01		6
7	.01	.65	.01	.10	.02	—	—	—	.01	—	Tr	Tr		7
8	—	.06	—	.01	.09	—	—	—	—	—	.52	.03		8
9	—	.01	.01	.03	.26	—	.24	—	.19	Tr	Tr	.06		9
10	.01	.06	.37	.24	—	.18	.01	—	Tr	Tr	—	.10		10
11	—	—	.17	—	.44	.11	.02	—	Tr	—	Tr	.17		11
12	.10	.32	.38	Tr	.32	.13	—	.42	.14	—	—	.13		12
13	.09	.06	.22	.02	.01	.06	—	1.02	.35	—	Tr	.02		13
14	.01	.01	.27	.05	—	—	—	.61	.03	—	.01	.10		14
15	.13	.09	Tr	.21	—	—	.93	.01	.10	—	—	.02		15
16	—	.09	.28	.30	Tr	—	—	.03	.20	—	.01	—		16
17	.17	.03	.33	.12	—	—	—	—	.11	—	—	Tr		17
18	.30	.08	.20	.03	—	Tr	.08	—	.70	.01	.25	.05		18
19	.11	.04	.14	.13	.09	.15	.29	—	.01	.02	.08	.01		19
20	.21	Tr	.02	.46	.41	—	—	—	Tr	.01	Tr	.03		20
21	.12	.26	.03	.03	.01	—	.24	—	Tr	—	Tr	.07		21
22	.15	Tr	.09	—	.09	.15	.31	—	Tr	.39	.34	Tr		22
23	.25	.01	—	—	.01	—	.02	Tr	Tr	.22	.09	—		23
24	.10	.33	.02	—	.02	—	.02	—	.06	.27	.01	.02		24
25	.14	.38	—	—	.10	—	—	—	.05	.35	—	.02		25
26	Tr	.25	.02	—	.35	—	—	—	Tr	.03	—	—		26
27	.02	.32	—	.32	—	—	Tr	Tr	—	.69	Tr	—		27
28	.01	.01	—	—	—	.01	—	—	—	.05	—	.05		28
29	.04	X	—	—	—	.03	—	—	—	.03	.03	.03		29
30	.30	X	—	—	—	.01	—	.89	—	.01	.14	Tr		30
31	.27	X	—	X	—	X	Tr	Tr	X	.14	X	—		31
TOTAL	3.11	3.42	2.88	2.78	2.64	.83	2.21	2.98	2.01	2.30	1.61	2.27	Year's Total 29.04	✓
* Days with .01 in. or more.	25	24	20	17	17	9	12	6	13	14	12	22	191	✓
* Days with .04 in. or more.	19	18	12	11	12	6	6	4	10	8	7	12	125	✓

Print

40-9999

* See Instruction 2 (f) on other side. H.M. BLENKINSOP ESQ

† Spare column, no entries required

(Signed) H. M. Blenkinsop

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2455/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938. File 389937/35

Kept at Woodland Grange, Leamington Spa

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 200 ft. approx.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.02	-	Tr.	.38	.04	-	Tr.	.09	.01	.30		1
2	.06	-	.01	.04	.04	.06	-	-	Tr.	.14	Tr.	.01		2
3	.01	-	Tr.	-	.07	.01	.53	-	.03	.46	Tr.	Tr.		3
4	.02	-	.02	Tr.	-	.03	Tr.	.28	-	.27	Tr.	.20		4
5	-	-	Tr.	-	-	-	.05	.50	.06	.18	Tr.	.02		5
6	.03	-	.01	-	-	.03	.14	-	.07	.06	Tr.	Tr.		6
7	.06	-	.02	-	-	.03	.14	.26	.10	.25	Tr.	.05		7
8	.23	-	Tr.	-	-	-	.02	.28	Tr.	.17	Tr.	-		8
9	.02	.04	-	-	-	.04	.05	.15	-	Tr.	Tr.	.33		9
10	.01	.05	-	-	-	.24	.13	.08	.01	Tr.	-	.03		10
11	.49	.02	-	-	-	-	-	.01	-	.32	.13	.01		11
12	.13	.01	Tr.	-	.13	-	-	.41	Tr.	Tr.	.05	Tr.		12
13	Tr.	.02	Tr.	-	-	-	-	Tr.	-	Tr.	.14	.39		13
14	.30	.04	-	-	.05	-	.60	Tr.	.11	Tr.	Tr.	.01		14
15	.09	Tr.	-	-	.01	-	.10	-	Tr.	Tr.	.02	.20		15
16	.24	-	-	-	-	-	.06	.01	Tr.	.15	.02	.09		16
17	-	.08	-	-	-	-	.03	.01	.04	Tr.	.02	-		17
18	.03	-	-	-	.10	.19	.02	.09	.42	Tr.	.33	-		18
19	-	-	-	-	.02	-	-	.15	.03	Tr.	.14	.01		19
20	-	-	-	-	-	-	-	-	.01	Tr.	.32	.03		20
21	.03	-	-	-	-	-	-	.03	Tr.	Tr.	.06	.22		21
22	Tr.	-	Tr.	.04	-	.15	-	.02	Tr.	Tr.	.37	.20		22
23	-	-	Tr.	Tr.	Tr.	-	-	-	.14	Tr.	Tr.	.07		23
24	-	Tr.	.03	-	.07	-	-	-	.32	Tr.	.01	Tr.		24
25	.09	.24	.14	-	.07	-	.02	.02	.01	.12	.28	.05		25
26	.12	.34	.06	-	.02	Tr.	-	.03	.10	.17	Tr.	.23		26
27	.06	.01	-	-	.22	.18	.35	.20	.25	.05	.34	Tr.		27
28	.10	.01	-	-	.22	.13	.02	1.17	.05	Tr.	.10	.12		28
29	.39	X	-	.01	.29	.03	.01	Tr.	Tr.	.03	.08	.12		29
30	.04	X	-	-	.02	.51	Tr.	Tr.	.48	.03	.19	.15		30
31	.14	X	-	X	.27	X	.01	Tr.	X	.17	X	.33		31
TOTAL	2.69	.86	.31	.09	1.60	2.01	2.32	3.70	2.23	2.66	2.61	3.17	Year's Total. 24.25	✓
* Days with .01 in. or more.	22	11	8	3	15	14	18	18	17	16	18	23	183	✓
* Days with .04 in. or more.	15	6	2	2	11	9	11	11	12	14	13	16	122	✓

40-9999

† Spare column, no entries required.

(*Signed*) R. M. Blenkinsop

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2455/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939 File 389937/35

Kept at Woodland Grange, Leamington Spa
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 200 ft. approx.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	Tr.	.14	.05	-	-	1.06	-	.01	-	-		1
2	.05	-	Tr.	.06	-	-	-	.36	.70	.04	.10	.02		2
3	.22	Tr.	-	.35	-	-	-	.51	.06	Tr.	.13	.27		3
4	.05	-	.39	.40	.06	-	.13	.30	.08	.32	.04	.11		4
5	Tr.	Tr.	-	.06	.20	-	.12	.64	Tr.	.01	.20	.12		5
6	.60	-	.01	Tr.	Tr.	-	.52	.03	Tr.	-	.04	Tr.		6
7	.01	.03	-	-	-	-	.22	.01	-	Tr.	.41	.27		7
8	-	.09	.27	-	-	-	.48	.12	-	.65	.12	.41		8
9	.03	.06	Tr.	-	-	-	-	.26	-	.35	.18	.18		9
10	.33	-	.03	-	-	.08	-	.17	.03	.03	Tr.	-		10
11	Tr.	Tr.	.16	-	Tr.	.06	-	Tr.	.01	.02	Tr.	Tr.		11
12	.02	.02	Tr.	-	Tr.	.16	-	-	-	Tr.	Tr.	-		12
13	Tr.	-	Tr.	.01	.02	Tr.	.19	Tr.	.04	.14	-	-		13
14	.42	-	Tr.	.01	.28	.11	.04	Tr.	-	.08	.06	Tr.		14
15	.50	-	-	Tr.	.08	.44	.42	-	-	.33	.21	Tr.		15
16	.27	-	.13	-	.20	.13	.38	Tr.	-	.02	.23	-		16
17	.32	.07	.01	-	.06	.03	.25	Tr.	-	1.24	.05	-		17
18	.22	.03	.04	-	-	.55	.19	Tr.	-	-	.64	-		18
19	.26	Tr.	-	-	-	-	.68	-	-	Tr.	-	Tr.		19
20	.21	Tr.	-	-	-	Tr.	Tr.	.15	-	Tr.	-	Tr.		20
21	.08	.09	.21	Tr.	-	.18	.18	.60	.02	Tr.	Tr.	-		21
22	.19	.16	-	.04	-	-	.02	Tr.	.01	Tr.	.34	Tr.		22
23	.03	Tr.	Tr.	.01	-	.03	.05	Tr.	-	.04	.75	Tr.		23
24	.31	Tr.	-	.02	-	Tr.	Tr.	-	-	.04	Tr.	Tr.		24
25	1.17	.15	.03	-	-	-	.05	Tr.	-	.01	.23	Tr.		25
26	.17	.01	Tr.	Tr.	-	-	Tr.	.05	-	.02	.25	.08		26
27	Tr.	.14	.07	Tr.	-	.02	.13	Tr.	-	Tr.	Tr.	.04		27
28	Tr.	.19	.12	.01	-	Tr.	.18	Tr.	-	-	.17	.02		28
29	-	X	-	.27	-	-	.24	-	-	.18	.04	-		29
30	-	✕	-	.17	-	.14	Tr.	-	-	-	.05	Tr.		30
31	-	✕	-	✕	-	✕	.09	.08	✕	-	✕	Tr.		31
													Year's Total	
TOTAL	5.48	1.04	1.40	1.55	.95	1.93	4.56	4.34	.95	3.53	4.24	1.52	31.49	✓
* Days with .01 in. or more.	22	11	12	13	8	12	20	14	8	18	20	10	168	✓
* Days with .04 in. or more.	17	8	8	8	7	9	19	12	4	11	20	8	131	✓

* See Instruction 3 (f) on other side.

9/1/40

† Spare column, no entries required.

(*Signed*) H. M. Blenkinsop

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2455/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Woodland Grange, Leamington Spa
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 200 ft. approx.

Jan 28th estd. from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	Tr.	—	Tr.	—	—	—	—	Tr.	—	·11	·01		1
2	Tr.	·06	Tr.	·29	—	—	Tr.	—	—	·03	·93	·01		2
3	—	·10	—	·04	—	—	—	—	—	·14	1·02	·04		3
4	—	·04	—	·30	—	—	·01	—	—	·15	·13	·05		4
5	—	Tr.	—	—	·06	—	·04	—	—	·15	·61	·10		5
6	·10	·26	—	—	·01	—	·03	—	—	·41	·32	Tr.		6
7	·02	·21	—	·01	Tr.	—	·06	—	·06	Tr.	·01	—		7
8	Tr.	Tr.	Tr.	Tr.	—	—	·09	—	—	·08	·02	·21		8
9	Tr.	—	—	—	—	—	·12	·04	·01	·06	·10	·12		9
10	Tr.	Tr.	·01	—	—	—	·77	·04	—	·12	·12	·17		10
11	Tr.	—	·03	·06	—	—	·09	—	—	Tr.	·58	·05		11
12	Tr.	Tr.	·09	—	—	Tr.	·20	—	·10	—	·03	Tr.		12
13	Tr.	·02	·64	Tr.	—	—	·25	Tr.	·06	—	·05	—		13
14	—	Tr.	·02	·08	·30	—	·02	—	·10	·03	·01	·30		14
15	—	Tr.	·02	·11	·09	Tr.	·02	—	·05	·02	·14	Tr.		15
16	·01	·25	·31	·03	—	Tr.	·18	—	·10	·56	·65	·01		16
17	—	Tr.	·25	Tr.	—	—	·01	—	—	—	·30	Tr.		17
18	·08	·50	·40	·30	—	—	—	·02	·25	·31	·11	·07		18
19	—	·24	·02	·20	—	—	·45	—	·09	Tr.	·17	·02		19
20	—	·01	·01	·02	—	Tr.	·12	·01	—	·30	Tr.	—		20
21	·01	Tr.	Tr.	—	·53	·22	·12	—	—	·01	1·24	Tr.		21
22	—	Tr.	·01	Tr.	·32	·10	—	Tr.	·44	Tr.	Tr.	Tr.		22
23	—	·06	·03	·13	·04	·08	—	—	Tr.	·01	Tr.	·07		23
24	Tr.	—	·01	Tr.	—	—	·11	—	—	·02	Tr.	Tr.		24
25	Tr.	—	—	·02	Tr.	—	Tr.	—	—	·01	Tr.	Tr.		25
26	1·13	·20	—	·24	·04	·02	·19	—	—	—	·02	Tr.		26
27	·80	·15	—	—	—	—	Tr.	Tr.	Tr.	—	—	Tr.		27
28	7·(58)	·16	—	—	·13	—	—	—	—	—	Tr.	Tr.		28
29	—	—	·08	·05	·08	·02	·01	—	—	Tr.	—	·19		29
30	·04	×	—	·52	·01	—	—	—	Tr.	·63	—	Tr.		30
31	·05	×	·09	×	—	×	—	—	×	·48	×	·03		31
TOTAL	~~3·82~~ 2·82	2·26	2·02	2·40	1·61	0·44	2·89	0·11	1·26	3·52	6·67	1·45	Year's Total ~~28·45~~	27·45 ✓
* Days with .01 in. or more.	10	14	16	16	11	5	20	4	10	19	21	16	162	✓
* Days with .04 in. or more.	7	12	7	12	9	3	14	2	9	12	16	11	114	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ....

P.T.O.

2457

Section **A** for the entry

AIR MINIST

OR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGI

Kept at The Lodge,

in the County of War

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

ing

Jan. 1, following

2457

LEEK WOOTON. THE LODGE

1931 — 40

780407

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·02	·03	TR.	[illegible]	—	[illegible]	—	—	[illegible]	[illegible]	—	—	1
2	·05	·07	TR.	·84	·01	·02	—	·45	·47	·06	TR.	·07	2
3	·02	TR.	—	·13	—	—	·04	TR.	·92	TR.	·73	·11	3
4	·02	·09	—	·19	·03	—	·41	·10	·06	—	·12	—	4
5	TR.	·08	—	·13	—	·94	·01	·01	·08	TR.	TR.	·35	5
6	—	·16	—	·06	—	·03	·13	TR.	TR.	·18	·16	·01	6
7	—	·01	—	TR.	—	TR.	·04	·52	TR.	TR.	·02	·01	7
8	·04	·06	TR.	·07	—	·13	·02	·93	—	·01	·26	—	8
9	·01	·26	TR.	·02	—	·04	TR.	·06	—	—	·29	TR.	9
10	—	·03	TR.	—	·02	·03	·03	·17	·03	TR.	·03	TR.	10
11	·15	·19	—	—	—	·09	·01	·01	·11	TR.	·12	TR.	11
12	·01	·09	—	TR.	—	TR.	·65	·03	·44	·12	TR.	—	12
13	·01	TR.	TR.	—	—	TR.	TR.	·08	TR.	·03	TR.	TR.	13
14	·01	·06	TR.	—	·03	·16	·54	·75	·07	TR.	·06	TR.	14
15	TR.	·10	—	·07	·32	—	·20	·28	TR.	TR.	TR.	·03	15
16	·05	·30	—	·17	·09	·67	TR.	·11	·12	TR.	TR.	—	16
17	·03	·18	—	·27	·49	TR.	·09	TR.	·04	·01	·01	—	17
18	·08	·02	·01	·26	TR.	·12	·02	·29	TR.	—	·30	—	18
19	·06	·04	—	·15	—	·55	·21	·01	TR.	—	·01	—	19
20	TR.	·08	·02	TR.	—	TR.	·02	·10	—	·02	TR.	·01	20
21	·23	TR.	TR.	—	·51	—	TR.	·01	—	TR.	·03	—	21
22	·20	TR.	·01	·06	·01	—	TR.	·02	—	TR.	TR.	—	22
23	·19	TR.	·08	TR.	·32	·17	—	·03	·07	—	·15	·10	23
24	TR.	TR.	TR.	·17	·41	—	·04	TR.	TR.	—	TR.	TR.	24
25	·02	—	—	·66	·03	—	·87	—	TR.	—	·06	TR.	25
26	·02	·02	—	·29	—	—	·04	—	TR.	—	·20	TR.	26
27	·12	·61	—	·03	·36	—	·03	—	—	—	·16	·07	27
28	·08	·19	—	·10	·22	—	TR.	—	TR.	·02	·01	·16	28
29	·01		—	TR.	·05	—	·14	—	—	·28	·01	·02	29
30	—	×	—	—	TR.	—	TR.	—	TR.	TR.	—	TR.	30
31	·18	×	—	×	·01	×	TR.	—	×	—	×	·03	31
TOTAL	1·61	2·67	·12	3·84	2·91	14·18 3·03	3·54	3·96	2·88	·75	2·73	·97	YEAR'S TOTAL 29·01
*Days with ·01 in. or more.	23	21	4	19	16	13	20	19	12	10	19	12	188
*Days with ·04 in. or more.	12	16	1	17	9	10	13	12	11	4	12	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W Mitchell [P.T.O.

2457

Section A for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Lodge, Leek Wootton,

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 249 ft.

Station No 2457.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·03	TR.	·17	—	·08	—	—	·47	·02	—	—	1
2	·05	·07	TR.	·84	·01	·02	—	·45	·47	·06	TR.	·07	2
3	·02	TR.	—	·13	—	—	·04	TR.	·92	TR.	·73	·11	3
4	·02	·09	—	·19	·03	—	·41	·10	·06	—	·12	—	4
5	TR.	·08	—	·13	—	·94	·01	·01	·08	TR.	TR.	·35	5
6	—	·16	—	·06	—	·03	·13	TR.	TR.	·18	·16	·01	6
7	—	·01	—	TR.	—	TR.	·04	·52	TR.	TR.	·02	·01	7
8	·04	·06	TR.	·07	—	·13	·02	·93	—	·01	·26	—	8
9	·01	·26	TR.	·02	—	·04	TR.	·06	—	—	·29	TR.	9
10	—	·03	TR.	—	·02	·03	·03	·17	·03	TR.	·03	TR.	10
11	·15	·19	—	—	—	·09	·01	·01	·11	TR.	·12	TR.	11
12	·01	·09	—	TR.	—	TR.	·65	·03	·44	·12	TR.	—	12
13	·01	TR.	TR.	—	—	TR.	TR.	·08	TR.	·03	TR.	TR.	13
14	·01	·06	TR.	—	·03	·16	·54	·75	·07	TR.	·06	TR.	14
15	TR.	·10	—	·07	·32	—	·20	·28	TR.	TR.	TR.	·03	15
16	·05	·30	—	·17	·09	·67	TR.	·11	·12	TR.	TR.	—	16
17	·03	·18	—	·27	·49	TR.	·09	TR.	·04	·01	·01	—	17
18	·08	·02	·01	·26	TR.	·12	·02	·29	TR.	—	·30	—	18
19	·06	·04	—	·15	—	·55	·21	·01	TR.	—	·01	—	19
20	TR.	·08	·02	TR.	—	TR.	·02	·10	—	·02	TR.	·01	20
21	·23	TR.	TR.	—	·51	—	TR.	·01	—	TR.	·03	—	21
22	·20	TR.	·01	·06	·01	—	TR.	·02	—	TR.	TR.	—	22
23	·19	TR.	·08	TR.	·32	·17	—	·03	·07	—	·15	·10	23
24	TR.	TR.	TR.	·17	·41	—	·04	TR.	TR.	—	TR.	TR.	24
25	·02	—	—	·66	·03	—	·87	—	TR.	—	·06	TR.	25
26	·02	·02	—	·29	—	—	·04	—	TR.	—	·20	TR.	26
27	·12	·61	—	·03	·36	—	·03	—	—	—	·16	·07	27
28	·08	·19	—	·10	·22	—	TR.	—	TR.	·02	·01	·16	28
29	·01		—	TR.	·05	—	·14	—	—	·28	·01	·02	29
30	—	×	—	—	TR.	—	TR.	—	TR.	TR.	—	TR.	30
31	·18	×	—	×	·01	×	TR.	—	×	—	×	·03	31
TOTAL	1·61	2·67	·12	3·84	2·91	14·18 3·03	3·54	3·96	2·88	·75	2·73	·97	YEAR'S TOTAL 29·01
*Days with ·01 in. or more.	23	21	4	19	16	13	20	19	12	10	19	12	188
*Days with ·04 in. or more.	12	16	1	17	9	10	13	12	11	4	12	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W. Mitchell [P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE. 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Lodge, Leek Wootton
in the County of Warwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 249 ft.

Station No 2457.

File Ref. 733768/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·03	—	·09	·95	·02	·02	·34	·04	·24	·02	—	1
2	·08	TR.	—	·13	·36	—	TR.	·02	·17	·06	·01	·08	2
3	—	—	—	·11	·05	—	TR.	—	TR.	·01	TR.	—	3
4	·01	—	—	·10	—	—	TR.	—	—	—	·34	TR.	4
5	·22	·01	·08	·02	·03	TR.	—	TR.	·11	—	—	TR.	5
6	·38	—	·05	·41	—	—	TR.	TR.	·42	—	—	—	6
7	·02	—	·23	·16	·03	—	TR.	—	·06	·04	—	—	7
8	TR.	—	·01	·15	—	—	—	—	·17	·33	—	—	8
9	·28	·06	—	·06	TR.	—	—	—	—	—	—	·02	9
10	·16	·03	TR.	·28	·08	—	—	—	·12	·13	—	—	10
11	—	·01	—	·05	·07	·01	·25	TR.	·09	·08	TR.	·02	11
12	·28	—	—	—	·24	—	TR.	TR.	·08	·30	·03	—	12
13	·02	·02	—	·08	·01	—	·65	TR.	·01	TR.	·02	·06	13
14	·23	·01	—	TR.	TR.	—	·01	·02	—	·10	·06	TR.	14
15	TR.	·02	—	·03	·37	—	·04	TR.	—	·05	—	·04	15
16	·20	—	—	·15	·07	—	TR.	—	—	TR.	—	—	16
17	—	—	TR.	TR.	—	—	·05	—	TR.	·21	TR.	—	17
18	—	—	—	—	·09	—	TR.	—	TR.	TR.	·10	—	18
19	—	·01	—	·06	·03	—	—	—	TR.	·12	TR.	—	19
20	—	—	—	·21	1·03	—	TR.	·56	—	·41	·09	TR.	20
21	—	TR.	·12	·31	1·15	—	TR.	·38	—	·31	·04	·10	21
22	TR.	TR.	·16	·04	·13	·02	·18	—	·73	·09	·37	TR.	22
23	TR.	·02	—	TR.	·86	TR.	·01	—	·08	·06	·06	·03	23
24	TR.	TR.	—	TR.	TR.	TR.	·02	—	·07	·01	·15	TR.	24
25	TR.	·01	—	TR.	TR.	·04	·28	—	·02	·15	·02	—	25
26	—	TR.	·04	·36	·13	—	·04	—	·04	·02	·01	—	26
27	—	TR.	·36	·42	·44	·10	·22	—	TR.	·02	·09	TR.	27
28	—	—	·14	·14	·20	·27	·21	·15	—	·03	—	·02	28
29	—	—	·37	·15	·19	·12	·02	·03	·15	·30	TR.	·11	29
30	·01	×	·04	·05	—	·70	·05	·32	·84	·09	·46	·25	30
31	—	×	·09	×	·01	×	·78	—	×	TR.	×	·08	31
TOTAL	1·88	·23	1·69	3·56	6·52	1·28	2·83	1·82	3·20	3·16	1·87	·81	YEAR'S TOTAL 2885
*Days with ·01 in. or more.	13	11	12	23	22	8	16	8	17	23	16	11	180
*Days with ·04 in. or more.	8	1	11	21	17	5	11	6	15	18	10	7	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W Mitchell

[P.T.O.

2457

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933..

Kept at The Lodge, Leek Wootton,

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 249 ft.

July 1" High

Station No. 2457.

File Ref. 733768/26. √

Use also Warwick Castle Gardens No 2452, attached to No 2451 (Studley) as comparison station

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24	·23	·03	—	—	—	—	—	TR.	TR.	·03	—	1
2	·15	—	·49	—	·06	·02	—	—	—	—	·07	—	2
3	TR.	·12	·32	—	·09	—	—	—	—	—	·05	—	3
4	·17	TR.	·01	—	·28	—	—	—	—	—	TR.	—	4
5	·11	·26	·21	—	·02	—	—	—	—	—	·02	—	5
6	—	·24	·06	—	·11	—	—	—	—	·07	·01	·01	6
7	·05	·12	·04	—	TR.	—	TR.	TR.	—	·18	TR.	·02	7
8	·06	TR.	·07	—	·04	—	·22	TR.	—	·01	TR.	—	8
9	—	—	—	TR.	·11	—	·35	TR.	—	·09	·03	—	9
10	·08	·19	—	—	·02	·04	·01	·03	—	1·31	·04	—	10
11	·02	—	—	—	·02	·02	·35	·02	—	TR.	—	—	11
12	·03	—	—	—	TR.	·01	·12	—	·24	TR.	—	TR.	12
13	·01	—	—	—	·16	·09	·38	·02	·02	·02	·33	—	13
14	TR.	—	—	—	TR.	—	·06	·07	—	·15	·29	TR.	14
15	·43	—	·02	—	TR.	—	1·47	·07	—	·01	·09	·03	15
16	·07	TR.	·66	—	TR.	·10	·03	·01	TR.	·10	·03	·02	16
17	·02	·02	·44	TR.	·02	·01	·04	TR.	·05	—	·02	·01	17
18	·05	·03	·01	TR.	—	·09	—	TR.	TR.	—	·02	TR.	18
19	—	·01	·55	TR.	—	·28	—	TR.	·11	—	·01	TR.	19
20	—	·02	·03	TR.	TR.	·25	—	TR.	·03	·05	TR.	TR.	20
21	—	·03	—	TR.	—	·30	—	·15	TR.	TR.	TR.	—	21
22	—	—	—	—	—	·42	—	·37	—	·18	TR.	—	22
23	—	—	—	·15	—	·05	—	—	·37	·05	TR.	—	23
24	—	·62	—	·13	·07	·41	—	—	·25	·02	·02	—	24
25	—	·44	—	·30	—	·27	—	—	·11	—	·01	·05	25
26	—	·57	—	·13	—	TR.	—	—	·03	·20	TR.	·01	26
27	—	·01	—	—	·42	—	TR.	—	·03	·03	—	·02	27
28	—	TR.	—	·36	·31	—	·03	—	TR.	·20	—	·04	28
29	·05		—	·09	TR.	—	·15	TR.	TR.	·03	—	·01	29
30	·06	×	·05	·01	—	—	·05	—	TR.	·02	—	·07	30
31	·02	×	·23	×	—	×	·01	·10	×	·19	×	—	31
TOTAL	1·62	2·91	3·22	1·17	1·73	13·01 2·36	3·27	·84	1·24	2·91	1·07	·29	YEAR'S TOTAL 22·63
Days with ·01 in. or more.	17	15	16	7	14	15	14	9	10	19	16	11	163
Days with ·04 in. or more.	12	9	11	6	10	11	10	5	6	12	6	3	101

40-9999

D

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Lodge, Leek Wootton,

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 249 ft.

Station No. 2457

File Ref. 733768/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	Tr.	—	Tr.	—	—	—	·25	·08	·03	·06	·50		1
2	·04	Tr.	·10	Tr.	—	—	—	·05	·29	·02	·05	·32		2
3	·04	·06	—	·02	—	—	—	Tr.	·01	·10	·02	·02		3
4	·05	Tr.	·13	·06	·12	—	—	·01	·08	·12	·10	·35		4
5	—	—	·04	·02	·08	—	—	·35	—	Tr.	·05	·17		5
6	·02	—	·04	·04	·26	·03	—	Tr.	Tr.	·20	—	·61		6
7	·08	—	—	—	·01	·01	—	·15	—	·05	Tr.	·30		7
8	—	—	—	—	·10	·03	—	·07	Tr.	—	·21	·01		8
9	·02	—	·08	·02	—	—	—	·01	Tr.	—	·67	·22		9
10	·03	—	·09	·14	—	—	—	·05	—	—	·04	·02		10
11	·71	—	·12	·34	—	—	·02	·26	—	—	—	·16		11
12	Tr.	—	·15	·01	—	—	·05	·41	Tr.	Tr.	—	·02		12
13	·35	—	·01	·03	Tr.	—	2·13	·04	—	·03	—	·19		13
14	·09	—	·19	Tr.	·02	·01	—	—	·02	·19	·27	·37		14
15	·04	—	·14	Tr.	·16	—	·10	—	·02	·25	·25	·03		15
16	·15	Tr.	·04	—	·02	—	—	·02	Tr.	·08	·03	·04		16
17	·01	Tr.	Tr.	Tr.	·03	—	·02	—	·21	·10	·03	·17		17
18	·16	—	·03	·14	Tr.	—	·34	—	·03	Tr.	Tr.	·03		18
19	Tr.	—	·13	Tr.	Tr.	Tr.	—	Tr.	·03	Tr.	Tr.	·05		19
20	—	—	·01	·09	Tr.	Tr.	—	Tr.	Tr.	Tr.	—	Tr.		20
21	·01	—	—	Tr.	Tr.	·12	Tr.	·09	Tr.	·11	—	—		21
22	—	Tr.	Tr.	Tr.	Tr.	—	—	·38	·27	—	—	·15		22
23	—	·03	Tr.	·17	·12	·23	·04	·02	Tr.	—	·04	·09		23
24	—	·33	·16	·05	—	·05	·30	—	·39	·06	·04	Tr.		24
25	·20	·01	—	·06	·01	·04	—	—	Tr.	·07	—	·32		25
26	·02	—	·09	·22	—	·07	Tr.	—	·03	Tr.	Tr.	·19		26
27	·02	·02	—	·20	—	·02	—	—	Tr.	·01	Tr.	·19		27
28	Tr.	—	—	·81	—	·33	Tr.	·40	—	Tr.	Tr.	·39		28
29	—		—	—	—	—	·54	·13	·50	·04	Tr.	·01		29
30	·02	×	—	—	—	—	Tr.	·01	·03	Tr.	Tr.	·17		30
31	·01	×	—	×	—	×	Tr.	—	×	·23	×	·03		31
													Year's Total	
TOTAL	2·10	·45	1·55	2·42	·93	·94	3·54	2·70	1·99	1·69	1·86	5·12	25·29	
*Days with ·01 in. or more.	21	5	17	17	11	11	9	18	14	17	14	28	182	
*Days with .04 in. or more.	11	2	14	12	6	6	7	13	7	13	11	20	122	

40-9999

† Spare column, no entries required.

(*Signed*) W. Mitchell

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at The Lodge, Leek Wootton,
in the County of Warwick.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 249 ft.

Station No. 2457.
File Ref. 733768/26.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·01	—	·02	·05	·10	·07	Tr.	·63	·08	·10	·02		1
2	Tr.	Tr.	·03	—	—	Tr.	Tr.	—	·04	·28	·01	·09		2
3	Tr.	·20	·09	·04	—	·12	—	—	·16	·30	·22	·12		3
4	—	Tr.	·01	·10	—	·32	—	—	·13	·08	·01	Tr.		4
5	—	·61	·08	·04	—	·18	·07	—	·05	·01	·05	Tr.		5
6	Tr.	·02	Tr.	·37	—	·33	—	—	—	·01	·04	·01		6
7	Tr.	—	—	·33	—	·06	—	—	—	·24	·29	·14		7
8	—	—	Tr.	·19	Tr.	·02	—	·24	—	·19	·17	·06		8
9	—	—	—	·33	Tr.	·27	—	—	—	·72	·44	·01		9
10	—	Tr.	—	·04	—	·02	—	—	—	Tr.	·05	·01		10
11	·22	Tr.	—	—	—	·05	—	Tr.	Tr.	·05	·17	·01		11
12	·02	·07	—	—	—	·23	—	·02	·01	—	·01	Tr.		12
13	·12	·05	—	·13	·15	Tr.	—	—	—	·02	·01	—		13
14	·01	Tr.	Tr.	·11	·05	Tr.	—	—	·02	Tr.	·43	·09		14
15	—	·05	—	·82	·09	·41	Tr.	—	·41	—	·19	·19		15
16	—	·07	·11	·26	—	·10	—	—	·29	·16	·66	·12		16
17	—	·02	—	·03	Tr.	·21	Tr.	—	·01	·01	·49	—		17
18	Tr.	·07	—	·22	·10	·04	·27	Tr.	·15	·04	·01	—		18
19	Tr.	·01	—	·09	·26	·26	·13	—	·06	·04	·32	·03		19
20	·02	·32	—	·15	·03	·09	·17	—	·04	Tr.	·25	—		20
21	Tr.	·21	·03	·09	—	—	—	—	·53	·02	·12	—		21
22	—	·02	—	·19	—	—	—	Tr.	·04	—	Tr.	—		22
23	Tr.	·02	·08	—	—	—	—	·37	·03	·35	—	Tr.		23
24	·09	·13	·02	—	—	—	—	·02	1·03	·03	—	·40		24
25	·16	·14	—	·10	—	1·44	—	Tr.	—	—	—	·08		25
26	·01	·05	—	Tr.	—	—	—	·19	·14	Tr.	·02	·60		26
27	—	·08	—	Tr.	·03	—	—	Tr.	·08	·06	·16	1·17		27
28	·02	Tr.	—	—	·50	—	—	—	·03	·06	·02	·06		28
29	Tr.	×	·05	—	—	—	—	·05	·12	·05	·10	·07		29
30	·03	×	Tr.	·12	·03	—	—	·51	·05	·24	·29	·09		30
31	—	×	—	×	—	×	—	·01	×	·71	×	·24		31
													Year's Total.	
TOTAL	·72	2·15	·50	3·77	1·29	4·25	·71	1·41	4·05	3·75	4·63	3·61	30·84	
* Days with .01 in. or more.	11	19	9	21	10	18	5	8	22	23	26	21	193.	
* Days with .04 in. or more.	4	13	5	19	7	16	5	5	17	17	19	15	142.	

40-9999

† Spare column, no entries required.

(*Signed*)

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at The Lodge, Leek Wootton,

in the County of WARWICK.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 249 ft.

Station No. 2457.

File Ref. 733768/26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.10	.04	.41	---	.18	.36	.07	T.R.	---	.06	.08		1
2	.05	.04	.14	.04	---	.34	.18	.09	---	---	.15	.03		2
3	---	.01	---	---	T.R.	.25	.10	T.R.	.33	---	.05	.02		3
4	T.R.	---	.08	---	---	.08	T.R.	.01	.36	---	.04	.08		4
5	.08	.01	.02	---.	T.R.	T.R.	.02	.07	.04	.01	T.R.	.18		5
6	.02	---	T.R.	---	.02	.09	.19	.21	.13	---	.08	T.R.		6
7	.11	---	.07	---	T.R.	---	.64	T.R.	.11	.01	.06	.03		7
8	.17	---	.11	---	T.R.	---	T.R.	---	.02	---	.36	.08		8
9	.38	---	.10	---	T.R.	T.R.	.76	---	.23	.04	.02	T.R.		9
10	---	---	T.R.	---	.01	T.R.	.31	T.R.	.02	T.R.	T.R.	T.R.		10
11	---	---	T.R.	.07	---	.03	.15	T.R.	.20	---	.38	---		11
12	---	---	---	.04	.03	.15	.64	.02	.56	---	.15	.15		12
13	---	---	---	.02	---	.42	.03	.01	T.R.	.07	.01	.14		13
14	---	.01	---	.20	T.R.	.06	.35	.01	.21	.15	T.R.	.59		14
15	---	.02	---	T.R.	---	T.R.	T.R.	---	.13	T.R.	.03	.05		15
16	.25	.19	---	T.R.	---	---	.15	---	.01	T.R.	.39	.03		16
17	---	.52	T.R.	---	.07	---	.09	---	---	.12	.04	.09		17
18	---	.01	---	---	T.R.	.35	.15	T.R.	---	.16	T.R.	.04		18
19	.28	.07	.09	.13	---	.07	.02	.07	---	.02	T.R.	T.R.		19
20	.01	.04	.08	.08	---	T.R.	.01	T.R.	.18	T.R.	---	T.R.		20
21	---	---	T.R.	.25	---	.93	.04	---	.04	---	---	T.R.		21
22	T.R.	.62	.02	T.R.	.06	T.R.	.20	---	---	T.R.	---	.08		22
23	.01	.01	.59	.11	.09	---	.27	---	---	.06	---	.02		23
24	.34	.05	T.R.	.01	T.R.	---	T.R.	---	.20	.15	---	---		24
25	.04	T.R.	.15	.40	---	.01	.13	---	.23	.06	.04	---		25
26	.01	.07	.22	T.R.	---	.02	.07	---	T.R.	.05	.03	T.R.		26
27	.03	T.R.	.01	---	---	T.R.	.01	---	.04	.13	---	---		27
28	.39	.05	.10	T.R.	---	T.R.	.19	---	T.R.	.02	T.R.	.06		28
29	.04	.17	.15	---	---	.36	T.R.	---	---	.03	.21	.08		29
30	.04		T.R.	---	.27	.03	.09	---	---	.29	T.R.	T.R.		30
31	.68		.17		T.R.		.04	---		.10		.24		31
													Year's Total	
TOTAL	2.94	1.99	2.14	1.76	.55	3.37	5.19	.56	3.04	1.47	2.10	2.07	27.18	✓
* Days with .01 in. or more.	19	17	17	12	7	16	26	9	18	17	17	19	194	✓
* Days with .04 in. or more.	13	11	14	10	4	12	21	5	15	12	13	14	144	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at The Lodge, Leek Wootton
in the County of WARWICK.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. -- in.
,, Ground ,, Sea Level 249 ft.

Station No. 2457
File No. 733768/26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.16	.02	.03	.04	--	--	TR.	--	.13	TR.	.10	.36		1
2	.02	.11	.01	.74	--	--	TR.	--	TR.	TR.	TR.	.28		2
3	TR.	.08	TR.	TR.	.17	TR.	TR.	--	TR.	--	TR.	.05		3
4	.11	.17	TR.	TR.	.06	TR.	TR.	TR.	--	--	TR.	.61		4
5	.19	TR.	.16	--	TR.	--	.01	TR.	--	TR.	TR.	.01		5
6	.16	.01	.11	.08	.12	--	.01	--	--	.08	.01	.01		6
7	TR.	.65	.01	.13	.01	TR	--	--	TR.	TR.	TR.	--		7
8	--	.06	TR.	.01	.04	TR.	TR.	--	--	--	.49	.02		8
9	TR.	.02	.01	.03	.27	--	.22	TR.	.18	--	--	.06		9
10	.02	.06	.27	.31	TR	.22	.07	--	TR.	--	TR.	.10		10
11	TR.	--	.15	TR.	.41	.17	.02	--	TR.	--	--	.16		11
12	.10	.35	.28	--	.33	.01	TR.	.33	.14	--	--	.15		12
13	.10	.06	.15	.02	.01	.15	--	.70	.25	--	--	.02		13
14	--	.02	.26	.07	TR.	TR.	--	.61	.03	--	--	.09		14
15	.14	.10	TR.	.25	TR	--	.81	TR.	.08	--	TR.	.02		15
16	.02	.08	.29	.30	--	--	--	.03	.31	--	--	--		16
17	.18	.02	.28	.13	--	TR.	TR.	--	.12	--	TR.	--		17
18	.35	.09	.27	.03	--	TR.	.07	TR.	1.09	--	.26	.06		18
19	.11	.05	.08	.15	.02	.11	.30	--	TR.	--	.07	TR.		19
20	.19	.01	.03	.48	.40	TR.	.01	--	--	--	--	.02		20
21	.12	.28	.03	.03	.02	--	.24	--	--	TR.	.02	.08		21
22	.13	.01	.10	TR.	.10	.11	.23	--	--	.37	.33	TR.		22
23	.30	.01	TR.	--	.02	TR.	.13	--	--	.24	.19	TR.		23
24	.09	.36	.02	--	.02	--	.03	--	.05	.31	--	.01		24
25	.13	.34	TR.	--	.10	--	TR.	--	.05	.39	--	.02		25
26	.01	.26	.02	--	.38	--	--	TR.	--	.02	TR.	TR.		26
27	TR.	.33	TR.	.31	TR.	--	--	--	--	.68	TR.	TR.		27
28	TR.	.03	TR.	.01	--	TR.	--	--	--	.05	--	.03		28
29	.04	X	TR.	--	--	.03	--	--	--	.06	.03	.02		29
30	.32	X	--	--	--	.01	--	1.22	--	TR.	.16	TR.		30
31	.30	X	--	X	--	X	--	TR.	X	.13	X	TR.		31
TOTAL	3.29	3.58	2.56	3.12	2.48	.81	2.15	2.89	2.43	2.33	1.66	2.18	Year's Total 29.48	✓ ✓
* Days with .01 in. or more.	23	26	20	18	17	8	13	5	11	10	10	21	182	✓ ✓
* Days with .04 in. or more.	19	17	12	12	11	5	8	4	10	9	7	11	125	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Lodge, Leek Wootton,

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 249 ft.

Station No. 2457.

File No. 733768/26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	TR.	.01	-	TR	.45	.07	TR	TR	.06	.02	.32		1
2	.03	TR	-	.05	.02	.07	TR	TR	-	.19	TR	.01		2
3	.01	TR	-	-	.06	TR	.49	-	.03	.47	TR	TR		3
4	.02	-	-	TR	-	.01	.02	.56	-	.37	TR	.20		4
5	TR	-	-	TR	-	TR	.04	1.54	.03	.20	TR	.02		5
6	.03	TR	-	TR	-	.01	.20	TR	.09	.07	-	.02		6
7	.05	TR	-	-	-	.04	.14	.23	.08	.26	-	.04		7
8	.24	TR	-	-	-	-	.02	.24	TR	.18	TR	.03		8
9	.03	.03	-	-	-	TR	.01	.30	-	-	-	.31		9
10	.01	.06	TR	-	-	.21	.17	.13	TR	-	-	.09		10
11	.52	.03	-	-	-	TR	TR	.02	.01	.03	.11	.02		11
12	.14	.01	-	-	.12	-	TR	.39	-	.32	.04	TR		12
13	.01	TR	-	-	TR	-	-	TR	-	.01	.17	.48		13
14	.28	.01	-	-	.04	-	.62	-	.10	-	-	TR		14
15	.08	TR	-	-	.02	-	.07	TR	-	TR	.03	.22		15
16	.27	TR	TR	-	TR	-	.12	TR	-	-	.02	.05		16
17	.01	.05	-	-	TR	-	.02	TR	.02	.14	.02	TR		17
18	.03	TR	-	-	.10	.14	.04	TR	.55	-	.32	TR		18
19	TR	TR	-	-	.01	TR	TR	.21	.03	-	.13	.05		19
20	TR	-	-	-	TR	-	TR	TR	.03	-	.36	.03		20
21	.02	-	-	TR	-	-	TR	.04	.02	-	.07	.23		21
22	TR	TR	-	TR	-	.14	-	.01	.02	-	.39	.24		22
23	-	-	-	TR	TR	TR	-	-	.16	-	.01	.08		23
24	TR	-	.02	TR	.05	TR	-	-	.33	-	.01	.02		24
25	.09	.21	.16	TR	.07	TR	.02	.02	.01	.13	.30	.10		25
26	.12	.41	.06	-	.02	TR	-	.04	.10	.18	TR	.15		26
27	.07	.01	TR	-	.15	.17	.45	.19	.34	.05	.37	.01		27
28	.10	.01	-	-	.23	.13	.01	1.24	.08	.01	.13	.15		28
29	.42	X	-	TR	.29	.05	.02	-	TR	.04	.09	.12		29
30	.04	X	-	-	.02	.36	-	-	.49	.02	.18	.18		30
31	.5	X	-	X	.25	X	-	-	X	.17	X	.34		31
TOTAL	2.77	.83	.25	.05	1.45	1.78	2.53	5.16	2.52	2.90	2.77	3.51	Year's Total 26.52	✓
* Days with .01 in. or more.	24	10	4	1	15	12	18	15	19	19	19	26	182	✓
* Days with .04 in. or more.	14	4	2	1	10	10	11	12	10	15	13	18	120	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Lodge, Leek Wootton.

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 249 ft.

Station No. 2457.

File No. 733768/26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	–	.02	.05	.04	–	TR	1.17	.02	.04	TR	TR		1
2	.07	–	TR	.06	TR	–	TR	.32	.65	.02	.09	.03		2
3	.19	–	–	.41	–	–	TR	.61	.04	.01	.15	.26		3
4	.06	–	.45	.39	.03	–	.25	.25	.10	.30	.03	.10		4
5	–	–	TR	.04	.29	–	.12	.42	–	.02	.20	.13		5
6	.62	–	.02	–	–	–	.59	.03	–	TR	.06	–		6
7	.02	.03	TR	–	–	–	.22	.02	–	–	.49	.28		7
8	TR	.09	.28	–	–	–	.50	.08	–	.60	.13	.48		8
9	.03	.06	–	–	–	–	TR	.27	–	.42	.06	.21		9
10	.30	TR	.03	–	–	.06	TR	.17	.04	.04	.01	TR		10
11	.01	TR	.20	–	–	.07	–	TR	.03	.02	TR	TR		11
12	.02	.02	TR	–	–	.08	–	–	–	TR	.01	–		12
13	–	–	TR	.02	.01	.01	.28	–	.05	.13	TR	–		13
14	.47	–	.02	.01	.24	.09	.03	–	TR	.09	.07	TR		14
15	.28	–	–	TR	.03	.43	.50	–	TR	.31	.18	TR		15
16	.24	–	.11	.01	.24	.13	.31	–	TR	.04	.29	–		16
17	.37	.05	.01	–	.07	TR	.57	–	–	1.13 ✓	.06	–		17
18	.25	.03	.04	–	TR	.43	.16	–	TR	.02	.65	TR		18
19	.23	–	.01	–	–	–	.65	–	TR	TR	TR	TR		19
20	.22	–	TR	–	TR	TR	.01	.25	–	–	TR	TR		20
21	.10	.07	.21	.01	TR	.16	.07	.65	.03	–	–	–		21
22	.23	.21	TR	.08	–	.02	.02	TR	.01	.01	.35	TR		22
23	.03	–	–	.02	–	.04	.05	TR	TR	.04	.76	–		23
24	.24	–	TR	.04	–	TR	.01	TR	–	.06	.01	–		24
25	.98	.14	.02	TR	–	–	.04	–	–	.02	.25	.01		25
26	.18	.02	.01	.01	–	TR	TR	.01	–	.02	.27	.09		26
27	.01	.13	.07	–	–	.02	.12	–	TR	.01	.01	.05		27
28	TR	.15	.14	.01	–	.02	.14	.01	–	TR	.18	.02		28
29	TR	X	TR	.24	–	TR	.37	.04	–	.20	.05	–		29
30	–	X	–	.14	–	.12	TR	–	–	.01	.05	–		30
31	–	X	–	X	–	X	.11	.19	X	.01	X	TR		31
													Year's Total	
TOTAL	5.17	1.00	1.64	1.54	.95	1.68	5.12	4.49	.97	3.57	4.41	1.66	32.20	✓
* Days with .01 in. or more.	24	12	16	16	8	14	22	16	9	24	24	11	196	✓
* Days with .04 in. or more.	17	8	8	9	5	10	18	12	5	13	19	8	132	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at The Lodge, Leek Wootton.

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 249 ft.

Station No. 2457.

File No. 733768/26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	TR	-	.02	TR	-	-	-	TR	-	.10	-		1
2	-	.06	-	.25	-	-	TR	-	-	TR	.90	.02		2
3	-	.10	TR	.05	-	-	TR	-	-	.17	.81	.05		3
4	-	.11	-	.31	-	-	.02	-	-	.17	.42	.07		4
5	-	.05	-	TR	.06	-	.02	-	-	.15	.59	.09		5
6	.13	.26	-	-	.03	-	.08	-	-	.43	.38	.01		6
7	.04	.25	-	.01	.01	-	TR	-	.05	TR	.01	.01		7
8	.01	TR	-	TR	TR	-	.18	-	TR	.08	.03	.21		8
9	-	TR	TR	-	-	TR	.12	.03	.01	.09	.19	.14		9
10	-	-	TR	-	-	-	.75	.05	-	.15	.11	.16		10
11	-	-	.03	.05	-	-	.06	TR	-	TR	.61	.08		11
12	-	TR	.06	-	-	TR	.18	-	.10	-	.05	-		12
13	-	.03	.59	TR	-	-	.19	TR	.10	-	.04	.02		13
14	-	TR	.02	.08	.28	-	.06	TR	.10	.02	.01	.37		14
15	-	-	.04	.10	.12	-	.02	-	.02	.05	.11	.01		15
16	.02	.16	.29	.04	TR	.01	.28	-	.15	.55	.66	.02		16
17	-	TR	.27	.01	-	-	TR	-	TR	TR	.28	-		17
18	.08	.50	.28	.33	-	-	.02	.01	.01	.30	.19	.08		18
19	TR	.28	.05	.23	-	-	.53	TR	.36	.01	.17	.02		19
20	-	.02	.01	.03	-	TR	.11	.02	-	.32	.03	-		20
21	.04	.01	.02	-	.52	.11	.10	TR	-	.07	1.22	-		21
22	-	-	.03	TR	.35	.23	TR	TR	.30	.01	.01	-		22
23	-	.09	.05	.15	.05	.10	-	TR	.02	.01	TR	.05		23
24	TR	-	.02	TR	TR	TR	.10	-	.01	.02	TR	.02		24
25	TR	-	TR	.02	TR	-	-	-	-	TR	TR	-		25
26	1.05	.18	-	.52	.05	.02	.16	TR	-	TR	.03	-		26
27	.80	.14	-	TR	.06	-	.03	TR	TR	-	-	TR		27
28	.56	.17	-	TR	.02	-	-	-	-	-	-	TR		28
29	TR	-	.08	.05	.20	.03	.01	TR	-	.01	-	.19		29
30	TR	✕	TR	.41	.01	-	-	-	-	.66	-	.02		30
31	.06	✕	.08	✕	-	✕	-	-	✕	.51	✕	.03		31
TOTAL	2.79	2.41	1.92	2.66	1.76	.50	3.02	.11	1.23	3.78	6.95	1.67	Year's Total 28.80	✓
* Days with .01 in. or more.	10	16	16	18	13	6	20	4	12	20	23	21	179	✓
* Days with .04 in. or more.	8	13	10	13	9	3	14	1	7	14	17	11	120	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

X RUGBY (FRANKTON

Section **A** for the entr

AIR MINIS

FORM 1090.

REG

Kept at Frankton M

in the County of War

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

An observer who does not conform … *wing*

year in the space on the right o

Please read the Notes and Instructions Overleaf.

tion No 2457/5

ORGANIZATION.

MO7

3 JAN 1936

9380

WD

Jan. 1, following

·18

2457/5

RUGBY, FRANKTON MANOR

1935—40

780407

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·04	·05		·18					·02	·57	24	1
2	·09	·05		·03	·04	·20	·03		·16	·14	·12	·01	2
3						·03				·15	·01	·07	3
4		·22	·02			·16			·15	·19	·25		4
5		·81		·20		·14			·03	·27		·11	5
6			·08	·05		·04	·03		·06	·01	·09		6
7				·28		·24					·08	·12	7
8				·31		·22				·12	·40		8
9				·16		·01				·13	·10		9
10				·33		·15				·68	44	·05	10
11	·18			·03		·04					·08		11
12	·08					·04				·06	·13		12
13		·03				·25		·02	·01		·03		13
14	·04	·04		·04	·14	·02			[illegible]	·02			14
15				·21	·05		·06		·02		·53	·07	15
16		·35		·55	·05	25	·01		·75		·25	·06	16
17		·06	·06	·13		13			·26	·14	61	·11	17
18				·02		16					·57		18
19		·08		·22	·05	·07	·13		[illegible]	·07	·02	·02	19
20				·10	·44	·24	·08		[illegible]	·04	·23		20
21	·01	·12		·20		1·10	·07		·03		1·19	·03	21
22		·16		·23		65			·41	·01	·15	·01	22
23		·04		·14					·11			·07	23
24		·01	·07					·57	·03	·40		·03	24
25	·06	·14							·82	·04		·10	25
26	·18			·10				·13		·02		·04	26
27		·10							·15	·01	·01	·40	27
28		·21							·09	·04	·18	1·15	28
29					44				·04	·02		·09	29
30		×							·13		·04	·12	30
31	·04 ·04	× ·05	– –	× ·16	·01	×	– –	·35	× ·02	·21 ·54	× ·24	·06 ·06	31 26·89
TOTAL	~~·72~~ ·71	~~1·99~~ 2·09	~~·41~~ ·37	~~3·48~~ 3·34	~~1·41~~ 1·25	3·32	·41	1·07	~~3·40~~ 3·42	~~2·79~~ 3·34	~~5·08~~ 4·85	~~1·97~~ 2·91	YEAR'S TOTAL ~~25·76~~ 26
*Days with ·01 in. or more.	9	17	~~7~~ 6	~~19~~ 20	~~9~~ 8	19	7	4	~~20~~ 21	22	23	21	177
*Days with ·04 in. or more.	7	13	~~6~~ 5	~~16~~ 17	~~8~~ 7	16	4	3	14	~~15~~ 16	19	16	137

Paid

40-9999 X COL. W. H. BIDDULPH J.P. X

N

*See Instruction 2 (*f*) on other side.

(Signed) W. H. Biddulph
Colonel

P.T.O.

X RUGBY (FRANKTO

Section **A** for the entry of Daily Observations. Station No. 2457/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

WITH
RECEIVED -3 JAN 1936
M07
930
WD

Kept at Frankton Manor Rugby
in the County of Warwick

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft .... in.
,, Ground ,, Sea Level 350 ft.

no file

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·18

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·34	·05		·10					·02	·57	·24	1
2	·24	[illegible]		·03	·04	·20	·03		·16	·14	·12	·01	2
3						·03				·15	·01	·07	3
4		·22	·02			·16			·15	·19	·23		4
5		·61		·20		·14			·03	·27		·11	5
6		[illegible]	·08	·05		·02	·03		·06	·01	·09		6
7				·13		·24					·08	·12	7
8				·31		·22				·12	·40		8
9				·16		·01				·13	·10		9
10				·93		·15				·68	·44	·05	10
11	·18			·03		·04					·08		11
12	·03					·04				·06	·13		12
13		·03				·25		·02	·01		·03		13
14	[illegible]	·24		·04	·12	·02			[illegible]	·02			14
15				·21	·08		·06		·02		·53	·07	15
16		·35		·55	·05	·25	·01		·75		·25	·06	16
17		·06	·06	·13		·13			·26	·14	·61	·11	17
18				·02		·16					·57		18
19		·08		·22	·05	·07	·13		[illegible]	·07	·02	·02	19
20				·10	·44	·22	·08		[illegible]	·04	·23		20
21	·01	·12		·20		·10	·07		·83		·19	·03	21
22		·16		·23		65			·41	·01	·15	·02	22
23		·04		·14					·11			·07	23
24		·01	·07					·54	·03	·40		·03	24
25	·06	·17							·82	·04		·10	25
26	·12			·10				·13		·02		·04	26
27		·10							·15	·01	·01	·40	27
28		·2[illegible]							·09	·04	·18	1·15	28
29					·44				·04	·02		·09	29
30		×							·13		·04	·12	30
31	·04	×		×	·01	×		·35	×	·21	×	·06	31 26·89
TOTAL	·04 ·71 ~~7·2~~	·05 2·09 ~~1·49~~	– ·37	·16 3·34 ~~3·48~~	1·25 ~~1·61~~	3·32	– ·41	1·07	·02 3·42 ~~3·40~~	·54 3·34 ~~2·79~~	·24 4·85 ~~5·08~~	·18 2·91 ~~1·97~~	YEAR'S TOTAL ~~25~~ 26 ·76
*Days with ·01 in. or more.	9	17	~~7~~6	~~19~~20	~~8~~9	19	7	4	~~20~~ 21	22	23	21	177
*Days with ·04 in. or more.	7	13	~~8~~5	~~16~~17	~~8~~7	16	4	3	14	~~15~~16	19	16	137

40-9999 X COL. W. H. BIDDULPH J.P. X

N

*See Instruction 2 (*f*) on other side.

(*Signed*) W. H. Biddulph
~~Colonel~~

P.T.O.

~~COPY FOR OFFICIAL USE.~~

Section **A** for the entry of Daily Observations. Station No. 2457/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Frankton Manor Rugby
in the County of Warwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·67	·14	·10		·01	·11	·05			·08	·09	1
2		·11	·09	·45		·05	·32	08			·17	·02	2
3	·04		·08	·04		·46	·51	·10	·16				3
4						·65	·23	·02	·39			·09	4
5			·10			·08	·01	·08	03			·06	5
6	·15						·01	·08	·08		·18	·15	6
7	·01					·08	·11		·12		·30		7
8	·23		·03				·40						8
9	·12		·13				·02		·28	·05	·03		9
10	·34		·08				·88		·01	·03			10
11							·28	·03	·02		·20		11
12				·02		·02	·21		1·17		·10	·20	12
13				·11	·04	·25	·48			·09		·14	13
14				·03		·39			·21			·62	14
15				·17		·05	·44		·10			·06	15
16							·90			·02	·51	·03	16
17	·10			·05								·15	17
18		·32			·01	·04	·16			·23			18
19							·11	·05	·18	·03			19
20	·37	·05	·03	·10		·12			·21		·03		20
21		·02	·06			·92	01						21
22				·25		·06				·07	·01	·21	22
23		·60	·05		·18		·24		·34	·18			23
24			·10		·05		·16				·01		24
25	·18	·06		·12	·01				·29	·04	·01		25
26	·04			·38		·03	·46			·06			26
27		·06	·10	·02			·11		·10	·13	·01	·02	27
28	·04		·28								·02	·03	28
29	·42	·05	·02				·10			·06	·28	·14	29
30	·06	×	·07			·25				1·27			30
31	·03	×		×	·16	×	·08		×	·06	×	·15	31 ✓
Total	2·31	1·94	1·36	1·84	·45	3·46	6·34	0·49	3·69	2·32	1·94	2·16	Year's Total 28.30
*Days with ·01 in. or more.	15	9	15	13	6	16	24	8	16	14	15	16	167 ✓
*Days with .04 in. or more.	13	8	12	10	4	13	20	6	13	11	8	12	130 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) R. H. Biddulph

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2457/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Frankton Manor, Rugby

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 350 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	–	–	–	–	–	–	–	–	–	·12	·33		1
2	–	·07	·04	·45	–	–	–	–	·03	–	–	·16		2
3	–	·08	–	–	·11	–	–	–	–	–	–	·03		3
4	·12	·20	–	–	·03	–	·01	–	–	–	–	·64		4
5	·11	–	·16	–	[illegible]	–	·01	–	–	–	–	–		5
6	·13	–	·06	–	·[illegible]4	–	·03	–	–	·14	–	–		6
7	–	·45	·02	·18	·0[illegible]	·01	–	–	–	–	·38	–		7
8	–	·10	·05	–	·02	–	–	–	–	–	–	·02		8
9	·02	–	·14	·03	·40	–	·17	–	20	–	–	·14		9
10	–	·05	·15	·47	[illegible]	·16	·10	–	–	–	–	·06		10
11	–	–	–	–	·55	·02	·01	–	·08	–	–	·12		11
12	·03	·29	·09	–	·35	–	–	–	–	–	–	·09		12
13	·11	–	–	–	–	·25	–	·52 ·12	1·03	–	–	–		13
14	–	·06	·42	·05	–	–	2·20	·74	–	–	–	·13		14
15	·13	·07	–	·20	–	–	–	[illegible]	·23	–	–	·01		15
16	–	·06	·28	·45	–	–	–	·03	·18	–	–	–		16
17	·15	·02	·13	·28	–	–	–	–	·10	–	–	–		17
18	·31	·09	·15	–	[illegible]	–	–	–	·28	–	·30	–		18
19	·09	·04	·04	·05	·05	·14	·34	–	–	–	·10	–		19
20	·11	·01	–	·54	·45	·02	·20	–	–	–	–	·05		20
21	·08	·24	·06	·01	·03	·18	–	–	–	–	–	–		21
22	·14	·02	·15	–	·28	–	·09	–	–	·43	·20	–		22
23	·22	·01	·03	–	·03	–	·26	–	–	·35	·12	–		23
24	·09	·27	–	–	–	–	·05	–	–	·31	–	–		24
25	·04	·41	–	–	·22	–	–	–	–	·40	–	–		25
26	–	·20	·03	–	·45	–	–	–	–	·08	–	–		26
27	–	·20	·02	·26	–	–	–	–	–	·52	–	–		27
28	–	·02	–	–	–	–	–	–	–	·04	–	·03		28
29	·02	–	·01	–	–	–	–	–	–	·02	·05	·04		29
30	·23	✕	–	–	–	–	–	·45	–	–	·08	–		30
31	·17	✕	–	✕	–	✕	–	–	✕	·20	✕	–		31
TOTAL	2·43	2·96	2·03	2·97	3·12	0·78	3·47	1·86	2·10	2·49	1·35	1·85	Year's Total 27·41	✓ ✓
* Days with .01 in. or more.	20	22	19	12	15	7	12	4	8	10	8	14	151	✓ ✓
* Days with .04 in. or more.	17	17	14	10	10	4	8	3	7	9	8	10	127	✓ 117 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 245715

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Frankton Manor

in the County of Warwick

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Compared
Total corr. for [illegible] LF.
Circ D sent 24/3/39
Observer agrees.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·37				·03		·25		1
2	·02			·04	·02	·27				·21	·01	·01		2
3	·02				·05	~~·37~~	·29		·06	·39	·02			3
4	·02						·01	·25		·22		·18		4
5						·02	·33	·38	·02	·08		·01		5
6	·01						·08		·15	·03				6
7	·08						·08	·36	·12	·21		·04		7
8	·28						·02	·20	·39	·18		·02		8
9	·06						·03					·15		9
10		·08				·17	·16	·09				·05		10
11	·46	·11						·12			·11	·01		11
12	·12	·03			·13		·01	·05		·25	·01			12
13		·02								·01	·08	·32		13
14	·26	·02					·51		·10			·03		14
15	·05				·05		·28					·08		15
16	·26						·02					·21		16
17		·05					·01		·02	·10	·04			17
18	·03				·15	·05	·04		·20	·18	·23	·01		18
19								·13	·28		·15	·04		19
20									·01		·34			20
21											·07	·11		21
22						·13			·01		·33	·15		22
23											·01	·05		23
24			·04		·06		·03		·32		·01	·02		24
25	·10	·16	·11		·23		·01	·08		·10	·16	·15		25
26	·11	·25	·13		·40			·05	·02	·18		·08		26
27	·05	·02			·44		·32	·18	·62	·08	·26			27
28	·30					·15	·01	1·38	·18		·02	·22		28
29	·41				·25	·08				·02	·05	·11		29
30	·04	✕				·26			·35	·05	·19	·14		30
31	·11	✕		✕	·27	✕	·01		✕	·12	✕	·33		31
TOTAL	2·79	·74	·28	·04	2·05	1·50	2·25	3·27	2·85	2·44	2·09	2·77	Year's Total ~~25·07~~	23·07 ✓
* Days with .01 in. or more.	20	9	3	1	11	9	19	12	16	18	18	25	~~162~~	✓ 161
* Days with .04 in. or more.	15	5	3	1	10	8	9	12	11	14	12	18	118	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. H. Biddulph

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2457/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Frankton Manor, Rugby

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 350 ft.

Examine for wDir

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	x	x	.14	.07	x	x	.97	.14	.02	.02	x		1
2	.08	x	x	.10	x	x	x	.41	.47	x	.09	x		2
3	.14	x	x	.31	x	x	x	.74	.11	.04	.05	.12		3
4	x	x	.38	.36	x	x	.09	.18	x	.24	.12	.07		4
5	x	x	x	.14	.23	x	.17	.71 ~~x~~	x	.09	.04	.12		5
6	.68	x	x	x	x	x	.73	.04	x	x	.28	x		6
7	.02	.01	x	x	x	x	.04	.01	x	x	.04	.16		7
8	x	.08	.25	x	x	x	.49	.28	x	.47	.29	.42		8
9	x	.05	x	x	x	x	.01	.13	x	.46	.01	.14		9
10	.25	x	.01	x	x	.10	x	.14	.03	.02	x	.01		10
11	x	x	.16	x	x	.13	x	x	x	x	x	.01		11
12	.01	x	.02	x	x	.15	x	x	x	x	x	x		12
13	x	x	.01	.01	x	.01	.06	x	.08	.25	x	x		13
14	.32	x	x	.02	.47	.08	.62	x	x	.05	.05	x		14
15	.68	x	.04	x	.07	.40	.53	x	x	.54	.10	x		15
16	.23	x	.12	.01	.18	.25	.22	x	x	2.11	.34	x		16
17	.23	.08	x	x	.07	x	.34	x	x	.01	.06	x		17
18	.16	.04	.04	x	x	.41	.10	x	x	x	.62	x		18
19	.21	x	x	x	x	x	.87	x	.01	x	1.02	x		19
20	.15	x	x	x	x	.01	.01	.38	x	x	x	x		20
21	.14	.14	.20	x	x	.11	.03	.64	.03	x	x	x		21
22	.13	.27	x	.01	x	.01	.18	x	.01	.02	.19	x		22
23	.03	x	x	.12	x	.03	.09	x	x	.15	.78	.01		23
24	.12	x	.02	.09	x	.01	.18	x	x	.07	x	x		24
25	.78	.18	.09	x	x	x	.02	x	x	.02	.19	x		25
26	.42	x	x	x	x	x	x	.07	x	.09	.21	.03		26
27	.02	.14	.07	.03	x	.01	.08	.02	x	.01	x	.02		27
28	x	.18	.11	.02	x	.02	.10	x	x	x	.18	.06		28
29	x		x	.25	x	.09	.09	.01	x	.15	.04	x		29
30	x		x	.17	x	x	x	x	x	.01	.08	x		30
31	x		x		x		.15	.15		x		x		31
TOTAL	4.81	1.17	1.52	1.78	1.09	1.82	5.20	4.88	.88	4.82	3.80	1.17	Year's Total 32.94	✓
* Days with .01 in. or more.	21	10	14	15	6	16	23	16	8	[illegible]	[illegible]	12	183	✓
* Days with .04 in. or more.	16	9	8	9	6	9	18	[illegible]	[illegible]	[illegible]	9	7	[illegible]	✓

† Spare [illegible]

* See Instruction 3 (f) on other side.

[illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2457/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Frankton Manor

in the County of Warwickshir

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 343 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. ✓

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		·12		·01							·16	·02		2
3		·05		·29						·13	·08	·01		3
4		·08			·01		·02				·80	·07		4
5				·06			·03			·14	·53			5
6	·08	·12		·17	·10					·05	·42	·03		6
7	·04	·25		·02			·03		·03	·30	·38			7
8				·01			·03				·02	·15		8
9							·03	·05	·01		·03	·06		9
10			·02				·68	1·03		·15	·12	·20		10
11			·04	·02			·13		·04	·01	·18			11
12			·07				·19				·04			12
13		·04	·34				·01		·15		·01	·10		13
14			·23	·07	·20		·26		·12	·02	·15	·01		14
15			·02	·15	·06		·10		·07	·04	·13			15
16	·02	·08	·36	·02		·02	·45			·44	·50	·02		16
17			·26				·06	·01			·26			17
18	1·03	·56	·32	·25			·03		·19	·12	·06			18
19		·24	·06	·22			·35				·12			19
20			·01	·02		·01	·16	·02		·21	·02	·04		20
21	·09 *	·01	·03		·34		·14			·03	1·23			21
22			·04		·54	·28					·01			22
23		·04	·02	·05	·11	·20			·23					23
24				·02			·11				·01			24
25					·01									25
26	·90	·17		·06	·10		·24					·02		26
27	·29	·05		·02			·22	·01						27
28	·20			·01	·08					·02				28
29		·21	·09			·03	·02					·22		29
30		×		·62	·15					·41				30
31	·06	×	·06	×		×			×	·51	×			31
TOTAL	2·71	2·02	1·97	2·09	1·70	·54	3·29	·12	·84	2·68	5·26	·95	Year's Total 24·19 ✓	
* Days with .01 in. or more.	9	14	16	19	11	5	21	5	8	15	22	13	158 ✓	
* Days with .04 in. or more.	8	13	12	10	9	2	14	1	6	12	19	7	113 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(~~Signed~~) X Col W. H. Biddulph X

[P.T.O.

2458

Section **A** for the entry of

AIR MINISTRY

OR OFFICIAL USE.

ANIZATION.

FORM 1090.

REGIST

2458

DUNCHURCH HALL
1931 — 40

780407

Kept at Dunchurch

in the County of Warwi

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

1.15" by

med 30/3/32.

sent re.

2/4/32

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

Jan. 1, following

Date	Jan.	Feb.	March									Dec.	Date
	in.	in.	in.									in.	
1	·18	·05	—									—	1
2	—	·075	—	·74	—	·01	—	—	·33	·04	—	·03	2
3	·05	·01	—	·11	—	—	·02	—	·36	—	·40	·07	3
4	·02	·055	—	·18	—	—	·38	·17	1·03	—	·07	—	4
5	—	·01	—	·08	·04	·89	·01	—	·04	—	·015	·27	5
6	—	·15	—	·03	—	·01	·08	—	·12	·165	·19	—	6
7	—	·01	—	—	—	·09	·42	·57	—	—	·04	·025	7
8	—	·035	·01	·06	·06	·09	—	·80	—	—	·16	—	8
9	—	·23	—	·04	—	·11	—	·05	—	—	·14	—	9
10	·02	·035	—	—	—	—	·26	·24	—	—	—	—	10
11	·14	·17	·01	—	—	·03	—	—	·18	—	·16	—	11
12	—	·03	—	—	—	—	·19	·01	·25	—	—	—	12
13	·02	—	—	—	—	—	—	·02	—	—	—	—	13
14	—	·07	·03	—	—	·12	·30	~~·115~~ 1.15	—	—	·04	—	14
15	·03	·10	—	—	·22	—	·20	·19	·02	—	·03	·02	15
16	·03	·30	—	·14	·335	·40	—	·17	·16	—	—	—	16
17	·05	·24	—	·09	·42	—	·115	—	·015	—	—	—	17
18	·05	·035	·01	·56	·01	·045	·01	·01	·01	—	·26	—	18
19	·07	·02	—	·26	·005	·46	·17	·01	·07	—	—	—	19
20	—	·05	—	·16	—	—	—	·20	—	·02	·01	—	20
21	·16	—	—	·04	·58	—	—	·03	—	—	—	—	21
22	·11	—	—	—	—	—	—	·04	—	—	—	—	22
23	·18	—	·02	·05	·40	·08	—	·02	·25	—	·13	—	23
24	—	—	—	·03	·33	—	·01	—	—	—	—	·09	24
25	·01	—	—	·59	—	—	·49	—	—	—	—	—	25
26	—	·03	—	·28	—	—	·075	—	—	—	·22	—	26
27	·07	·56	—	—	·485	—	—	—	—	—	·12	—	27
28	·02	·19	—	·09	·07	—	—	—	—	·025	·01	·07	28
29	·08	—	—	—	·02	—	·13	—	—	·25	·01	·04	29
30	·05	×	—	—	—	—	—	—	—	—	—	·10	30
31	·10	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·44	2·455	·08	3·65	3·015	2·335	2·86	~~2·645~~ 3·68	2·8~~05~~15	·51	1·9~~05~~15	·725	25·45. YEAR'S TOTAL ~~24·455~~
*Days with ·01 in. or more.	20	22	5	19	13	12	16	~~10~~ 16	13	6	17	9	168
*Days with ·04 in. or more.	13	13	0	17	10	9	12	~~10~~ 11	10	3	12	6	~~115~~ 116.

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) CH Cooke

[P.T.O.

2458

Section **A** for the entry of
AIR MINISTRY

OR OFFICIAL USE.
ANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Dunchurch Hall
in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 400 ft.

Aug 14th should be 1.15" by surrounding stations. Observer informed 30/3/32.

Copy

Letter sent re low total 7/4/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18	·05	—	·12	—	—	—	—	—	·01	—	—	1
2	—	·075	—	·74	—	·01	—	—	·33	·04	—	·03	2
3	·05	·01	—	·11	—	—	·02	—	·36	—	·40	·07	3
4	·02	·055	—	·18	—	—	·38	·17	1·03	—	·07	—	4
5	—	·01	—	·08	·04	·89	·01	—	·04	—	·015	·27	5
6	—	·15	—	·03	—	·01	·08	—	·12	·165	·19	—	6
7	—	·01	—	—	—	·09	·42	·57	—	—	·04	·025	7
8	—	·035	·01	·06	·06	·09	—	·80	—	—	·16	—	8
9	—	·23	—	·04	—	·11	—	·05	—	—	·14	—	9
10	·02	·035	—	—	—	—	·26	·24	—	—	—	—	10
11	·14	·17	·01	—	—	·03	—	—	·18	—	·16	—	11
12	—	·03	—	—	—	—	·19	·01	·25	—	—	—	12
13	·02	—	—	—	—	—	—	·02	—	—	—	—	13
14	—	·07	·03	—	—	·12	·30	~~·115~~ 1.15	—	—	·04	—	14
15	·03	·10	—	—	·22	—	·20	·19	·02	—	·03	·02	15
16	·03	·30	—	·14	·335	·40	—	·17	·16	—	—	—	16
17	·05	·24	—	·09	·42	—	·115	—	·015	—	—	—	17
18	·05	·035	·01	·56	·01	·045	·01	·01	·01	—	·26	—	18
19	·07	·02	—	·26	·005	·46	·17	·01	·07	—	—	—	19
20	—	·05	—	·16	—	—	—	·20	—	·02	·01	—	20
21	·16	—	—	·04	·58	—	—	·03	—	—	—	—	21
22	·11	—	—	—	—	—	—	·04	—	—	—	—	22
23	·18	—	·02	·05	·40	·08	—	·02	·25	—	·13	—	23
24	—	—	—	·03	·33	—	·01	—	—	—	—	·09	24
25	·01	—	—	·59	—	—	·49	—	—	—	—	—	25
26	—	·03	—	·28	—	—	·075	—	—	—	·22	—	26
27	·07	·56	—	—	·485	—	—	—	—	—	·12	—	27
28	·02	·19	—	·09	·07	—	—	—	—	·025	·01	·07	28
29	·08	—	—	—	·02	—	·13	—	—	·25	·01	·04	29
30	·05	×	—	—	—	—	—	—	—	—	—	·10	30
31	·10	×	—	×	—	×	—	—	×	—	×	—	31
TOTAL	1·44	2·455	·08	3·65	3·015	2·335	2·86	~~2·645~~ 3·68	2·8~~05~~15	·51	1·9~~05~~15	·725	YEAR'S TOTAL ~~24·465~~ 25.45.
*Days with ·01 in. or more.	20	22	5	19	13	12	16	~~10~~ 16	13	6	17	9	168
*Days with ·04 in. or more.	13	13	0	17	10	9	12	~~10~~ 11	10	3	12	6	~~115~~ 116.

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) C H Cooke

[P.T.O.

X DUNCHURCH HALL X 967817/29.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Warwicks

Kept at Dunchurch Hall, Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 400 ft.

1931 [illegible]

days.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·02	—	·05	·59	·03	—	·11	·09	·42	·01	—	1
2	—	—	—	·09	·29	—	—	·02	·13	·07	·01	·11	2
3	·07	—	—	·21	·02	—	—	—	—	—	—	·01	3
4	—	—	—	·16	—	—	—	—	—	—	·37	—	4
5	—	·01	—	—	—	—	—	—	·10	—	—	·01	5
7 ~~6~~	·25	—	·20	·12	·02	—	—	—	·04	—	—	·01	6
6 ~~7~~	·21	—	·04	·35	·01	—	·03	—	·40	—	—	·01	7
8	—	—	—	·10	—	—	—	—	·04	·24	—	—	8
9	—	·08	—	·09	—	—	—	—	—	—	—	—	9
10	·03	·10	·03	·19	·04	—	—	—	·14	·08	—	—	10
11	·07	·02	·01	·11	·095	·035	·02	—	·04	·09	—	—	11
12	·19	—	—	—	·17	—	·055	—	·09	·26	·04	—	12
13	—	—	—	·17	—	—	·72	—	·01	·01	·04	·02	13
14	·24	—	—	·08	—	—	—	—	—	·035	·04	—	14
15	—	—	—	·07	·23	—	—	—	—	·05	—	·03	15
16	·19	—	—	·23	·11	—	—	—	—	—	—	·03	16
17	—	—	—	—	—	—	·03	—	·01	·15	—	—	17
18	—	—	—	—	·06	—	—	—	—	—	·08	—	18
19	—	·01	—	·03	·01	—	—	—	—	·16	—	—	19
20	—	—	—	·12	·335	—	·01	·36	—	·40	·11	—	20
21	·01	—	·08	·38	1·88	—	—	·37	—	·27	—	·07	21
22	—	—	·19	·01	·06	·08	·39	—	·72	·10	·25	—	22
23	·01	·01	·05	—	·78	—	·01	—	·09	·11	·13	·08	23
24	—	—	—	—	—	—	·02	—	·07	·01	·25	—	24
25	—	·03	—	—	·01	—	·33	—	—	·12	—	·01	25
26	—	—	—	·33	·13	—	·07	—	·07	·01	·01	—	26
27	—	—	·25	·16	·44	·125	·10	—	—	—	·08	—	27
28	—	—	·01	·08	·24	—	·17	·16	—	·10	—	·03	28
29	—	—	·19	·13	·02	·10	·02	·59	·085	·23	·01	·05	29
30	—	×	·17	·02	—	·26	·01	·25	1·10	·15	·36	·15	30
31	·01	×	·04	×	—	×	·88	—	×	—	×	·03	25·68 31
TOTAL	1·22	·28	1·26	3·28	5·54	·63	2.87 ~~2·865~~	1·86	3·23 ~~3·225~~	3·07 ~~3·065~~	1·79	·65	YEAR'S TOTAL 25·665
*Days with ·01 in. or more.	11	8	12	23	21	6	16	7	17	21	15	15	172
*Days with .04 in. or more.	7	2	9	19	15	4	8	6	15	17	11	5	118

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) C H Cooke

X C.H. COOKE ESQ. X

[illegible]

P.T.O.

f 967 317/29.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Warwick 11.

Kept at Dunchurch Hall

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 400 ft.

low m/p 1931-2 c f 2459-2461

NB for 10 yr sheet. g moved April 10th. May-Dec in excellent agreement with neighbours.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·20	·02	—	—	—	—	—	·10	—	·01	—		1
2	·06	—	·34	—	·015	—	—	—	—	—	·01	—		2
3	·02	·13	·20	—	·10	—	—	—	—	—	·02	—		3
4	·10	—	·02	—	·195	—	—	—	—	—	—	—		4
5	·08	·32	·16	—	·11	—	—	—	—	—	·025	—		5
6	—	·14	—	—	·18	—	—	—	—	·07	·02	—		6
7	·06	·23	·04	—	·01	—	—	—	—	·15	·01	—		7
8	·05	—	·08	—	·07	—	·23	—	—	·07	—	—		8
9	—	—	—	—	·07	—	·29	—	—	·035	·09	·04		9
10	·05	·38	—	—	—	·12	·01	·02	—	·81	·06	—		10
11	·02	—	—	—	—	·04	·39	·01	—	—	—	—		11
12	·07	—	—	—	—	·02	·06	—	·34	—	—	·02		12
13	·02	—	—	—	·04	·20	·22	—	·01	·01	·28	—		13
14	—	—	—	—	·08	—	·04	—	—	·33	·37	·03		14
15	·35	—	·01	—	—	—	·10	·07	—	·01	·265	·02		15
16	·09	—	·38	—	·02	·195	·01	—	·01	·11	·07	·03		16
17	—	—	·51	—	—	·07	·01	—	·05	·01	·02	·01		17
18	·09	·04	·01	—	—	·26	—	—	—	—	·02	—		18
19	·01	—	·36	—	—	·12	—	—	·04	—	·01	·01		19
20	—	·05	·11	—	—	·46	—	·02	·03	·08	·01	·01		20
21	—	·03	—	—	·01	·13	—	·08	—	—	·01	—		21
22	—	—	—	—	·09	·08	—	·36	—	·40	—	—		22
23	—	—	—	·08	·02	·03	—	—	·67	—	·02	—		23
24	—	·41	—	·13	—	·45	—	—	·40	·04	·01	—		24
25	—	·50	—	·27	·17	·17	—	—	·05	·01	·03	·05		25
26	—	·62	—	·09	—	·14	—	—	·01	·13	—	·01		26
27	—	·01	—	—	·36	—	—	—	·06	·07	—	—		27
28	—	·01	—	·33	·02	—	·04	—	—	·09	—	·05		28
29	·06	—	·09	·13	—	—	·57	—	—	·06	—	·01		29
30	·09	×	·025	·015	—	—	·03	—	—	·02	—	·09		30
31	·01	×	·20	×	—	×	·02	—	×	·19	×	—		31
TOTAL	1·36	3·07	2·55	1·0~~45~~5	1·56	2·4~~85~~9	2·02	·56	1·77	2·59~~5~~	1·47	·38	Year's Total 20·8~~65~~7	
*Days with ·01 in. or more.	18	14	16	7	17	15	14	6	12	20	20	13	172	
*Days with .04 in. or more.	13	11	12	6	11	13	9	3	8	14	6	4	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) C H Cooke Esq.

[P.T.O.

Section A

COPY FOR OFFICIAL USE.
for the entry of Daily Observations.

Station No. 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Dunchurch Hall
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 400 ft.

Days
ay

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	–	–	–	–	–	–	·11	·05	–	·08	·37		1
2	·06	–	·055	–	–	–	–	–	·33	–	·005	–		2
3	·01	·09	–	–	–	–	–	–	·02	·18	·008	–		3
4	·07	·01	·11	·46	·04	–	–	–	·14	–	·09	·29		4
5	–	–	·04	·03	·06	–	–	·17	–	·015	·04	·09		5
6	–	–	·03	·07	·35	·065	–	–	–	·17	–	·45		6
7	·11	–	–	–	–	·055	–	·14	–	·05	–	·20		7
8	–	–	–	–	·085	·07	–	·07	–	–	·12	–		8
9	–	–	·09	–	–	–	–	·01	–	–	·62	·47		9
10	·02	–	·11	·15	–	–	–	·03	–	–	·05	·007		10
11	·42	–	·17	·26	–	–	·01	·10	–	–	–	·07		11
12	·28	–	·17	–	–	–	·05	·18	–	–	–	·03		12
13	·10	–	·01	–	–	–	·45	·21	–	–	–	·34		13
14	·08	–	·18	–	·03	·05	–	–	–	·23	·31	·19		14
15	·12	–	·16	–	·12	–	·005	–	·06	·09	·28	·03		15
16	–	·01	·06	–	–	–	–	–	–	·13	–	·03		16
17	·17	–	–	–	·02	–	·02	·02	·06	·14	·05	·09		17
18	–	–	·015	·26	–	–	2·92	–	·03	–	·006	·02		18
19	–	–	·07	·04	–	·045	·005	–	·01	·01	–	·10		19
20	·01	–	·04	·05	–	·02	–	–	–	–	–	–		20
21	–	–	·03	–	–	·09	–	·03	–	·05	–	–		21
22	–	–	–	–	·09	–	–	·13	·15	–	–	·08		22
23	–	–	–	·16	–	·40	·07	·03	–	–	·02	·09		23
24	–	·01	·10	·06	–	·02	·57	–	·41	·005	–	–		24
25	·18	·23	·01	·06	–	·15	·005	–	·005	·08	·005	·19		25
26	·03	·01	·03	·10	–	·07	·005	–	·12	–	–	·05		26
27	·05	·245	–	·05	–	–	–	–	–	·01	·005	·14		27
28	–	–	–	·36	–	·08	–	·32	–	·03	·025	·31		28
29	–	–	–	·01	–	–	·66	·10	·44	·008	·005	–		29
30	·03	×	–	–	–	–	–	–	·01	–	–	·21		30
31	·02	×	–	×	–	×	–	–	×	·13	×	·07		31
TOTAL	1·82	·605	1·48	2·12	·795	1·155	4·77	1·65	1·835	1·328	1·719	3·917	Year's Total 23·194	
*Days with ·01 in. or more.	18	7	19	15	8	12	8	15	13	14	11	23	163	
*Days with ·04 in. or more.	12	3	14	13	6	10	6	10	9	10	9	19	121	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.
(*Signed*) C H Cooke

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dunchurch Hall – Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 400 ft.

2 days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·01	—	·03	—	·13	—	—	·18	·04	·08	—		1
2	—	·01	·06	—	—	·16	—	—	·36	·14	—	·14		2
3	—	·29	·02	—	—	·13	—	—	·03	·17	·20	·09		3
4	—	—	·05	·23	—	·08	—	—	·06	·25	—	—		4
5	—	·80	·06	·11	—	·07	·02	—	—	—	·09	—		5
6	—	·01	·01	·22	—	·22	—	—	—	—	·18	—		6
7	—	—	—	·33	—	·23	—	—	—	·14	·40	·14		7
8	—	—	—	·13	—	·02	—	—	—	·21	·09	·04		8
9	—	—	—	·35	—	·17	—	—	—	·87	·38	—		9
10	—	—	—	·04	—	·02	—	—	—	—	·03	·03		10
11	·23	—	—	—	—	·04	·04	—	—	·01	·14	—		11
12	·03	·03	—	—	—	·28	—	·04	·02	—	·06	—		12
13	·08	·06	—	—	·18	·03	—	—	—	·03	—	—		13
14	—	—	—	·06	·15	·02	·04	—	·06	—	·52	·09		14
15	—	·05	—	·16	—	—	—	—	·59	—	·34	·23		15
16	—	·05	·06	·51	·03	·22	—	—	·23	·18	·65	·16		16
17	—	—	—	·11	—	·15	—	—	·01	·01	·50	—		17
18	—	·06	—	—	·01	·08	·13	—	·14	—	—	—		18
19	—	—	—	·31	·65	·23	·13	—	·09	·08	·23	—		19
20	·01	·14	—	·07	—	·10	·10	—	—	—	·25	—		20
21	—	·18	—	·22	—	—	—	—	·48	·01	·16	—		21
22	—	·01	—	·08	—	—	—	·11	·19	—	—	—		22
23	—	—	·09	·14	—	—	—	·44	·18	·35	—	—		23
24	·05	·19	·03	—	—	—	—	·03	·66	·03	—	·25		24
25	·20	·04	—	—	—	1·88	—	—	—	—	—	·23		25
26	—	·01	—	·08	—	—	—	·10	·16	—	·01	·42		26
27	—	·16	—	—	·04	—	—	—	·05	·03	·21	·97		27
28	·01	·02	—	—	·17	—	—	—	·05	·01	—	—		28
29	—	—	·03	—	—	—	—	—	·18	—	·04	·10		29
30	·04	×	—	·19	—	—	—	·34	·12	·25	·26	·14		30
31	—	×	—	×	—	×	—	·02	×	·64	×	·20		31
TOTAL	·77	2·11	·41	3·37	1·23	4·26	·46	1·08	3·84	3·45	4·82	3·23	Year's Total. 29·03	
* Days with .01 in. or more.	~~3~~ 9	~~7~~ 18	~~4~~ 9	~~1~~ 19	~~2~~ 7	~~4~~ 20	~~X~~ 6	2 7	~~3~~ 20	~~7~~ 19	~~2~~ 21	~~1~~ 15	~~37~~ 170	
* Days with .04 in. or more.	6 ✓	11 ✓	5 ✓	18 ✓	5 ✓	16 ✓	5 ✓	5 ✓	17 ✓	12 ✓	19 ✓	14 ✓	133 ✓	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) CH Cooke

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Dunchurch Hall

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 400 ft.

Am total corr for arith.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·14	·05	·32	—	—	·17	·06	—	—	·07	·13		1
2	·03	·02	·05	·08	—	·62	·42	·06	—	—	·16	·01		2
3	·02	—	—	—	—	·10	·28	—	·20	—	·06	·04		3
4	—	—	·10	—	—	·14	—	·02	·29	—	·01	·13		4
5	·06	—	·02	—	—	—	·01	·06	·16	—	—	·13		5
6	·14	—	—	—	·05	—	·08	·13	·07	—	·11	·10		6
7	·17	—	—	—	—	·09	·50	—	·08	—	·03	·11		7
8	·12	—	·14	—	—	—	—	—	·04	—	·32	—		8
9	·38	—	·15	—	—	—	1·29	—	·14	·04	·01	·02		9
10	—	—	—	—	—	—	·25	—	·01	·01	—	—		10
11	—	—	—	·04	—	·02	·32	—	·23	—	·23	—		11
12	—	—	—	·07	·03	·27	·50	—	·32	—	·13	·13		12
13	—	—	—	·01	—	·33	·02	—	—	·06	·02	·20		13
14	—	—	—	·19	—	·03	·42	·01	·16	—	—	·59		14
15	—	—	—	—	—	·01	·39	—	·01	—	·01	·23		15
16	·20	·05	—	·02	—	—	·09	—	—	—	·58	·01		16
17	—	·37	—	·07	·06	—	·06	—	—	·11	·01	·12		17
18	—	—	—	—	—	·31	·14	—	—	·24	—	·04		18
19	·33	·08	·02	·14	—	·21	—	·05	—	·18	—	—		19
20	—	·04	—	·12	—	·15	·03	—	·12	·11	—	—		20
21	—	—	·04	·30	—	1·17	·09	—	—	·06	—	—		21
22	—	·73	·03	—	·17	—	·19	—	—	—	·01	·10		22
23	—	—	·09	·01	·05	—	·18	—	—	·07	—	—		23
24	·12	·05	—	—	—	—	—	—	·25	·25	—	·02		24
25	·04	—	·13	·42	—	·01	·21	—	—	·04	·03	—		25
26	—	·06	·33	·01	—	·01	·02	—	·21	·07	·01	—		26
27	—	—	—	—	—	—	·01	—	·11	·10	—	—		27
28	·34	·09	·04	—	—	—	—	—	—	—	—	·03		28
29	·14	·21	·03	—	—	·26	—	—	—	·10	·35	·16		29
30	·03		—	—	·50	·11	·10	—	—	·29	·07	—		30
31	·62		·20		—		·03	—		·16		·29	27·81	31
													Year's Total	
TOTAL	2·76	1·84	1·42	1·80	·86	3·84	5·80	·39	2·40	1·89	2·22	2·59	~~28·11~~	✓
* Days with .01 in. or more.	~~4~~16	11	15 ~~14~~	14	6 ~~1~~	17 ~~5~~	25 ~~6~~	7 ~~2~~	~~2~~16	16	19	20 ~~5~~	182 ~~44~~	✓
* Days with .04 in. or more.	12	10	11	10	5	12	19	~~7~~ 5	14	15	10	15	134	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. H. Cooke

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Dunchurch Hall

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·04	—	·01	—	—	—	—	—	—	—	·20	·29		1	
2	—	·06	·01	·50	—	—	—	—	·04	—	—	·18		2	
3	—	·12	—	—	·16	·01	—	—	—	—	—	·03		3	
4	·08	·14	—	—	·05	—	—	—	—	—	—	·77		4	
5	·24	—	·18	—	—	—	·02	—	—	·04	—	·07		5	
6	·14	—	·12	—	·18	—	·02	·02	—	—	—	·01		6	
7	—	·50	—	·16	·01	—	—	—	·01	—	—	—		7	
8	—	·10	—	·01	·02	—	—	—	—	—	·34	·07		8	
9	—	—	·01	·22	·29	—	·24	—	·14	—	—	·05		9	
10	—	·02	·49	·75	—	·15	·03	—	—	—	—	·09		10	
11	—	—	·11	—	·62	·25	—	—	—	—	—	·16		11	
12	·06	·26	·12	—	·38	·02	—	—	·11	—	—	·09		12	
13	·12	·08	·19	·02	—	·16	—	·60	·15	—	—	—		13	
14	—	—	·24	·09	—	—	—	·04	·01	—	—	·06		14	
15	·14	·10	—	·21	—	—	1·29	·55	·15	—	—	·07		15	
16	·01	·11	·20	·49	—	—	—	—	·17	—	—	—		16	
17	·30	—	·18	·22	—	—	—	·03	·48	—	—	—		17	
18	·17	·12	·26	·02	—	—	—	—	·12	—	·32	—		18	
19	·09	·06	·02	·07	·09	·11	·33	—	—	·01	·09	—		19	
20	·18	—	—	·49	·44	·03	—	—	—	—	—	—		20	
21	·07	·24	·08	·01	·04	—	·23	—	—	—	—	·13		21	
22	·12	·01	·11	—	·11	·16	·09	—	—	·33	·23	—		22	
23	·22	—	·02	·05	·04	—	·25	—	—	·52	·15	—		23	
24	·11	·25	·01	—	—	—	·04	—	·04	·21	—	—		24	
25	·16	·34	—	—	·20	—	—	—	·04	·75	—	—		25	
26	—	·20	·06	—	·53	—	—	—	—	·03	—	—		26	
27	·01	·28	—	·27	—	—	—	—	—	·60	—	·03		27	
28	—	·01	—	—	—	—	—	—	—	·01	—	·03		28	
29	·04	·02	—	—	—	—	—	—	—	·03	·04	·05		29	
30	·26	✕	—	—	—	—	—	—	—	—	·10	—		30	
31	·16	✕	—	✕	—	✕	—	·32	✕	·17	✕	—		31	
TOTAL	2·72	3·02	2·42	3·58	3·16	·89	2·54	1·56	1·46	2·70	1·47	2·18	Year's Total 27·70		✓ ✓
* Days with .01 in. or more.	21	20	19	16	15	8	10	6	12	11	8	17	163		✓ ✓
* Days with .04 in. or more.	19	16	13	12	13	5	7	4	10	7	8	13	127		✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C H Cooke

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — **Station No.** 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Dunchurch Hall

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·01	—	—	·35	—	—	—	·10	—	·26		1
2	·04	—	—	·05	·03	·18	—	—	—	·27	·01	—		2
3	·02	—	—	—	·06	—	·11	—	—	·63	·02	—		3
4	—	—	—	—	—	—	·05	·05	·07	·27	—	·27		4
5	—	—	—	—	—	—	·50	·02	—	·08	—	·01		5
6	·03	—	—	—	—	·01	·08	—	—	·06	—	—		6
7	·08	—	—	—	—	·01	·15	·65	·19	·26	—	·05		7
8	·21	—	—	—	—	·01	·05	·29	·09	·16	—	·03		8
9	·06	·06	—	—	—	·03	—	·02	—	—	—	·17		9
10	—	·10	—	—	—	·06	·19	·08	—	—	—	·09		10
11	·54	·02	—	—	—	—	—	—	—	·01	·10	—		11
12	·16	—	—	—	·17	—	—	·17	—	·29	·02	·29		12
13	—	·07	—	—	—	—	·53	—	—	—	·10	—		13
14	·26	·03	—	—	·04	—	—	—	·11	—	—	·01		14
15	·27	—	—	—	—	—	·13	—	—	—	—	·10		15
16	·25	—	—	—	—	—	·10	·03	—	—	·01	·12		16
17	—	·06	—	—	—	—	·01	—	·04	·10	·04	—		17
18	·02	—	—	—	·12	·04	—	·02	·28	—	·26	—		18
19	—	—	—	—	—	—	—	·10	·09	—	·13	—		19
20	—	—	—	—	—	—	—	—	·03	—	·34	·06		20
21	—	—	—	—	—	—	—	·02	—	—	·10	·35		21
22	—	—	—	—	—	·09	—	—	—	—	·31	·23		22
23	—	—	—	—	—	—	·14	—	·01	—	—	—		23
24	—	—	·06	—	·03	—	·04	·07	·33	—	—	—		24
25	·09	·17	·10	—	·09	—	·01	·02	—	·09	·19	·08		25
26	·12	·25	·12	—	—	—	—	·18	·03	·21	—	·32		26
27	·27	—	—	—	·08	·17	·25	1·37	·41	·01	·39	—		27
28	·29	—	—	—	·44	·09	—	—	·09	·02	—	·21		28
29	·42	—	—	—	·18	—	—	—	—	·03	·12	·11		29
30	·03	✕	—	—	—	·07	—	—	·38	·03	·23	·15		30
31	·10	✕	—	✕	·25	✕	—	—	✕	·13	✕	·34		31
													Year's Total	
TOTAL	2·86	·76	·29	·05	1·49	1·11	2·34	3·09	2·15	2·75	2·37	3·25	22·51	✓
* Days with .01 in. or more.	19	8	4	1	11	12	15	15	14	18	16	20	153	✓
* Days with .04 in. or more.	15	6	3	1	9	8	13	9	11	13	12	17	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C H Cooke

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Dunchurch Hall

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	—	—	·22	·04	—	—	·69	·08	—	—	—		1
2	·05	—	—	·08	—	—	—	·41	·22	·01	·01	—		2
3	·26	—	—	·31	—	—	—	·90	·01	·06	·13	·14		3
4	·06	—	·31	·33	—	—	·05	·29	—	·20	·07	·10		4
5	—	—	—	·12	·30	—	·10	·74	—	·06	·18	·12		5
6	·66	—	·01	—	—	—	1·04	·04	—	—	·05	—		6
7	—	—	—	—	—	—	·05	—	—	—	·20	·17		7
8	—	·06	·22	—	—	—	·36	·12	—	·42	·03	·36		8
9	·03	·06	—	—	—	—	—	·12	—	·46	·08	·19		9
10	·26	—	·03	—	—	·06	—	·18	·02	·01	—	—		10
11	—	—	·15	—	—	·03	—	—	—	·05	—	—		11
12	·01	—	·01	—	·01	·08	—	—	—	—	—	—		12
13	—	—	—	—	—	—	—	—	·06	·28	—	—		13
14	·40	—	·01	·04	·54	·03	·39	—	·01	·04	·09	—		14
15	·29	—	—	—	·10	·42	·17	—	·02	·53	·06	—		15
16	·22	—	·10	—	·17	·37	·11	—	—	·03	·30	—		16
17	·23	·05	·02	—	·15	—	·50	—	—	2·99	·04	—		17
18	·13	·04	·04	—	—	·66	·16	—	—	·01	·66	—		18
19	·20	—	—	—	—	—	·47	—	—	—	—	—		19
20	·23	—	—	—	—	—	·08	·35	—	—	—	—		20
21	·04	·11	·21	—	—	·07	·02	1·06	·02	—	—	—		21
22	·16	·20	—	—	—	—	·05	—	·02	·02	·22	·01		22
23	—	—	·04	·03	—	·03	·11	—	—	·07	·67	—		23
24	·34	—	·01	·10	—	·01	·11	—	—	·08	—	—		24
25	1·08	·16	·10	—	—	—	·06	—	—	—	·19	·01		25
26	·30	—	·01	—	—	—	—	·05	—	·04	·29	·04		26
27	·04	·16	·07	·02	—	—	·09	·02	—	·07	·01	·05		27
28	—	·18	·11	·03	—	·03	·35	—	—	—	·07	—		28
29	—		—	·23	—	—	·13	—	—	·19	·03	—		29
30	—	✕	—	·14	—	·08	—	—	—	—	·05	—		30
31	—	✕	—	✕	—	✕	·16	·12	✕	—	✕	—		31
TOTAL	5·02	1·02	1·45	1·65	1·31	1·87	4·56	5·09	·46	5·64	3·43	1·19	Year's Total 32·69	✓
* Days with .01 in. or more.	21	9	17	12	7	12	21	14	9	20	21	10	174	✓
* Days with .04 in. or more.	18	9	10	9	6	7	20	13	3	15	17	8	135	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C.H. Cooke [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2458

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Dunchurch-Winton Hall

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 400 ft.

Acks

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ·21

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·02	—	—	—	—	—	—	—	—	·15	—		1
2	—	·03	—	·33	—	—	—	—	—	—	·91	—		2
3	—	·08	—	·05	—	—	—	—	—	·09	·95	·07		3
4	—	·08	—	·18	—	—	·01	—	—	·14	·11	·05		4
5	—	·01	—	—	·03	—	—	—	—	·09	·48	·07		5
6	—	·24	—	—	·05	—	—	—	—	·42	·35	—		6
7	·09	·23	—	—	·01	—	·03	—	·03	—	—	—		7
8	·05	—	—	·04	—	—	·30	—	—	·11	·02	x ·38		8
9	—	—	·02	—	—	—	·02	·04	·03	·08	·11	x		9
10	—	—	—	—	—	—	·47	—	—	·08	·09	·28		10
11	—	—	·05	·04	—	—	·23	—	—	—	·51	—		11
12	—	—	·03	—	—	—	·14	—	·05	—	—	—		12
13	—	·08	·63	·02	·24	—	—	—	·22	—	—	—		13
14	—	—	·04	·06	·08	—	—	—	·14	·13	·11	·20		14
15	—	—	·06	·06	—	—	·03	—	·06	·04	—	—		15
16	·03	·17	·33	·01	—	·02	·49	—	·07	·63	·15	—		16
17	—	—	·30	—	—	—	·09	—	—	—	·55	—		17
18	·05	·50	·38	·36	—	—	—	·02	·02	·11	·23	·08		18
19	—	·21	·03	·24	—	—	·34	—	·09	—	·08	·03		19
20	—	·01	—	·03	·25	·04	·14	·02	—	·23	·17	—		20
21	·08	—	·06	—	·47	·02	·15	—	—	—	1·26	—		21
22	—	—	·03	—	·05	·23	—	—	·17	—	—	—		22
23	—	·06	·02	·04	—	·12	—	—	—	—	—	·06		23
24	—	—	—	·03	—	—	·11	—	—	—	—	—		24
25	·02	—	—	—	—	—	·42	—	—	·01	—	—		25
26	·99	·10	—	·03	·07	—	·35	—	—	—	—	—		26
27	·65	·02	—	·51	—	—	—	—	—	—	—	—		27
28	·70	·27	·14	·03	·43	—	—	—	—	—	—	—		28
29	—	—	—	—	—	—	—	·02	—	—	—	·24		29
30	—	✕	·04	·65	—	—	—	—	—	·31	—	·04		30
31	·06	✕	—	✕	—	✕	—	—	✕	·69	✕	·01		31
TOTAL	2·74	2·11	2·16	2·71	1·68	·43	3·32	·10	·88	3·16	6·23	1·51	Year's Total 27·03	
* Days with .01 in. or more.	11	16	15	18	10	5	16	4	10	15	17	13 ~~12~~	~~149~~	150
* Days with .04 in. or more.	8	11	10	12	8	3	12	1	7	14	16	11 ~~10~~	~~111~~	113

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C.H. Cooke

[P.T.O.

2459

Section **A** for the entr

AIR MINIS

FORM 1090.

REG

Kept at The Garden

in the County of Wa

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME

An observer who does not confor
year in the space on the right o

2459

DUNCHURCH LODGE GARDEN

1931 —— 40

780407

FOR OFFICIAL USE.

ORGANIZATION.

wing

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	·05	·13	—	—	—	—	·35	—	—	—	1
2	·05	·16	—	·43	—	—	—	·01	·37	·07	—	·06	2
3	·02	—	—	·11	—	—	—	—	1·00	—	·61	·09	3
4	—	·05	—	·19	—	—	·03	·20	·05	—	·10	—	4
5	—	·03	—	·08	—	·92	·40	·01	·16	—	·01	·29	5
6	—	·17	—	·04	—	·01	·01	—	—	·18	·20	—	6
7	—	—	—	—	—	·15	·11	·56	—	·01	·05	·02	7
8	·04	·06	·06	·08	·10	·18	·11	·85	—	—	·17	—	8
9	—	·29	—	—	—	·08	—	·07	—	—	·16	—	9
10	·01	·03	—	—	—	·03	·28	·28	·05	—	·01	—	10
11	·13	·22	—	—	—	·05	[illegible]	—	[illegible]	—	·18	—	11
12	—	·05	—	—	—	—	·22	·02	·32	—	·01	—	12
13	·02	—	·02	—	—	—	—	·03	—	—	—	—	13
14	·01	·09	·04	—	—	·13	·45	1·25	—	—	·05	—	14
15	·04	·10	—	·14	·25	—	—	·23	·02	—	·04	·03	15
16	·05	·42	—	·11	·37	·45	·15	·20	·17	—	—	—	16
17	·07	·43	—	·52	·43	—	·02	·01	·02	—	—	—	17
18	·07	·04	·01	·29	—	·07	·19	·13	—	—	·27	—	18
19	·08	—	—	·19	—	·60	—	·02	·06	—	—	—	19
20	—	·06	—	·05	—	—	—	·25	—	·02	—	—	20
21	·19	—	—	—	·61	—	—	·05	—	—	·01	—	21
22	·16	—	—	·06	—	—	—	·05	—	—	—	—	22
23	·19	—	·02	·04	·45	·10	—	—	·28	—	·15	·11	23
24	—	·02	—	·06	·32	—	—	—	—	—	—	—	24
25	·02	·01	—	·61	—	—	·59	—	—	—	·07	—	25
26	·01	·03	—	·32	—	—	·10	·01	—	—	·20	—	26
27	·10	·68	—	·01	·57	—	·02	—	—	—	·15	·10	27
28	·08	·24	—	·08	·08	—	—	—	—	·03	—	·08	28
29	·02	×	—	—	·02	—	·18	—	—	·30	—	·01	29
30	·08	×	—	—	—	—	—	—	—	—	—	—	30
31	·13	×	—	×	—	×	—	—	×	—	×	·13	31
TOTAL	1·54	3·17	·20	3·84	3·20	2·44	2·76	4·23	2·85	·61	2·44	·92	YEAR'S TOTAL 28·56
*Days with ·01 in. or more.	22	21	6	20	10	12	15	19	12	6	18	10	171
*Days with ·04 in. or more.	15	16	3	19	9	10	11	12	10	3	14	7	129

40-9999

ee Instruction 2 (*f*) on other side.

(*Signed*) E. F. Haggart.

[P.T.O.

Section **A** for the entr

2459

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at The Gardens Dunchurch Lodge

in the County of Warwickshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·05	·05	·13	—	—	—	—	·35	—	—	—	1
2	·05	·10	—	·73	—	—	—	·01	·37	·07	—	·06	2
3	·02	—	—	·11	—	—	—	—	1.0	—	·61	·09	3
4	—	·05	—	·19	—	—	·03	·20	·05	—	·10	—	4
5	—	·03	—	·08	—	·92	·40	·01	·16	—	·01	·29	5
6	—	·17	—	·04	—	·01	·01	—	—	·18	·20	—	6
7	—	—	—	—	—	·15	·11	·56	—	·01	·05	·02	7
8	·04	·06	·06	·08	·10	·18	·11	·85	—	—	·17	—	8
9	—	·29	—	—	—	·08	—	·07	—	—	·16	—	9
10	·01	·03	—	—	—	·03	·28	·28	·05	—	·01	—	10
11	·13	·22	—	—	—	·05	[illegible]	—	[illegible]	—	·18	—	11
12	—	·05	—	—	—	—	·22	·02	·32	—	·01	—	12
13	·02	—	·02	—	—	—	—	·03	—	—	—	—	13
14	·01	·09	·04	—	—	·13	·45	1·25	—	—	·05	—	14
15	·04	·10	—	·14	·25	—	—	·23	·02	—	·04	·03	15
16	·05	·42	—	·11	·37	·45	·15	·20	·17	—	—	—	16
17	·07	·43	—	·52	·43	—	·02	·01	·02	—	—	—	17
18	·07	·04	·01	·29	—	·07	·19	·13	—	—	·27	—	18
19	·08	—	—	·19	—	·60	—	·02	·06	—	—	—	19
20	—	·06	—	·05	—	—	—	·25	—	·02	—	—	20
21	·19	—	—	—	·61	—	—	·05	—	—	·01	—	21
22	·16	—	—	·06	—	—	—	·05	—	—	—	—	22
23	·19	—	·02	·04	·45	·10	—	—	·28	—	·15	·11	23
24	—	·02	—	·06	·32	—	—	—	—	—	—	—	24
25	·02	·01	—	·61	—	—	·59	—	—	—	·07	—	25
26	·01	·03	—	·32	—	—	·10	·01	—	—	·20	—	26
27	·10	·68	—	·01	·57	—	·02	—	—	—	·15	·10	27
28	·08	·24	—	·08	·08	—	—	—	—	·03	—	·08	28
29	·02	×	—	—	·02	—	·18	—	—	·30	—	·01	29
30	·08	×	—	—	—	—	—	—	—	—	—	—	30
31	·13	×	—	×	—	×	—	—	×	—	×	·13	31
TOTAL	1·54	3·17	·20	3·84	3·20	2·77	2·76	4·23	2·85	·61	2·44	·92	YEAR'S TOTAL 28·56
*Days with ·01 in. or more.	22	21	6	20	10	12	15	19	12	6	18	10	171
*Days with ·04 in. or more.	15	16	3	19	9	10	11	12	10	3	14	7	129

40-9999

*See Instruction 2 (f) on other side.

(Signed) E. F. Haggart. [P.T.O.

2459

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at The Gdns : Dunchurch Lodge
in the County of Warwickshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground ft 10" in.
,, Ground ,, Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·03	–	07	·56	03	–	·26	·11	·42	·01	·01	1
2	·02	–	–	·11	·47	▼	–	03	·16	08	·01	·14	2
3	–	–	–	·24	05	–	–	–	–	–	–	–	3
4	·01	–	–	·18	–	–	–	–	–	–	·39	–	4
5	·24	·01	·02	–	–	–	–	–	11	–	–	·01	5
6	·28	–	·04	·42	·04	–	·03	–	·41	–	–	–	6
7	–	–	·24	·19	–	–	–	–	05	–	–	–	7
8	–	·02	–	·12	–	–	–	–	06	·26	–	–	8
9	·05	·10	–	21	–	–	–	–	–	–	–	–	9
10	·10	·07	·02	·13	·07	–	–	–	·18	·09	–	–	10
11	–	–	–	–	·10	·03	–	–	06	·11	–	–	11
12	·23	–	–	·18	·19	–	·09	–	·07	09	·04	–	12
13	–	·02	–	·07	–	–	72	–	·05	·01	04	·02	13
14	·25	–	–	–	–	–	–	–	–	05	·04	–	14
15	·01	–	–	·10	·22	–	–	·01	–	·06	–	·02	15
16	·23	–	–	·25	·11	–	–	–	–	–	–	–	16
17	–	–	–	·03	–	–	·03	–	–	·18	–	–	17
18	–	–	–	–	·08	–	–	–	–	–	·09	–	18
19	–	–	–	·03	–	–	–	–	–	·20	–	–	19
20	–	–	–	·13	·35	–	01	·40	–	·42	·13	–	20
21	·01	–	·14	·47	1·95	–	–	·39	–	·27	·01	·07	21
22	·01	–	14	·01	·06	·07	40	–	·75	·11	·30	–	22
23	–	·02	·07	–	·79	–	–	–	·08	·13	·23	·09	23
24	·01	–	–	–	–	–	03	–	·09	–	·27	–	24
25	–	·03	–	–	03	–	·34	–	–	·14	–	–	25
26	–	–	–	36	·15	–	08	–	·08	·01	–	–	26
27	–	–	·26	·18	·45	–	·11	–	·01	–	09	–	27
28	–	–	02	09	27	·10	20	·16	–	12	–	·01	28
29	–	–	·23	·17	–	·11	·01	·76	·08	25	·01	·06	29
30	–	×	·18	·02	–	31	·02	·26	1·19	·18	·46	·18	30
31	·01	×	05	×	–	×	79	–	×	–	×	·05	31
TOTAL	1.53	·30	1·44	3·76	5·94	·65	2·84	2·27	3·54	3·18	2·12	·66	YEAR'S TOTAL 28·23
*Days with ·01 in. or more.	15	8	12	23	18	6	14	8	17	20	15	11	167
*Days with ·04 in. or more.	8	2	9	19	17	4	8	6	16	18	11	6	124

40-9999

(Signed) E. F. Haggart for Major H. S. Cayzer

[P.T.O.

*See Instruction 2 (*f*) on other side.

VM

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2459

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Gdns Dunchurch Lodge
in the County of Warwickshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground ft 10" in.
,, Ground ,, Sea Level ft.

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·23	·03	–	–	–	–	–	–	–	–	–		1
2	·10	–	·34	–	–	–	–	–	–	–	·10	–		2
3	·01	·16	·22	–	·15	–	–		–	–	–	–		3
4	·13	–	·04	–	·25	–	–	–	–	–	–	–		4
5	·09	·33	·19	–	·07	–	–	–	–	–	–	–		5
6	–	·19	·03	–	·20	–	–	–	–	·09	–	–		6
7	·07	·23	–	–	·02	–	–	–	–	·15	–	·03		7
8	·08	–	·10	–	·08	–	·24	–	–	·08	–	–		8
9	–	–	–	–	·08	–	·29	–	–	·13	·09	–		9
10	·05	·45	–	–	–	·11	–		–	·74	·06	–		10
11	–	–	–	–	–	·05	·42	–	–	–	–	–		11
12	·08	–	–	–	–	·01	·08	–	·35	–	·29	–		12
13	·01	–	–	–	·04	·19	·22	–	–	·01	·33	–		13
14	–	–	–	–	·09	–	·05	–	–	·30	·21	·03		14
15	·36	–	·02	–	–	–	·14	·08	–	–	·07	–		15
16	·04	–	·48	–	·01	·21	·01	–	–	·12	·03	·02		16
17	·06	–	·01	–	–	·08	–	–	·05	–	·03	–		17
18	·08	·04	·51	–	–	·29	–	–	–	–	–	–		18
19	–	–	·48	–	–	·11	–	–	·04	–	–	–		19
20	–	·08	·12	·01	–	·56	–	·05	·02	·09	–	–		20
21	–	·06	–	–	·10	·14	–	·07	–	–	–	–		21
22	–	–	–	–	·01	·09	–	·35	·50	·36	–	–		22
23	–	–	–	·07	–	·03	–	–	·48	–	·01	–		23
24	–	·52	–	·15	·18	·46	–	–	·05	·05	–	–		24
25	–	·41	–	·28	–	·20	–	–	–	–	·03	·06		25
26	–	·61	–	·11	–	·11	–	–	–	·18	–	·01		26
27	–	·03	–	–	·41	–	–	–	·07	·02	–	–		27
28	–	–	–	·33	–	–	–	–	–	·09	–	·07		28
29	·09	×	–	·18	–	–	·33	–	–	·04	–	–		29
30	·10	×	·09	·01	–	–	·09	–	–	·02	–	·10		30
31	·01	×	·23	×	–	×	–	·11	×	·17	×	–		31
TOTAL	1·51	3·34	2·89	1·14	1·69	2·64	1·87	·66	1·56	2·64	1·24	·31	Year Total 21.~~50~~ 49	
*Days with ·01 in. or more.	17	13	15	8	14	16	10	5	8	17	11	7	140	
*Days with .04 in. or more.	14	12	11	6	11	13	9	5	7	14	7	3	112.	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(Signed) E. F. Haggart for Major H. S. Cayzer.

[P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

2459

Kept at The Gardens Dunchurch Lodge
in the County of Warwickshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level ft.

Days

alf

9 absent.
suggesting ·46 & ·38 for Dec 9th & 13
Dec. amendment agreed to by Obs
Dec 2 [illegible]
f. 964600/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	–	–	-	-	·12	·09	–	·08	·34	1
2	·06	–	·05	–	–	–	–	–	·33	–	·01	·21	2
3	·01	·09	–	–	–	–	-	-	–	·06	–	·01	3
4	·08	–	·10	·45	·03	–	-	–	·13	·20	·10	·28	4
5	–	–	·01	·01	·06	–	–	·17	–	–	·05	·09	5
6	–	–	·01	·08	–	·07	–	–	–	·18	–	·48	6
7	·11	–	–	–	·08	·05	–	·07	–	·05	–	·20	7
8	-	-	–	-	-	·06	–	·01	–	–	·13	—	8
9	-	–	·10	–	-	–	–	·02	–	–	·59	·46 ~~1·86~~	9
10	–	-	·11	·17	–	–	–	·08	–	–	·05	–	10
11	·44	–	·17	·26	–	–	·03	–	–	–	–	·09	11
12	–	–	·17	–	–	–	·05	·28	–	–	–	·04	12
13	·30	–	–	–	–	–	·46	·21	–	·01	–	·38 ~~1·08~~	13
14	·08	–	·18	–	·04	–	–	–	–	·23	·40	·20	14
15	·09	–	·15	–	·13	–	·02	–	·06	·10	·24	–	15
16	·13	–	·06	–	–	-	–	–	–	·14	·01	·09	16
17	–	-	–	–	·01	–	·03	·08	·07	·14	·02	·09	17
18	·18	–	·01	·30	–	–	2·50	–	·03	–	–	·01	18
19	–	–	·07	·05	–	·06	–	–	·01	·01	–	·10	19
20	-	–	·05	·07	–	·01	-	–	–	–	–	–	20
21	-	–	·01	–	–	·09	–	–	–	·05	–	–	21
22	-	–	–	–	–	–	–	·15	·16	–	–	·10	22
23	-	-	–	·17	·10	·35	·06	·03	–	–	·01	·09	23
24	–	·23	·11	–	–	·02	·60	–	·42	–	—	–	24
25	·18	·01	–	·10	–	·12	–	-	–	·08	–	·20	25
26	·04	–	·03	·09	–	·07	–	–	·11	–	–	·05	26
27	·05	·20	–	·04	–	–	-	–	–	·02	–	·15	27
28	–	-	–	·41	–	·08	·01	·34	–	·05	–	·30	28
29	-	×	–	–	–	–	·61	·13	·44	–	–	–	29
30	·04	×	–	–	–	–	–	–	-	–	–	·23	30
31	·02	×	–	×	–	×	–	–	×	·15	×	·07	31
TOTAL	1·85	·53	1·39	2·20	·45	·98	4·37	1·69	1·85	1·47	1·69	4·26 ~~6·36~~	22·73 YEAR'S TOTAL ~~24·83~~
*Days with ·01 in. or more.	16	4	14	13	7	11	10	13	11	15	12	24	153
*Days with ·04 in. or more.	14	3	12	12	5	9	6	10	9	12	8	22	122

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) E. F. Haggart
for Major C. S. Cayzer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2459

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Dunchurch Lodge Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5 inches

Height of top of Gauge above Ground 10 inches in.

,, Ground ,, Sea Level ft.

dafys

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	–	–	·01	·01	·14	·02	–	·17	·13	·05	·01		1
2	–	·02	·07	–	–	·17	–	–	–	·14	–	·15		2
3	–	·29	·03	·13	–	·17	–	–	·39	·26	·20	·06		3
4	–	–	·06	·11	–	·08	–	–	·03	·15	·09	·01		4
5	–	·76	·01	·13	–	·07	·03	–	·07	–	·18	–		5
6	–	·02	–	·22	–	·21	–	–	–	–	·41	–		6
7	–	–	–	·34	–	·22	–	–	–	·18	·09	·14		7
8	–	–	–	·15	–	·02	–	–	–	·18	·35	·05		8
9	–	–	–	·34	–	·17	–	–	–	·86	·34	·05		9
10	–	·01	–	·04	–	·03	·05	–	–	–	·14	·01		10
11	·22	–	–	–	–	·05	–	–	–	·01	·06	–		11
12	·03	·02	–	–	–	·29	–	·06	–	–	–	–		12
13	·09	·06	–	·06	·18	·03	·04	–	–	·04	·01	–		13
14	–	–	–	·15	·15	·01	·02	–	·01	–	·52	·09		14
15	–	·06	–	·49	·04	–	–	–	·61	–	·34	·26		15
16	–	·06	·06	·12	–	·22	–	–	·21	·18	·50	·13		16
17	–	–	–	·01	–	·17	·14	–	·01	·01	1·16	–		17
18	–	·05	–	·29	·03	·09	·14	–	·14	·07	–	–		18
19	–	–	–	·08	·68	·25	–	–	·06	·08	·23	–		19
20	·01	·15	–	·24	–	·10	·15	–	·04	–	·24	–		20
21	–	·18	–	·11	–	–	–	–	·47	·01	·16	–		21
22	–	·01	–	·12	–	–	–	·12	·19	–	–	–		22
23	·06	–	·09	–	–	–	–	·47	·04	·47	–	–		23
24	·18	·19	·03	–	–	–	–	–	·82	–	–	·25		24
25	–	·04	–	·09	–	1·96	–	·04	–	–	–	·25		25
26	–	·03	–	–		–	–	·10	·17	–	·02	·30		26
27	–	·17	–	–	·09	–	–	–	·05	·01	·20	1·01		27
28	·01	·09	–	–	·14	–	–	–	·06	·01	–	·08		28
29	–	X	·04	–	–	–	–	–	·19	–	·05	·08		29
30	·04	X	–	·16	–	–	–	·36	·04	·28	·26	·07		30
31	–	X	–	X		X	–	·01	X	·64	X	·21		31
TOTAL	·78	2·20	·39	3·39	1·32	4·45	·59	1·15	3·77	3·71	5·30	3·21	Year's Total. 30·26 inches	
* Days with .01 in. or more.	9	18	8	21	8	20	8	7	20	19	22	19	179	
* Days with .04 in. or more.	6	12	5	19	6	16	5	6	17	14	20	16	142	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. J. Haggard Hd. Gdnr.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2459

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at The Gardens Dunchurch Lodge

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Days.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·14	·06	1·34	–	·01	·16	·02	–	–	·08	·12		1
2	·14	·01	·08	·05	–	·74	·41	·11	–	–	·21	–		2
3	·01	–	–	–	–	·09	·26	·01	·22	–	·04	·05		3
4	·01	–	·12	–	–	·15	–	·03	·34	–	·01	·12		4
5	·06	·02	·01	–	–	–	·01	·07	·16	–	–	·13		5
6	·03	–	–	–	05	·11	·08	·17	·08	–	·12	13		6
7	·28	–	–	–	–	–	·53	–	·08	–	·04	–		7
8	·11	–	·15	–	–	–	–	–	·03	–	·32	·11		8
9	·35	–	·06	–	–	–	1·31	–	·13	·01	–	–		9
10	·01	–	–	–	–	–	·24	–	·01	–	–	–		10
11	–	–	–	·04	·12	·02	·34	–	·18	–	·25	–		11
12	–	–	–	·10	·06	·27	·50	–	·46	–	·12	·12		12
13	–	–	–	·01	–	·37	·01	–	–	·06	·01	·21		13
14	–	–	–	·20	–	·04	·43	–	·16	–	–	·58		14
15	–	–	–	–	–	·01	·29	–	·01	–	·61	·10		15
16	·27	·03	–	·01	–	–	·08	–	–	–	·04	·01		16
17	–	·36	–	·07	0·9	–	·05	–	–	·12	–	·15		17
18	–	–	·01	–	–	·22	·15	·08	–	·17	–	·02		18
19	·35	·08	·02	·16	–	·20	–	–	–	·07	–	–		19
20	–	·02	·01	·15	–	·25	·01	–	·08	·01	–	–		20
21	–	–	·03	·20	–	1·09	·10	–	·04	–	–	–		21
22	–	·74	·09	–	·18	–	·15	–	–	–	–	·11		22
23	·12	–	–	·12	·05	–	·18	–	–	·08	–	·01		23
24	–	·06	·15	–	·01	–	·01	–	·25	·27	–	–		24
25	·05	–	·35	·41	–	·02	·23	–	·23	·05	–	–		25
26	–	·07	–	–	–	·01	·04	–	–	·08	·04	–		26
27	·01	–	–	–	–	–	–	–	·11	·13	–	–		27
28	·40	·10	·06	–	–	–	·02	–	–	–	–	·04		28
29	·11	·26	·03	–	–	·22	–	–	–	·11	·36	·15		29
30	·02		–	–	·53	·15	·09	–	–	·33	·09	–		30
31	·62		·11		·01		·05	–		·15		·15		31
TOTAL	2·85	1·89	1·34	2·86	1.10	3·97	5·73	·49	2·57	1·64	2·34	2·27	Year's Total 29	·05 ✓
* Days with .01 in. or more.	19	12	16	13	9	18	26	7	17	14	15	18	184	✓
* Days with .04 in. or more.	13	8	10	11	7	13	21	4	14	12	13	15	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) T. F. Haggart

for Major H. S. Cayzer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2459

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at The Gdns. Dunchurch Lodge

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level ft.

Mar cor. by observer / see file.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.23	-	.02	-	-	-	-	-	.05	-	.19	.27		1
2	-	.07	.02	.51	-	.01	-	-	-	-	-	.21		2
3	-	.14	-	-	.23	-	-	-	-	-	-	.04		3
4	.09	.16	-	-	.07	-	-	-	-	-	-	.77		4
5	.24	-	.19	-	-	-	.02	-	-	-	-	-		5
6	.15	-	.18	.02	.20	-	.03	-	-	.04	-	-		6
7	-	.54	.02	.15	.02	-	-	-	.01	-	-	-		7
8	-	.10	-	-	-	-	-	-	-	-	.34	.10		8
9	-	-	.04	.19	.33	-	.27	-	.14	-	-	-		9
10	.01	.02	.50	.76	-	.15	.01	-	-	-	-	.14		10
11	-	-	.13	-	.58	.42	-	-	-	-	-	.12		11
12	.06	.27	.13	-	.42	-	-	.54	.12	-	-	.08		12
13	.13	.10	.22	.03	.01	.18	-	.07	.13	-	-	-		13
14	-	.01	.25	.10	-	-	-	.50	.01	-	-	.12		14
15	.12	.10	-	.21	-	-	1.19	-	.15	-	-	-		15
16	.04	.12	.22	.50	-	-	-	.04	.19	-	-	.01		16
17	.14	.01	.20	.26	-	-	-	-	.56	-	-	-		17
18	.35	.16	.23	.03	-	-	-	-	.09	-	.34	-		18
19	.09	.06	.02	.08	.09	.13	.35	-	-	-	.09	-		19
20	.19	-	-	.48	.44	.12	-	-	-	-	-	-		20
21	.07	.26	.09	.01	.05	-	.24	-	-	-	-	.11		21
22	.13	.01	.16	-	.10	.16	.15	-	-	.43	.24	-		22
23	.22	.01	.04	-	.04	-	.20	-	-	.50	.13	-		23
24	.10	.32	02	-	-	-	.05	-	.05	.21	-	-		24
25	.07	.33	-	-	.20	-	-	-	.05	-	-	.07		25
26	-	.20	.07	-	.53	-	-	-	-	.04	-	-		26
27	-	.34	-	.28	-	-	-	-	-	.58	-	-		27
28	-	.04	-	-	-	-	-	-	-	.01	-	.05		28
29	.01	X	-	-	-	-	-	-	-	.02	.05	.06		29
30	.27	X	-	-	-	-	-	.19	-	-	.10	-		30
31	.19	X	-	X	-	X	-	-	X	.18	X	.03		31
TOTAL	2.90	3.37	~~2.75~~	3.61	3.31	1.17	2.51	1.34	1.55	2.01	1.48	2.18	Year's Total ~~27.80~~	28.18
* Days with .01 in. or more.	21	22	18	15	15	7	10	6	12	9	8	15	157	
* Days with .04 in. or more.	19	17	14	11	13	6	7	5	10	7	8	13	130	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. F. Haggart,

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2459

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at DUNCHURCH LODGE

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

w.J.H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	·42	–	–	–	·09	·01	·26		1
2	·02	–	–	·05	·02	·20	–	–	–	·27	–	–		2
3	·03	–	–	–	·08	–	·13	–	·07	·60	·01	·25		3
4	–	–	–	–	–	–	·05	1·15	–	·28	–	·01		4
5	·01	–	–	–	–	–	·54	·06	–	·09	–	–		5
6	–	–	–	–	–	–	·10	–	·20	·07	–	–		6
7	·14	–	–	–	–	–	·16	·58	·10	·26	–	·05		7
8	·20	–	–	–	–	·03	·06	·19	–	·18	–	–		8
9	·06	·07	–	–	–	·05	–	·03	–	–	–	·18		9
10	–	·11	–	–	–	·07	·20	·09	–	–	–	·10		10
11	·53	·03	–	–	–	–	–	–	–	·05	·12	–		11
12	·26	–	–	–	·17	–	–	·19	–	·25	·01	–		12
13	–	·03	–	–	–	–	–	–	–	–	·11	·31		13
14	·25	·09	–	–	·03	–	·55	–	·12	–	–	–		14
15	·06	–	–	–	–	–	·15	–	–	–	–	·11		15
16	·26	–	–	–	–	–	·08	·08	–	–	·02	·09		16
17	–	·08	–	–	–	–	–	–	·05	·10	·03	–		17
18	·02	–	–	–	·14	·04	·02	·03	·13	–	·28	–		18
19	–	–	–	–	–	–		·11	·21	–	·13	·01		19
20	–	–	–	–	–	–	–	–	·04	–	·35	·09		20
21	–	–	–	–	–	–	–	·04	–	–	·09	·25		21
22	–	–	–	–	–	·12	·31	–	–	–	·32	·31		22
23	–	–	–	–	–	–	·03	–	·04	–	–	–		23
24	–	–	·14	–	·02	–	·02	–	·35	–	–	·06		24
25	·11	·17	·04	–	·08	–	–	·08	–	·10	·20	·09		25
26	·10	·36	·12	–	–	–	–	·03	·04	·23	–	·19		26
27	·07	·01	–	–	·10	·11	·23	·23	·39	·01	·42	–		27
28	·33	–	–	–	·46	–	·01	1·37	·10	–	–	·20		28
29	·44	×	–	–	·19	·07	–	–	–	·01	·11	·12		29
30	·03	×	–	–	–	·01	–	–	·40	·04	·23	·09		30
31	·10	×	–	×	·26	×	·02	–	×	·14	×	·32		31
TOTAL	3·02	·95	·30	·05	1·55	1·12	2·66	4·26	2·24	2·77	2·44	3·09	Year's Total 24·45	✓
* Days with .01 in. or more.	19	9	3	1	11	10	17	15	14	17	16	20	152	✓
* Days with .04 in. or more.	14	6	3	1	8	8	12	12	14	15	11	18	122	✓

for Major H. S. Cayzer

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. J. Haggart

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2459

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at The Gardens Dunchurch Lodge.

in the County of Warwickshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·01	·22	·05	–	–	·76	·07	·01	–	–		1
2	·05	–	–	·12	–	–	–	·45	·22	–	·02	–		2
3	·17	–	–	·33	–	–	–	·96	–	·05	·15	·14		3
4	·09	–	·30	·34	–	–	·08	·32	–	·23	·08	·08		4
5	–	–	–	·11	·34	–	·06	·68	–	·03	·19	·13		5
6	·61	–	–	–	[illegible]	–	1·08	·05	–	–	·07	–		6
7	·01	·08	–	–	–	–	·11	·01	–	–	·21	·21		7
8	–	·07	·25	–	–	–	·33	·14	–	·46	·02	·30		8
9	–	–	–	–	–	–	·02	·14	·04	·45	·09	·20		9
10	·28	–	·02	–	–	·06	–	·19	–	–	·01	–		10
11	–	·01	·15	–	–	·03	–	–	–	·04	–	–		11
12	·01	·01	–	–	–	·09	–	–	·01	–	–	–		12
13	–	–	–	–	–	·01	·03	–	–	·30	·01	–		13
14	·40	–	–	·05	·57	·02	·35	–	–	·03	·09	–		14
15	·32	–	–	–	·11	·44	·21	–	–	·54	·07	–		15
16	·20	–	·12	–	·17	·28	·15	–	–	·01	·29	–		16
17	·23	·06	·03	–	–	–	·35	–	–	3"·–	·03	–		17
18	·14	·04	·05	–	–	·77	·18	–	–	·03	·73	–		18
19	·20	–	–	–	–	–	·58	–	–	–	–	–		19
20	·18	–	–	–	–	–	·05	·44	·01	·01	–	–		20
21	·11	·12	·21	–	–	·07	·01	·91	·02	–	–			21
22	·16	·20	–	–	–	–	·06	–	–	·01	·24	–		22
23	–	–	·05	·05	–	·04	·12	–	–	·08	·75	–		23
24	·08	–	·01	–	–	–	·13	–	–	·09	–	–		24
25	1·13	·16	·11	–	–	–	·06	–	–	–	·19	–		25
26	·42	–	·01	–	–	–	·10	·10	–	·05	·31	–		26
27	·05	·17	·07	–	–	·01	·23	–	–	·09	·01	·05		27
28	–	·16	·14	·06	–	·02	–	–	–	–	·18	·06		28
29	·02	×	–	·25	–	–	·28	–	–	·20	·03	–		29
30	–	×	–	·16	–	·12	–	–	–	–	·05	–		30
31	–	×	–	×	–	×	·17	·17	×	–	×	–		31
TOTAL	4·89	1·08	1·53	1·69	1·24	1·96	4·74	5·32	·37	5·71	3·82	1·17	Year's Total 33·52	✓
* Days with .01 in. or more.	22	11	15	10	5	13	23	14	6	20	23	8	170	✓
* Days with .04 in. or more.	18	9	10	10	5	8	20	13	3	13	16	8	133	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

to Major H. S. Cayzer.

(Signed) E. T. Haggart Hd. Gdnr. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2459

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at The Gardens Dunchurch Lodge N^r Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	–	–	–	–	–	–	·93	·01		1
2	–	·01	–	·36	–	–	–	–	–	–	·75	–		2
3	–	·15	–	·06	–	–	–	–	–	·11	·13	·08		3
4	–	·11	–	·16	–	–	·02	–	–	·15	·33	·05		4
5	–	–	–	–	·04	–	·02	–	–	·09	·42	·10		5
6	·10	·25	–	–	–	–	–	–	–	·41	·44	–		6
7	·08	·25	–	·02	·01	–	·05	–	·03	·02	–	–		7
8	–	–	–	–	–	–	·29	–	–	·18	·02	·24		8
9	–	–	·02	·03	–	–	·03	·02	·02	·02	·03	·18		9
10	–	–	–	–	–	–	·46	–	–	·14	·18	·24		10
11	–	–	·06	·04	–	–	·27	–	·06	–	·55	·05		11
12	–	–	·03	–	–	–	·14	–	·21	–	·02	–		12
13	–	·09	·40	–	–	–	–	–	·15	–	·13	–		13
14	–	–	·28	·06	·24	–	·01	–	·08	·07	–	·20		14
15	–	–	·08	·08	·07	–	–	–	·09	·18	·13	–		15
16	·03	·25	·32	·01	–	·03	·46	–	–	·70	·55	–		16
17	–	–	·32	–	–	–	·11	–	·01	·01	·12	–		17
18	·05	·54	·39	·38	–	–	–	–	·09	·10	·20	·10		18
19	–	·25	·03	23	–	–	·36	–	–	–	·17	·01		19
20	–	·01	–	·03	–	·04	·16	–	–	·19	·02	–		20
21	·16	–	·07	–	·25	·04	·15	–	·17	·06	1·28	–		21
22	–	–	·03	–	·45	·19	–	–	–	–	–	–		22
23	–	·07	·01	·03	·04	·14	–	–	–	–	–	·06		23
24	–	–	–	·04	–	–	·14	–	–	[illegible]	–	·01		24
25	–	–	–	–	–	–	–	–	–	·01	–	–		25
26	·99	·10	–	·03	·07	–	·33	–	–	–	·01	–		26
27	·70	·15	–	·47	–	–	·05	–		–	–	–		27
28	·30	·22	–	·03	·52	–	–	·01	–	–	–	–		28
29	–	–	·15	–	–	–	–	–	–	–	–	·25		29
30	–	✕	–	·61	–	–	–	–	–	·33	–	·06		30
31	·05	✕	·04	✕	–	✕	–	–	✕	·60	✕	–		31
TOTAL	2·46	2·45	2·23	2·67	1·69	·44	3·05	·03	·91	3·38	6·41	1·64	Year's Total 27·36 inches	
* Days with .01 in. or more.	9	14	15	18	9	5	17	2	10	19	20	15	153	
* Days with .04 in. or more.	8	12	10	11	8	4	13	–	7	14	15	12	114	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) E. J. Haggart

for Major H. S. Cayzer

P.T.O.

—

2459/5

KENILWORTH U.D.C.

1937—40

750407

Section A for the entr

AIR MINI

tion No. 2459/5.

ORGANIZATION

FORM 1090

REC

273/37

Kept at ....KENILWORT

in the County of ....Warw

Diameter of Funnel of Gauge

Height of top of Gauge abov

,, Ground ,,

THE MORNING MEA

DAY

An observer who does not conf

year in the space on the right

lowing

Jan. 1, following ✓

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.									in.	†	
1								–	0.09	–	0.10	0.45		1
2								–	Trace	·005	0.005	0.20		2
3								–	–	–	–	0.05		3
4								–	–	–	–	0.63		4
5								–	–	–	–	trace		5
6								–	Trace	·10	0.10	–		6
7								–	–		–	–		7
8								–	–		0.50	SNOW 0.01		8
9								–	0.14		–	SNOW + SLEET 0.02		9
10								–	–		–	0.16		10
11								–	–	–	–	SNOW + SLEET 0.33 RAIN		11
12								0.54	0.13	–	–			12
13								0.45	0.53	–	–	0.01		13
14								0.58	0.02	–	–	0.12		14
15								0.58	0.10	–	Trace	0.01		15
16								0.06	0.25	–	–	–		16
17								0.06	0.13	–	–	–		17
18								–	1.10	–	0.22	SNOW 0.04		18
19								–	–	–	0.15	–		19
20								–	–	–	–	0.02		20
21								–	–	–	–	0.09		21
22								–	–	0.54	0.37	0.005		22
23								–	–	0.09	0.15	–		23
24								–	0.05	0.32	–	0.01		24
25								–	0.05	0.38	–	0.02		25
26								–	–	0.05	–	Trace		26
27								–	–	0.64	0.005	0.01		27
28								–	–	0.05	–	0.02		28
29								–	–	0.03	0.025	0.025		29
30		×						0.47	Trace	0.03	0.10	–		30
31		×		×		×	Gauge Installed	–	×	0.13	×	–	Imp	31
TOTAL								2.10	2.59	2.3165	1.725	2.23	Year's Total ~~11.01~~	(From August 12th)
* Days with .01 in. or more.								~~Nil~~ 5	11	11	9	19	~~56~~	
* Days with .04 in. or more.								5	10	9	8	9	~~41~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....Edmundson........ [P.T.O.

SURVEYOR.

Section **A** for the entr ion No. Z459/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

668273/37

Kept at KENILWORTH

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 286.1 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								–	0.09	–	0.10	0.45		1
2								–	Trace	·005	0.005	0.20		2
3								–	–	–	–	0.05		3
4								–	–	–	–	0.63		4
5								–	–	–	–	trace		5
6								–	Trace	·10	0.10	–		6
7								–	–		–	–		7
8								–	–		0.50	SNOW 0.01		8
9								–	0.14		–	SNOW + SLEET 0.02		9
10								–	–		–	0.16		10
11								–	–	–	–	SNOW + SLEET 0.33 RAIN		11
12								0.54	0.13	–	–			12
13								0.45	0.53	–	–	0.01		13
14								0.58	0.02	–	–	0.12		14
15								0.58	0.10	–	Trace	0.01		15
16								0.06	0.25	–	–	–		16
17								0.06	0.13	–	–	–		17
18								–	1.10	–	0.22	SNOW 0.04		18
19								–	–	–	0.15	–		19
20								–	–	–	–	0.02		20
21								–	–	–	–	0.09		21
22								–	–	0.54	0.37	0.005		22
23								–	–	0.09	0.15	–		23
24								–	0.05	0.32	–	0.01		24
25								–	0.05	0.38	–	0.02		25
26								–	–	0.05	–	Trace		26
27								–	–	0.64	0.005	0.01		27
28								–	–	0.05	–	0.02		28
29								–	–	0.03	0.025	0.025		29
30		×						0.47	Trace	0.03	0.10	–		30
31		×		×		×	Gauge Installed	–	×	0.13	×	–		31
TOTAL								2.10	2.59	2.365	1.725	2.23	Year's Total ~~11.01~~	(From August 12th)
* Days with .01 in. or more.								~~Nil~~ 5	11	11	9	19	~~55~~	
* Days with .04 in. or more.								5	10	9	8	9	~~41~~	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edmundson [P.T.O.

SURVEYOR

KENILWORTH (U.D.C. OFFICES)

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2459/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at KENILWORTH

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level ....ft.

mp 1937 & 668273/37

Letter written GB 10/3/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	0.005	0.005	–	0.005	0.505	0.10	–	–	0.12	0.01	0.31		1
2	0.02	–	–	0.05	0.015	0.11	–	–	–	0.13	–	0.005		2
3	0.01	–	–	–	0.06	0.02	0.42	–	0.04	0.48	Trace	–		3
4	0.01	–	–	–	–	0.01	0.02	0.49	–	0.43	–	0.23		4
5	–	–	–	–	–	–	0.08	1.44	0.015	0.19	Trace	0.015		5
6	0.005	–	–	–	–	0.02	0.28	trace	0.06	0.07	–	–		6
7	0.03	–	–	–	–	0.03	0.18	0.28	0.05	0.18	–	0.07		7
8	0.27	–	–	–	–	–	0.005	0.57	–	0.15	–	0.005		8
9	0.01	0.04	–	–	–	0.015	0.04	0.44	–	Trace	–	0.33		9
10	–	0.03	–	–	.	0.13	0.14	0.10	0.01	–	–	0.09		10
11	0.52	0.02	–	–	.	Trace	0.005	Trace	Trace	0.02	0.13	0.005		11
12	0.13	trace sleet	–	–	0.12	–	Trace	0.05	–	0.34	0.07	–		12
13	0.005	0.01	–	–	Trace	–	–	–	–	0.02	0.14	0.57		13
14	0.27	0.005	–	–	0.05	–	0.61	–	0.10	0.005	–	0.005		14
15	0.14	–	–	–	0.02	–	0.09	Trace	–	0.005	0.02	0.25		15
16	0.22	–	–	–	–	–	0.13	0.01	–	–	0.025	–		16
17	Trace	0.05	–	–	Trace	–	0.01	–	0.10	0.12	0.02	–		17
18	0.04	–	–	–	0.10	0.13	0.02	0.02	0.86	0.005	0.35	=		18
19	–	–	–	–	0.005	Trace	–	0.26	0.01	–	0.135	=		19
20	Trace	–	–	–	–	–	Trace	Trace	–	–	0.365	Snow 0.20		20
21	0.02	–	–	–	–	–	–	0.01	0.03	–	0.07	Snow 0.10		21
22	Trace	–	–	0.0075	–	0.11	–	–	Trace	–	0.42	0.20		22
23	Trace	–	–	0.0075	0.005	–	–	→	0.20	–	Trace	–		23
24	–	–	0.03	–	0.05	–	–	–	0.32	–	0.315	0.12		24
25	0.09	0.20	0.16	–	0.06	–	0.01	0.025	trace	0.12	X	Snow 0.115		25
26	Trace Snow 0.10	0.38	0.06	–	0.03	Trace	–	–	0.05	0.19	Trace	0.015		26
27	0.07	0.01	–	–	0.27	0.17	0.47	0.38	–	0.05	0.335	Trace		27
28	0.23	0.01	–	–	0.24	0.11	0.015	1.07	0.08	0.005	0.11	0.15		28
29	0.32	X	–	0.005	0.34	0.~~04~~ 36	0.01	–	Trace	0.07	0.11	0.11		29
30	0.14	✕	–	–	0.005	0.04	–	–	0.51	trace	0.17	0.10		30
31	0.15	✕	–	✕	0.24	✕	–	–	✕	0.15	✕	0.45		31
TOTAL	2.80	0.76	0.255	0.07	1.615	1.76	2.635	5.45	2.435	2.850	2.795	3.445	Year's Total 26.565	26.57
* Days with .01 in. or more.	201	109	43	31	14 ~~12~~	14	178	14	15	179	17	18	167 ~~158~~	* Prmt GB
* Days with .04 in. or more.	14	4	2	1	10	9	11	10	11	15	13	16	116	* 10/3/39

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Edmunds [P.T.O.

X THE SURVEYOR X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2459/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at KENILWORTH

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 286.17 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.10	–	–	0.13	0.06	–	–	0.40	✓	0.06	–	Trace		1
2	0.06	–	0.02	0.07	0.01	–	Trace	0.32	0.95	–	0.07	~~0.27~~		2
3	rain + snow 0.005	–	–	0.52	–	–	–	0.52	✓	0.02	0.14	~~0.27~~		3
4	0.23	–	0.45	0.31	0.05	–	0.17	0.15	–	0.28	✓ 0.23	0.90		4
5	–	–	0.01	0.04	0.38	–	0.10	0.36	–	0.02		0.14		5
6	Snow + rain 0.76	–	0.01	–	–	–	0.57	0.03	–	trace	0.10	trace		6
7	0.025	0.03	–	–	–	–	0.22	Trace	–	–	0.44	0.31		7
8	–	0.09	–	–	–	–	0.55	0.14	–	0.68	0.14	0.40		8
9	0.01	0.06	0.02	–	–	–	0.01	0.28	–	0.35	0.01	0.22		9
10	0.36	–	–	–	–	0.04	–	0.22	0.03	0.04	–	trace		10
11	0.005	0.01	0.21	–	–	0.05	–	–	0.02	0.05	–	–		11
12	–	0.025	–	–	Trace	0.15	–	–	–	0.01	0.03	–		12
13	–	–	–	0.03	0.02	0.02	0.30	–	–	0.10	trace	–		13
14	0.52	–	–	–	0.34	0.08	0.02	–	–	0.13	0.10	–		14
15	0.20	–	–	0.01	0.03	0.42	0.43		Trace	0.23	0.24	trace		15
16	0.23	–	0.15	–	0.23	0.15	0.40	–	Trace	0.02	0.29	–		16
17	0.213	0.06	–	trace	0.07	–	0.22	–	–	1.41	0.06	–		17
18	0.24	0.02		–	0.01	0.32	0.15	–	–	0.01	0.67	Trace		18
19	0.24	–	✓ 0.05	–	–	–	0.70	–	–	–				19
20	0.21	–	–	–	Trace	–	0.01	0.19	–	–	trace	–		20
21	0.11	0.11	0.20	–	0.02	0.02	(0.41 [illegible]) 0.42	0.79	0.02	–	–	–		21
22	0.22	0.20	–	0.03	–	–	0.04	Trace	–	–	0.32	–		22
23	–	–	–	0.02	–	0.03	0.03	–	–	0.08	0.72	–		23
24	Snow 0.92	–	–	0.07	–	–	0.03	–	–	0.03	Trace	–		24
25		0.12	0.02	Trace	–	–	0.03	–	–	0.02	0.25	–		25
26	Snow 0.36	0.02	0.01	0.04	–	Trace	·	–	–	0.01	0.26	0.11		26
27	0.005	0.19	0.06	0.01	–	0.01	0.09	0.02	–	–	0.01	–		27
28	Trace	0.14	0.11	0.01	–	0.01	0.74	–	–	–	0.17	0.60		28
29	0.005	X	Trace	0.22	–	–	0.35	trace	–	0.21	0.05	–		29
30	–	✕	–	0.12	–	–	–	–	–	–	0.06	–		30
31	–	✕	–	✕	–	✕	0.06	0.35	✕	trace	✕	–		31
TOTAL	5.215	1.075	1.32	1.63	1.22	1.30	5.04	3.77	1.02	3.76	4.36	2.95	Year's Total 32.66	✓
* Days with .01 in. or more.	~~19~~21	13	13	15	11	12	23	13	6	20	23	8	178	✓
* Days with .04 in. or more.	176	8	7	9	6	7	14	11	1	12	20	8	123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ....

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2459/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at KENILWORTH.

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 286.17 ft.

Jan + Feb. apportioned.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	~~0·26~~	–	0·01	–	–	–	–	–	–	0·10	–		1
2	–	~~0·14~~	–	0·23	–	–	–	–	–	–	0·89	0·02		2
3	–	0·28	–	0·03	–	–	–	–	✓	0·15	0·95	0·05		3
4	–	0·03	–	0·20	–	–	0·06	–	–	0·14	0·33	0·06		4
5	–	0·05	–	–	0·07	–	–	–	–	0·19	0·63	0·11		5
6	0·14	0·25	–	–	0·04	–	0·08	–	–	0·41	0·32	0·01		6
7		0·28	–	trace	0·01	–	0·04	–	trace	0·01	–	0·01		7
8	–	0·01	–	0·01	–	–	–	–	–	0·07	0·03	0·21		8
9	–	–	–	–	–	–	0·12	0·11	–	0·06	0·30	0·12		9
10	–	–	0·01	–	–	–	0·74	–	trace	–	0·19	0·20		10
11	–	–	0·01	0·06	–	–	0·04	–	–	–	0·70	0·04		11
12	–	–	0·05	trace	–	0·03	–	–	0·13	–	0·05	–		12
13	–	0·02	0·50 rain + snow	trace	–	–	0·07	–	0·08	–	0·02	–		13
14	–	–	0·25 Do	0·07	0·29	–	0·28	0·03	0·10	0·04	0·01	0·59		14
15	–	–	trace	0·16	0·09	–	–	–	0·01	–	0·13	0·01		15
16	–	0·20	0·20	0·05	–	0·01	0·17	–	0·10	0·52	0·36	0·01		16
17	–	–	0·31	0·01	–	–	0·02	–	–	–	0·47	–		17
18	0·16	0·55	0·35	0·30	–	–	trace	trace	–	0·28	0·16	0·08		18
19	–	0·26	0·04	0·24	–	–	0·37	–	0·32	0·01	0·20	0·03		19
20	–	0·01	trace	0·05	–	–	0·05	–	–	0·33	–	–		20
21	–	trace	0·03	–	0·50	0·12	0·08	trace	–	0·06	1.25	–		21
22	–	–	trace	trace	0·35	0·20	–	–	0·36	–	0.01	–		22
23	–	0·01	0·07	0·14	0·04	0·90	–	–	0.01	0·02	–	0·06		23
24	–	–	trace	0·01	–	–	0·09	–	–	0·01	–	–		24
25	–	–	–	0·03	–	–	–	–	–	0·01	–	–		25
26	1·22 snow	0·18	–	0·32	0·05	0·02	0·39	–	–	–	0·01	–		26
27		0·13	–	trace	–	–	0·02	–	–	–	trace	–		27
28		0·19	–	–	0·21	–	–	–	–	trace	–	–		28
29	(·85)	trace	0·07	0·05	0·06	0·02	0·01	–	–	0·01	–	0·19		29
30	–	✕	–	0·59	0·01	–	–	–	–	0·65	–	0·02		30
31	~~0·15~~	✕	0·07	✕	–	✕	–	–	✕	0·61	✕	–		31
TOTAL	2·37 ~~1·67~~	2·45 ~~3·15~~	1·96	2·56	1·72	1·30	2·63	0·14	1·11	3·58	7·11	1·82	Year's Total 28·75	
* Days with .01 in. or more.	7	15 ~~17~~	13	19	12	7	17	2	8	19	21	18	~~160~~	158
* Days with .04 in. or more.	7	10 ~~12~~	10	13	10	3	14	1	6	13	16	11	~~116~~	114

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

2460

Section **A** for the
AIR M

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090. RE

1.

—

2460

STRETTON-ON-DUNSMORE
1931 — 40

780407

Kept at Stretton

in the County of W

Diameter of Funnel of Ga
Height of top of Gauge abo
,, Ground ,,

cal but one or
d together

t observer was not
4/2/32.

2458
2459
cf 2464
2461

THE MORNING

Y.

An observer who does not co
year in the space on the ri

following

Jan. 1, following

Date	Jan.	Feb.									Nov.	Dec.	*Date*
	in.	in.									in.	in.	
1		35		14					[illegible]	[illegible]			1
2	6			80				61	36			12	2
3	3	3		16		5	4		111				3
4		10		19	13		40	18	14		55		4
5		5		10		87	6	1	10		11	33	5
6		19		4		4	22			22	2		6
7							1	55			26		7
8	4		✓	8		8	3	108		7			8
9		28			3	7		8					9
10	3	4				3	4	21	1				10
11	13	23	✓				2		12		26		11
12	3						39	5	28	1	14		12
13		4					6	6	4	4			13
14		4	✓			36	56	112	4				14
15		14		14	34		36	30					15
16	7	39		14	23	51	[illegible]	11	17				16
17	7	20		42	61		10						17
18	8	3	✓	29		15		16			34		18
19	6			16			18	8					19
20				5				18					20
21	17				58			1					21
22	16			2	6			5					22
23	19	10	✓	5	38	11		13				11	23
24		3		5	37		2						24
25	2	1		90			46				29		25
26		4		20			8				17		26
27	12				46								27
28	7	23		13	112						12	16	28
29					4		13			33		12	29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·33	2·52	(·00)	4·06	4·35	2·27	3·16	4·97	2·75	0·70	2·26	0·84	YEAR'S TOTAL 29·21
*Days with ·01 in. or more.	~~16~~	~~19~~	~~(0)~~	~~19~~	~~12~~	~~10~~	~~18~~	~~18~~	~~10~~	~~6~~	~~10~~	~~5~~	~~148~~
*Days with ·04 in. or more.	12	15	(0)	18	11	9	14	16	9	4	9	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

Section A for the

FOR OFFICIAL USE.

2460

AIR M — METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Stretton on Dunsmore

in the County of Warwicks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

,, Ground ,, Sea Level 280 ft.

Says total correct but one or two days lumped together

Possibly ·05 fell in March (snow) but observer was not requested to amend. [illegible] 24/2/38.

2458
2459
cf 2462
2461

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		35		14					39	3			1
2	6			80				61	36			12	2
3	3	3		16		5	4		111				3
4		10		19	13		40	18	17		55		4
5		5		10		87	6	1	10		11	33	5
6		19		4		4	22			22	2		6
7							1	55			26		7
8	4		✓	8		8	3	108		7			8
9		28			3	7		8					9
10	3	4				3	4	21	1				10
11	13	23	✓				2		12		26		11
12	3						39	5	28	1	14		12
13		4					6	6	7	4			13
14		4	✓ [illegible]			36	56	112	4				14
15		14		14	34		36	30					15
16	7	39		14	23	51	~~[illegible]~~	11	17				16
17	7	20		42	61		10						17
18	8	3	✓	29		15		16			34		18
19	6			16			18	8					19
20				5				18					20
21	17				58			7					21
22	16			2	6			5					22
23	19	10	✓	5	38	11		13				11	23
24		3		5	37		2						24
25	2	1		90			46				29		25
26		4		20			8				17		26
27	12				46								27
28	7	23		13	112						12	16	28
29					4		13			33		12	29
30		×											30
31		×		×		×			×		×		31
TOTAL	1·33	2·52	(·00)	4·06	4·35	2·27	3·16	4·97	2·75	0·70	2·26	0·84	YEAR'S TOTAL 29·21
*Days with ·01 in. or more.	~~16~~	~~19~~	~~( )~~	~~19~~	~~12~~	~~10~~	~~18~~	~~18~~	~~10~~	~~6~~	~~10~~	~~5~~	~~148~~
*Days with ·04 in. or more.	12	15	(0)	18	11	9	14	16	9	4	9	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. Fitzkaufe / 2 [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Stretton on Dunsmore

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 280 ft.

File No 946017/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				10	65	4		38		25			1
2				12	38				16	3		12	2
3				18	5								3
4				9							37		4
5	26	4							9				5
6	29			38			7		46				6
7			5	12	3					2			7
8			10	16					17	17			8
9	5	10		7									9
10	10	5	7	16	7				12	12			10
11				9	9		38		5	7		4	11
12	22	5			19		242		3	37			12
13				14	2		53		4	3	6	4	13
14	22						4						14
15				4	28							5	15
16	18			20	7								16
17													17
18					12						11		18
19										34			19
20				25	52			42		40	10		20
21	1		12	32	186			46		34			21
22			17	3	7		27	×	60	7	28		22
23					104					5	12	15	23
24									14	3	17		24
25		6					17			10	1		25
26			1	35	14					2	6		26
27			31	26	46		20	13	3				27
28			6	4	25	16	19	37		10		10	28
29			22	23	2	13	2	30	7	23		18	29
30		×	5		15	42		10	87	14	39	10	30
31		×	5	×		×	100		×		×	10	31
TOTAL	1·33	·30	1·21	3·33	6·46	·75	5·29	2·16	2·83	2·88	1·67	·88	YEAR'S TOTAL 29·09
*Days with ·01 in. or more.	~~8~~	~~5~~	~~11~~	~~20~~	~~20~~	~~4~~	~~11~~	~~7~~	~~13~~	~~19~~	~~10~~	~~9~~	~~134~~
*Days with .04 in. or more.	7	5	10	19	17	4	10	7	11	14	9	9	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. M. Lister Kaye

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Stretton on Dunsmore

in the County of Warwicks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 280 ft.

File No 9460~~4~~/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20												1
2	9		50		6								2
3		11	34		13								3
4	10		11		20								4
5	7	16	8		6						10		5
6		9	11		19					13			6
7	7	30	2							20			7
8	5		8		7		21			2			8
9					7		26			8			9
10	2	31				8		4		90	11		10
11							25			1	8		11
12	4					3	7		27				12
13	7				7	6	30				27		13
14	9				10		14				24		14
15	35		5				40	7		20	21		15
16	5		45		1	15	6		2	17	2		16
17			58			4		1	5		3		17
18	10					18					1		18
19			44			14			14				19
20		9	3			29		4	3	11			20
21					10	8		17					21
22						53		37		23			22
23				4		2			72				23
24		60		13	11	28			27	5			24
25		40		25		17			7		3	14	25
26		53		7		13			4	18			26
27					67				5	5			27
28				30	6					7		5	28
29	5			20			23					2	29
30	15	×	8				8			4		8	30
31	17	×	20	×		×	2	12	×	14	×		31
TOTAL	1·67	2·89	3·07	·99	1·90	2·18	2·02	·82	1·66	2·58	1·10	·29	YEAR'S TOTAL 21·17
*Days with ·01 in. or more.	~~16~~	~~9~~	~~14~~	~~6~~	~~14~~	~~14~~	~~11~~	~~7~~	~~10~~	~~16~~	~~10~~	~~4~~	131
*Days with .04 in. or more.	15	9	12	6	13	12	10	6	8	14	6	3	114

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) E. M. Lister Kaye

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Stretton-on-Dunsmore

in the County of Warwicks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 280 ft.

File No 946017/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	5							9	1			40		1
2			7						30			17		2
3	6	10						8		7		1		3
4			11	30	2				7		9	30		4
5	7		3		10			24		17	8	7		5
6			4	8	27	4				17		10		6
7	9					10		15		5		15		7
8					9	5		7	1		14			8
9			12					11			55			9
10	1		10	12				2			3			10
11	58		14	33				10				12		11
12	3		15				5	16			10	1		12
13	22		16				64	28		1	17	31		13
14	7		11			26				20	10	24		14
15	8		5		16		1		1	10	10	2		15
16	14									10	14	12		16
17				3			4		15	13		12		17
18	9			20			207		15			2		18
19			8	7		2			2	1				19
20			5	6		2				1				20
21			5			6		5		4				21
22								16	21			8		22
23			15	19		37	6	1			3	4		23
24		27				3	74		39					24
25	17			2		55				8		25		25
26	2			11		5	1					5		26
27		18		8						2		16		27
28				62		36	1	40		5		35		28
29							51	8	56					29
30	7	×					2		1	16		19		30
31		×		×		×		7	×	10	×	4		31
TOTAL	1·75	·55	1·41	2·21	·64	1·91	4·16	2·07	1·89	1·47	1·53	3·32	Year's Total 22·91	
*Days with ·01 in. or more.	15	3	15	13	5	12	11	16	12	17	11	23	153	
*Days with ·04 in. or more.	12	3	15	11	4	9	7	14	7	13	9	19	123	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) L. M. Lister Kay

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Stretton on Dunsmore

in the County of Warwicks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 280 ft.

File No
946017/29

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	8	2		5		21			23	8	8			1
2			7			4				20	1	2		2
3		26	2			31			12	36	23	19		3
4			1	20		14			3	14				4
5		67	7	7		3	3		4	1	4			5
6				30		25					6			6
7				35		26				16	35	15		7
8				17		1		6		16	13	2		8
9				29		16				66	36			9
10				2		2					2	2		10
11	20					7					14	1		11
12	2					19		4	2		4			12
13	7	9		14		2				6				13
14	3			20	15	1	11		3		58	10		14
15		4		70	9	6			37		22	21		15
16		4	11	23	5	27			34	14	73	11		16
17				1		12			5		46			17
18		7		20	4	29	28		11	8				18
19				10	68		15		3	7	24			19
20		22		19	1	9	25		4		28			20
21		16	2	29					34	2	14			21
22		2		12					10					22
23			7					60	2	43	1			23
24	8	17	3						99	4				24
25	16			9	~~44~~ ×	140		4				36		25
26								19	15			45		26
27		23							6	4	21	108		27
28		20			42				3	3		7		28
29			7					1	21	2	5	10		29
30	4	×		9				41	10	30	26	5		30
31		×		×		×			×	56	×	20		31
TOTAL	·68	2·19	·47	3·81	1·44	3·95	·82	1·35	3·41	3·56	4·64	3·14	Year's Total. 29·46	
* Days with .01 in. or more.	8	13	9	20	7	20	5	7	21	20	22	16	168	
* Days with .04 in. or more.	6	11	5	18	6	15	4	6	15	16	19	12	133	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. R. Lister Kaye

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Stretton on Dunsmore

in the County of Warwicks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 280 ft.

File No 946017/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	2	11		45		6	20	7			5	10		1
2	9		7	4		36	59	8			15			2
3	1				2	37	19	9	20		3	3		3
4			20			15	1	1	25		1	11		4
5	10	3					1	6	26			31		5
6	5				2	9	10	10	9	2	8			6
7	20		4				30		8	7				7
8	9		11				2				34			8
9	32		5			1	109		22	3	2			9
10	3						22		1	4	2			10
11				5			20		20		26			11
12				8	6	24	54		68		10	24		12
13				4		35	2	3		7	1	14		13
14				23		6	47		18	1	2	50		14
15							50		3		1			15
16	28	11		2			9				49	8		16
17		32			2		8			15	4	13		17
18			6			10	16			17		6		18
19	26			8		9	2	5						19
20		8	4	18		5	1		19	3				20
21				25		127	2							21
22		14	5		14		18					9		22
23			14	11	8		19							23
24	21	6		1					28	22				24
25	4		13	36			16		26	3				25
26		7	32				6							26
27	5								9	19				27
28	43	13	11			18	9			5		4		28
29	5	20				10	1				31	11		29
30	4	✕			16	6	10			31	5	1		30
31	58	✕	15	✕		✕	5		✕	8	✕	26		31
TOTAL	2·85	1·85	1·47	1·90	·50	3·57	5·68	·42	3·02	1·41	1·99	2·21	Year's Total 26·87	✓
* Days with .01 in. or more.	18	10	13	13	7	16	29	8	15	15	17	15	176	✓
* Days with .04 in. or more.	15	9	13	11	4	15	21	5	13	9	10	13	138	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Em Listokey

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Stretton on Dunsmore

in the County of Warwicks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 280 ft.

File No 946017/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	5	1	2				1		6		10	38		1
2		8	2	67							1	14		2
3		13	2									6		3
4	8	13			12							64		4
5	22		14		4		1							5
6	12		14	3	12					6				6
7		58	1	14	1				2					7
8		7		2	8						37			8
9				9	35		23		14			15		9
10			50	31		10	1					14		10
11			16		50		1					12		11
12	16	35	9		39	5		60	13			8		12
13		8	26		1	40		15	77					13
14		1	20					70	2			10		14
15	12	8		29			183		16			5		15
16	1	6	25	43				7	18					16
17	10	1	23	20					12					17
18	39	10	15	2					20		27			18
19	15	4	6	9	7	19	29				9			19
20	15			50	43	3						2		20
21	7	23	3		4		25					7		21
22	13	2	10		12	30	27			64	19	1		22
23	24	1	2		2		9			37	18			23
24	13	39			2		20		4	32				24
25	22	40	2		14				5	34				25
26		20	7		38					2		2		26
27		26		28						59				27
28		1								3		2		28
29	5									3	4	4		29
30	30	✕						64			12	1		30
31	24	✕		✕		✕			✕	20	✕	1		31
TOTAL	2·93	3·25	2·49	3·07	2·84	1·07	3·20	2·16	1·89	2·60	1·37	2·06	Year's Total 28·93 ✓	
* Days with .01 in. or more.	19	22	20	13	17	6	11	5	12	10	9	18	162 ✓	
* Days with .04 in. or more.	18	16	13	10	13	5	7	5	10	7	8	12	124 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) E. M. Lister Kaye [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Stretton on Dunsmore

in the County of Warwicks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 280 ft.

File No. 946017/29

Totals.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			1			35	2			7				1
2	5			5	3	20				15	2	26		2
3	1				9		54		11	44		1		3
4	2			1				26		38	2	17		4
5							33	41	1	19		1		5
6						2	17		9	6				6
7	10					1	10	28	12	14		4		7
8	22						3*	27		13		2		8
9	3	3					·1	1				16		9
10	3	5				9	16	5	1			5		10
11	45	10					1	2			13	1		11
12	15	1		~~16~~	16			7		33	2			12
13											8	32		13
14	36	11		~~6~~	6		68		15					14
15	8						9			1		12		15
16	24	6					19	2	1			11		16
17							1		3	12				17
18				~~16~~	16	4	2	1	40		43			18
19								22	29		15			19
20									2		31	53		20
21	4							2			8	18		21
22						14					35	10		22
23						1			2		1			23
24			4	~~8~~	8				28		1			24
25	10	24	10	~~11~~	11		1		1	11	26	16		25
26	9	25	11						3	19		18		26
27	5	1		~~31~~	31	16	29	31	45	4	32			27
28	30			~~36~~	36	11	1	141	11		9	21		28
29	42			~~32~~	32	2				5	10	11		29
30	2	✕			1	67			30	2	10			30
31	10	✕		✕	25	✕			✕	15	✕	43		31
TOTAL	2·86	·86	·26	·6	1·94	1·82	2·67	3·36	2·44	2·58	2·48	3·18	Year's Total 24·51 ✓	
* Days with .01 in. or more.	20	9	4	2	12	12	17	14	18	17	17	20	162 ✓	
* Days with .04 in. or more.	15	6	3	1	10	8	9	9	10	15	12	16	114 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C M Lister Kaye

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Stretton on Dunsmore

in the County of Warwicks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 280 ft.

File No 946017/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			1	18	8			37	30	1		1		1
2	1			7				38	69	1	4			2
3	5			32				71	4	1	9	22		3
4	24		44	33	1		9	17	2	25	16	8		4
5				8	30			67		9	3	13		5
6	70						68	3						6
7	3	2					5				19	17		7
8			25				64	8		60	7	47		8
9	2	12					4	15		46	12	18		9
10	35		3			6		24	3	2	1			10
11		4	14			10		1				1		11
12			4			16								12
13				1		1	10		8	14				13
14	43		2	4	45	11	27			4	8			14
15	35		2		7	43	45		1	46	12			15
16	29				22	16	50			1	29			16
17	26		12		7		16			218	4			17
18	17	9	6		42		12			1	70			18
19	25		1				68				1			19
20	18						2	42						20
21	11	40	20	1		1	45	132	3					21
22	11					2	3		1	1	25			22
23	2		1	2			5		1	15	85			23
24	3		1	11			17			3				24
25	130		8	1			2				23			25
26	41	13	1					8		12	29			26
27	1	14	7	2		1	12	1		1	1			27
28	1	17	11	2		6	12				20	12		28
29				22			10	1		19	4			29
30		☒		4		11					6			30
31		☒		☒		☒	20	5	☒		☒			31
TOTAL	5·33	1·11	1·63	1·48	1·62	1·24	5·06	4·70	1·22	4·80	3·88	1·39	Year's Total 33·46	
* Days with .01 in. or more.	22	8	18	15	8	12	22	16	10	20	22	9	182	
* Days with .04 in. or more.	15	7	10	9	7	8	19	12	4	11	18	7	127	

† Spare column, no entries required.

(*Signed*) C M Critchley

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2460

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Stretton-on-Dunsmore

in the County of Warwicks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 280 ft.

File No

946017/29

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				1							12			1
2				34			1				86	1		2
3		5		3						12	76	7		3
4		6		18			2			13	38	4		4
5					5		13			9	51	11		5
6	13	28			7					48	36	1		6
7	4	19		2			10		5					7
8							5			10	1	21		8
9			3				6	12	2	1	2	18		9
10			1				75			17	16	23		10
11			3	6			23				64	10		11
12			10				16		5	1	1			12
13				1			6		20	7	8	1		13
14			64	10	27		5		13	2	2	22		14
15			5	9	8		10		3	55	14	1		15
16	4	15	35	2		1	25		9		61			16
17			28				7			18	19			17
18	6	52	50	33			1	1	3	1	12	7		18
19		23	5	20			38		35	19	16	2		19
20		2		2		1	9	4			6			20
21		1	4		32		15	1			137			21
22			4	1	56	31				6	1			22
23		7	2	9	10	15			47	1		4		23
24				1			11			1				24
25										1	1			25
26	130	20		5	7		32				1	3		26
27	100	15					12							27
28		16			12					1				28
29			11	3	9	1	1					19		29
30		✕	7	65						50		4		30
31		✕		✕		✕			✕	62	✕	2		31
TOTAL	2·57	2·09	2·32	2·25	1·73	·49	3·23	·18	1·42	3·35	6·61	1·61	Year's Total 27·85	
* Days with .01 in. or more.	6	13	15	19	10	5	22	4	10	21	23	18	166	
* Days with .04 in. or more.	6	11	13	10	10	2	18	2	7	13	16	12	~~[illegible]~~	120

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Em. Lister Kaye

[P.T.O.

2461

Section **A** for the entry
AIR MINIST
FORM 1090.
REGI

Y FOR OFFICIAL USE.
ORGANIZATION.
-2

—

2461

RUGBY. BILTON GRANGE

1931 — 40

780407

Kept at Bilton G
in the County of
Diameter of Funnel of Gauge
Height of top of Gauge above G
,, Ground ,, Se

(930.)
from
uctions.
(Dec. 1929)

THE MORNING MEA

An observer who does not conform
year in the space on the right o
wing

Jan. 1, following

Date	Jan.	Feb.	Mar								Nov.	Dec.	*Date*
	in.	in.	in								in.	in.	
1		·03		·14					[illegible]				1
2	·06	·09		·76					·35	·06		·08	2
3	·01	·01						·02	·93		·67	·09	3
4		·05		·20			·02		·03		·03		4
5				·08		·90	·40	·17	·13		·07	·29	5
6		·06		·09		·01	·01			·18	·20		6
7		·09				·14	·10			·02	·05	·02	7
8	·04	·05	SNOW ·02		·09	·17	·10	·60			·19	~~[illegible]~~	J.S.B. 8
9		·27		·09		·08		·82			·16		9
10		·03				·08	·28	·03	·03		·02		10
11	·13	·18				·05		·24	·13		·18		11
12	·02	·04				J.S.B. ~~[illegible]~~	·21		·31				12
13	·01												13
14		·08	·03	·14		·13	·45	·02			·07		14
15	·04	·09		·10	·25			1·17	·03			·03	15
16	·06	·23			·37	·44	·14	·19	·16				16
17	·06	·34		·49	·43		·02	·18	·01				17
18	·06	·03	·01	·26		·01	·19	·01			·28		18
19	·08	·04		·17		·58	·03	·12	·06				19
20	·07	·03		·04			·21	·01		·03			20
21	·20				·60			·24					21
22	·16			·06				·03					22
23	·18		·02		·44	·09		·03				·10	23
24				·04	·32				·26		·18		24
25	·02			·68			·04				·06		25
26		·04		·29			·50		·01		·19		26
27	·09	·59		·03	·55		·09				·14	·10	27
28	·09	·21		·09	·08					·03		·08	28
29	·02				·02					·27		·01	29
30	·05	×					·16						30
31	·12	×		×		×			×		×	·13	31
TOTAL	1·57	2·58	·08	3·75	3·15	2·63	2·95	3·88	2·80	·59	2·49	·93	YEAR'S TOTAL 27·40
*Days with ·01 in. or more.	21	21	4	18	10	12	17	16	14	6	15	10	164
*Days with ·04 in. or more.	16	16	0	17	9	9	13	9	9	3	13	7	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. S. Buckby.

P.T.O.

2461

Section **A** for the entry … Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bilton Grange, Rugby.
in the County of Warwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 400 ft.

New Gauge (1930.)
Fixed in position from Dr. Glaspool's instructions. (Dec. 1929)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03		·14					·36				1
2	·06	·09		·76					·35	·06		·08	2
3	·01	·01						·02	·93		·67	·09	3
4		·05		·20			·02		·03		·03		4
5				·08		·90	·40	·17	·13		·07	·29	5
6		·06		·09		·01	·01			·18	·20		6
7		·09				·14	·10			·02	·05	·02	7
8	·04	·05	SNOW ·02		·09	·17	·10	·60			·19		J.S.B. 8
9		·27		·09		·08		·82			·16		9
10		·03				·08	·28	·03	·03		·02		10
11	·13	·18				·05		·24	·13		·18		11
12	·02	·04				J.S.B.	·21		·31				12
13	·01												13
14		·08	·03	·14		·13	·45	·02			·07		14
15	·04	·09		·10	·25			1·17	·03			·03	15
16	·06	·23			·37	·44	·14	·19	·16				16
17	·06	·34		·49	·43		·02	·18	·01				17
18	·06	·03	·01	·26		·01	·19	·01			·28		18
19	·08	·04		·17		·58	·03	·12	·06				19
20	·07	·03		·04			·21	·01		·03			20
21	·20				·60			·24					21
22	·16			·06				·03					22
23	·18		·02		·44	·09		·03				·10	23
24				·04	·32				·26		·18		24
25	·02			·68			·04				·06		25
26		·04		·29			·50		·01		·19		26
27	·09	·59		·03	·55		·09				·14	·10	27
28	·09	·21		·09	·08					·03		·08	28
29	·02				·02					·27		·01	29
30	·05	×					·16						30
31	·12	×		×		×			×		×	·13	31
TOTAL	1·57	2·58	·08	3·75	3·15	2·63	2·95	3·88	2·80	·59	2·49	·93	YEAR'S TOTAL 27·40
*Days with ·01 in. or more.	21	21	4	18	10	12	17	16	14	6	15	10	164
*Days with ·04 in. or more.	16	16	0	17	9	9	13	9	9	3	13	7	121

40-9999

(Signed) J. S. BUCKBY.

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2461

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at BILTON GRANGE RUGBY

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

„ Ground „ Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.07	.55	.03		.15	.10	.40	.02		1
2	.02			.11	.32			.02	.15	.08		.14	2
3				.23	.02								3
4	.01	.01		.14							.38		4
5	.23								.11				5
6	.25		.02	.43			.03		.40				6
7			.22	.22	.02				.04				7
8				.11					.05	.20			8
9	.05	.06		.09									9
10	.10	.16		.18	.05				.15	.10			10
11		.03	.01	.12	.09	.03			.03	.02			11
12	.19				.18		.14		.07	.33			12
13				.20			.62		.04	.01	.07		13
14	.26			.06						.07	.03	.04	14
15				.08	.19		.01			.03			15
16	.21			.25	.11							.03	16
17				.01			.03		.01	.15		.01	17
18					.09						.08		18
19					.02					.19	.02		19
20				.15	.35			.37		.44	.11		20
21			.09	.37	1.91			.37		.24		.07	21
22			.20		.06	.05	.42		.75	.17	.30		22
23		.01	.05	.02	.76				.07	.07	.15	.09	23
24							.03		.12	.01	.27		24
25		.03			.01		.38			.12	.02	.02	25
26	.01			.34	.17		.09						26
27			.25	.19	.39		.11		.07	.02	.08		27
28			.04	.09	.28	.09	.19	.16		.10	.01	.03	28
29			.21	.25	.02	.11	.02	.74	.10	.26		.06	29
30		×	.18	.02		.30	.01	.25	1.13	.15	.43	.03	30
31		×	.05	×		×	.80		×		×		31
TOTAL	1.34	.30	1.32	3.73	5.59	.61	2.88	2.06	3.39	3.16	1.97	.52 ~~[illegible]~~ J.S.B.	YEAR'S TOTAL 26.87
*Days with ·01 in. or more.	11	6	11	23	20	6	14	7	17	21	14	19	160
*Days with .04 in. or more.	7	2	9	20	15	4	8	6	15	16	9	5	116

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) J. S. Buckby.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2461

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BILTON GRANGE. RUGBY

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·21	·01								·01			1
2	·10	·15	·35								·09			2
3	·03		·22		·14									3
4	·12		·03		·28						·01			4
5	·09	·31	·15		·02						·01			5
6		·26	·06		·22					·08	·02			6
7	·07	·13			·02					·14	·01			7
8	·05		·09		·08		·23			·07				8
9					·07		·29			·15				9
10		·43				·12				·73	·07			10
11	·03					·05	·40	·03						11
12	·06					·01		·01	·35					12
13	·03				·04	·18	·28				·28			13
14					·08					·28	·35	·02		14
15	·37						·16	·08			·18			15
16	·06		·45		·03	·22	·01			·12	·05	·03		16
17	·03		·47		·02	·06			·01		·02			17
18	·06	·02	·01			·29					·01			18
19			·37			·12		·05	·09					19
20		·05	·10		·01	·52		·04		·09				20
21		·04				·13			·01					21
22						·10		·35		·34				22
23				·09	·01	·03			·69					23
24		·74		·15	·20	·40			·39	·04				24
25		·53		·27		·23			·02		·03	·05		25
26		·64		·10		·09				·15		·01		26
27					·32				·07	·02				27
28				·32			·04		·01	·08		·07		28
29				·16			·25							29
30	·16	×	·08	·02			·03							30
31	·02	×	·23	×		×	·02	·11	×	·20	×	·10		31
TOTAL	1·42	3·51	2·62	1·11	1·54	2·55	1·71	·67	1·64	2·49	1·14	·28	Year's Total 20·68	
*Days with ·01 in. or more.	16	12	14	7	15	15	10	7	9	14	14	6	139	
*Days with .04 in. or more.	11	11	11	6	9	13	7	5	5	13	6	3	100	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) J. S. Buckby.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2461

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BILTON. GRANGE. RUGBY

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·01						·12	·10		·08	·39		1
2	·07		·06					·01	·35		·01	·16		2
3	·01	·09							·01	·06	·01	·03		3
4	·08	·01	·10	·41					·15	·18	·09	·29		4
5			·02	·01	·09			·12		·01	·05	·10		5
6				·07	·35	·06				·17		·47		6
7	·01					·06		·14		·05		·22		7
8	·11				·09	·05		·07			·12	·01		8
9			·09					·02			·61	·46		9
10			·11	·17							·04	·01		10
11	·46		·18	·25			·04	·11				·08		11
12			·13				·04	·25				·04		12
13	·30		·01				·49	·18		·02		·37		13
14	·09		·18		·06					·25	·29	·21		14
15	·08		·13				·01		·07	·10	·28	·01		15
16	·12		·05		·12					·14	·03	·07		16
17	·01						·02	·10	·09	·13		·09		17
18	·16			·33			3·01		·02		·01	·02		18
19			·09	·06		·07			·02			·09		19
20			·05	07		·03				·02				20
21	·01		·02			·08		·02		·06				21
22								·12	·16			·09		22
23				·17	·10	·32	·03	·04			·01	·09		23
24		·23	·10	·02		·02	·55		·42					24
25	19					·10				·09		·18		25
26	·03		·03	·14		·07	·02		·11	·04		·05		26
27	·02	·25		·03		·01						·15		27
28				·35		·11		·34		·03	·05	·32		28
29							·54	·13	·45	·01				29
30	·03	×					·01		·01			·24		30
31		×		×		×			×	·14	×	·07		31
TOTAL	1·85	·59	1·35	2·08	·81	·98	4·76	177	1·96	1·50	1·68	4·31	Year's Total 23·64	
*Days with ·01 in. or more.	18	5	16	13	6	12	11	15	13	17	14	27	167	
*Days with .04 in. or more.	11	3	12	10	6	9	6	12	9	12	9	22	121	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. S. Buckby.

[P.T.O.

COPY FOR OFFICIAL USE.

Station No. 2461

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bilton GRANGE GDNS. RUGBY

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·01		·02	·02	·13	·01		·16	·13	·07	·01		1
2		·02	·04			·14				·13		·14		2
3		·29	·03	·13		·15			·36	·25	·20	·07		3
4				·10		·08			·02	·14		·01		4
5		·75	·06	·13		·04	·02		·06	·01	·10			5
6		·03	·02	·21		·23					·16	·01		6
7				·34		·22				·12	·41	·13		7
8				·15		·03				·22	·09	·04		8
9				·31		·17				·82	·35	·02		9
10				·05		·02					·04	·01		10
11	·22					·04	·06			·01	·13	·01		11
12	·01					·26		·06			·06			12
13	·08	·03		·06	·17	·02			·02	·03	·01			13
14		·05		·16	·15	·03	·07		·02		·49	·08		14
15		·06		·48	·03		·02		·60		·33	·25		15
16		·04	·06	·10		·20			·20	·18	·67	·11		16
17		·01		·01		·14			·02		·48			17
18		·05		·28		·09	·13		·13	·09				18
19		·01		·07	·79	·24	·11		·04	·06	·22			19
20	·02	·09		·24		·09	·23		·05		·24			20
21		·18	·02	·10					·47	·02	·16			21
22		·03		·11				·12	·17					22
23			·06					·47	·02	·35				23
24	·07	·20	·03						·87	·02		·23		24
25	·19	·04		·08		1·95		·04	·01			·16		25
26		·09						·10	·14		·01	·28		26
27		·10			·08				·05	·02	·20	1·10		27
28		·02			·15				·07	·01	·02	·05		28
29	·02		·03						·16		·04	·06		29
30	·04	✕		·16				·37	·03	·24	·24	·11		30
31		✕		✕		✕			✕	·63	✕	·16		31
TOTAL	·79	2·10	·35	3·29	1·39	4·27	·65	1·16	3·67	3·48	4·72	3·04	Year's Total 28·91	
* Days with .01 in. or more.	9	20	9	21	7	20	8	6	22	20	23	21	186	
* Days with .04 in. or more.	6	12	4	19	5	16	5	6	15	13	20	15	136	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. S. Buckly.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2461.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at BILTON GRANGE.

in the County of (RUGBY.) WARWICKSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·61	·21	·09	–	·01	·14	·05	–	–	·16	·09		1
2	·03	·12	·12	·45	–	–	·16	·06	–	–	·08	·11		2
3	·01	·01	·07	·04	–	·73	·44	·07	–	–	·12	·01		3
4	—	·005	—	–	–	·11	·27	–	·15	–	·11	·06		4
5	·06	·01	·11	–	–	·16	·005	·03	·37	-	·015	·11		5
6	·04	–	·015	–	–	–	·02	·07	·18	·005	–	·11		6
7	·24	—	–	–	·06	·11	·07	·16	·07	–	·11	·13		7
8	·09	—	—	–	–	·02	·58	—	·07	–	·03	–		8
9	·36	–	·15	–	–	–	–	–	·02	–	·30	–		9
10	·01	–	·06	–	–	–	1·23	–	·11	·05	·02	·11		10
11	—	—	—	–	–	–	·25	–	·01	·01	–	·02		11
12	—	–	–	·04	–	·02	·29	–	·02	–	·24	–		12
13	–	–	–	·09	·06	·26	·48	–	·49	–	·11	·12		13
14	–	—	–	·01	–	·33	·015	·01	–	·06	·02	·18		14
15	–	–	–	·21	–	·03	·40	–	·15	·005	–	·54		15
16	·24	–	–	—	–	·01	·23	–	·01	–	·01	·09		16
17	–	·035	–	·02	–	–	·07	–	–	–	·56	–		17
18	–	·35	–	·06	·10	–	·06	–	·005	·13	·05	·11		18
19	–	·01	–	–	–	·21	·14	–	–	·17	·01	·05		19
20	·34	·07	·02	·13	–	·19	–	·06	-	·07	–	–		20
21	·02	·03	·005	·14	–	·36	·01	–	·06	·01	–	–		21
22	—	—	·05	·19	-	1·10	·12	–	·04	–	–	–		22
23	·12	·73	·03	–	·17	–	·19	–	—	–	·01	·11		23
24	—	·005	·85	·12	·06	–	·17	–	–	·07	–	–		24
25	·10	·065	–	–	·01	–	–	–	·21	·25	–	–		25
26	·04	–	·13	·40	–	·02	·25	–	·23	·03	·02	–		26
27	—	·07	·36	–	–	·01	·04	–	–	·08	·03	–		27
28	·02	—	·04	–	–	–	–	–	·10	·11	–	–		28
29	·34	·10	·05	–	–	–	·02	–	–	–	–	·04		29
30	·13	✕	–	–	–	·20	–	—	–	·10	·33	·16		30
31	·03	✕	–	✕	·51	✕	·09	–	✕	·31	✕	–		31
TOTAL	2·29	2·22	2·27	1·99	0·97	3·87	5·74	0·51	2·30 ~~2·295~~	1·46	2·335	2·15	Year's Total 28·10	✓
* Days with .01 in. or more.	19	12	15	14	7	18	25	8	17	14	20	18	187	
* Days with .04 in. or more.	13	7	12	12	6	11	21	6	12	11	11	16	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Leonard W. Bass [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2461

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at BILTON GRANGE.

in the County of WARWICKSHIRE.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Dec. 31st 1936.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·17	·21	–	–	–	–	–	–	–	·19	·10		1
2	·24	–	·04	–	–	–	–	–	·05	–	·18	·27		2
3	–	·06	·01	·50	–	–	·01	–	–	–	–	·23		3
4	–	·11	–	–	·31	–	–	–	–	–	–	·05		4
5	·07	·14	–	–	·07	·01	–	–	–	–	–	·22 (SNOW.)		5
6	·23	–	·08	–	–	–	·02	–	–	–	–	·49 (SNOW.)		6
7	·15	–	·14	·01	·18	–	·01	–	–	·05	–	–		7
8	–	·48	·11	·15	·02	–	–	–	·01	–	–	–		8
9	–	·15	–	·01	–	–	–	–	–	–	·33	·02		9
10	–	–	·01	·07	·32	–	·26	–	·14	–	–	·11		10
11	–	·01	·03	·84	–	·15	·03	–	–	–	–	·09		11
12	–	–	·59	–	·62	·60	–	–	–	–	–	·11		12
13	·06	·25	·11	–	·42	–	–	·46	·11	–	–	·07		13
14	·12	·09	–	·03	·01	·18	–	·14	·12	–	–	–		14
15	–	·01	·47	·09	–	–	–	·51	·01	–	–	·04 (SNOW.)		15
16	·09	·09	–	·19	–	–	1·31	–	·12	–	–	·09		16
17	·05	·10	·17	·47	–	–	–	·03	·16	–	–	–		17
18	·11	–	·18	·25	–	–	–	–	·61	–	–	–		18
19	·35	·10	·26	·02	–	–	–	–	·07	–	·33	–		19
20	·09	·10	·01	·06	·09	·12	·34	–	–	·01	·09	–		20
21	·17	–	–	·47	·44	·13	–	–	–	–	–	–		21
22	·06	·25	·09	·01	·04	–	·23	–	–	–	–	·12		22
23	·09	·02	·07	–	·01	·16	·05	–	–	·40	·24	–		23
24	·23	–	·10	–	·04	–	·29	–	–	·51	·11	–		24
25	·10	·30	·01	–	–	–	·06	–	·03	·19	–	·01		25
26	·16	·30	–	–	·19	–	–	–	·04	·66	–	–		26
27	–	·19	·06	–	·49	–	–	–	–	·02	–	–		27
28	–	·10	–	·27	–	–	–	–	–	·59	·01	–		28
29	–		–	–	–	–	–	–	–	·01	–	·05		29
30	–	✕	–	–	–	·01	–	–	–	·03	·05	·04		30
31	·28	✕	–	✕	–	✕	–	·23	✕	–	✕	–		31
TOTAL	2·75	3·02	2·75	3·44	3·25	1·36	2·61	1·37	1·47	2·87	1·53	2·11	Year's Total 28·53	✓ ✓
* Days with .01 in. or more.	19	20	20	16	15	8	11	5	12	10	9	17	162	✓ ✓
* Days with .04 in. or more.	19	17	15	11	12	6	7	4	9	6	8	15	129	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Leonard W. Bass. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2461.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at BILTON GRANGE.

in the County of WARWICK.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

W P

Circ C sent 24/3/39

answer see file

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1 following ·36 ~~Dec. 31st 1937.~~

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·08	–	–	–	·25	·09	·01	–	·40	·12	·22		1
2	·01	–	–	–	–	·35	·01	–	–	·08	–	·25		2
3	·01	–	–	·04	·02	·19	–	–	–	·26	·01	·01		3
4	–	–	–	–	·07	–	·18	–	·06	·63	·02	–		4
5	·03	–	–	–	–	–	·04	1·19	–	·28	–	·23		5
6	–	–	–	–	–	–	·42	·08	–	·08	–	·01		6
7	·02	–	–	–	–	–	·09	–	·18	·06	–	–		7
8	·13	–	–	–	–	·01	·13	·57	·10	·25	–	·04		8
9	·19	–	–	–	–	–	·07	·20	–	·16	–	·04		9
10	·06	·06	–	–	–	·03	–	·04	–	–	–	·16		10
11	–	–	–	–	–	·07	·20	·10	–	–	–	·10		11
12	·51	·12	–	–	–	–	–	–	–	–	·11	·01		12
13	·16	–	–	–	·16	–	–	–	–	·29	·02	–		13
14	–	·01	–	–	–	–	–	–	–	–	·10	·23		14
15	·20	·08	–	–	–	–	·52	–	·10	–	–	·06		15
16	·08	·02	–	–	–	–	·14	–	–	–	–	·10		16
17	·25	–	–	–	–	–	·10	–	–	–	·02	·09		17
18	–	·07	–	–	–	–	–	–	·04	·11	·03	–		18
19	·02	–	–	–	·13	·04	–	–	·13	–	·29	✓–		19
20	–	–	–	–	–	–	–	–	·23	–	·12	x–		20
21	–	–	–	–	–	–	–	–	·03	–	·32	x–		21
22	–	–	–	–	–	–	–	–	–	–	·10	x–		22
23	–	–	–	–	–	·13	–	–	–	–	·30	·62		23
24	–	–	–	–	–	–	·32	–	·03	–	–	–		24
25	–	–	·05	–	·03	–	·04	–	·35	–	–	·10		25
26	·10	·16	·11	–	·09	–	·02	·08	–	·09	·18	–		26
27	·11	·24	·12	–	–	–	–	·03	·02	·22	–	·32		27
28	·07	·01	–	–	·09	·17	·23	·09	·39	·02	·37	–		28
29	·34	=	–	–	·44	·11	–	1·59	·01	·01	·02	·16		29
30	·44	✕	–	–	·19	–	–	–	–	·02	·09	·11		30
31	·02	✕	–	✕	–	·09 ✕	–	–	·40 ✕	·04	·22 ✕	·36 ·09		31
TOTAL	·08 ~~2·84~~	~~·85~~	·28	·04	·25 ~~1·26~~	~~1·35~~	·07 ~~2·60~~	3·98 7	2·07 ~~1·64~~	~~2·40~~ ~~3·00~~	~~2·10~~ ~~2·22~~	~~2·73~~ ~~2·46~~ 3·69	Year's Total ~~22·17~~	23·27 ✓
* Days with .01 in. or more.	20	10	3	1	10	10	16	11	13	17	17	21	149	✓
* Days with .04 in. or more.	13	7	3	1	8	8	14	9	9	14	11	17 8	115	✓
	2·83	·77			1·47	1·19	2·32			2·72	2·32			

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Leonard W. Baes.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2461.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at BILTON GRANGE. RUGBY.

in the County of WARWICK.

Diameter of Funnel of Gauge 5' in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: NIL.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·36	–	·18	–	·15	–	·10	·09	·05	–	–	·05		1
2	·02	–	–	·20	·05	–	–	·64	·17	·01	–	–		2
3	·06	–	–	·11	–	–	–	·45	·21	·02	·02	–		3
4	–	–	–	·30	–	–	–	·94	·01	·03	·13	·13		4
5	·28 (SNOW.)	–	·29	·34	–	–	·05	·29	–	·20	·08	·07		5
6	–	–	–	·12	·32	–	·10	·71	–	·06	·18	·13		6
7	·59	–	·01	–	–	–	1·03	·03	–	·01	·06	–		7
8	·04	–	–	–	–	–	·02	·02	–	–	·19	·13		8
9	–	·05	·22	–	–	–	·42	·13	–	·34	·02	·37		9
10	·01	·07	–	–	–	–	·01	·12	·02	·51	·10	·17		10
11	·25	–	·03	–	–	·07	–	·18	–	·02	·01	–		11
12	–	–	·14	–	–	·03	–	–	–	·04	–	·01		12
13	·02	·01	·01	–	·02	·09	–	–	·06	–	–	–		13
14	–	–	–	–	–	·01	·02	–	·01	·27	–	–		14
15	·37	–	·02	–	·54	·03	·36	–	·01	·05	·08	–		15
16	·26	–	·01	–	·10	·36	·21	–	·01	·52	·05	–		16
17	·19	–	·11	–	·16	·41	·15	–	–	·01	·30	–		17
18	·21	·05	·03	–	·15	–	·23	–	–	2·99	·03	–		18
19	·13	·03	·04	–	–	·70	·18	–	–	·02	·63	–		19
20	·20	–	–	–	–	–	·58	–	–	–	–	–		20
21	·08	–	–	–	–	–	·06	·43	·02	–	–	–		21
22	·19	·09	·19	–	–	·06	·02	·73	·02	–	–	–		22
23	·15	·20	·01	–	–	–	·07	–	–	·02	·20	–		23
24	–	–	·04	·07	–	·04	·12	–	–	·08	·63	–		24
25	–	–	·01	·11	–	·01	·13	–	–	·09	–	–		25
26	·98 (SNOW)	·16	·10	–	–	–	·07	–	–	–	·17	–		26
27	·76 (SNOW.)	–	·01	–	–	–	–	·05	–	·05	·27	·02		27
28	·05	·12	·08	·02	–	–	·09	·02	–	·09	·04	–		28
29	·02	+	·12	·03	–	·03	·15	–	–	–	·17	·09		29
30	–	✕	–	·24	–	–	·32	–	–	·20	·03	–		30
31	–	✕ ·18	–	✕ ·15	–	✕ ·10	– ·09	– ·05	✕	–	✕ ·05	–		31
TOTAL	4·86 ~~5·22~~	·96 ·78	1·47 ~~1·65~~	1·69 1·54	1·34 ~~1·49~~	1·94 1·84	4·48 ~~4·49~~	4·79 ~~4·83~~	·54 ~~0·59~~	5·63	3·44 ~~3·39~~	1·22 ~~1·14~~	Year's Total ~~32·62~~ 32·26.	
* Days with .01 in. or more.	21 ~~22~~	10 ~~9~~	19 ~~20~~	11 ~~10~~	8 ~~7~~	~~12~~ 13	23	15	~~11~~ 10	22	~~22~~ 21	9 ~~10~~	18~~3~~2	
* Days with .04 in. or more.	17 ~~18~~	8 ~~7~~	10 ~~11~~	9 ~~8~~	~~7~~ 7	~~7~~ 8	19	12	~~4~~ 3	14	17 ~~16~~	7 ~~8~~	13~~1~~0	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2461.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at BILTON GRANGE (RUGBY)

in the County of WARWICKSHIRE.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 400 ft.

corrd. for WD

? WD

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
Dec 31st ~~1940~~ 1939

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
	1	–	·04	–	·04	–	–	–	–	–	–	·55	–		1
1	2	–	–	–	–	–	–	–	–	–	–	·14	–		2
2	3	–	SLEET. ·09	–	·26	–	–	–	–	–	–	·88	·02		3
3	4	–	·07	–	·14	–	–	–	–	–	·10	·43	·07		4
4	5	–	·11	–	·15	–	–	·02	–	–	·14	·62	·05		5
5	6	–	–	–	–	·03	–	·01	–	–	·06	·42	·09		6
6	7	·90	·23	–	–	·06	–	–	–	–	·40	·42	–		7
7	8	·06	·24	–	·02	·02	–	·03	–	·04	–	–	·01		8
8	9	–	–	–	·01	–	–	·33	–	–	·12	·01	·22		9
9	10	–	–	·01	·01	–	–	·03	·04	–	·03	·03	·22		10
10	11	–	–	–	–	–	–	·45	–	–	·14	·16	·19		11
11	12	–	–	–	·04	–	–	·21	–	–	–	·51	·09		12
12	13	–	–	·08	–	–	–	·13	–	·06	–	·01	–		13
13	14	–	SNOW. ·09	SNOW. ·31	·01	–	–	–	–	·19	–	·12	–		14
14	15	–	–	SNOW. ·32	·06	·21	–	–	–	·15	·06	–	–		15
15	16	–	–	·07	·07	·08	–	·02	–	·06	·14	·12	–		16
16	17	SNOW. ·01	SNOW. ·21	·27	·02	–	·03	·46	–	·10	·67	·03	·02		17
17	18	–	–	·35	–	–	–	·10	–	–	–	·26	–		18
18	19	SNOW. ·03	·54	·37	·36	–	–	·02	·02	–	·10	·14	·09		19
19	20	–	·21	·02	·22	–	–	·34	–	·10	·01	·03	·03		20
20	21	–	·01	–	·02	–	·04	·17	·01	–	·18	1·29	–		21
21	22	SNOW. ·09	·01	·06	–	·24	–	–	–	–	·07	–	–		22
22	23	–	–	·03	–	·45	·23	–	–	·15	–	–	–		23
23	24	–	·07	·02	·03	·03	·15	·12	–	–	·01	–	·06		24
24	25	–	–	–	·03	–	–	·02	–	–	~~·01~~	–	–		25
25	26	–	–	–	–	–	–	·36	–	–	·01	·01	·01		26
26	27	SNOW. 1·01	·10	–	·02	·07	–	·04	–	–	–	–	–		27
27	28	SNOW. ·54	·04	–	·45	–	–	–	–	–	–	–	–		28
28	29	SNOW. ·56	·29	–	·03	·52	–	–	·02	–	–	–	–		29
29	30	–	✕	·13	–	–	–	–	–	–	–	–	·22		30
30	31	–	✕	–	✕	–	✕	–	–	✕	·31	✕	·05		31
31	TOTAL	·04 ~~3·20~~ 3·24	– ~~2·35~~ 2·31	·04 2·0~~4~~8	– 1·9~~9~~5	– 2·34	– 0·45	– 2·86	– 0·09	– 0·85	·55 ~~2·56~~ 3·11	– ~~6·18~~ 5·63	– 1·44	Year's Total 26·35	
	* Days with .01 in. or more.	~~8~~ 9	~~16~~ 15	~~13~~ 14	~~20~~ 19	11	4	18	4	8	~~18~~ 19	~~20~~ 19	16	156	
	* Days with .04 in. or more.	~~6~~ 7	~~14~~ 13	~~9~~ 10	~~10~~ 9	8	3	11	1	8	~~13~~ 14	~~14~~ 13	11	108	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Leonard W. Bass

[P.T.O.

2462

RUGBY SCHOOL

CALDECOTT

WARWICK

1931 – 40.

780408

Se

Fo

2462

FOR OFFICIAL USE.

147

FFICE.—BRITISH RAINFALL ORGANIZATION.

NFALL IN 1931 .

448546

TO THE PREVIOUS DAY.

ing made on January 1st of the following

Overleaf.

Jan. 1, following.

							uly	August	Sept.	Oct.	Nov.	Dec.	Date
							in.	in.	in.	in.	in.	in.	
													1
													2
3									·96		·60		3
4													4
5						·92						·38	5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14								·72					14
15													15
16													16
17													17
18													18
19													19
20													20
21					·53								21
22													22
23	·20												23
24													24
25				·72			·59						25
26													26
27		·50											27
28													28
29										·28			29
30		×											30
31		×		×		×	2·77		×		×		31
TOTAL	1·41	2·88	0·07	3·80	3·02	2·40	2·48	3·66	2·84	0·51	2·34	0·79	YEAR'S TOTAL 26·20
Days with ·01 in. or more.	20	20	3	20	12	11	16	16	12	4	17	8	159
Days with ·04 in. or more.	13	14	0	17	10	8	14	12	10	2	12	7	119
40-9999	35·8	73·1 4·34	1·7	96·5	76·6	60·9	62·9	92·9	72·2	12·9	59·4	20·1	668·0

(Signed) X RUGBY SCHOOL X

P.T.O.

Se

2462

FOR OFFICIAL USE.

FFICE.—BRITISH RAINFALL ORGANIZATION.

147

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Rugby

in the County of Warwick

448546

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03										1
2													2
3									·96		·60		3
4													4
5						·92						·38	5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14								·72					14
15													15
16													16
17													17
18													18
19													19
20													20
21					·53								21
22													22
23	·20												23
24													24
25				·72			·59						25
26													26
27		·50											27
28													28
29										·28			29
30		×											30
31		×		×		×	2·72		×		×		31
TOTAL	1·41	2·88	0·07	3·80	3·02	2·40	2·48	3·66	2·84	0·51	2·34	0·79	YEAR'S TOTAL 26·20
Days with ·01 in. or more.	20	20	3	20	12	11	16	16	12	4	17	8	159
Days with ·04 in. or more.	13	14	0	17	10	8	14	12	10	2	12	7	119
40-9999	35·8	73·1	1·7	96·5	76·6	60·9	62·9	92·9	72·2	12·9	59·4	20·1	66·0
		4·34											

(Signed) X RUGBY SCHOOL X

[P.T.O.

2462

147

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Rugby

in the County of Warwick

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

448546

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·47					1
2													2
3													3
4													4
5													5
6	·35												6
7													7
8													8
9													9
10		·12											10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20										·39			20
21					1·87								21
22													22
23													23
24													24
25							·80						25
26				·43									26
27			·29										27
28													28
29													29
30		×				·29			1·10		·41	·20	30
31		×		×		×			×		×		31
TOTAL	1·36	0·28	1·24	3.45	5·28	0·54	3·96	1·73	3·32	3·11	1·90	0·64	YEAR'S TOTAL 26·78
*Days with ·01 in. or more.	10	9	10	24	20	5	13	7	16	22	17	x08	161
*Days with ·04 in. or more.	8	1	8	20	17	4	10	6	15	18	8	4	119
40-9999	34·6	7·2	31·4	87·7	134·1	13·7	100·7	44·0	84·4	79·0	48·2		

*See Instruction 2 (*f*) on other side.

(Signed)..........

[P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. 2462

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933. 448546 7

Kept at Rugby

in the County of Warwick.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 390 ft.

Note for 10 yr books
Inspected on May 15th, funnel found with pipe broken off. Inspector says rain probably not falling into bottle & values prior to May [illegible] & annual total probably too small.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·60		·5	1
2													2
3													3
4					·22								4
5													5
6													6
7													7
8													8
9							·23						9
10													10
11													11
12													12
13													13
14													14
15	·28										·29		15
16													16
17			·42										17
18													18
19													19
20													20
21													21
22								·43					22
23									·40				23
24						·33							24
25													25
26		·45											26
27													27
28				·26									28
29													29
30		×										·07	30
31		×		×		×			×		×		31
TOTAL	1·12	2·39	2·28	0·87	1·28	1·83	1·14	0·83	1·23	2·20	1·00	0·30	YEAR'S TOTAL 16·47
*Days with ·01 in. or more.	16	12	16	9	14	16	12	7	8	17	16	9	152
*Days with ·04 in. or more.	10	11	11	7	9	12	7	4	6	13	6	3	99

40-9999 28·5 60·7 46·5 29·0 31·3

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

[P.T.O.

2462

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 147

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rugby
in the County of Warwick

448546

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4				·28										4
5														5
6					·24							·48		6
7														7
8														8
9											·68			9
10			·14											10
11	·32													11
12														12
13														13
14										·21				14
15														15
16														16
17														17
18							1·74							18
19														19
20														20
21														21
22														22
23						·18								23
24														24
25														25
26														26
27		·19												27
28								·32						28
29									·43					29
30		×												30
31		×		×		×			×		×			31
TOTAL	1·26 ✓	·50 ✓	1·07 ✓	1·65 ✓	·70 ✓	·66 ✓	3·02	1·75 ✓	1·80 ✓	1·58	1·77 ✓	5·62 ✓	Year's Total 21·38 ✓	
*Days with ·01 in. or more.	15	6	16	17	8	11	10	16	15	21	13	31	179 ✓	
*Days with ·04 in. or more.	10	3	12	11	5	7	6	11.	9	12	7	27	120 ✓	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2467

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

147

T.C

Kept at Rugby

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 390 ft.

448546

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5		0.77												5
6														6
7														7
8														8
9										0.77				9
10														10
11														11
12														12
13														13
14														14
15				0.52										15
16														16
17											·70			17
18														18
19					0.36									19
20							0·24							20
21														21
22														22
23			0.09					0.51						23
24									0·94					24
25	0·20					1·03								25
26														26
27												1·02		27
28														28
29														29
30		×												30
31	.74	×	·39	×		×		1·60	×		×			31
TOTAL	0.82	2·11	0.38	3.34	0.87	3.32	1·00	1·49	3·69	3.47	4·74	3·15	Year's Total. 28·08	
* Days with .01 in. or more.	11	17	10	21	8	20	8	8	20	17	22	16	178	
* Days with .04 in. or more.	7	12	4	18	5	18	6	5	14	15	20	15	139	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2462

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

147

Kept at Rugby

in the County of Warnick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 390 ft.

448546 T.L

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				0.38										1
2														2
3														3
4														4
5														5
6								0.24						6
7														7
8														8
9							1.12							9
10														10
11														11
12									0.36					12
13														13
14												.58		14
15														15
16											.62			16
17														17
18														18
19														19
20														20
21						1.65								21
22		0.64												22
23														23
24														24
25														25
26			0.34											26
27														27
28														28
29														29
30		X			0.54					0.30				30
31	0.57	X		X		4.06 X		.59	X		X	2.36		31
TOTAL	2.98	1.80	1.36	1.82	0.86	4.02	5.50	0.61	2.06	1.54	2.25	2.38	Year's Total. 27.18	
* Days with .01 in. or more.	20	14	16	13	8	17	24	7	16	16	19	19	189	
* Days with .04 in. or more.	14	9	11	8	4	12	19	5	12	13	11	15	133	
	75.6	45.6	34.6	46.2	21.9	102.0	139.6	15.4	52.3	39.2	57.1	60.4	689.9	

40-9999 † Spare column, no entries required.

* See Instruction 2 (f) on other side. (*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2462

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1091.

REGISTER OF RAINFALL IN 1937.

T.L.

448546

Kept at Rugby (Caldecott)
in the County of Warwick

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1														1
2				·51										2
3														3
4												·69		4
5														5
6														6
7		·54												7
8											·35			8
9														9
10			·39											10
11					·59	·54								11
12														12
13														13
14								·48						14
15							·83							15
16														16
17									·29					17
18	·35													18
19														19
20														20
21														21
22														22
23														23
24														24
25										·69				25
26														26
27														27
28														28
29		3·98												29
30		×												30
31	✓	×	✓	×	3·22	× ✓	2·26	✓	× ✓	✓	× ✓	1·96		31
TOTAL	2·64	3·35	2·45	3·27	3·19	1·28	2·27	1·13	1·23	3·00	1·44	1·99	Year's Total. 27·24	✓
* Days with 0.2 mm. or more.	19	22	19	14	17	8	12	7	12	11	9	22	172	✓
* Days with 1.0 mm. or more.	18	17	14	12	13	7	8	5	8	7	7	12	128	✓
	67·1	85·0	62·3	83·1	81·1	32·6	57·6	28·8	31·3	76·3	36·6	50·6	692·4	✓

(144 w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

40-9999 (Signed) [P.T.O.

147

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2462

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1938.

Kept at Rugby (Caldecott)

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 390 ft.

T. L.

448546

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1						·37								1
2				·02										2
3										·55				3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11	·52													11
12														12
13														13
14							·60							14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26		·33	·15											26
27					·24				·70		·33			27
28								1·39						28
29														29
30		✕												30
31	✓	✕ ✓	✓	✕ ✓	✓	✕ ✓	✓		✕ ✓	2·13	✕ ✓	·37		31
TOTAL	70·0	18·7	8·5	·6	37·3	34·1	66·7	114·1	67·1	69·6	59·1	2·69 68·7	Year's Total 614·5 ✓	
* Days with 0.2 mm. or more.	20	10	4	1	13	15	17	13	14	17	17	19	160 ✓	
* Days with 1.0 mm. or more.	14	4	3	0	7	8	11	9	11	14	11	17	109	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total. ✓

40-9999. 2·76 ·74 ✓ ·33 ✓ ·02 ✓ 1·47 ✓ 1·34 ✓ 2·63 ✓ (Signed) 2·64 2·74 2·33 2·70 24·19 ✓

4·49

P.T.O.

FOR OFFICIAL USE.

2462

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Rugby (Caldecott)

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 390 ft.

Sept. amended by M.W.R.

T.L.

448546

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1													1
2									·25				2
3													3
4			·35	·43									4
5								·89					5
6													6
7													7
8												·32	8
9													9
10													10
11													11
12													12
13													13
14					·66								14
15													15
16													16
17										3·06			17
18						·67					·63		18
19							1·29						19
20													20
21													21
22		·20											22
23													23
24													24
25	1·15												25
26													26
27													27
28													28
29		×											29
30		×			?								30
31		×		×		×			×		×		31
TOTAL	123·5	23·6	36·4	40·1	34·2	52·7	133·3	103·0	~~12·1~~ 11·3	141·3	91·1	29·7	YEAR'S TOTAL ~~621·0~~ 820·2
Days with 0·2 mm. or more.	25	10	17	13	8	15	22	13	8 ~~10~~	19	21	11	~~184~~ 182
Days with 1·0 mm. or more.	17	8	9	9	5	7	18	11	3	14	16	6	123
(144W) 40-9999	4·86	·93	1·43	1·58	1·35	2·07	5·25	4·06	·48 4	5·56	3·59	1·17	29

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2462

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 19~~3~~40

T/L 448546

Kept at Rugby (Caldecott)
in the County of Warwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 390 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9								·08						9
10												·28		10
11														11
12														12
13			·65											13
14														14
15														15
16										·67				16
17														17
18		·53												18
19														19
20														20
21											1·24			21
22						·16			·22					22
23														23
24														24
25														25
26	1·09						·50							26
27														27
28					·35									28
29														29
30		✕		·62							6·33			30
31		✕		✕	1·62	✕	2·90		✕		✕	1·54		31
													Year's Total	
TOTAL	68·0	64·1	52·2	48·5	41·0	11·4	73·5	3·9	23·4	78·6	157·6	39·3	661·5	
* Days with 0.2 mm. or more.	9	16	15	17	12	5	17	4	10	16	21	14	156	
* Days with 1.0 mm. or more.	8	14	6	10	8	3	14	2	6	14	15	10	110	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

2·68 2·52 2·06 1·91 1·61 ·45 2·89 (Signed) ·15 ·92 3·09 6·20 1·55 26·03

[P.T.O.

RUGBY (AVON WW) +

2463

Section **A** for the entry of Daily Ob

AIR MINISTRY.—METE

FORM 1090.

REGISTER

Kept at Avon Waterworks, Ru

in the County of Warwick

Diameter of Funnel of Gauge five in

Height of top of Gauge above Ground one

,, Ground ,, Sea Level

THE MORNING MEASUREMEN

An observer who does not conform to this rule
year in the space on the right of this paragr

Please

2463 — 448210

RUGBY - AVON W.W

1931 - 1940

780408

COPY FOR OFFICIAL USE.

FALL ORGANIZATION.

31 .

ly called

n Buildings

DAY.

the following

Jan. 1, following

Date	Jan.	Feb.	March	April						Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.						in.	in.	in.	
1	·01	·01	-	·13						-	-	-	1
2	·04	·04	-	·71						·05	-	·07	2
3	tr	·07	-	·08	-	-				-	·50	·06	3
4	-	·01	-	·18	-	-	·43	·17	·05	-	·06	-	4
5	-	·05	-	·06	·03	·91	tr	tr	·16	-	tr	·31	5
6	-	·01	-	·02	-	·01	·09	tr	-	·18	·18	-	6
7	-	·14	-	-	-	·05	·31	·45	tr	-	·02	·02	7
8	-	-	·02	·07	·06	·16	·02	·46	-	tr	·14	-	8
9	·03	·06	-	·01	-	·03	tr	·06	-	-	·16	-	9
10	-	·27	-	-	-	·01	-	·13	·04	·01	·03	-	10
11	·01	·01	·02	-	tr	·03	tr	tr	·13	-	·12	-	11
12	·10	·26	-	·06	-	-	·22	·04	·26	-	-	-	12
13	·01	·03	-	-	-	-	·07	·03	-	tr	-	-	13
14	·03	·07	·05	-	tr	·09	·51	·75	·01	-	·05	-	14
15	tr	·07	-	·08	·26	-	·11	·15	tr	-	·01	·02	15
16	·01	·21	-	·08	·22	·49	tr	·29	·16	-	-	-	16
17	·03	·39	-	·55	·52	-	·09	-	tr	-	-	-	17
18	·07	·04	-	·27	tr	·07	tr	·13	-	-	·36	-	18
19	·04	·02	-	·19	tr	·21	·11	·01	·09	-	·05	-	19
20	·06	·02	-	·05	-	tr	tr	·35	-	tr	tr	-	20
21	tr	-	-	-	·47	-	-	·01	-	-	tr	-	21
22	·22	-	-	·01	-	-	-	·04	-	-	-	-	22
23	·14	-	tr	·02	·39	·05	-	-	·27	-	·16	·07	23
24	·18	tr	-	·12	·37	tr	·12	-	tr	-	tr	tr	24
25	-	tr	-	·51	tr	-	·57	-	-	-	·06	-	25
26	tr	·03	-	·50	-	-	·07	-	-	-	·17	-	26
27	-	·58	-	tr	·38	-	-	-	-	-	·12	·05	27
28	·11	·19	-	·11	·08	-	-	-	-	·02	-	-	28
29	·08	X	-	-	·03	-	·13	-	-	·23	·01	·13	29
30	·03	X	-	tr	-	-	tr	-	-	-	-	-	30
31	·08	X	-	X	-	X	-	-	X	-	X	·01	31
TOTAL	1·28	2·58	·09	3·81	2·81	2·15	2·87	3·82	2·99	·49	2·20	·74	YEAR'S TOTAL 25·83
*Days with ·01 in. or more.	19	22	3	21	11	14	15	16	12	5	17	9	164
*Days with ·04 in. or more.	11	14	1	17	9	8	13	13	11	3	13	6	119

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

RUGBY (AVON WW) +

2463

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Avon Waterworks, Rugby.
in the County of Warwick
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft — in.
,, Ground ,, Sea Level 282 ft.

Footnote! Previously called Benn Buildings

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	–	·13	–	·03	–	–	·41	–	–	–	1
2	·04	·04	–	·71	–	·01	–	·75	·31	·05	–	·07	2
3	tr	·07	–	·08	–	tr	·02	tr	1·10	–	·50	·06	3
4	–	·01	–	·18	–	–	·43	·17	·05	–	·06	–	4
5	–	·05	–	·06	·03	·91	tr	tr	·16	–	tr	·31	5
6	–	·01	–	·02	–	·01	·09	tr	–	·18	·18	–	6
7	–	·14	–	–	–	·05	·31	·45	tr	–	·02	·02	7
8	–	–	·02	·07	·06	·16	·02	·46	–	tr	·14	–	8
9	·03	·06	–	·01	–	·03	tr	·06	–	–	·16	–	9
10	–	·27	–	–	–	·01	–	·13	·04	·01	·03	–	10
11	·01	·01	·02	–	tr	·03	tr	tr	·13	–	·12	–	11
12	·10	·26	–	·06	–	–	·22	·04	·26	–	–	–	12
13	·01	·03	–	–	–	–	·07	·03	–	tr	–	–	13
14	·03	·07	·05	–	tr	·09	·51	·75	·01	–	·05	–	14
15	tr	·07	–	·08	·26	–	·11	·15	tr	–	·01	·02	15
16	·01	·21	–	·08	·22	·49	tr	·29	·16	–	–	–	16
17	·03	·39	–	·55	·52	–	·09	–	tr	–	–	–	17
18	·07	·04	–	·27	tr	·07	tr	·13	–	–	·36	–	18
19	·04	·02	–	·19	tr	·21	·11	·01	·09	–	·05	–	19
20	·06	·02	–	·05	–	tr	tr	·35	–	tr	tr	–	20
21	tr	–	–	–	·47	–	–	·01	–	–	tr	–	21
22	·22	–	–	·01	–	–	–	·04	–	–	–	–	22
23	·14	–	tr	·02	·39	·05	–	–	·27	–	·16	·07	23
24	·18	tr	–	·12	·37	tr	·12	–	tr	–	tr	tr	24
25	–	tr	–	·51	tr	–	·57	–	–	–	·06	–	25
26	tr	·03	–	·50	–	–	·07	–	–	–	·17	–	26
27	–	·58	–	tr	·38	–	–	–	–	–	·12	·05	27
28	·11	·19	–	·11	·08	–	–	–	–	·02	–	–	28
29	·08	×	–	–	·03	–	·13	–	–	·23	·01	·13	29
30	·03	×	–	tr	–	–	tr	–	–	–	–	–	30
31	·08	×	–	×	–	×	–	–	×	–	×	·01	31
TOTAL	1·28	2·58	·09	3·81	2·81	2·15	2·87	3·82	2·99	·49	2·20	·74	YEAR'S TOTAL 25·83
*Days with ·01 in. or more.	19	22	3	21	11	14	15	16	12	5	17	9	164
*Days with ·04 in. or more.	11	14	1	17	9	8	13	13	11	3	13	6	119

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2463

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Avon Water Works Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 282 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ~~.01~~

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.03	-	.09	.43	.05	.01	.34	.08	.29	.01	Tr.	1
2	.01	Tr.	-	.08	.35	-	-	.02	.18	.14	.04	.14	2
3	Tr.	✓	-	.27	.02	-	-	Tr	-	.01	Tr.	Tr	3
4	.04	-	-	.06	-	-	-	-	-	-	.34	-	4
5	.21	-	.01	-	Tr.	-	-	-	.09	-	Tr	Tr	5
6	.25	-	.06	.39	.01	-	.03	-	.57	-	-	.01	6
7	-	-	-	.20	Tr.	-	-	-	.08	Tr.	-	.01	7
8	-	-	-	.09	-	-	-	-	.04	.21	-	Tr.	8
9	.03	.07	-	.07	Tr.	-	-	-	-	-	-	-	9
10	.07	.10	-	.10	.07	-	-	-	.12	.07	-	-	10
11	Tr.	.03	-	.05	.10	.03	.05	-	.01	.14	.01	-	11
12	.18	Tr.	-	-	.16	-	.63	Tr.	.05	.36	.03	-	12
13	.02	.01	-	.20	-	-	.67	-	.05	.01	.04	.01	13
14	.21	Tr.	-	.20	-	-	Tr	.01	Tr.	.03	.02	Tr	14
15	Tr.	-	-	.07	.14	-	.01	-	-	.03	-	.02	15
16	.14	-	-	.22	.11	-	.31	-	-	Tr.	-	Tr	16
17	-	-	-	.01	-	-	-	-	Tr.	.12	-	Tr	17
18	-	-	-	Tr.	-	-	Tr	-	.01	-	.07	Tr	18
19	-	Tr.	-	.04	.08	-	-	-	-	.20	-	Tr	19
20	-	-	-	.09	.29	-	Tr	.39	-	.41	.13	Tr	20
21	.01	-	.10	.19	1.90	-	-	.28	-	.27	Tr.	.07	21
22	-	-	.17	.04	.04	-	.26	-	.67	.01	.34	Tr	22
23	-	.02	.08	-	.72	-	Tr	-	.06	.11	.07	.08	23
24	-	-	-	-	-	-	.01	-	.04	Tr.	.35	Tr.	24
25	-	.04	-	-	-	-	.86	-	-	.07	.01	.01	25
26	-	.02	Tr.	.42	.13	-	.05	-	.05	Tr.	-	Tr.	26
27	-	-	.27	.25	.35	-	.17	Tr	.01	-	.10	Tr.	27
28	-	-	.06	.03	.35	.11	.15	.22	-	.08	-	.01	28
29	-	-	.21	.17	.04	.11	.01	.05	.10	.25	-	.07	29
30	.01	✕	.04	.02	Tr	.28	.05	.31	1.07	.17	.37	.19.	30
31	-	✕	.08	✕	Tr	✕	.66	Tr	✕	-	✕	.03.	31
TOTAL	1.21	0.32	1.08	3.15	5.29	.58	3.93	1.62	3.28	2.98	1.93	.65	YEAR'S TOTAL 26.02
*Days with .01 in. or more.	13	8	10	24.	18	5	16	8	18	20	15	12	167
*Days with .04 in. or more.	7	3	9.	21.	16.	4	11	6	15	15.	10.	5	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) W H Spicer

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2463

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Avon Waterworks, Rugby
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 282 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·22	·01	·00	Tr.	·00	·00	·00	·00	·00	Tr.	·00	1
2	Tr.	Tr.	·32	·00	·03	·00	·00	·00	·00	·00	·08	·00	2
3	·10	·18	·30	·00	·37	·00	·00	·00	·00	·00	·02	·00	3
4	·06	·00	·03	·00	·20	·00	·00	·00	·00	·00	·01	·00	4
5	–	·08	·16	·00	·07	·00	·00	·00	·00	·00	·01	·00	5
6	·03	·15	·10	·00	·24	·00	·00	·00	·00	·06	·01	·01	6
7	·03	·19	·01	·00	Tr.	·00	·00	·00	·00	·14	·01	·01	7
8	–	Tr.	·08	·00	·10	·00	·29	·00	·00	·01	Tr.	·00	8
9	·04	·00	·00	·00	·09	·00	·24	·00	·00	·12	·07	·00	9
10	·01	·26	·00	·00	Tr.	·10	Tr. ~~·27~~	·05	·00	·74	·03	·00	10
11	·04	Tr.	·00	·00	·03	·00	·12	Tr.	·00	·00	·00	·00	11
12	·02	·00	·00	·00	·00	Tr.	·06	·0	·28	·00	Tr.	·02	12
13	·01	·00	·00	·00	·03	·04	·30	·0	Tr.	·01	·29	·00	13
14	·38	Tr.	·00	·00	·03	·00	·07	·0	·00	·26	·25	·04	14
15	·09	·00	·01	·00	Tr.	·13	·39	·05	·00	·00	·33	Tr.	15
16	·01	·00	·39	·00	·03	·17	·02	·0	·00	·02	·04	·03	16
17	·06	·00	·50	·00	Tr.	·07	Tr.	Tr.	·02	·00	·03	Tr.	17
18	Tr.	·05	·01	·00	·00	·16	·00	·0	·00	·00	·01	Tr.	18
19	·14	Tr.	·39	·01	·00	·15	·00	·0	·07	·00	·00	·01	19
20	·03	·05	·12	·00	·011	·19	·00	·01	·06	·10	Tr.	Tr.	20
21	0·00	·03	·00	·00	·07	·20	·00	·08	·00	Tr.	Tr.	·00	21
22	·00	·00	·00	·00	·00	·16	·00	·37	·00	·31	Tr.	·00	22
23	·00	·00	·00	·06	·11	·01	·06	·0	·37	Tr.	·00	·00	23
24	·00	·45	·00	·12	·11	·36	·00	·0	·53	·05	·00	·00	24
25	·00	·61	·00	·23	·00	·27	·00	·00	·01	Tr.	·03	·05	25
26	·00	·58	·00	·07	·00	·05	·00	·00	Tr.	·11	Tr.	Tr.	26
27	·00	Tr.	·00	·00	·20	Tr.	·00	·00	·06	·04	Tr.	Tr.	27
28	0·00	Tr.	·00	·24	·01	·00	·00	·00	Tr.	·06	·00	·05	28
29	·00	·01	·00	·20	·00	·00	·10	·00	·00	·07	·00	·01	29
30	·07	✕	·06	·08	·00	·00	·02	·00	·00	·01	·00	·09	30
31	·09	✕	·24	✕	·00	✕	·02	·10	✕	·08	✕	·00	31
TOTAL	1·290	2·86	2·73	1·01	1·731	2·06	1·66	·66	1·40	2·19	1·22	·32	YEAR'S TOTAL 19·131
*Days with ·01 in. or more.	18	13	16	8	17	14	11	6	8	17	15	10	153
*Days with .04 in. or more.	11	11	11	7	10	13	8	5	6	13	6	4	105

40-9999

*See Instruction 2 (*f*) on other side. D

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2463

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Avon Waterworks, Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 282 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	-	-	-	-	-	·13	·06	-	·07	·31.		1
2	·05	-	·05	-	-	-	-	·03	·33	Tr.	Tr.	·18.		2
3	·01	·10.	-	-	-	-	-	-	·01	·04	-	·01.		3
4	·08	Tr.	·06	·47	·03	-	-	-	·10	·20	-	·31		4
5	Tr.	-	·01	·02	·05	-	-	·14	-	·06	·10	·06		5
6	-	-	·04	·08	·37	·09	-	-	-	·15	Tr.	·46.		6
7	·10	-	-	Tr.	Tr.	·05	-	·12	-	·05	-	·20.		7
8	-	-	-	-	·09	·02	-	·08	-	-	·13	-		8
9	-	-	·11	·03	-	-	-	·02	-	-	·64	·40.		9
10	·01	Tr.	·33	·14	-	-	-	·01	-	-	·05	Tr.		10
11	·42	-	·08	·28	-	-	-	·23	-	-	-	·11.		11
12	-	-	·14	Tr.	-	-	·07	·16	-	-	Tr.	·02		12
13	·27	·01	Tr.	Tr.	·01	-	·31	·30	-	-	-	·37.		13
14	·09	-	·16	Tr.	·02	-	-	-	-	·30	·41	·27.		14
15	·09	-	·14	-	·18	-	-	-	·04	·13	·18	Tr.		15
16	·14	-	·04	-	·02	-	-	-	-	·15	·01	·07		16
17	·01	-	-	-	Tr.	-	·02	·02	·09	·12	·02	·09.		17
18	·10	-	-	·26	-	-	1·91	-	·03	-	Tr.	·02		18
19	-	Tr.	·06	·04	-	Tr.	Tr.	-	·01	·01	Tr.	·05		19
20	Tr.	-	·05	·08	·01	-	-	Tr.	Tr.	Tr.	Tr.	Tr.		20
21	-	-	·02	Tr.	-	·12	-	·03	-	·07	-	-		21
22	-	Tr.	Tr.	-	-	-	-	·13	·20	-	-	·06.		22
23	-	-	·09	·19	·02	·19	·09	-	Tr.	-	-	·12.		23
24	-	·22	·09	·01	-	·02	·19	-	·42	·02	-	-		24
25	·19	·01	-	·03	-	·10	-	-	-	·08	-	·21.		25
26	·01	-	·02	·08	-	·06	·05	-	·09	-	-	·02		26
27	-	·30	-	·07	-	-	-	-	Tr.	-	-	·13.		27
28	-	-	-	·22	-	·10	-	·33	-	Tr.	-	·36		28
29	-		-	-	-	-	·35	·22	·40	·03	-	Tr.		29
30	·03	×	-	-	-	-	-	Tr.	-	·17	·17	·11		30
31	·01	×	-	×	-	×	-	-	×	Tr.	×	·03.		31
TOTAL	1·64	0·64	1·49	2·00	0·80	0·75	2·99	1·95	1·78.	1·58	1·61	3·97	Year's Total. 21·20. ✓	
* Days with .01 in. or more.	17	5	17	15	10	9	8	15	12	15	9	24	156. ✓	
* Days with .04 in. or more.	10	3	14	11	4	7	7	10	9	12	7.	19.	113.	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2463.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Avon Waterworks Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 282 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19.	-	-	·02	·01	·11	·01	-	·14	·12	·07	·02		1
2	-	-	-	Tr	Tr.	·10	-	-	-	·12	Tr.	·11		2
3	Tr.	·22	·03	·05	-	·09	-	-	·24	·23	·22	·05		3
4	-	Tr	Tr	·11	-	·08	-	-	·01	·38	Tr	·01		4
5	Tr (MS)	·80	·09	·12	-	·01	·01	-	·04	·02	·05	Tr		5
6	·01	·02	·02	·26	-	·24	-	-	-	Tr.	·06	-		6
7	-	-	-	·36	-	·24	-	-	-	·16	·35	·15		7
8	-	-	-	·16	-	Tr.	-	-	-	·15	·10	·07		8
9	-	-	-	·30	-	·14	-	-	-	·76	·38	·01		9
10	-	Tr	-	·01	-	·02	-	-	-	Tr	·03	Tr		10
11	·20	-	-	-	-	·04	·07	-	-	Tr	·13	Tr		11
12	·01 (MS)	·01	-	-	-	·27	-	·04	·01	-	·05	-		12
13	·07	·03	-	·06	·19	·03	-	-	-	·02	·03	-		13
14	Tr	-	·02	·17	·09	·05	·03	-	·01	-	·57	·12		14
15	-	·08	-	·55	·04	·07	·01	-	·74	-	·34	·22		15
16	Tr	·06	·07	·14	-	·18	-	-	·19	·13	·68	·09		16
17	-	·06	-	·03	-	·15	·02	-	Tr.	·02	·48	·01		17
18	-	·06	-	·22	·04	·05	·27	-	·12	·08	-	·01		18
19	-	-	-	·09	·41	·19	·12	-	·05	·12	·26	Tr		19
20	·01	·16	-	·29	Tr	·10	·38	-	·03	-	·17	-		20
21	-	·19	-	·04	-	-	-	-	·41	·02	·16	-		21
22	-	·01	-	·09	-	-	-	·06	·08	-	-	-		22
23	Tr	·21	·09	-	-	-	-	·55	·01	·29	·01	·03		23
24	·04	·06	·03	-	-	-	-	-	1·03	-	-	·17		24
25	·19 (MS)	·05	-	·10	-	·88	-	-	Tr.	-	-	·05		25
26	Tr	·01	-	-	-	-	-	·11	·18	-	·01	1·43		26
27	-	·17	-	-	·02	-	-	Tr	·06	·03	·21	1·14		27
28	·01	·01	-	-	·03	-	-	·58	·06	·02	Tr	·05		28
29	Tr	×	·02	-	-	-	-	-	·16	-	·03	·08		29
30	·04	×	·02	·10	-	-	-	·37	·10.	·40	·19.	·07		30
31	Tr.	×	·03.	×	-	×	-	Tr.	×	·59.	×	·22		31
TOTAL	·77	2·21	·42	3·27	·83	3·04	·92	1·71	3·67	3·66	4·58	4·11	Year's Total. 29·19	
* Days with .01 in. or more.	10	18	10	21.	8	20	9	6	20	19	23	21.	185	
* Days with .04 in. or more.	6	12	3	18	5	17	4	6	15	13	18	15	132	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) W. H. Spicer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2463.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Avon Waterworks, Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 282 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·10	·06	·39	–	Tr.	·18	·03	–	–	·19	·10		1
2	·05	·03	·06	·04	–	·53	·62	·13	Tr	–	·09	·01		2
3	Tr.	·03	–	–	–	·17	·02	Tr	·15	Tr	·20	·03		3
4	·01	–	·14	–	–	·13	–	·02	·20	Tr	·10	·11		4
5	·05	·02	·04	–	–	–	·01	·03	·03	–	·03	·12		5
6	·04	–	Tr.	–	·22	·09	·08	·28	·07	Tr	–	·05		6
7	·26	–	Tr.	Tr.	–	·01	·42	–	·06	Tr	·06	–		7
8	·12	–	·13	–	–	–	–	–	·04	–	·03	·12		8
9	·28	–	·05	–	–	Tr	·96	–	·06	·04	·19	Tr.		9
10	·03	–	Tr	Tr.	–	–	·17	–	·01	·01	·06	·01		10
11	Tr.	–	–	·04	–	Tr	·32	–	·11	–	–	–		11
12	–	–	–	·10	Tr	·23	·01	–	·47	–	·24	·10		12
13	–	–	–	·11	–	·35	–	·01	Tr	·07	·07	·21		13
14	–	–	–	·21	–	·04	·38	–	·12	·05	·05	·54		14
15	Tr.	–	–	–	–	Tr	·11	–	·01	–	·06	·08		15
16	·20 MS.	·04	–	–	–	–	·07	–	–	–	·03	Tr		16
17	·01 MS.	·34	–	·04	·02	–	·05	–	·01	·10	·64	·11		17
18	–	·01	–	Tr	–	·03	·15	Tr	–	·22	·11	·08		18
19	·34	·07	·01	·24	–	·09	·02	·05	–	·12	·04	–		19
20	–	·02	·02	·07	–	·12	–	–	·04	·02	–	–		20
21	–	Tr	·03	·19	–	1·69	Tr	–	–	–	–	–		21
22	–	·61	·07	·01	·15	–	·17	–	Tr	–	–	·07		22
23	–	Tr.	·05	·14	·05	–	·22	–	–	·05	·03	Tr.		23
24	·11	·07	–	Tr	·02	–	–	–	·23	·20	·01	–		24
25	·04	Tr.	·13	·37	–	Tr	·51	–	·23	·03	–	–		25
26	Tr.	·06	·31	·10	–	–	·09	–	Tr	·08	·01	Tr.		26
27	·03	–	–	–	–	–	Tr	–	·08	·11	·04	–		27
28	·36	·10	·06	–	–	–	·03	–	Tr	–	–	·02		28
29	·27	·27.	·04	–	–	·10	–	–	–	·09	·01	·19		29
30	·02	✕	–	–	·48	·11.	·09	–	–	·31	·44	Tr		30
31	·59.	✕	·09	✕	–	✕	·03	–	✕	·10.	✕	·15		31
													Year's Total	
TOTAL	2·85	1·77	1·29	2·05	0·94	3·69	4·71	0·55	1·92	1·60	2·73	2·10	26·20	✓
* Days with .01 in. or more.	19	14	16	14	6	14	23	7	17	16	23	18	187	✓
* Days with .04 in. or more.	14	9	13	13	4	12	17	4	13	13	16.	14	142.	✓

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2463

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Avon Waterworks Rugby

in the County of Warwick

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 282 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·01	Tr	Tr	–	–	–	–	·07	–	·17	·25		1
2	Tr	·07	–	·48	–	–	–	–	–	–	·01	·15		2
3	–	·12	–	–	·47	–	–	–	–	–	Tr	·05		3
4	·07	·22	–	–	·06	–	–	Tr	–	–	–	·70 MS		4
5	·28	–	·18	–	–	–	·01	·03	–	Tr	–	·01		5
6	·08	Tr.	·12 MS	·02	·13	–	·01	–	–	·03	–	–		6
7	–	·56	Tr	·15	·01	–	–	–	–	Tr	Tr.	–		7
8	–	·10	–	Tr	–	–	–	–	–	–	·34	·06 MS.		8
9	·60	Tr	·02 MS.	·20	·34	–	·53	–	·11	–	Tr	·06 MS.		9
10	–	·02	·47 MS	·48	–	·18	Tr	–	–	–	–	·13		10
11	–	Tr	·14	Tr.	·56	·55	–	–	–	–	–	·03 MS.		11
12	·06	·29	·08	Tr.	·40	·01	–	·38	·12	–	–	·08		12
13	·08	–	·16 MS.	·05	·01	·16	–	·17	·08	–	–	·02		13
14	–	·07	·30 MS.	·07	–	–	–	·34	·01	–	–	·15 MS		14
15	·12	·07	Tr	·16	–	–	·94	–	·32	–	–	Tr		15
16	·03	·06	·18	·44	–	–	–	·04	·20	–	–	–		16
17	·10	·03	·18	·33	–	–	–	Tr	·19	–	–	–		17
18	·31	·11	·31	·01	–	–	·03	–	·13	–	·32	·01 MS.		18
19	·12	·08	·01	·08	·05	·17	·27	–	Tr	–	·08	–		19
20	·14	–	Tr	·44	·43	·17	–	–	–	·01	Tr	·02		20
21	·07	·18	·08	·01	·02	–	·28	–	–	–	·01	·11		21
22	·11	·03	·23 MS	–	·20	·05	·16	–	–	·51	·26	Tr.		22
23	·19	Tr.	·04	–	·07	Tr	·12	–	–	·63	·14	Tr		23
24	·12	·25	·08	–	·02	–	·14	–	·02	·20	Tr	·01		24
25	·21	·30	–	–	16	–	–	–	·04	·70	Tr	·01		25
26	Tr	·21	·04 MS	–	·45	–	–	–	–	·04	–	Tr		26
27	·01	·32 MS.	Tr	·30	–	–	–	–	–	·53	·01	Tr.		27
28	Tr	·03.	Tr	–	–	–	–	–	–	·02	–	·03		28
29	·03 MS.		–	–	–	–	–	–	–	·03	·04	·05		29
30	·21	✗	–	–	–	–	–	·15	–	Tr.	·10	·01		30
31	·19	✗	–	✗	–	✗	–	–	✗	·24	✗	·01.		31
TOTAL	3·29	3·13	2·62	3·22	3·38	1·29	2·49	1·11	1·29	2·94	1·48	1·95	Year's Total 28·19	✓ ✓
* Days with .01 in. or more.	22	21	17	15	16	7	10	6	11	11	11	21	168	✓ ✓
* Days with .04 in. or more.	19	16	15	12	12	6	7	5	9	7	8	11	127.	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... 26/1/38 [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2463

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Avon Waterworks, Rugby

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 282 ft.

Mar. Oct. + Ann. Total Corr. for Ank. 3.3.39. EMF.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	Tr	-	-	·37	·04	-	-	·08	·02	·18		1
2	·01	-	-	·02	·01	·20	-	-	-	·18	Tr	Tr		2
3	·02	-	-	-	·13	Tr	·71	-	·02	·57	·02	-		3
4	Tr	-	Tr	Tr	Tr	-	·01	1·53	-	·33	Tr	·22		4
5	Tr	-	-	-	-	-	·23	·40	·01	·10	-	Tr		5
6	Tr	-	-	-	-	·01	·05	Tr	·17	·06	-	-		6
7	·09	-	-	-	-	·03	·12	·54	·12	·16	-	·05		7
8	·21	-	-	-	-	Tr	·05	·17	-	·12	-	-		8
9	·02	·04	-	-	-	-	Tr	·03	-	-	-	·18		9
10	Tr	·06	-	-	-	·04	·21	·08	-	-	-	·07		10
11	·49	·01	-	-	-	-	Tr	Tr	-	·03	·10	Tr		11
12	·15	Tr	-	-	·17	-	-	·57	-	·24	·02	Tr		12
13	Tr	·07	-	-	-	-	-	-	-	Tr	·13	·28		13
14	·24	·04 MS	-	-	·03	-	·51	·01	·06	-	-	Tr		14
15	·07	-	-	-	-	-	·15	-	-	-	-	·11		15
16	·25	-	-	-	-	-	·05	Tr	-	-	·01	·07		16
17	Tr	·07	-	-	-	-	·02	-	·02	·08	·02	-		17
18	·02	-	-	-	·16	-	-	·02	·82	Tr	·33	-		18
19	-	-	-	-	-	·04	-	·13	·27	-	·12	Tr MS		19
20	-	-	-	-	-	-	-	-	·03	-	·33	·07 MS.		20
21	·02	-	-	-	-	-	-	-	Tr	-	·11	·30 MS		21
22	Tr	-	-	-	-	·18	-	Tr	-	-	·31	·29 MS		22
23	-	-	-	-	·02	-	·22	-	Tr	-	·06	·04 MS		23
24	-	Tr	·03	-	·02	-	·28	-	·28	-	Tr	·01 MS		24
25	·09	·15	·11	-	·02	-	·01	·05	Tr	·07	·27	·10 MS		25
26	·09	·26	·16	-	Tr	-	-	·02	·04	·24	Tr	·29 MS		26
27	·08	·01	Tr	-	·06	·14	·26	·24	·48	·02	·33	·01		27
28	·28	-	-	-	·32	·11	·01	1·33	·08	Tr	·01	·16		28
29	·37		-	Tr	·06	·02	-	Tr	Tr	·02	·08	·13		29
30	·02	✕	-	-	·02	·42	-	-	·39	·02	·21	·20 MS		30
31	·11	✕	-	✕	·20	✕	-	-	✕	·13	✕	·38		31
TOTAL	2·64	·71	·3$\overset{0}{\cancel{2}}$	·02	1·22	1·56	2·93	5·12	2·79	2·$\overset{4}{\cancel{5}}$5	2·49	3·14	Year's Total 25·$\overset{37}{\cancel{29}}$	✓
* Days with .01 in. or more.	20	9	3	1	13	11	17	14	14	17	18	20	157	✓
* Days with .04 in. or more.	13	7	2	-	7	8	13	10	10	13	12	18	113	✓

† Spare column, no entries required.

(Signed) D.H. Speed

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2463.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Avon Waterworks Rugby

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 282 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	Tr	·21	·02	–	–	·48	·09	·03	–	·01		1
2	·08	–	–	·08	Tr	–	–	·36	·32	·01	·02	·01		2
3	M.S. ·23	–	–	·32	–	–	–	·68	–	·01	·13	·15		3
4	·08	–	·38	·42	Tr	–	·05	·34	·01	·23	·08	·07		4
5	–	–	Tr	·12	·20	–	·08	·89	–	·06	·16	·13		5
6	·56	–	–	Tr	Tr	–	·96	·02	–	–	·03	–		6
7	·03	·01	–	–	–	–	·16	Tr.	–	Tr	·20	·21		7
8	Tr.	·05	·23	–	–	–	·39	·18	–	·34	·04	·37		8
9	·02	·07	Tr	–	–	–	Tr	·14	–	·40	·07	·20		9
10	·26	–	·01	–	–	·04	–	·28	·02	·01	Tr	Tr.		10
11	·01	–	·15	–	–	·14	–	Tr	·03	·08	–	–		11
12	·01	–	–	–	Tr.	·01	–	–	–	Tr	Tr	–		12
13	–	–	–	–	Tr.	·01	·04	–	·05	·17	Tr	–		13
14	·38	–	·01	·03	·70	·09	·22	–	·04	·05	·11	–		14
15	·37	–	·02	–	·10	·44	·28	–	·02	·56	·06	–		15
16	·17	–	·10	–	·17	·51	·03	–	·03	·03	·23	–		16
17	·23	·04	·02	–	·16	–	·29	–	–	Tr	·01	–		17
18	·20	·02	·05	–	–	·76	·19	–	–	FLOOD	·56	–		18
19	·20	–	Tr	–	–	Tr.	1·26	–	Tr	–	–	–		19
20	·16	–	·01	–	–	·04	·19	·10	–	–	–	–		20
21	·11	·14	·19	Tr.	–	·01	Tr	·19	·03	·02	–	–		21
22	·16	·19	·03	Tr.	–	Tr.	·08	Tr	·01	–	·26	–		22
23	Tr	Tr	·01	·03	–	·02	·08	–	Tr	·06	·63	Tr.		23
24	MS. ·18	–	Tr	·01	–	·01	·17	–	–	·05	Tr	–		24
25	1·24	·10	·12	–	–	–	·07	–	–	–	·22	–		25
26	FLOODS	–	Tr	–	–	–	Tr	·09	–	·04	·25	–		26
27	·01	·13	·09	·03	–	Tr	·07	·02	–	·11	Tr	MS. ·04		27
28	Tr	·16	·11	·02	–	·02	·10	Tr	–	Tr	·17	MS ·02		28
29	–		Tr	·19	–	–	·26	–	–	–	·04	MS. ·01		29
30	–	✕	–	·08	–	·15	·10	–	–	·14	·07	–		30
31	–	✕	Tr	✕	–	✕	·11	·24	✕	Tr.	✕	–		31
TOTAL	4·72	·91	1·53	1·54	1·35	2·25	5·18	4·01	·65	2·40	3·34	1·22	Year's Total 29·10	
* Days with .01 in. or more.	22	10	16	12	6	14	22	14	11	19	20	11	177	
* Days with .04 in. or more.	16	8	9	7	5	8	21	12	4	13	16	7	126	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) D H Spencer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2463 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at AVON WATERWORKS RUGBY

in the County of WARWICK

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 292 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01 M.S.	-	Tr	Tr	-	-	-	-	-	·11	-		1
2	-	·04	-	·38	-	-	·02	-	-	Tr	·85	·01		2
3	-	·11	-	·05	-	-	-	-	-	·05	·72	·04		3
4	Tr.	·08	-	·16	-	-	-	-	-	·09	·59	·08		4
5	-	·02	-	Tr	·03	-	·04	-	-	·10	·37	·03		5
6	·04	·08	-	-	·06	-	-	-	-	·42	·38	-		6
7	·09	FLOODS	-	·03	·03	-	-	-	·03	Tr	-	-		7
8	Tr	-	-	·01	Tr	-	·15	-	-	·07	-	·23		8
9	-	-	-	·01	-	-	·02	·12	·02	·01	·02	·18		9
10	-	-	Tr	-	-	-	·45	·01	-	·11	·20	·15		10
11	-	-	·03	·04	-	-	·17	-	-	Tr	·54	·15		11
12	-	Tr	·06	-	-	-	·12	-	·08	-	·06	-		12
13	-	·08 M.S.	·65 M.S.	·04	-	-	-	-	·09	-	·10	·01		13
14	-	Tr	·02	·07	·22	-	-	·03	·11	·04	·02	·20		14
15	-	-	Tr	·05	·03	-	Tr	-	-	·16	·13	·01		15
16	·04 MS	·12 MS	·39	-	Tr	-	·27	-	·12	·63	·60	-		16
17	-	-	·36	-	-	-	·13	-	-	-	·04	-		17
18	·05 MS	·51	·38	·29	-	-	Tr.	·03	·01	Tr	·11	·05		18
19	-	·22	·02	·20	-	-	·41	-	·18	-	·17	·01		19
20	-	·01	·02	·02	-	·02	·18	·01	-	·13	-	-		20
21	·11 M.S.	-	·02	·01	·20	·04	·09	Tr	-	·04	·04	-		21
22	-	-	·01	Tr	·36	·21	-	-	·23	·02	1·27	-		22
23	-	·07	-	·01	·17	·12	-	-	Tr	Tr	-	·04		23
24	-	-	Tr	·03	-	-	·10	-	-	Tr.	-	-		24
25	-	Tr	·02	-	Tr	-	·01	-	-	·02	-	Tr.		25
26	·96 MS	·11	-	·03	·05	Tr	·41	-	-	·06	-	-		26
27	1·06 M.S.	·14	-	·06	-	-	·11	-	-	-	·01	-		27
28	·75 MS	·12	-	·02	·21	-	-	-	-	-	-	-		28
29	-	-	·10	Tr	·08	-	-	-	-	-	-	·25		29
30	-	✕	-	·56	Tr	-	-	-	-	·35	-	·04		30
31	·03 MS	✕	·03	✕	-	✕	-	-	✕	·55	✕	-		31
TOTAL	3·13	1·92	2·11	2·06	1·44	·39	2·68	·20	·87	2·85	6·33	1·48	Year's Total 25·46	✓
* Days with .01 in. or more.	9	15	14	20	11	4	16	5	9	17	20	16	156	✓
* Days with .04 in. or more.	8	12	6	11	8	3	13	1	6	14	17	11	110	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

2464.

Section **A** for the entry

AIR MINIST

…Y FOR OFFICIAL USE.

…RGANIZATION.

FORM 1090. **REGIS**

Kept at Ryton-on-

in the County of War

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

…ing

Jan. 1, following

—

2464

RYTON-ON-DUNSMORE
1931—40

780407

Date	Jan.	Feb.	March								…ov.	Dec.	*Date*
	in.	in.	in.								…n.	in.	
1		.03											1
2		.08		.85				.53	.53		.02		2
3							.03		1.27		.71	.19	3
4		.08		.39	.18		.36	.17	.03				4
5		.04		.12		.85		.03	.12			.33	5
6		.18		.02		.02	.08	.01		.18	.35		6
7								.53		.03	.05	.03	7
8	.09	.07		.10		.22	.03	.76			.29		8
9		.25	.02					.13			.13		9
10	.01	.33				.04		.17	.06		.03		10
11	.13					.02	.03	.01			.11		11
12	.03	.04					.37		.40				12
13							.02			.06			13
14		.09	.03			.20	.37	.94	.05		.04		14
15	.01	.10		.12	.47		.32	.30					15
16	.06	.33		.12	.24	.53		.12	.16				16
17	.07	.30		.36	.61		.10						17
18	.08	.04	.02	.32		.09	.03	.25			.32		18
19	.05	.03		.18	.02		.13	.03					19
20								.21			.04		20
21	.21				.55								21
22	.20			.07				.07					22
23	.33			.07	.40				.12		.23	.14	23
24		.08		.07	.41	.19							24
25	.04	.05		.83			.02				.08	.01	25
26	.02			.35			.58				.17		26
27	.13	.63		.02	.40		.04				.15	.06	27
28	.07	.21			.13		.05					.14	28
29							.15			.35			29
30		×											30
31	.23	×		×		×			×		×	.04	31
TOTAL	1.76	2.96	.07	4.10	3.41	2.22	2.71	4.26	3.18	.62	2.75	.94	YEAR'S TOTAL 28.98
*Days with ·01 in. or more.	17	19	3	17	10	10	17	16	10	4	15	8	146
*Days with ·04 in. or more.	12	17	0	15	9	8	11	12	9	3	13	6	115

'd'

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Charles Browett
pp. M.C.B

[P.T.O.

Section **A** for the entry

AIR MINIST

2464

FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ryton-on-Dunsmore

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03		.18		.06			.44				1
2		.08		.85				.53	.53		.02		2
3							.03		1.27		.71	.19	3
4		.08		.32	.18		.36	.17	.03				4
5		.04		.12		.85		.03	.12			.33	5
6		.18		.02		.02	.08	.01		.18	.35		6
7								.53		.03	.05	.03	7
8	.09	.07		.10		.22	.03	.76			.29		8
9		.25	.02					.13			.13		9
10	.01	.33				.04		.17	.06		.03		10
11	.13					.02	.03	.01			.11		11
12	.03	.04					.37		.40				12
13							.02			.06			13
14		.09	.03			.20	.37	.94	.05		.04		14
15	.01	.10		.12	.47		.32	.30					15
16	.06	.33		.12	.24	.53		.12	.16				16
17	.07	.30		.36	.61		.10						17
18	.08	.04	.02	.32		.09	.03	.25			.32		18
19	.05	.03		.18	.02		.13	.03					19
20								.21			.04		20
21	.21				.55								21
22	.20			.07				.07					22
23	.33			.07	.40				.12		.23	.14	23
24		.08		.07	.41	.19							24
25	.04	.05		.83			.02				.08	.01	25
26	.02			.35			.58				.17		26
27	.13	.63		.02	.40		.04				.15	.06	27
28	.07	.21			.13		.05					.14	28
29							.15			.35			29
30		×											30
31	.23	×		×		×			×		×	.04	31
TOTAL	1.76	2.96	.07	4.10	3.41	2.22	2.71	4.26	3.18	.62	2.75	.94	YEAR'S TOTAL 28.98
*Days with ·01 in. or more.	17	19	3	17	10	10	17	16	10	4	15	8	146
*Days with ·04 in. or more.	12	17	0	15	9	8	11	12	9	3	13	6	115

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Charles Browett
pp. M.E.B

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Ryton-on-Dunsmore

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.05			.72		.01	.19	.09	.25	.02		1
2				.22	.38				.20	.05		.14	2
3				.18	.05					—			3
4				.11							.45		4
5	.27	.02							.10				5
6	.26		.06	.37	.01		.12		.50				6
7	.02		.20	.23	.02				.12				7
8				.12					.05	.20			8
9	.10	.12		.06									9
10	.13	.19		.12	.12				.12	.14			10
11				.08	.07		.25	.02	.05	.07			11
12	.26	.02			.19		2.36		.03	.35	.04	.05	12
13	.01			.10	.01		.93		.08	.03	.07	.06	13
14	.28							.02		.04	.04		14
15	.01			.05	.28		.05	.01		.06		.05	15
16	.20			.20	.05								16
17				.01			.05						17
18					.13				.01		.10		18
19				.10	.02					.36			19
20				.18	.57		.03	.45		.46	.11		20
21	.03		.14	.21	1.81			.45		.34		.11	21
22	.01		.20		.06	.03	.26		.70	.07	.32	.08	22
23		.05		.02	1.09						.12		23
24	.01						.03		.15		.22		24
25					01		.16			.19	.02		25
26				.39	.18		.04			.02			26
27			.38	.36	.46	.08	.19				.06		27
28					.27	.32	.19	.11		.08			28
29		.02	.37	.25	.02	.11	.03	.37	.15	.27			29
30		×	.11		.49	.53		.37	.73	.18	.47	.48	30
31		×	.14	×	.01	×	.85		×	.01	×	.08	31 d
TOTAL	1.66	.47	1.60	3.36	7.02	1.07	5.55	1.99	3.08	3.17	2.04	1.05	YEAR'S TOTAL 32.06
*Days with ·01 in. or more.	14	7	8	20	24	5	16	9	15	19	13	8	158
*Days with .04 in. or more.	7	4	8	18	17	4	12	6	13	16	11	8	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Charles Browett
pp [illegible]

P.T.O.

157.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Ryton House Ryton-on-Dunsmore
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 260 ft.

24.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22													1
2	.13		.65		.09									2
3		.33	.28		.09									3
4	.12	.01			.24									4
5		.10	.35		.07									5
6		.18			.21					.09				6
7	.18	.21								.18				7
8			.15		.16		.22							8
9							.30			.12				9
10	.10	.33				.10		.04		.98	.30			10
11							.24	.02						11
12	.08					.03	.15		.27			.03		12
13						.04	.34		.03		.30			13
14					.09		.07			.27	.35	.01		14
15	.47		.04		.10	.08	.62	.08			.17	.05		15
16			.60			.15	.12		.01	.09	.05			16
17	.09					.05		.02	.05	.01	.03			17
18						.15								18
19		.05	.65			.23			.14		.03			19
20		.05				.26		.01	.03	.05				20
21		.05			.14			.16	.03					21
22					.03	.25		.37		.23				22
23	.25			.10		.05			.60					23
24		.62		.08	.11	.27			.32	.04	.03			24
25		.42		.30		.33			.09	.02	.02	.05		25
26		.57		.09	.02	.10				.22				26
27					.55				.05					27
28				.38	.08		.03			.08		.05		28
29			.15	.10			.33							29
30		×					.12					.09		30
31		×	.27	×		×	.02	.13	×	.17	×			31
TOTAL	1.64	2.92	3.14	1.05	1.98	2.09	2.56	.83	1.62	2.55	1.28	.28	Year's Total 21.94	
*Days with ·01 in. or more.	9	12	9	6	14	14	12	8	11	14	9	6	~~124~~	
*Days with .04 in. or more.	9	11	9	6	12	13	10	5	7	12	5	4	103	

Snow, sleet, & rain. Gauge frozen to the ground

40-9999

*See Instruction 2 (f) on other side.

D

† Spare column, no entries required.

(Signed) Charles Browett
pp a.e.b

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Ryton-on-Dunsmore

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 260 ft.

24

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								.17				.38		1
2	.08		.08					.05	.30		.11	.23		2
3		.10								.04	.01	.09		3
4		.02	.12	.33	.14				.03	.12	.10	.28		4
5					.03			.28			.08	.12		5
6	.12		.09	.08	.30	.01				.20		.47		6
7	.12					.08		.15		.11		.28		7
8					.10	.05		.08			.13	.02		8
9	.02		.15					.02			.58	.32		9
10	.03		.15	.13				.03			.04			10
11	.65		.13	.32								.12		11
12			.13					.11						12
13	.29						.05	.32		.02		.33		13
14	.10		.17	.03			.56	.24		.25	.35	.25		14
15	.09		.14		.18	.26			.01		.20	.06		15
16	.18		.05							.20	.03			16
17	.03		.01		.02				.14	.14	.04	.20		17
18	.13		.02	.17				.02	.04			.04		18
19			.16			.09	.66			.02				19
20			.20	.12										20
21						.15				.06				21
22								.05	.29			.11		22
23				.22	.04	.34	.09	.20		.04		.06		23
24		.30	.15			.03	.55		.38		.03			24
25				.08		.17				.09		.30		25
26	.28		.04			.06			.08			.07		26
27		.18		.05								.15		27
28				.11		.25		.42		.12	.02	.39		28
29				.72			.50	.18	.44	.07		.04		29
30	.10	×					.02		.03			.12		30
31	.02	×		×		×			×	.20	×	.05		31
TOTAL	2.26	.60	1.79	2.36	.81	1.49	2.43	2.32	1.74	1.68	1.74	4.48	Year's Total 23.70	
*Days with ·01 in. or more.	15	4	16	12	7	11	7	15	10	15	13	24	149	
*Days with .04 in. or more.	11	3	14	11	5	9	6	12	7	13	9	23	123	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Charles Browett
per M. a. B.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No. 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Ryton-on-Dunsmore
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 260 ft.

24

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.03		.05	.02	.20	.05		.34	.12	.05			1
2						.04				.15	.23	.10		2
3		.28	.12			.27			.16	.25		.15		3
4			.02	.21		.12			.02	.20				4
5		.67	.07			.02			.03		.05			5
6			.01	.42		.25					.03			6
7				.34		.18				.26	.35	.15		7
8				.18		.24		1.25		.05	.13			8
9				.38		.03				.66	.35			9
10		.02		.02										10
11	.18					.11					.20	.05		11
12	.04					.20		.04			.02			12
13	.10			.15	.15	.02				.07				13
14				.16	.09	.02			.40		.63	.10		14
15		.10		.80	.07	.19	.08			.12	.22			15
16		.08	.14	.25		.22	.01		.30	.01	.70			16
17						.19				.03	.60			17
18		.09		.22	.05	.11	.02		.18	.09	.30			18
19				.10	.59	.28	.18		.06	.08				19
20	.05	.39		.20		.10	.14		.04		.22			20
21		.25	.04	.19		1.17	.21		.42		.14			21
22				.30					.09					22
23	.02			.02				.65	.02	.50				23
24	.07		.10					.05	.92					24
25	.16			.09										25
26	.01	.07						.18	.15	.03		1.30		26
27	.17	.23							.06		.24	1.18		27
28		.03			.38			.02	.05			.03		28
29			.08						.13	.08	.09	.10		29
30	.06	✕		.09				.53	.07	.30	.28	.07		30
31		✕		✕		✕			✕	.65	✕	.23		31
													Year's Total	
TOTAL	.93	2.24	.58	4.17	1.35	3.96	.69	2.72	3.44	3.65	4.83	3.46	32.02	
* Days with .01 in. or more.	~~11~~	~~12~~	~~8~~	~~19~~	~~7~~	~~20~~	~~7~~	~~7~~	~~18~~	~~18~~	~~19~~	~~11~~	~~157~~	
* Days with .04 in. or more.	9	9	6	17	6	16	5	6	15	15	17	10	131	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles Browett
pp Ch. L. B.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Ryton-on-Dunsmore

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 260 ft.

T. L

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	.10		.50		.10	.19	.10			.07	.10		1
2			.15			.29	.70	.08						2
3						.30	.16	.03	.15					3
4	.04		.13			.18			.30			.17		4
5	.10						.02	.10	.26	.08	.20	.20		5
6	.03				.17	.10	.14		.09	.02				6
7	.20						.32				.15			7
8	.20		.19								.33			8
9	.30		.08			.01	1.18				.05			9
10	.10						.22		.28	.06				10
11				.11		.04	.32		.03		.28			11
12					.03	.27	.56		.05		.14			12
13						.42		.14	1.03	.09	.01	.56		13
14				.34			.45			.02		.50		14
15							.37		.22			.09		15
16	.30	.14					.08		.09		.55			16
17					.05		.18			.05				17
18						.25	.17			.23				18
19	.25	.28	.08	.20		.10	.01	.07		.04				19
20			.07	.01		.09	.02							20
21				.27		1.12	.06		.20					21
22		.80	.08		.17		.20		.08					22
23		.03	.18	.07	.07		.25			.08				23
24	.27	.07							.20	.17				24
25	.05		.15	.37			.06		.25					25
26		.09	.30	.03					.04	.13		.30		26
27	.05						.12			.10				27
28	.45	.14	.15				.12			.07	.13	.05		28
29	.04	.19				.13					.25	.13		29
30		×	.03		.25	.07	.12				.07			30
31	.60	×	.10	×		×			×	.37	×	.20		31
TOTAL	3.01	1.84	1.69	1.90	.74	3.47	6.02	.52	3.27	1.51	2.23	2.30	Year's Total 28.50	✓
* Days with .01 in. or more.	16	9	13	9	6	15	24	6	15	14	12	10	149	✓
* Days with .04 in. or more.	14	8	12	7	5	14	21	5	14	12	11	10	133	✓

* See Instruction 3 (f) on other side.

† Spare column, no entry required

(*Signed*) Charles Browett

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Ryton House, Ryton-on-Dunsmore

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 260 ft.

T L

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.25		.05						.10					1
2	.01	.10		.83			.01				.10	.32		2
3		.08			.15							.23		3
4		.17			.05							.77		4
5	.30				.13									5
6	.13		.34							.08				6
7		.78		.20	.03									7
8		.10			.03						.38	.17		8
9				.08	.39		.24		.14					9
10		.03	.33	.40		.20	.01					.24		10
11						.45								11
12	.04	.37	.30		.57				.13					12
13	.16	.09	.30	.05	.35	.23			.92			.24		13
14		.02	.18	.09	.05		1.70	.48	.03			.13		14
15	.11	.05		.20	.03			.95	.13			.02		15
16		.10	.30	.45					.27					16
17	.15	.03	.27	.23				.10	.12					17
18	.37	.11	.10	.02			.08		.11		.30			18
19	.10	.07	.12		.17	.20	.20				.09			19
20	.25			.55	.43									20
21	.08	.21		.03			.27			.03				21
22	.12		.22		.14	.23	.22			.50	.25			22
23	.23	.04			.02		.09			.39	.14	.10		23
24	.13	.38					.05		.06	.27		.03		24
25	.15	.33			.16				.05	.25				25
26		.23	.10		.43					.03				26
27		.30		.25						.60				27
28										.04				28
29	.01									.04		.07		29
30	.28	✕					~~.78~~	.78		.01	.20			30
31	.26	✕		✕		✕			✕	.20	✕			31
													Year's Total	
TOTAL	3.13	3.59	2.61	3.38	3.13	1.33	2.87	2.31	2.06	2.44	1.46	2.32	30.63	✓
* Days with .01 in. or more.	19	20	12	13	16	5	10	4	11	12	7	11	140	✓
* Days with .04 in. or more.	17	17	12	11	12	5	8	4	10	9	7	9	121	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles Browett [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

T.L

Kept at Ryton House. Ryton-on-Dunsmore N: Coventry

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 260 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.40						.20		1
2				.05	.01	.20	.01			.15	.02	.28		2
3						.02	.50				.04	.02		3
4				.01				.14	.05	.98		.22		4
5							.45	.35		.18				5
6							.10	.01		.08				6
7						.04	.13	.24	.08	.15		.08		7
8	.45							.30	.12	.15				8
9	.03	.17				.03	.06	.02				.34		9
10						.09	.18	.10				.07		10
11	.49						.02			.06	.13	.03		11
12	.17				.17			.11		.28	.07	.38		12
13		.05												13
14	.40	.05			.07									14
15	.08				.03		.58		.08			.15		15
16	.30						.10				.10	.21		16
17		.08					.20	.02		.14				17
18	.04				.17	.10	.01	.01	.03		.36			18
19							.03	.36	.32		.13	.03		19 Snow
20									.30		.40	.07		20 "
21								.03	.02			.36		21 "
22	.03			.03		.10					.47	.24		22
23	.02						.02		.06					23
24			.09		.08		.06		.32			.08		24
25	.12	.25	.10		.08			.04	.09		.33	.17		25
26	.10	.24	.11						.23	.29		.22		26
27	.07				.31	.18	.30	.35	.08	.06	.35	.20		27
28	.33				.33			1.33			.06			28
29	.43				.28	.03	.02	.07			.08	.10		29
30	.05	✕		.01		.33			.45	.07				30
31	.13	✕		✕	.25	✕			✕	.15	✕	.46		31
													Year's Total	
TOTAL	3.24	.84	.30	.10	1.78	1.52	2.77	3.48	2.23	2.74	2.54	3.91	25.45	✓
* Days with .01 in. or more.	17	6	3	4	11	11	17	16	14	13	13	21	146	✓ 'd'
* Days with .04 in. or more.	14	6	3	1	9	8	11	11	12	13	12	18	138	✓

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) Charles Browett

pp McB.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ryton House Ryton-on-Dunsmore N^r Coventry
in the County of Warwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 260 ft.

J. L.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			.03	.21			.13	.57	.08					1
2	.11			.06			.01	.38	.75		.03			2
3	.04			.35				.60	.06	.10	.13	.29		3
4	.30		.52	.45			.10	.18		.01	.05	.06		4
5	.70			.08			.08	.63		.27	.20	.15		5
6				.38			.52	.03		.06	.04			6
7	.06	.04					.16				.30	.30		7
8	.04	.09	.27				.55	.15		.58	.08	.39		8
9							.04	.15		.47	.07	.20		9
10			.06			.05		.25		.04	.01			10
11	.30	.07	.15			.12		.02	.07					11
12	.03		.05			.13				.08				12
13	.47	.05		.03	.01	.02	.12			.10				13
14	.50			.03	.45	.13	.20			.05	.10			14
15	.28			.01	.07	.40	.57			.43	.37			15
16	.32					.20	.58			2.10	.04			16
17	.12						.20			.01	.65			17
18	.23					.51	.15							18
19	.20	.10					.67							19
20	.09			.03		.01	.23							20
21			.40			.01	.05	.58	.03					21
22		.15					.05	1.07		.04	.42			22
23		.25								.10	.73			23
24	.57	.14	.10	.22			.13			.05				24
25	.10	.21								.01	.25	.02		25
26	.20			.08						.10	.29			26
27	.15							.10		.03		.12		27
28			.20	.04		.05	.17	.07						28
29				.20			.13			.20	.12			29
30		✕		.08			.23	.17		.01				30
31		✕		✕		✕	.01		✕		✕			31
TOTAL	4.81	1.10	1.78	2.25	.53	1.63	5.08	4.95	.99	4.84	3.90	1.53	Year's Total 33.39 ✓	
* Days with .01 in. or more.	20	9	9	15	3	11	23	15	5	21	18	8	157	
* Days with .04 in. or more.	19	9	8	11	2	8	21	13	4	16	17	7	135	

† Spare column, no entries required.

(*Signed*) Charles Browett
pp M. L. B.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2464

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Ryton House, Ryton-on-Dunsmore

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 260 ft.

JK Ag

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2		.15		.36			.02			[illegible]	.10			2
3		.11								.25	.90	.12		3
4											.85	.08		4
5				.24	.14		.08			.15	.55	.13		5
6	.13	.35		.03						.44	.53	-		6
7							.34		.05	.01	.33	✓		7
8							.08			.09	.03	× .74		8
9							.08	.04	.03	.02	.04	×		9
10			.20				.61					×		10
11			.30				.02				.83			11
12			.26			.12	.18		.08		.02			12
13							.07		.10		.05			13
14				.17	.27			.04	.13	.20	.30			14
15					.09		.10		.07	.02				15
16		.65		.10		.01	.20	.03	.13	.53	.17	.04		16
17			.72				.10				.64			17
18	.14	.53	.50	.29			.02			.24	.12			18
19		.23	.10	.23			.40		.29	.01	.18	.22		19
20							.07			.17	.09			20
21	.10				.31	.20	.27	.03		.06	1.40			21
22		.02			.54	.08			.67					22
23			.10		.08	.15				.02		.15		23
24				.16			.09							24
25							.40			.02				25
26	1.30	.29			.06		.12							26
27	.62	.16		.20	.20		.03							27
28	.65													28
29			.13	.03		.01				.54				29
30		×		.70						.53				30
31		×	.08	×		×			×		×	.01		31
TOTAL	2.94	2.49	2.39	2.50	1.68	.57	3.28	.14	1.55	3.32	7.13	1.51	Year's Total 29.50	
* Days with .01 in. or more.	6	9	9	11	8	6	20	4	9	17	18	11 ~~8~~	~~125~~ 128	
* Days with .04 in. or more.	6	8	9	9	8	4	16	2	8	11	17	9 ~~7~~	~~105~~ 107	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Charles Browett
pp M. S. B.

[P.T.O.

2465

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGIS

Kept at Sewage Pumping

in the County of WARWIC

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

ing

Jan. 1, following

—

2465

COVENTRY. WHITLEY SEWAGE WKS

1931 — 40

780408

Date	Jan.	Feb.	March								ov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·											·	1
2	·05	·08		·72	·	·03	·	·50	·40	·01	·02	·08	2
3	·02			·10	·	·	·02		·82	-	·68	·20	3
4	-	·06		·16	·	·	·29	·15	·04	-	·09	·	4
5	-	·07		·04	·	·87	·	·02	·08	·		·32	5
6	·	·16		·02	·	·	·		·	·20	·23	·	6
7	·			·	·03	·	·	·46	-	·	·04	·	7
8	·01	·05		·09	·	·	·	·92	·	·	·24	·01	8
9	·	·26		·02	·	·	·03	·10	·	·	·23		9
10	·			-	·02	·04	·	·19	·	·	·02	·	10
11	·19	·25		·	·	·06	·		·19	·	·04	·	11
12	·04	·05		-	-	·	·66	·01	·25	·09	·01	·	12
13	·		·02	-	·	-	·04	·05	·	·03	·	·	13
14	·		-	·	·04	·12	·34	·71	·06	·	·05	·	14
15	·01	·15	·	·07	·30	·	·34	·18		·	·01	·	15
16	·04	·10	·	·13	·26	·58	·01	·27	·15	· ·	·	·	16
17	·07	·42	·	·30	·54	·	·06	·		·	·	·	17
18	·11	·01	·02	·24	·	·05	·03	·24		·	·29	·	18
19	·02	·01		·16	·	·07	·10	·02		·	·02	·	19
20	·	·05	·01	·02	·	·	·	·22		·04	·01	·04	20
21	·16				·53	·	·	·01		-	·	·	21
22	·16			·04	·04	·	·			·	·03	·	22
23	·20		·13	·02	·43	·06	·	·07		·	·19	·11	23
24	·02	·01		·15	·29		·02			·		·	24
25	·	·01		·73	·02		·49				·05		25
26	·02	·02		·23			·04			·	·17	·	26
27	·11	·60			·39		·16			·	·08	·04	27
28	·07	·17		·12	·14		·			·02	·	·10	28
29	·02	×			·05		·11			·31	·02	·02	29
30		×			·								30
31	·19	×		×	·	×			×		×		31
TOTAL	1·51	2·53	·18	3·50	3·10	1·92	2·84	4·13	2·35	·75	2·52	·92	YEAR'S TOTAL 26·25
*Days with ·01 in. or more.	19	19	4	20	15	10	16	17	9	8	21	9	167
*Days with ·04 in. or more.	12	14	1	16	11	9	11	13	9	5	13	6	120

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) S. Yoon

Sewage Works Manager

P.T.O.

Section A for the entry FOR OFFICIAL USE.

2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Sewage Pumping Station, Whitley, COVENTRY.

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 237.61 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·			·14	·02	·04	·		·36	·05		·	1
2	·05	·08		·72	·	·03	·	·50	·40	·01	·02	·08	2
3	·02			·10	·	·	·02		·82	-	·68	·20	3
4	-	·06		·16	·	·	·29	·15	·04	-	·09	·	4
5	·	·07		·04	·	·87	·	·02	·08	·		·32	5
6	·	·16		·02	·	·	·		·	·20	·23	·	6
7	·			·	·03	·	·	·46	·	·	·04	·	7
8	·01	·05		·09	·	·	·	·92	·	·	·24	·01	8
9	·	·26		·02	·	·	·03	·10	·	·	·23	·	9
10	·			-	·02	·04	·	·19	·	·	·02	·	10
11	·19	·25		·	·	·06	·		·19	·	·04	·	11
12	·04	·05		-	-	·	·66	·01	·25	·09	·01	·	12
13	·		·02	·	·	·	·04	·05	·	·03	·	·	13
14	·		-	·	·04	·12	·34	·71	·06	·	·05	·	14
15	·01	·15	·	·07	·30	·	·34	·18		·	·01	·	15
16	·04	·10	·	·13	·26	·58	·01	·27	·15	·	·	·	16
17	·07	·42	·	·30	·54	·	·06	·		·	·	·	17
18	·11	·01	·02	·24	·	·05	·03	·24		·	·29	·	18
19	·02	·01		·16	·	·07	·10	·02		·	·02	·	19
20	·	·05	·01	·02	·	·	·	·22		·04	·01	·04	20
21	·16				·53	·	·	·01		-	·	·	21
22	·16			·04	·04	·	·			·	·03	·	22
23	·20		·13	·02	·43	·06	·	·07		·	·19	·11	23
24	·02	·01		·15	·29		·02			·		·	24
25	·	·01		·73	·02		·49				·05		25
26	·02	·02		·23			·04			·	·17	·	26
27	·11	·60			·39		·16			·	·08	·04	27
28	·07	·17		·12	·14		·			·02	·	·10	28
29	·02	×			·05		·11			·31	·02	·02	29
30		×			·								30
31	·19	×		×	·	×			×		×		31
TOTAL	1·51	2·53	·18	3·50	3·10	1·92	2·84	4·13	2·35	·75	2·52	·92	YEAR'S TOTAL 26·25
*Days with ·01 in. or more.	19	19	4	20	15	10	16	17	9	8	21	9	167
*Days with ·04 in. or more.	12	14	1	16	11	9	11	13	9	5	13	6	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) S. Yoon

Sewage Works Manager

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Sewage Pumping Stn, Whitley, Coventry

in the County of Warwickshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 237.61 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·07	-	·09	·75	·04	-	·12	·05	·15	·09	-	1
2	-	-	-	·10	·36	-	-	·07	·22	·05	·02	·09	2
3	-	-	-	·22	·04	-	-	-	-	-	-	-	3
4	·01	-	-	·06	-	-	-	-	-	-	38	-	4
5	·15	-	·03	-	-	-	-	-	·08	-	-	·01	5
6	·18	-	·08	·40	-	-	·03	-	-	-	-	-	6
7	-	-	·13	·16	-	-	-	-	-	·03	-	-	7
8	-	-	-	·10	-	-	-	-	·54	·30	-	-	8
9	·26	·09	-	·03	-	-	-	-	-	-	-	-	9
10	·20	·05	·01	·10	·11	-	-	-	-	·11	-	-	10
11	-	·01	-	·09	·09	·09	·20	-	·08	·03	·01	·03	11
12	·24	·01	-	-	·16	-	·53	-	·10	·20	-	-	12
13	-	·01	-	·05	-	-	·92	-	-	-	·06	·05	13
14	·23	-	-	·02	-	-	·02	·14	-	·04	-	·01	14
15	-	-	-	·03	·42	-	·08	-	-	·05	-	·03	15
16	·25	-	-	·20	·04	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	·05	-	-	·10	-	-	17
18	-	-	-	-	·06	-	-	-	-	-	·08	-	18
19	-	-	-	-	·01	-	-	-	-	·15	-	-	19
20	-	-	-	·24	·85	-	-	·42	-	·45	·15	-	20
21	-	-	·11	·17	1·67	-	-	·24	-	·30	-	·08	21
22	-	-	·16	·04	·06	·02	·33	-	·67	·06	·28	-	22
23	-	-	-	-	·94	-	-	-	-	·06	·04	·05	23
24	-	-	-	-	-	-	-	-	-	·04	·21	-	24
25	-	·04	-	-	·01	-	·13	-	·22	·03	-	-	25
26	-	-	-	·36	·19	-	·04	-	-	-	-	-	26
27	-	·01	·30	·37	·37	·06	·07	-	-	-	·08	-	27
28	-	-	·01	·11	·25	·40	·19	·41	-	·04	-	·05	28
29	-	-	·40	·15	·02	·11	·01	·03	·12	-	-	·10	29
30	-	✕	·03	·01	·20	·72	·22	·29	·63	·30	·42	·24	30
31	-	✕	·12	✕	·01	✕	·44	-	✕	·12	✕	·08	31
TOTAL	1·56	·29	1·38	3·10	6·61	1·44	3·26	1·72	2·71	2·61	1·75	·82	YEAR'S TOTAL 27·95 in.
*Days with ·01 in. or more.	9	8	11	22	21	7	15	8	10	20	12	12	155
*Days with .04 in. or more.	8	4	7	18	17	6	12	7	10	17	9	8	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Sewage Pumping Stn, Whitley, Coventry

in the County of Warwickshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 237.61 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·27	·22									·01			1
2	·19		·50		·08						·06			2
3		·11	·20								·04			3
4	·19		·05		·30									4
5	·08	·06	·22		·02						·01			5
6		·16	·07		·15					·09	·01			6
7	·07	·19			·01					·18				7
8	·06		·10		·09		·28							8
9					·12		·28			·09	·05			9
10	·05	·20			·01	·07		·04		1·16	·09			10
11	·02						·12	·02		·01				11
12	·01					·03	·14		·22			·02		12
13	·01				·09	·01	·11		·02	·02	·28			13
14					·09		·09	·14		·07	·30			14
15	·42		·02			·49	·65	·02			·24	·06		15
16	·06		·60			·10	·10				·04	·04		16
17	·04	·03	·47		·01	·10			·05		·01	·01		17
18	·07	·04	·01			·15								18
19			·53	·02		·12			·08		·02			19
20		·05	·03			·20			·16	·04	·01			20
21		·03			·01	·18		·21	·01					21
22						·60		·33		·27				22
23				·08		·09			·40	·02				23
24		·48		·08	·09	·25			·51	·02	·03			24
25		·46		·21		·40						·04		25
26		·57		·05		·12			·03	·19				26
27					·17				·01	·01				27
28				·30						·10		·06		28
29	·09			·07			·41					·01		29
30	·02	X	·03	·01			·06			·02		·07		30
31	·02	X	·27	X		X	·01	·09	X	·15	X			31
													Year's Total	
TOTAL	1·67	2·60	3·10	·82	1·24	2·91	2·35	·85	1·49	2·44	1·20	·31	20·98	
*Days with ·01 in. or more.	17	13	14	8	14	15	11	7	10	16	15	8	148	
*Days with ·04 in. or more.	12	11	10	6	9	13	10	4	6	10	8	5	104	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) JMFord, for City Engineer, Coventry

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sewage Pumping Stn, Whitley, Coventry.

in the County of Warwickshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 237.61 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·	·	·	·	·		·26	·	·	·08	·36		1
2	·04	·	·09	·	·	·		·02	·28	·	·02	·19		2
3	·07	·06	·	·	·	·		·	·	·06	·02			3
4	·07	·01	·09	·24	·16	·		·	·07	·06	·09	·36		4
5	-		·03	·04	-	·		·28		·06	·07	·19		5
6	-		·03	·06	·29	·02		·		·14	-	·50		6
7	·10		·	·	·	·04		·16		·09	·	·26		7
8	-		·	·	·09	·04		·06		·	·13	·05		8
9	·		·13	·01	·	·		·02		·	·53	·25		9
10	·06		·10	·12	·	·		·04		·	·03	·01		10
11	·63		·07	·33	·	·	·01	·17		·	·	·13		11
12	·		·11	·07	·	·	·07	·25		·	·	·01		12
13	·35		·04	·04	·	·	·52	·15		·01	·	·17		13
14	·10		·15	·	·02	·28	·	·		·20	·30	·25		14
15	·08		·15	·	·09	·	·	·		·14	·21	·02		15
16	·15		·10	·	·	·	·	·01		·09	·03	·04		16
17	·01		·	·	·	·	·03	·	·15	·11	·02	·12		17
18	·09		·01	·13	·	·	·04	·	·02	·		·02		18
19	-		·11	·06	·	·03	-	·	·03	·01		·03		19
20	·		·02	·09	·	·	·	·	·	·01		·		20
21	-		-	·	·	·14	·	·07	·01	·08		-		21
22	·		·	·	·	·	·	·28	·22	·		·08		22
23	·		·	·17	·02	·28	·05	·	·04	·		·07		23
24	-	·31	·16	·01		·02	·38	·	·31	·04	·01	·		24
25	·17	·	·	·08		·03	·	·	·	·10		·38		25
26	·03	·	·05	·11		·05	·	-	·07	·		·31		26
27	·05	·11		·08		·	·	·	-	·		·17		27
28				·38		·20	·01	·38	-	·03	·02	·36		28
29				·		·	·35	·04	·42	·02		·		29
30		X		·		·	·03		·02			·13		30
31		X		X		X			X	·23	X	·06		31
TOTAL	2·02	·49	1.44	2·02	·67	1.13	1·49	2·19	1·64	1·58	1·56	4·62	Year's Total. 20·85	
* Days with .01 in. or more.	16	4	17	17	6	11	10	15	12	18	14	26	166	
* Days with .04 in. or more.	13	3	13	15	4	7	6	12	8	13	7	21	122	

40-9999

† Spare column, no entries required.

(*Signed*)

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sewage Pumping Station, Whitley, Coventry

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 237.61 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·03		·06	·02	·13	·05		·70	·10	·10			1
2			·08			·02	·		·08	·21		·09		2
3			·02	·07		·08	·		·23	·37	·23	·13		3
4		·24		·10		·14	·		·06	·07		·		4
5		·60	·08	·09		·02	·01		·03	·	·10	·		5
6		·01		·30		·26				·	·03	·		6
7				·31		·03				·27	·33	·13		7
8				·16		·01		1·05		·07	·15	·01		8
9				·40		·25				·60	·29	·		9
10				·01		·04				·	·09	·01		10
11	·18			·		·04				·	·17			11
12	·01			·		·32		·10		·	·			12
13	·07	·03		·14	·15	·				·01	·			13
14			·01	·01	·05	·				·	·40	·09		14
15		·04		·84	·05	·33			·29	·	·16	·23		15
16		·08	·13	·26		·02	·07		·28	·15	·69	·14		16
17				·01		·13	·09		·01	·04	·59			17
18		·06		·20	·08	·15	·10		·14	·10	·02			18
19				·05	·44	·23	·13		·09	·07	·30			19
20		·24				·09	·12		·01		·16			20
21		·26	·01	·16		·			·36	·01	·12			21
22		·03		·07		·		·12	·07	·01	·01			22
23			·07	·13		·		·27	·20	·36				23
24	·05	·10	·02			·		·	·76	·02		·34		24
25	·17	·06		·10		1·27		·		·		·06		25
26		·04						·28	·17	·		·56		26
27		·08			·08			·	·04	·04	·21	1·22		27
28	·02	·01			·20			·	·02	·03	·02	·04		28
29			·06					~~·28~~ ·04	·11	·03	·07	·11		29
30	·04	✕		·05	·36			·47	·01	·25	·22	·07		30
31		✕		✕		✕			✕	·72	✕	·15		31
													Year's Total	
TOTAL	·60	1·91	·48	3·52	1·43	3·56	·57	2·33	3·76	3·53	4·46	3·38	29·53	
* Days with .01 in. or more.	8	16	9	21	9	19	7	7	20	21	22	16	175	
* Days with .04 in. or more.	6	11	5	18	8	14	6	7	15	15	18	14	137	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) 14 Feb 36

City Engineer Coventry

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sewage Pumping Station, Whitley, Coventry

in the County of Warwickshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 237.61 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.09	.06	.44		.13	.22	.10	-		.15	.10		1
2	.04	.04	.15	.06		.42	.58	.05	.		.18	.01		2
3	.01	.01	-			.17	-	.02	.22		-			3
4	.03	.01	.09			.07	.	.02	.35		.04	.13		4
5	.07	.01	.02				.03	.06	.10		.	.14		5
6	.02		.		.14	.08	.16	.20	.07		.08	.06		6
7	.17		.06				.73		.08		.03	.01		7
8	.17		.08				.		-		.40	.08		8
9	.35		.20				.98		.14	.01	.06	.01		9
10	.07						.30		.01		.01	-		10
11	-			.04		.05	.24	.02	.20		.35	-		11
12	.			.04	.05	.18	.56	-	.98		.15	.12		12
13	-			.10		.50	-	.02	-	.10	.01	.26		13
14	-			.17		.08	.28		.27	.01	.02	.47		14
15	.02					-	.12		.15	.	.02	.08		15
16	.25	.14				-	.13			.	.60	.03		16
17	.06	.34			.06	-	.09			.10	.04	.13		17
18	.	-				.19	.18			.17		.10		18
19	.25	.07	.07	.24		.07	-	.06		.03		.		19
20	.	.05	.06	.06		.06	.03		.20	.		.		20
21	-	-	.	.24		.94	.02			-		.		21
22	.01	.64	.04	-	.24	-	.19			.		.09		22
23	.02	.03	.20	.12	-	-	.28			.05		-		23
24	.26	.07	.	-	.05	-	.		.15	.13		-		24
25	.05	-	.15	.34		.01	.07		.23	.04	.05	-		25
26	.	.08	.29	.09			.06			.06	.01	-		26
27	.63		.01				.01		.08	.10		-		27
28	.46	.07	.12				.09		.04	.02		.04		28
29	.03	.16	.14			.07				.07	.21	.24		29
30	.03	✗	-		.37	.03	.11			.27	.06	.		30
31	.53	✗	.08	✗		✗	.03		✗	.02	✗	.29		31
TOTAL	2.94	1.81	1.82	1.94	.91	3.05	5.49	.55	3.27	1.18	2.47	2.39	Year's Total 27.82	✓
* Days with .01 in. or more.	23	15	17	12	6	16	24	9	16	15	19	19	191	–
* Days with .04 in. or more.	13	11	15	12	6	14	19	5	15	10	13	15	148	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) [P.T.O.

City Engineer & Surveyor

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2465.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sewage Pumping Station, Whitley, Coventry.
in the County of Warwickshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 237.61 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	-	·02	·73	·		·	·	·09	·	·11	·38		1
2	-	·10	·01	-	-		-	·	-	·	·01	·23		2
3	-	·05	-	-	·19		·	-	·02	·	-	·06		3
4	·07	·17	-	·	·05		·	·02	-	·	-	·60		4
5	·20	-	·17	-	·		·01	·	-	·	|	·02		5
6	·09	·	·08	·05	·12		·01	·	·	·06	-	·		6
7	·	·71	·04	·12	·01		·	·	·	,	·	·		7
8	-	·09	-	·02	·12		·01	-	·	-	·47	-		8
9	·	-	·	·06	·32		·26	-	·13	-	-	·04		9
10	-	·04	·37	·63	·	·20	·02	-	·	-	-	·14		10
11	-	-	·20	-	·50	·54	·01	-	·	-	·	·13		11
12	·09	·28	·31	·	·20	·12	-	·48	·13	-	-	·16		12
13	·10	·07	·04	·04	·02	·12	-	·28	·84	-	-	·02		13
14	·	·08	·37	·03	·	-	·	·43	·02	-	-	·09		14
15	·14	·09	-	·20	-	·	·95	·	·08	-	-	·01		15
16	·01	·07	·31	·50	-	-	-	·06	·36	-	-	·		16
17	·14	·03	·29	·17	·	·	-	-	·08	-	-	·		17
18	·38	·11	·11	·02	-	·	·03	·	·12	·	·25	-		18
19	·05	·04	·11	·11	·12	·20	·37	-	·	·01	·08	-		19
20	·16	·01	·	·52	·40	·06	·	·	·	·	·	·03		20
21	·10	·20	·01	·02	·	·	·15	-	·	·	·	·10		21
22	·16	·01	·14	-	·09	·18	·27	-	·	·37	·25	·		22
23	·24	·01	-	-	·01	-	·03	-	·	·30	·15	·		23
24	·08	·26	·02	·	·01	-	·02	·	·06	·31	·	·01		24
25	·12	·34	·	-	·15	-	·	·	·05	·31	-	-		25
26	-	·21	·06	-	·35	-	·	·		·01	-	·		26
27	-	·32		·30		-	·	·		·60	-	-		27
28	-	·05				·01	·	·		·02	·	·04		28
29	·06					·01	·	·		·02	·05	·02		29
30	·30	✕					·	·28		-	·08	·02		30
31	·28	✕		✕		✕	·		✕	·20	✕			31
TOTAL	2·82	3·34	2·66	3·52	2·76	1·44	2·14	1·55	1·98	2·21	1·48	2·10	Year's Total 27·97	✓ ✓
* Days with .01 in. or more.	20	23	18	16	16	9	13	6	12	11	9	18	171	✓ ✓
* Days with .04 in. or more.	19	19	14	12	12	7	5	5	10	7	8	11	129	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ……………… [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sewage Pumping Station, Whitley, Coventry.

in the County of Warwickshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 237.61 ft.

Rain day Ann. Total Corr. for Arith. 3.3.39. EMF

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.49	.02			.07	.03	.21		1
2	.03			.04	.01	.17				.20		.02		2
3	.01		.02		.11		.48		.03	.46				3
4	.01					.02	.02	.15		.20		.23		4
5						.01	.09	.20	.09	.05		.01		5
6							.18		.06	.08				6
7	.12					.07	.14	.22	.05	.12		.04		7
8	.28						.03	.44		.14		.01		8
9		.04				.01						.35		9
10		.11				.09	.20	.20				.05		10
11	.47	.04						.03		.06	.12			11
12	.15				.14		.02	.05		.20	.05			12
13											.14	.45		13
14	.31	.03			.04		.64		.06					14
15	.08				.04		.09					.19		15
16	.26						.11	.02			.03	.28		16
17		.07								.16	.02			17
18	.02				.16	.15		.09	.44		.38			18
19								.17			.12	.04		19
20									.02		.39	.01		20
21	.02										.06	.15		21
22				.04		.03					.40	.22		22
23					.01				.05			.06		23
24			.01		.05				.30		.01	.01		24
25	.08	.19	.13		.05				.02	.10	.29	.15		25
26	.07	.33	.10		.02			.05	.07	.17		.19		26
27	.04				.29	.15	.39	.38	.18					27
28	.24				.24	.13	.02	1.12	.03	.04	.28	.15		28
29	.39			.01	.26					.02	.11	.13		29
30	.04	✕			.01	.39			.43	.02	.13	.09		30
31	.15	✕		✕	.20	✕			✕	.14	✕	.37		31
TOTAL	2.77	.81	.26	.09	1.63	1.71	2.43	3.12	1.83	2.23	2.56	3.41	Year's Total 22.85	✓ inches
* Days with .01 in. or more.	19	7	4	3	15	12	14	13	14	17	16	23	156 7	✓ days
* Days with .04 in. or more.	14	6	2	2	11	8	9	11	10	15	12	18	118	✓ days

† Spare column, no entries required.

(*Signed*) City Engineer M.Inst.C.E.

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations **Station No.** 2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sewage Pumping Station, Whitley, Coventry.

in the County of Warwickshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 237.61 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05		·02	·21	·04			·92		·11				1
2	·05			·04	,			·41	·65	·01	·07			2
3	·23			·37	-			·61	·05		·15	·25		3
4	·06		·45	·74	·10		·10	·24		·39	·01	·10		4
5	·			·08	·35		·11	·85		·03	·22	·13		5
6	·76	·05			·		·57	·03			·03			6
7	·01	·11	·		·		·20	·01			·43	·25		7
8	-	·04	·30		·		·44	·25		·57	·12	·41		8
9	·03	·			·		·04	·22		·39	·06	·17		9
10	·32	-	·02		·		·	·10	·03	·03				10
11		·04	·16		·	·08	-							11
12	·01	·			·	·15	·			·01				12
13		,		·01	·03		·16		·06	·10				13
14	·54	·		·01	·52	·05	·13			·03	·10			14
15	·24	·			·05	·34	·45			·36	·17			15
16	·18	·05	·11		·21	·10	·17				·19			16
17	·39	·04			·09	·02	·23			2·02 ✓	·01			17
18	·15	·	·04		·	·45	·13				·62			18
19	·21	·			·		·75				·01			19
20	·19	·17	·01		·			·29						20
21	·10	·20	·17	·01	·04	·01	·63	·60	·03		·32			21
22	·13	·					·18			·01	·66			22
23	·01	·	·01				·04			·10				23
24	·21	·11	·01	·17			·08			·05	·22			24
25	1·25		·04							·01	·23			25
26	·24	·16						·10		·04		·06		26
27	·01	·16	·07				·08				·18	·05		27
28			·13			·02	·14				·03	·03		28
29				·20			·28	·06		·26	·08			29
30		✕		·06		·10								30
31		✕		✕		✕	·06	·31	✕		✕			31
TOTAL	5·37	1·13	1·54	1·90	1·43	1·32	4·97	4·70	·82	4·52	3·91	1·45	Year's Total 33·06	✓
* Days with ·01 in. or more.	23	11	14	11	9	10	21	15	5	18	21	9	167	✓
* Days with ·04 in. or more.	18	11	9	8	8	7	21	13	3	11	16	8	133	✓

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2465

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at Sewage Pumping Station, Whitley, Coventry.

in the County of Warwickshire.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 237.61 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		.02		.05							.10	.02		1
2				.38			.05			.01	.83	.02		2
3		.09		.02						.12	1.18	.08		3
4		.08		.20						.10	.19	.05		4
5		.01			.08					.18	.59	.16		5
6	.11	.25			.02		.04		.03	.36	.30			6
7	.05	.16									.01	.01		7
8							.03		.02	.06	.04	.21		8
9			.01				.23	.17		.08	.17	.16		9
10			.03				.72			.07	.13	.29		10
11			.01	.06			.20		.06		.66	.07		11
12			.05				.54		.06		.02			12
13			.64	.01			.04		.09		.01			13
14			.01	.09	.30		.01		.04	.04	.05	.41		14
15			.04	.06	.05		.08		.09	.01	.13			15
16		.17	.33				.12			.60	.63			16
17			.27				.17		.13		.19			17
18	.08	.51	.27	.26				.02	.13	.28	.04	.06		18
19		.23	.04	.19			.32				.23	.01		19
20			.01	.03			.03	.03		.21	.02			20
21	.04	.01	.01		.38	.23	.08	.02	.63	.04	1.31			21
22			.01	.01	.45	.10								22
23		.13	.04	.10	.03	.08				.01		.06		23
24							.10			.05		.01		24
25				.03						.01				25
26	1.07	.09		.21	.04		.70							26
27	.80	.18					.04							27
28	.64	.14		.01	.23									28
29	.07		.10	.02	.04		.01			.01		.16		29
30		X		.64						.63		.03		30
31	.11	X	.06	X		X			X	.65	X			31
TOTAL	2.98	2.07	1.93	2.37	1.62	.41	3.51	.24	1.28	3.52	6.83	1.81	Year's Total 28.57	
* Days with .01 in. or more.	9	14	17	18	10	3	19	4	10	20	21	17	162	
* Days with .04 in. or more.	9	11	10	11	8	3	15	1	8	15	17	11	119	

† Spare column, no entries required.

(*Signed*)

Coventry City Engineer

[P.T.O.

* See Instruction 3 (f) on other side.

2466

Section **A** for the entry of

AIR MINISTR

FOR OFFICIAL USE.

GANIZATION.

FORM 1090.

REGIS

2466

GE.C. TELEPHONE WORKS

1931-40

>80408

Kept at G.E.C. TELEPHON

in the County of WA

Diameter of Funnel of Gauge

Height of top of Gauge above Grour

,, Ground ,, Sea I

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·02	-	·11	·02	·06	-	-	·36	·	·	·	1
2	·05	·10	-	·84	TRACE	·03	·	·24	·42	·	·03	·09	2
3	TRACE	·	-	·30	-	·	·03	·02	1·10	·	·64	·19	3
4	·	·09	-	·06	·01	·	·43	·23	·02	·02	·15	·	4
5	·	·05	-	·02	·	·84	·01	·05	·13	·	·	·31	5
6	·	·16	-	·	·	·	·03	TRACE	·01	·17	·25	·	6
7	·	·	-	·	·	·	·	·58	·	·02	·03	TRACE	7
8	·04	·08	-	·10	·	·10	·04	·85	·	·	·22	·02	8
9	·02	·27	-	·04	·	·01	TRACE	·09	·	·	·22	TRACE	9
10	·08	·	-	·	·	·04	·03	·27	·06	·	·02	·	10
11	·	·27	-	·	·	·06	·11	TRACE	·15	·	·07	·	11
12	·03	·04	-	·	·	·	·65	TRACE	·25	·05	·	·	12
13	·	·	·	·	·	·	·01	·05	·	·	·	·	13
14	·	·	·	·	·08	·14	·43	·98	·07	·	·	·	14
15	TRACE	·16	·	·08	·34	·	·26	·16	·	·	·05	·	15
16	·09	·30	·	·12	·27	·60	·07	·08	·16	·	·	·01	16
17	·06	·19	·	·35	·46	·03	·06	TRACE	TRACE	·	·	·	17
18	·08	·02	·02	·23	·	·05	·04	·26	·	·	·30		18
19	TRACE	·03	·	·15	·	·05	·	·03	·	·	·	·	19
20	·	·	·	·02	·	·	·	·25	·	·	·02	TRACE	20
21	·17	·	·	·	·54	·	·	·01	·	·	·01	·	21
22	·18	·	·	·10	·03	·	·	·05	·	·	·	·	22
23	·19	·01	·15	·	·66	·06	TRACE	·01	·06	·	·19	·12	23
24	·01	·04	·	·12	·09	·	·02	·	TRACE	·	TRACE	·	24
25	·01	·01	·	·92	·	·	·74	·	·	·	·05	·	25
26	TRACE	·03	·	·27	·	·	·18	·	·	·	·17	·05	26
27	·13	·60	·	·	·43	·	·10	·	·	·	·09	·09	27
28	·09	·20	·	·09	·11	·	·	·	·	·02	·	·06	28
29	TRACE	×	·	·	·04	·	·13	·	·	·32	·	TRACE	29
30	·01	×	·	·	·	·	·	·	TRACE	·	·	·	30
31	·21	×	·	×	·	×	·	·	×	·	×	·	31
TOTAL	1·45	2·67	·17	3·92	3·08	2·07	3·37	4·21	2·79	·60	2·51	·94	YEAR'S TOTAL 27·78
*Days with ·01 in. or more.	17	20	2	18	13	13	19	18	12	6	17	9	164
*Days with ·04 in. or more.	12	14	1	16	10	10	13	14	10	3	12	7	122

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [illegible]

P.T.O.

Section **A** for the entry of

2466

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at G.E.C. TELEPHONE WORKS Co, LTD

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 267 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·02	-	·11	·02	·06	-	-	·36	·	·	·	1
2	·05	·10	-	·84	TRACE	·03	·	·24	·42	·	·03	·09	2
3	TRACE	·	·	·30	-	·	·03	·02	1·10	·	·64	·19	3
4	-	·09	-	·06	·01	·	·43	·23	·02	·02	·15	·	4
5	-	·05	-	·02	·	·84	·01	·05	·13	·	·	·31	5
6	·	·16	-	-	-	·	·03	TRACE	·01	·17	·25	·	6
7	-	·	-	·	·	·	·	·58	·	·02	·03	TRACE	7
8	·04	·08	-	·10	·	·10	·04	·85	·	·	·22	·02	8
9	·02	·27	-	·04	-	·01	TRACE	·09	·	·	·22	TRACE	9
10	·08	·	-	·	·	·04	·03	·27	·06	-	·02	·	10
11	·	·27	-	·	·	·06	·11	TRACE	·15	·	·07	-	11
12	·03	·04	-	-	·	·	·65	TRACE	·25	·05	·	·	12
13	·	-	-	-	·	-	·01	·05	·	·	·	-	13
14	·	·	-	-	·08	·14	·43	·98	·07	·	·	·	14
15	TRACE	·16	·	·08	·34	·	·26	·16	·	·	·05	-	15
16	·09	·30	·	·12	·27	·60	·07	·08	·16	·	-	·01	16
17	·06	·19	·	·35	·46	·03	·06	TRACE	TRACE	·	·	-	17
18	·08	·02	·02	·23	·	·05	·04	·26	·	·	·30	·	18
19	TRACE	·03	-	·15	·	·05	·	·03	·	·	-	·	19
20	·	·	-	·02	-	·	·	·25	·	·	·02	TRACE	20
21	·17	·	·	-	·54	·	·	·01	·	-	·01	·	21
22	·18	·	·	·10	·03	·	·	·05	·	·	·	·	22
23	·19	·01	·15	·	·66	·06	TRACE	·01	·06	·	·19	·12	23
24	·01	·04	-	·12	·09	-	·02	·	TRACE	-	TRACE	·	24
25	·01	·01	·	·92	·	-	·74	·	·	·	·05	·	25
26	TRACE	·03	·	·27	·	·	·18	·	·	·	·17	·05	26
27	·13	·60	·	·	·43	·	·10	·	·	·	·09	·09	27
28	·09	·20	·	·09	·11	·	-	-	-	·02	·	·06	28
29	TRACE	×	-	·	·04	·	·13	·	·	·32	·	TRACE	29
30	·01	×	·	·	·	·	·	-	TRACE	·	·	·	30
31	·21	×	·	×	·	×	·	·	×	·	×	·	31
TOTAL	1·45	2·67	·17	3·92	3·08	2·07	3·37	4·21	2·79	·60	2·51	·94	YEAR'S TOTAL 27·78
*Days with ·01 in. or more.	17	20	2	18	13	13	19	18	12	6	17	9	164
*Days with ·04 in. or more.	12	14	1	16	10	10	13	14	10	3	12	7	122

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

2466

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

GENERAL ELECTRIC Co. LTD. TELEPHONE WORKS
WORKS ENGINEERS
-2 JAN 1933
OFFICE
STOKE, COVENTRY

Kept at G.E.C. TELEPHONE WORKS Co. LTD.
in the County of WARWICKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 267 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	-	·09	·58	·03	-	·04	·07	·21	·02	-	1
2	·06	TRACE	-	·25	·45	-	-	·01	·19	·06	-	·08	2
3	-	-	-	TRACE	·03	-	-	-	-	-	-	-	3
4	·02	-	-	·14	TRACE	-	-	-	-	-	·40	-	4
5	·20	TRACE	-	·01	-	-	-	-	·07	-	-	-	5
6	·23	-	·06	·44	-	-	·01	-	·38	-	-	-	6
7	-	-	·20	·23	·01	-	-	-	·16	·02	-	-	7
8	-	-	-	·09	-	-	-	-	·12	·26	-	-	8
9	·22	·10	-	·02	·05	-	-	-	TRACE	-	-	-	9
10	·10	·05	TRACE	·08	·10	-	-	-	·08	·12	-	-	10
11	-	·01	-	·09	·06	·08	·10	-	·02	·02	-	·02	11
12	·26	-	-	-	·15	-	1·07	-	·10	·24	-	-	12
13	TRACE	·05	-	·07	·02	-	1·04	-	TRACE	·06	·05	·03	13
14	·22	TRACE	-	·01	·01	-	·01	·01	-	·04	·01	-	14
15	-	·01	-	·05	·26	-	·06	-	-	·04	·03	-	15
16	·27	-	-	·20	·04	-	-	-	-	-	-	-	16
17	-	-	-	-	-	-	·03	-	-	·10	-	-	17
18	-	-	-	-	·05	-	-	-	TRACE	·02	·09	-	18
19	-	-	-	·03	·01	-	-	-	-	·16	·01	-	19
20	-	-	-	·21	·90	-	·02	·53	-	·46	·12	-	20
21	·02	-	·12	·15	1·72	-	-	·29	-	·30	·01	·08	21
22	TRACE	-	·18	·04	·11	·01	·19	-	·68	·07	·23	-	22
23	-	-	-	-	·94	-	-	-	·08	·08	·09	·05	23
24	-	·01	-	-	-	-	TRACE	-	-	·03	·25	-	24
25	-	·03	-	·41	·01	-	·14	-	·14	·05	·03	-	25
26	-	TRACE	-	·37	·18	-	·04	-	·05	·01	TRACE	-	26
27	TRACE	-	·09	·15	·40	·11	·08	-	-	-	·06	-	27
28	-	-	·61	·18	·26	·32	·19	·23	-	·05	-	·01	28
29	-	-		-	·02	·10	·01	·23	·09	·27	·01	·12	29
30	-	✕	·03	·01	·11	·71	·29	·27	·63	·21	·38	·26	30
31	TRACE	✕	·07	✕	·02	✕	·47	-	✕	TRACE	✕	·06	31
TOTAL	1·65	·28	1·36	3·32	6·49	1·36	3·75	1·61	2·86	2·88	1·79	·71	YEAR'S TOTAL 28·06
*Days with ·01 in. or more.	11	8	9	23	25	7	16	6	15	23	16	9	168
*Days with ·04 in. or more.	9	3	7	18	16	5	11	8	14	18	9	6	124

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) W. R. Griffiths pp

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at G.E.C. TELEPHONE & RADIO WORKS LTD

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft " in.

,, Ground ,, Sea Level 267 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	'26	'22	'02	-	-	-	-	-	-	-	TRACE	TRACE		1
2	'22	-	'44	-	'08	-	-	-	-	-	'05	-		2
3	-	'12	'25	-	'07	-	-	-	-	-	-	-		3
4	'20	-	'05	-	'26	-	-	-	-	-	-	-		4
5	'10	'07	'11	-	-	-	-	-	-	-	'07	-		5
6	-	'16	'10	-	'20	-	-	-	-	'08	'02	-		6
7	'08	'17	-	-	'03	-	-	-	-	'16	-	-		7
8	'04	-	'07	-	'10	-	'53	-	-		-	-		8
9	-	-	-	-	'09	-	'26	-	-	'08	'08	-		9
10	'04	'17	-	-	-	'10	-	'03	-	1'19	'08	-		10
11	-	-	-	-	'01	-	'15	'01	-	-	-	-		11
12	'04	-	-	-	-	'03	'20	-	'22	-	-	-		12
13	'05	-	-	-	'07	TRACE	'05	TRACE	'01	'03	'29	-		13
14	-	-	-	-	'11	-	'03	'14	-	'10	'31	-		14
15	'43	-	'02	-	-	'27	'78	'02	-	-	'23	-		15
16	'08	-	'58	-	'01	'12	'53	TRACE	-	'03	'04	'03		16
17	'02	'02	'47	-	'04	'14	-	-	'05	-	'03	-		17
18	'09	'01	'51	-	-	'11	-	-	-	-	'01	-		18
19	-	'02		'01	-	'21	-	-	'10	-	'01	-		19
20	-	'06	'04	-	TRACE	'55	-	-	'10	'05	TRACE	-		20
21	-	'03	-	-	'04	'19	-	'16	TRACE	-	-	-		21
22	-	-	-	-	TRACE	'25	-	'33	-	'22	-	-		22
23	-	-	-	'08	-	'05	-	-	'53	-	-	-		23
24	-	'51	-	'08	'08	'26	-	-	'49	'04	'02	-		24
25	-	'30	-	'27	-	'34	-	-	-	-	-			25
26	-	'75	-	'06	-	'18	-	-	'06	'15	-	'06		26
27	-	-	-	-	'10	-	-	-	'04	'03	-			27
28	-	-	-	'34	'03	-	TRACE	-	-	-	-	'04		28
29	'06	-	-	'07	-	-	'55	-	-	TRACE	-	'02		29
30	'05	×	'03	-	-	-	-	-	-	'06	-	'08		30
31	'01	×	'26	×		×	'03	'09	×	'02	×	-		31
TOTAL	1'77	2·61	2'95	'91	1'32	2'80	3'11	'78	1'60	2'26	1'24	'23	Year's Total 21'58	
*Days with ·01 in. or more.	16	14	15	7	16	14	10	7	9	14	13	7	142	
*Days with .04 in. or more.	14	10	12	6	12	13	8	4	8	10	8	3	96	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at G.E.C. TELEPHONE AND RADIO WORKS LTD.
in the County of WARWICKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 267 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	-	-	-	-	-	-	·27	·02	-	·08	·38		1
2	·01	-	·09	-	-	-	-	·01	·23	-	·02	·10		2
3	·08	·05	-	-	-	-	-	-	-	·05	-	-		3
4	·07	·03	·08	·30	·15	-	-	-	·07	·04	·12	·34		4
5	-	-	·03	·02	·27	-	-	·28	-	·02	·08	·13		5
6	-	-	·02	·06		·01	-	TRACE	-	·14	-	·50		6
7	·12	-	-	-	-	·07	-	·12	-	·10	-	·26		7
8	-	-	-	-	·10	·05	-	·06	-	-	·14	-		8
9	-	-	·12	·02	-	-	-	·02	-	-	·56	·36		9
10	·03	-	·14	·12	-	-	-	·02	-	-	·05	-		10
11	·70	-	·07	·30	-	-	TRACE	·39	-	-	-	·12		11
12	-	-	·15	-	-	-	·17	·08	-	-	-	-		12
13	·40	-	-	·03	-	-	·41	·20	-	·01	-	·18		13
14	·04	-	·19	-	·03	·12	-	TRACE	-	·28	·29	·24		14
15	·13	-	·24	-	·07	-	TRACE	-	TRACE	·10	·23	-		15
16	·15	-	·10	-	-	-	-	TRACE	-	·10	·03	·07		16
17	·01	-	-	-	-	-	·02	TRACE	·18	·11	·03	·12		17
18	·10	-	-	·11	-	-	·03	-	·04	-	-	·02		18
19	-	-	·12	·07	-	·04	-	-	·03	-	-	·02		19
20	-	-	·03	·10	-	TRACE	-	-	-	TRACE	-	-		20
21	-	-	-	-	-	·15	-	·05	-	·10	-	-		21
22	-	-	-	-	-	-	-	·26	·18	TRACE	-	·06		22
23	-	-	-	·15	·02	·14	·04	-	·05	·01	·01	-		23
24	-	·28	·16	·01	-	·15	·47	-	·31	·04	-	-		24
25	·17	-	-	·07	·01	TRACE	-	-	-	·08	-	·75		25
26	·02	-	·05	·09	-	·09	-	-	·08	-	-			26
27	·05	·13	-	·07	-	TRACE	-	-	-	-	-	·16		27
28	-	-	-	·31	-	·18	-	·35	-	TRACE	·02	·36		28
29	-	-	-	-	-	-	·30	·05	·47	·03	-	-		29
30	·02	×	-	-	-	-	·04	-	-	·01	-	·13		30
31	·02	×	-	×	-	×	-	-	×	·24	×	·05		31
TOTAL	2·15	·49	1·59	1·83	·65	1·0	1·48	2·16	1·66	1·46	1·66	4·35	Year's Total 20·48	
*Days with ·01 in. or more.	18	4	15	16	8	10	8	14	11	17	17	22	160	
*Days with ·04 in. or more.	11	3	12	12	5	9	6	11	9	13	8	19	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) W. Griffiths.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at G.E.C. TELEPHONE & RADIO WORKS

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 267 ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·03	-	·05	·02	·04	·06	-	·52	·06	·10	·01		1
2	-	-	·08	-	-	·11	-	-	·09	·21	-	·15		2
3	-	·24	·02	·11	-	·07	-	-	·21	·40	·23	·01		3
4	-	-	-	·11	-	·09	-	-	·03	·07	-	-		4
5	-	·59	·11	·13	-	·04	·03	-	·03	-	·12	-		5
6	-	·02	·02	·34	-	·25	-	-	-	-	·02	-		6
7	-	-	-	·27	-	·02	-	1·15	-	·25	·34	·14		7
8	-	-	-	·15	-	-	-	-	-	·07	·15	·01		8
9	-	-	-	·42	-	·26	-	-	-	·55	·26	-		9
10	-	-	-	·01	-	·02	-	-	-	-	·11	·02		10
11	·15	-	-	-	-	·04	·07	-	-	-	·16	·01		11
12	-	-	-	-	-	·29	-	·04	-	-	-	-		12
13	·08	·02	-	·14	·16	TRACE	-	·09	-	·02	TRACE	-		13
14	-	-	·01	-	·05	TRACE	-	-	-	TRACE	·37	·07		14
15	-	·03	-	·82	·05	·25	TRACE	-	·36	-	·19	·19		15
16	-	·06	·13	·29	-	·10	·03	-	·25	·13	·75	·16		16
17	-	TRACE	-	·05	-	·18	·09	-	·02	·10	·60	-		17
18	-	·05	-	·20	·01	·10	·14	-	·13	·03	·02	-		18
19	-	·01	-	·06	·43	·20	·13	-	·08	·08	·28	-		19
20	·01	·20	TRACE	·15	-	·09	·09	-	-	·02	·12	-		20
21	-	·29	TRACE	·10	-	-	-	-	·53	·03	·01	-		21
22	-	·02	-	·11	-	-	-	·20	·09	-	-	-		22
23	-	-	·08	TRACE	-	-	-	·34	·21	·42	-	·02		23
24	·04	·12	·02	-	-	-	-	TRACE	·99	·01	-	×		24
25	·25	·06	-	·09	-	1·25	-	-	-	TRACE	-	×		25
26	-	·03	-	-	-	-	-	·23	·17	-	·01	× 2·33		26
27	-	·10	-	-	·04	-	-	-	·04	·04	·21	×		27
28	·03	·03	-	-	·11	-	-	-	·01	·03	·02	×		28
29	-	×	·06	-	-	-	-	·03	·11	-	·07	×		29
30	·04	✕	-	·05	·61	-	-	·54	·01	·23	·20	·07		30
31	-	✕	-	✕	-	✕	-	-	✕	·72	✕	·14		31
													Year's Total	
TOTAL	·66	1·90	·53	3·65	1·48	3·40	·64	2·62	3·88	3·47	4·34	3·33	29·90	
* Days with .01 in. or more.	8	17	9	20	9	18	8	8	19	20	22	19 ✓	177 ✓	
* Days with .04 in. or more.	6	9	5	19	7	16	6	7	14	14	17	13 ✓	133 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. Griffiths, [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at G.E.C. TELEPHONE & RADIO WORKS

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 267 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·08	·06	·48	-	·16	·17	·13	TRACE	-	·06	·10		1
2	·04	·01	·16	·07	-	·29	·81	·04	-	-	·15	·01		2
3	-	TRACE	-	-	TRACE	·23	·04	·03	·22	-	-	·02		3
4	-	-	·09	-	-	·11	-	·04	·32	-	·03	·11		4
5	-	·01	·03	-	-	-	·03	·14	·17	-	-	·16		5
6	-	-	-	-	·31	·05	·16	·18	-	-	·09	·15		6
7	·17	-	·09	-	-	·03	·53	-	-	-	·03	-		7
8	·24	-	·02	-	-	-	·02	-	-	-	·30	·10		8
9	·28	-	·15	-	-	-	·98	-	·16	·03	·06	-		9
10	-	-	·01	-	-	-	·16	-	·02	-	-	-		10
11	-	-	-	·04	-	·05	·35	TRACE	·19	-	·34	-		11
12	-	-	-	·07	·06	·20	·52	-	1·08	-	·35	·10		12
13	-	-	-	·05	-	·48	·01	·02	·47	·06	·01	·16		13
14	-	-	-	·20	-	·02	·31	-	·14	TRACE	·02	·40		14
15	-	-	-	-	-	-	·09	-	-	-	·01	·08		15
16	·26	·10	-	-	-	-	·12	-	-	-	·62	-		16
17	-	·40	-	-	-	-	·13	-	-	·10	·08	·13		17
18	-	·01	-	-	-	·15	·15	-	-	·16	-	·08		18
19	·29	·07	·07	·28	-	·15	·01	·08	-	·05	-	-		19
20	-	·05	·01	TRACE	-	·18	·03	-	·23	TRACE	-	-		20
21	-	-	·03	·23	-	1·30	·02	-	·01	-	-	-		21
22	·02	·60	·04	-	·18	-	·23	-	-	-	-	·09		22
23	-		·20	·12	·05	-	·22	-	-	·05	-	-		23
24	·25	·04	-	·01	·01	-	·01	-	·16	·18	-	-		24
25	·04	-	·12	·34	-	·04	·06	-	·26	·03	·04	-		25
26	·01	·07	·27	-	-	TRACE	·05	-	-	·11	-	-		26
27	·02	-	-	-	-	-	·01	-	·08	·14	-	-		27
28	·45	-	·14	-	-	-	·10	-	·04	TRACE	-	·05		28
29	·03	·15	·10	-	·02	·06	TRACE	-	-	·08	·22	·22		29
30	·04	✕	-	-	·32	·03	·11	-	-	·27	·08	-		30
31	·53	✕	·09	✕	·01	✕	·03	-	✕	·10	✕	·30		31
TOTAL	2·69	1·59	1·68	1·89	·96	3·53	5·46	·66	3·55	1·36	2·49	2·26	Year's Total 28·12	✓
* Days with .01 in. or more.	16	13	18	11	8	17	29	8	15	13	17	17	182	✓
* Days with .04 in. or more.	11	9	13	10	5	14	20	6	13	11	13	15	139	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Wm Griffiths

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at G.E.C. TELEPHONE & RADIO WORKS

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 267 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	-	-	TRACE	-	-	-	-	·08	-	·10	·41		1
2	TRACE	·06	·02	·70	-	-	-	-	-	-	-	·28		2
3	-	·05	-	-	·16	-	-	·03	-	-	-	·08		3
4	·08	·17	-	-	·05	-	-	-	-	-	-	·48		4
5	·19	TRACE	·13	-	·13	-	-	-	-	-	-	·16		5
6	·09	·70	·06	·04	·01	-	TRACE	-	-	·04	-	-		6
7	-	4	·08	·10	-	TRACE	-	-	-	-	-	-		7
8	-	·11	-	·03	·10	-	-	-	-	-	·40	-		8
9	-	TRACE	-	·06	·32	-	·36	-	·12	-	-	·08		9
10	·01	·03	·27	·61	-	·17	·01	-	-	-	-	·11		10
11	-	-	·28	-	·53	·64	·01	-	-	-	-	·12		11
12	·07	·25	-	-	·34	-	-	·45	·17	-	-	·16		12
13	·09	·07	·03	·05	-	·26	-	·23	·60	-	-	-		13
14	TRACE	·01	·38	·02	-	-	-	·48	·01	-	-	-		14
15	·12	·08	-	·18	-	-	1·09	-	·09	-	-	-		15
16	-	·07	·27	·60	-	-	-	·09	·26	-	-	-		16
17	·15	·02	·28	·18	-	-	-	-	·09	-	-	-		17
18	·37	·10	·10	·01	-	-	·03	-	·15	-	·25	-		18
19	·05	·06	·09	·08	·14	·09	·41	-	-	-	·07	-		19
20	·13	-	-	·49	·42	·19	-	-	-	-	-	·04		20
21	·09	·19	·03	·03	TRACE	-	·15	-	-	-	-	·07		21
22	·13	·04	·13	-	·01	·05	·29	-	-	·32	·23	-		22
23	·24	·01	·02	-	·08	-	·03	-	-	·33	·21	-		23
24	·08	·29	·04	-	·01	-	·02	-	·05	·35	-	-		24
25	·13	·29	·06	-	·15	-	-	-	·04	·26	-	-		25
26	-	·19	·01	-	·37	-	-	-	-	·02	-	·01		26
27	-	·13	-	·26	-	-	-	-	-	·60	-	-		27
28	-	·18	-	-	-	·01	-	-	-	·01	-	·04		28
29	·05	-	-	-	-	TRACE	-	-	-	·05	·06	·02		29
30	·16	✕	-	-	-	-	-	·34	-	-	·08	·01		30
31	·46	✕	-	✕	-	✕	-	-	✕	·19	✕	-		31
													Year's Total	
TOTAL	2·78	3·10	2·28	3·44	2·82	1·41	2·40	1·62	1·66	2·17	1·40	2·07	27·15	✓ ✓
* Days with .01 in. or more.	20	2~~3~~2	18	16	15	7	10	6	11	10	8	15	15~~9~~8	✓ ✓
* Days with .04 in. or more.	19	1~~4~~8	13	12	12	6	5	5	10	8	8	12	12~~9~~8	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) [illegible] [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at G.E.C. TELEPHONE & RADIO WORKS

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 267 ft.

snow w.j.F.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	·03	-	TRACE	·49	-	-	-	·12	·06	·19		1
2	·02	-	-	·03	·01	·19	-	-	-	·43	-	·02		2
3	·01	-	-	-	·13	-	·56	-	·03	·41	-	TRACE		3
4	·02	-	-	-	-	-	·02	·16	-	·17	-	·22		4
5	-	-	-	-	-	-	·23	·36	·03	·05	-	·01		5
6	-	-	-	-	-	-	·17	-	·13	·07	-	·01		6
7	·12	-	-	-	-	·08	·12	·55	·06	·14	-	·03		7
8	·26	-	-	-	-	-	·03	·32	-	·12	-	·01		8
9	-	·05	-	-	-	-	·02	·03	-	-	-	·27		9
10	-	·08	-	-	-	·05	·17	·17	-	-	-	·05		10
11	·44	·03	-	-	-	-	TRACE	·02	-	·07	·10	·02		11
12	·15	-	-	-	·15	-	·02	·43	-	-	·04	-		12
13	-	-	-	-	TRACE	-	-	-	-	-	·10	·41		13
14	·24	-	-	-	·06	-	·63	-	·05	-	-	-		14
15	·17	·04	-	-	·03	-	·09	-	-	-	-	·18		15
16	·16	-	-	-	-	-	·13	·02	-	-	·03	·21		16
17	-	·07	-	-	-	-	·01	-	-	·15	-	-		17
18	·03	-	-	-	·18	·14	-	·02	·40	-	-	-		18
19	-	-	-	-	-	-	-	·13	·01	-	·10	·07		19
20	-	-	-	-	-	-	-	·08	-	-	·37	·04		20
21	-	-	-	-	-	-	-	·01	-	-	·09	·20		21
22	-	-	-	·03	-	·06	-	-	·01	-	·34	·20		22
23	-	-	-	-	·02	-	-	-	·05	-	·02	x		23
24	-	-	·01	-	·05	-	-	-	·28	-	·02	·41		24
25	·07	·18	·09	-	·08	-	TRACE	-	·02	·11	·27	x		25
26	·06	·30	-	-	·01	-	-	·04	·06	·20	-	x	✓	26
27	·04	·01	-	-	·23	·14	·41	·36	·14	·05	·24	-		27
28	·18	-	-	-	·26	-	·02	1·19	·06	-	·18	·18		28
29	·33	-	-	·01	·28	TRACE	-	-	-	·06	-	·11		29
30	·03	✕	-	-	·02	·30	-	-	·13	-	·20	-		30
31	·17	✕	-	✕	·19	✕	-	-	✕	·10	✕	·42		31
TOTAL	2·50	·76	·13	·07	1·70	1·45	2·63	3·89	1·46	2·25	2·16	3·26	Year's Total 22·26	
* Days with .01 in. or more.	18	8	3	3	15	8	15	16	15	15	15	23	154	
* Days with .04 in. or more.	13	6	1	0	9	8	9	11	10	15	12	17	111	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at G.E.C. TELEPHONE & RADIO WORKS

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 267 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	-	·08	·05	-	-	·94	-	·09	-	-		1
2	-	-	-	·22	-	-	-	·40	-	·03	·07	-		2
3	·25	-	-	·36	-	-	-	·58	-	-	·15	·27		3
4	·08	-	·44	·85	·12	-	·10	·22	-	·33	·03	·09		4
5	-	-	TRACE	·08	·25	-	·07	·58	-	·03	·20	·16		5
6	·68	-	·01	-	-	-	·54	·02	-	-	·03	-		6
7	·02	·04	-	-	-	-	·20	-	-	-	·51	·23		7
8	-	·12	·27	-	-	-	·42	·25	-	·57	·10	·37		8
9	·01	·05	-	-	-	-	·03	·21	-	·48	·02	·22		9
10	·31	-	·04	-	-	TRACE	-	·09	-	·03	-	-		10
11	-	-	·14	-	-	·17	-	·10	-	-	-	-		11
12	-	-	-	-	TRACE	·15	-	TRACE	-	-	-	-		12
13	-	-	·01	·02	·03	·03	·16	-	·07	·11		-		13
14	·39	-	·01	-	·43	·05	·21	-	-	·07	·11	-		14
15	·30	-	-	-	·04	·38	·89	-	-	·35	·15	-		15
16	·18	-	·12	-	·20	·11	·59	-	-	·01	·17	-		16
17	·48	·07	-	-	·08	-	·70	-	-	2·14✓	·01	-		17
18	·20	-	·05	-	-	·53	·11	-	-	-	·60	-		18
19	·13	-	·03	-	-	-	·50	-	-	-	TRACE	-		19
20	·15	-	·18	-	-	·02	-	·34	-	-	-	-		20
21	·12	·19	TRACE	TRACE	-	·04	·43	·49	·04	-	·32	-		21
22	·13	·16	·02	-	-	-	·05	-	·01	·03	-	-		22
23	TRACE	-	-	·04	-	-	·05	-	-	·07	·67	-		23
24	·20	-	-	·10	-	-	·19	-	-	·07	·24	-		24
25	1·11	-	·02	-	-	-	·03	-	-	·01	·21	-		25
26	·32	·09	-	·03	-	-	-	·30	-	·03	-	·07		26
27	·01	-	·11	·01	-	-	·09	-	-	-	-	·03		27
28	·01	·16	-	·02	-	-	·12	-	-	-	·13	-		28
29	-	-	-	·18	-	·18	·26	·24	-	·25	·03	-		29
30	-	✕	-	·05	-	-	·12	-	-	-	·11	-		30
31	-	✕	-	✕	-	✕	-	-	✕	-	✕	-		31
													Year's Total	
TOTAL	5·10	·88	1·45	2·04	1·20	1·66	5·86	4·76	·12	4·70	3·86	1·44	33·07	✓
* Days with .01 in. or more.	21	8	14	13	8	10	22	14	3	18	20	8	159	✓
* Days with .04 in. or more.	16	8	8	7	7	8	20	13	2	11	15	7	112	✓

† Spare column, no entries required.

(*Signed*) Will Griffiths

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2466

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at G.E.C. TELEPHONE & RADIO WORKS
in the County of WARWICKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" Ground " Sea Level 267 ft.

Avgs. Days Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·04	-	-	-	-	-	-	·10	-		1
2	-	-	-	·34	-	-	·09	-	-	-	-	·03		2
3	-	-	-		-	-	-	-	-	·15	2·22	·08		3
4	-	TRACE	-	·15	-	-	-	-	-	·11		·04		4
5	·18	-	-	-	·07	-	-	-	-	·16	·62	-		5
6	-	·15	-	-	·02	-	-	-	-	·28	·28	-		6
7	-	·18	-	·01	TRACE	-	-	-		TRACE	-	·35		7
8	-	-	-	-	-	-	-	-	-	·05	·04			8
9	-	-	-	-	-	-	·17	·17	·05	·08	·32	·53		9
10	-	-	·03	-	-	-	·72	-	-	-				10
11	-	-	·02	·04	-	-	·12	-	-	-	·55	-		11
12	-	-	·06	-	-	-	·53	-	·07	-	·03	-		12
13	-	-	·50	·06	-	-	·02	-	·05	-	-	-		13
14	-	-	·01	·06	·29	-	TRACE	-	·09	-		·43		14
15	-	-	·04	·05	·03	-	·09	-	·06	·09	·97	-		15
16	·02	-		-	-	·03	·14	-	·07	·67		-		16
17	-	·56	·47	-	-	-	·13	-	-	·25		-		17
18	·08		·36	·22	-	-	-	-	·02	-		·08		18
19	-	·29	·04	·18	-	-	·31	-	·22	-	·16	·03		19
20	-	·08		·03			·05			·21	1·34	-		20
21	·05	-	·02	-	·36	·26	·05	-	-	-		-		21
22	-	-	-	·01	·42	·08	-	-	·45	TRACE	-	-		22
23	-	-	·04	·09	·05	·10	-	-	-	·05	-	·05		23
24	-	-	-	·02	-	-	-	-	-	·04	-			24
25	-	-	-	·11	TRACE	-	·09	-	-	·02	-	-		25
26		·27	-	-	·03	-	·67	-	-	-	-	-		26
27		·14	-	·03	-	-	-	-	TRACE	-	-	-		27
28	2·30	-	-	-	·19	-	-	-	-	-	-	-		28
29		-	·09	-	·11	-	·03	-	-	·01	-	-		29
30		✕	·06	·60	TRACE	-	-	-	-	1·16		·20		30
31		✕	-	✕	-	✕	-	-	✕		✕	·01		31
TOTAL	2·63	1·67	1·74	2·04	1·57	·47	3·21	·17	1·08	3·33	6·63	1·83	Year's Total 26·37	
* Days with .01 in. or more.	10 ~~[illegible]~~	13 ~~[illegible]~~	15 ~~13~~	18 ~~17~~	10	4	~~15~~ 18	1	10 ~~9~~	16	19	16 ~~13~~	~~182~~	150 "d"
* Days with .04 in. or more.	9 ~~[illegible]~~	12 ~~[illegible]~~	~~9~~ 10	12	7	3	~~14~~ 15	1	7 ~~8~~	14	17	10 ~~9~~	~~109~~	117

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) W. R. Griffiths

[P.T.O.

2467

145

Section **A** for the entry of Daily C

AIR MINISTRY.—MET ... AINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER ... 1931 .

Kept at Coventry

in the County of Warwick

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Level

THE MORNING MEASUREME ... OUS DAY.

An observer who does not conform to this ru ... 1st of the following year in the space on the right of this para

Jan. 1, following.

Please read the No

2467 — 449670
COVENTRY — CITY HOSPITAL
1931 — 1940
780408

Date	Jan.	Feb.	March	April					t.	Oct.	Nov.	Dec.	Date
mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~						~~in.~~	~~in.~~	~~in.~~	
1	·3	·1	Tr	2·7						0·1			1
2	1·0	3·0	0·1	18·4	0·1	·7		12·5		·3	1·0	2·6	2
3	0·1	0·1	Tr	2·9	Tr	Tr	·5		28·1	0·1	172	2·7	3
4		2·2		4·5	Tr		12·5	3·9	·6		4·2	0·1	4
5		1·2		1·5	·4	21·7	Tr	·4	4·0		0·1	7·6	5
6		4·1		·7		·1	1·8	Tr	·2	4·1	5·7	·1	6
7		0·1		Tr			0·1	13·1		0·1	1·1	·2	7
8	1·1	1·9	0·1	2·0	·1	·8	·7	15·5		Tr	6·2	0·1	8
9	Tr	7·1	0·1	1·0	Tr	·4	·1	2·5			7·7	0·1	9
10	0·1	0·1	·1		0·1	·9	3·0	6·2	1·6		1·0		10
11	3·0	7·5				1·2	0·1	0·1	3·7		1·4		11
12	1·1	1·0					16·5	·3	6·8	1·5	·2		12
13	Tr				·1		1·3	1·2	0·1	·8	0·1		13
14	0·1	1·6	·1		1·0	3·3	8·7	22·3	1·6	0·1	1·9		14
15	·1	2·0	·1	3·0	6·7		9·5	4·4	·05		·2	·5	15
16	1·5	7·4	Tr	3·2	4·6	17·1	0·1	6·5	4·2	Tr	Tr	Tr	16
17	1·3	4·6		7·3	11·3	·4	1·1	·1	·1	·2	0·1		17
18	1·9	·2	·1	5·5	·1	1·2	·5	7·1		Tr	7·2		18
19	·5	·3		4·0	0·1	10·3	1·0	·2			·1		19
20	·1	1·2	·1	·5	0·1	0·1	Tr	7·0		·6	0·1	·2	20
21	3·2	0·1		Tr	13·5	Tr		·3			·3	Tr	21
22	3·9	0·1	Tr	1·1	1·1			1·5	Tr		Tr		22
23	4·3	0·1	2·2	1·4	10·9	1·6	0·1	0·1	1·1		5·2	2·9	23
24	0·1	0·1	Tr	3·4	7·9	Tr	0·4		0·1		0·1		24
25	·2	·1		18·8	·5		9·3				1·1		25
26	·7	·5	Tr	5·9	Tr		1·1				4·3	0·1	26
27	2·8	15·1		·2	9·5		2·4			·2	2·1	1·0	27
28	1·9	5·1		2·1	3·5					·4	·2	4·2	28
29	·3	X		0·1	1·2		2·7			8·1	1·0	·5	29
30	Tr	X			Tr		0·1		0·1	0·1	Tr	·1	30
31	4·9	X		X	0·1	X	0·1		X		X	·4	31
TOTAL	34·5	66·9	3·0	90·2	73·6	60·9	73·7	105·2	72·7	16·7	69·8	23·4	YEAR'S TOTAL
Days with ·01 in. or more.	19	18	1	21	13	13	17	17	12	9	20	11	171
Days with ·04 in. or more.	13	15	1	18	11	8	13	13	10	3	16	6	127

40-9999

(Signed)

690·0

[R.T.O.

Section **A** for the entry of Daily C

AIR MINISTRY.—METE AINFALL ORGANIZATION.

FOR OFFICIAL USE. 2467 145

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Coventry

in the County of Warwick

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	·3	·1	Tr	2·7	0·1	1·1			9·6	0·1			1
2	1·0	3·0	0·1	18·4	0·1	·7		12·5	10·3	·3	1·0	2·6	2
3	0·1	0·1	Tr	2·9	Tr	Tr	·5		28·1	0·1	17·2	2·7	3
4		2·2		4·5	Tr		12·5	3·9	·6		4·2	0·1	4
5		1·2		1·5	·4	21·7	Tr	·4	4·0		0·1	7·6	5
6		4·1		·7		·1	1·8	Tr	·2	4·1	5·7	·1	6
7		0·1		Tr			0·1	13·1		0·1	1·1	·2	7
8	1·1	1·9	0·1	2·0	·1	·8	·7	15·5		Tr	6·2	0·1	8
9	Tr	7·1	0·1	1·0	Tr	·4	·1	2·5			7·7	0·1	9
10	0·1	0·1	·1		0·1	·9	3·0	6·2	1·6		1·0		10
11	3·0	7·5				1·2	0·1	0·1	3·7		1·4		11
12	1·1	1·0					16·5	·3	6·8	1·5	·2		12
13	Tr				·1		1·3	1·2	0·1	·8	0·1		13
14	0·1	1·6	·1		1·0	3·3	8·7	22·3	1·6	0·1	1·9		14
15	·1	2·0	·1	3·0	6·7		9·5	4·4	·05		·2	·5	15
16	1·5	7·4	Tr	3·2	4·6	17·1	0·1	6·5	4·2	Tr	Tr	Tr	16
17	1·3	4·6		7·3	11·3	·4	1·1	·1	·1	·2	0·1		17
18	1·9	·2	·1	5·5	·1	1·2	·5	7·1		Tr	7·2		18
19	·5	·3		4·0	0·1	10·3	1·0	·2			·1		19
20	·1	1·2	·1	·5	0·1	0·1	Tr	7·0		·6	0·1	·2	20
21	3·2	0·1		Tr	13·5	Tr		·3			·3	Tr	21
22	3·9	0·1	Tr	1·1	1·1			1·5	Tr		Tr		22
23	4·3	0·1	2·2	1·4	10·9	1·6	0·1	0·1	1·1		5·2	2·9	23
24	0·1	0·1	Tr	3·4	7·9	Tr	0·4		0·1		0·1		24
25	·2	·1		18·8	·5		9·3				1·1		25
26	·7	·5	Tr	5·9	Tr		1·1				4·3	0·1	26
27	2·8	15·1		·2	9·5		2·4			·2	2·1	1·0	27
28	1·9	5·1		2·1	3·5					·4	·2	4·2	28
29	·3	×		0·1	1·2		2·7			8·1	1·0	·5	29
30	Tr	×			Tr		0·1		0·1	0·1	Tr	·1	30
31	4·9	×		×	0·1	×	0·1		×		×	·4	31
TOTAL	34·5	66·9	3·0	90·2	73·6	60·9	73·7	105·2	72·7	16·7	69·8	23·4	YEAR'S TOTAL
Days with ·01 in. or more.	19	18	1	21	13	13	17	17	12	9	20	11	171
Days with ·04 in. or more.	13	15	1	18	11	8	13	13	10	3	16	6	127

40-9999

(Signed)..........

590·0

[R.T.O.

2467

145

Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Coventry

in the County of Warwick

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	
1	1·0	·5		2·2	19·0	1·3	·2	1·3	1·5	4·3	·6	Tr	1
2	0·1			2·9	9·6	Tr		·3	9·2	1·5	·3	2·1	2
3	0·1	0·1		5·1	1·2				Tr	·2		0·1	3
4	·3			4·8	Tr					Tr	11·1	Tr	4
5	4·3	Tr	0·4	·1	·1				2·0		Tr	0·1	5
6	5·1		1·0	10·7					9·6			0·1	6
7	0·1		5·5	5·7	·6				3·0	1·6		Tr	7
8		0·1	·1	2·4					3·6	7·0			8
9	7·2	2·2		·4	·1				0·1	Tr			9
10	5·1	1·8	Tr	1·5	2·3				2·1	2·9	Tr		10
11	0·1	·4	Tr	1·6	1·8	·8	15·4		·2	1·2	·1	·4	11
12	6·6	0·1			4·2		6·5		2·7	7·8	1·0	Tr	12
13	1·0	·8		2·1	·1		25·6		·3	2·1	·6	1·5	13
14	5·2	·6	Tr	·5			·3	4·3	Tr	·8	1·0	·7	14
15	0·1	·5		1·0	10·7		·8		0·1	1·1	Tr	·5	15
16	6·2		·1	5·1	1·0					0·1	·1	0·1	16
17				·1			1·4		0·1	3·6	Tr		17
18					1·1					1·2	1·9		18
19		·1		2·6	·6					4·1	0·1	0·1	19
20				3·2	24·4		·4	13·7		11·5	2·6	0·1	20
21	·4		3·0	3·5	45·6		Tr	7·3		7·8	·4	2·9	21
22	Tr		5·1	1·1	1·4	Tr	8·5	0·1	17·1	1·9	6·4	·1	22
23		·1	·1		21·4		·3		1·2	1·6	1·9	1·0	23
24		0·1			Tr		1·0		·9	1·4	6·0	0·1	24
25	·1	·9			Tr		6·2		1·5	1·3	1·0	·1	25
26		0·1	·1	8·9	5·1		1·5		1·3		0·1	Tr	26
27		·2	8·8	9·1	10·2	1·1	5·6			0·1	1·8	0·1	27
28			·6	3·5	7·7	8·7	4·9	11·0		1·2	Tr	·9	28
29			10·4	3·6	4·4	3·3	·2	·6	2·3	7·5	·2	2·5	29
30		×	1·5	·3	1·1	22·5	5·7	4·6	11·0	5·9	10·4	6·9	30
31	·1	×	1·1	×	·1	×	11·3	Tr	×	0·1	×	2·0	31
TOTAL	43·1	8·6	37·8	82·0	173·8	37·7	95·8	43·2	69·8	79·8	47·6	22·4	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.	11	9	10	23	20	6	18	8	17	23	16	11	172
*Days with ·04 in. or more.	9	2	8	20	18	5	12	6	14	21	11	7	138

40-9999

(Signed)..........

741·6 741·5

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations

Station No. 2467

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090
(Revised March, 1960)

REGISTER OF RAINFALL IN 1933

~~168~~

Kept at Coventry
in the County of Warwick
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level 270 ft.

400

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	7·5	6·6	·2						Tr		Tr			1
2	8·2		12·5		1·9						1·6			2
3	0·1	3·3	5·1		1·4						1·1			3
4	7·3	0·1	·4		7·3									4
5	2·6	1·8	5·5		·3						·3			5
6	0·1	4·1	1·0		3·8					1·8	·3			6
7	2·0	5·5	·1		·5					3·1				7
8	1·5	0·1	1·9		2·1		6·2			·7	Tr			8
9	Tr	Tr	0·1		2·5		6·9			2·3	1·8			9
10	1·4	6·1			·3	2·0	·1	1·4		31·6	2·8			10
11	·1	0·1			·2		3·1	·3		·3	Tr			11
12	·7	Tr				·5	3·7		5·2			·6		12
13	·3	Tr			2·2	·6	3·1		·6	·5	7·2			13
14	0·1				2·2		·3	3·9		1·2	7·6	·1		14
15	12·5		·5			6·0	15·1	0·1		Tr	6·7	·8		15
16	1·5		14·6		·4	2·5	1·9	·2		·5	·7	·6		16
17	1·0	·6	12·1		1·2	3·1	0·1		1·2		·6	·1		17
18	2·1	1·0	·2			3·8	·1				·3			18
19	0·1	·3	11·2	·3		3·1			1·9		·3			19
20		1·3	1·0			5·2		1·8	2·8	1·1	·2			20
21		·9			·2	8·4		2·4	·2	Tr	Tr			21
22					Tr	5·2		8·9		6·1	Tr			22
23				2·1		2·0			13·3	·6				23
24		14·1		2·4	2·2	6·4			22·5	·6	·7			24
25		13·6		6·8		10·9			·2			·9		25
26		16·5		1·5		3·9			1·3	4·1		Tr		26
27		0·1			3·4				1·0	1·0				27
28		0·1		9·5	·1		·4		0·1	2·2		1·0		28
29	1·4	X		3·5			16·3		0·1	·4		·5		29
30	·7	X	·7	·2			·9			·5		3·0		30
31	·3	X	6·6	X		X	·3	2·3	X	4·5	X			31
TOTAL	51·5	76·2	73·5	26·3	82·2	63·6	58·5	21·3	5·04	6·31	32·2	6·6	Year's total	
*Days with .01 in. or more	16	14	15	8	17	15	12	8	11	19	15	7	157	
*Days with .04 in. or more	12	11	10	6	11	13	8	6	8	11	7	2	105	

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

555·4

(*Signed*) .... (P.T.O.)

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2467 ~~445~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

400

Kept at Coventry

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level ~~270~~ 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	·5							6·7	·6	Tr	2·0	9·2		1
2	1·0		2·3					·4	6·7	Tr	·4	4·9		2
3	1·7	1·5	Tr		Tr					1·6	·4	Tr		3
4	1·7	·2	2·5	5·2	3·2			·1	1·6	1·4	2·3	9·2		4
5	·2		1·0	·5	1·8			7·2		1·5	1·5	4·6		5
6			·5	1·3	7·3	0·3		Tr		3·6	Tr	12·8		6
7	2·4			Tr		1·0		3·6		2·3	Tr	7·8		7
8					2·4	1·0		1·7		Tr	3·4	·2		8
9	·2		3·1	·1	Tr			·2		Tr	13·5	9·6		9
10	1·0		2·8	2·8	Tr			1·0			·7	·2		10
11	17·7		2·0	8·2			Tr	4·3		Tr	Tr	3·1		11
12	·1		2·8	1·8			1·7	6·6		Tr	Tr	·1		12
13	10·0		1·0	1·2			13·1	3·8		·2	Tr	4·2		13
14	2·7		4·9	Tr	0·6	8·0		Tr		7·5	7·5	6·3		14
15	2·1		4·0		2·1		0·1		Tr	3·6	5·5	·6		15
16	4·1	0·1	2·6		Tr			·1		2·2	·6	1·1		16
17	·2		0·1		0·1		·7		3·7	2·9	·6	3·6		17
18	2·5		0·1	3·2			·9	Tr	·4	Tr	Tr	·4		18
19			3·2	1·7		1·0		·1	·5	Tr	Tr	·6		19
20			·5	2·0		·1			Tr	·2	Tr	Tr		20
21	Tr		0·1			3·5		1·7	Tr	2·1		Tr		21
22		0·1						7·1	5·5	Tr	Tr	2·1		22
23			0·1	4·5	·5	7·1	1·2	Tr	0·9	Tr	Tr	1·8		23
24		7·0	3·9	0·1		·5	10·1		8·0	1·1	·2	Tr		24
25	4·8	0·1		2·4	·1	·7			Tr	2·7		9·6		25
26	·6		1·2	2·6		1·3			1·7	Tr	Tr	7·9		26
27	1·0	1·9		2·1		Tr				Tr	Tr	4·3		27
28	·2			9·6		4·6	·2	9·7		·8	·6	9·1		28
29	0·1	X		0·4		Tr	9·0	1·0	11·3	·4	Tr	·1		29
30	·1	X		Tr			·5		·4	Tr		3·3		30
31	·2	X		X		X			X	5·8	X	1·4		31
TOTAL	55·1 2·17	10·9	38·7	49·2 1·93	18·1	29·1 1·15	37·5	55·3 2·18	41·3	39·9 1·87	39·2	118·4 4·65	Year's Total 20·95	532·4
*Days with ·01 in. or more.	20	4	16	15	7	11	9	14	12	17	14	25	164	
*Days with ·04 in. or more.	13	3	14	14	5	8	5	12	7	13	[illegible]	20	[illegible]	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2467

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

145

FORM 10

REGISTER OF RAINFALL IN 1935.

Kept at Coventry

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 241 ft.

400

T.C.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	mm	
1	1·3	0·8	Tr	1·5	·6	3·5	1·2		14·9	2·8	2·5	Tr		1
2	Tr	Tr	2·1			·4			2·1	5·5	Tr	2·1		2
3		6·2	·4	1·9		1·5			5·9	9·0	5·7	3·5		3
4		Tr	Tr	2·8		3·7			1·5	2·0	Tr	Tr		4
5		14·5	2·0	2·2		·2	·5		·4	Tr	2·3	Tr		5
6	Tr	·2	·1	7·8		7·1					·8	Tr		6
7	Tr	Tr		7·7		1·0				6·0	7·8	3·4		7
8			Tr	4·1		·2		26·8		3·1	3·8	·2		8
9	Tr			11·1		6·3				16·8	7·7	·1		9
10	Tr			Tr		1·0				Tr	2·3	·2		10
11	4·5	Tr	Tr			1·0	Tr	·2			4·5	·1		11
12	·2	Tr				9·1		2·2	Tr		Tr	Tr		12
13	2·1	·8		3·6	3·8					·2	Tr			13
14	·1		·2	·3	1·4	Tr			·7		9·7	2·4		14
15	Tr	·7		22·0	1·1	8·4	Tr		10·1		5·0	5·9		15
16	Tr	2·9	3·0	7·2		·4	1·4		8·2	3·7	17·8	3·6		16
17	Tr	Tr	Tr	·4		3·9	2·2	Tr	Tr	1·0	15·5	·1		17
18		1·5	Tr	5·2	2·1	2·3	2·6		3·3	1·3	·6	Tr		18
19		·1		1·5	11·1	6·0	3·3		2·1	1·9	7·3	0·1		19
20	·1	6·5		4·0	Tr	2·2	3·4		Tr		3·9			20
21		7·4	·2	1·9					9·8	·3	3·0			21
22		·4		3·3				3·1	1·9		Tr			22
23		·1	1·8	Tr				6·6	5·1	10·7	Tr	—		23
24	1·4	2·5	·4					·2	20·0	·1	Tr	8·6		24
25	4·2	1·4		2·4		31·5				Tr	Tr	1·2		25
26	Tr	1·1				Tr		7·3	4·2		·4	14·5		26
27		2·5			1·8				1·0	1·0	5·1	31·1		27
28	·5	·2			4·9				·6	·7	·4	1·1		28
29	Tr	×	1·5					·8	2·5	·9	1·9	2·5		29
30	1·0	×	Tr	1·1	8·5			12·5	·1	6·6	6·2	2·0		30
31	Tr	×		×		×		Tr	×	18·5	×	4·3		31
TOTAL	15·4	49·8	11·7	92·0	35·3	88·7	14·6	59·7	94·4	~~91·1~~ 92·1	114·0	87·0	Year's Total 753·7	7547
*Days with ·01 in. or more.	8	16	9	20	9	19	7	9	18	~~20~~ 19	22	16	178	
*Days with ·04 in. or more.	6	10	5	18	8	15	6	6	15	15	18	14	136	

40-9999

*See Instruction 2 (f) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2467 / 145

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Coventry

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 241 ft.

400 TL

mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	mm	
1	·2	2.2	Tr	11.4		3.5	5.7	2.7	Tr		1.4	2.8		1
2	1.0	1.0	3.5	1.5		11.1	14.5	1.4			3.0	·1		2
3	·1	·3	Tr		Tr	4.1	·1	·4	5.7		0.4	·3		3
4	0.1	·2	2.1			2.0		·5	9.5		·5	3.1		4
5	2.1	·2	·5			Tr	0.1	1.5	2.5	Tr	·1	3.9		5
6	0.1	Tr	Tr		3.8	2.1	4.0	5.0	2.6		2.1	2.0		6
7	4.3		1.6		Tr		18.1	Tr	2.2		1.2	·2		7
8	4.4		2.1				·1		·2		10.1	2.0		8
9	9.9		4.6			Tr	25.7	Tr	3.2	·5	1.5	·3		9
10	1.8		Tr				7.3	Tr	·2		·2			10
11			Tr	1.3		1.2	7.0	1.0	5.4		9.3	Tr		11
12				1.2	1.3	5.0	14.6	Tr	25.7		3.5	3.1		12
13	Tr			2.7		12.4	Tr	·4	Tr	2.0	·2	5.0		13
14		Tr		5.0		1.6	7.2	Tr	7.0	·1	·6	14.1		14
15	0.1	·1		Tr			2.9		3.1	Tr	·3	2.1		15
16	6.3	3.4		Tr			3.2				15.8	·3		16
17	·2	9.0			2.4		2.5			2.6	·9	3.5		17
18		·1				4.5	4.7	·1		4.6		3.0		18
19	7.3	2.0	1.8	6.1		1.9	Tr	1.5		1.0		Tr		19
20	0.1	1.3	1.1	0.6		1.5	0.7		5.1	Tr		Tr		20
21	~~·20~~	0.1	Tr	6.2		23.8	0.5		Tr		Tr	Tr		21
22	·2	16.0	·8	Tr	6.1		5.1		Tr		Tr	2.0		22
23	·4	·4	5.5	3.1	1.0		7.9	Tr	Tr	1.4	·1	Tr		23
24	6.5	1.5	Tr	Tr	Tr				4.0	3.0	·1	Tr		24
25	1.3	0.1	3.4	8.8		·2	1.9		5.6	1.0	0.8			25
26	0.1	1.9	7.6	2.3			1.7		Tr	2.5	·2			26
27	·8	0.1	·2	Tr			·1	Tr	2.0	2.7	Tr			27
28	11.8	2.0	3.5				2.3		·8	·4	Tr	1.0		28
29	·7	4.1	3.5			1.7	Tr		Tr	1.8	5.7	5.5		29
30	·7	×	Tr		9.4	·7	3.0			6.3	1.6	Tr		30
31	13.4	×	2.1	×		×	·7		×	3.1	×	6.8		31
TOTAL	73.9	46.0	43.9	50.2	24.0	77.1	141.4	14.5	84.8	33.0	59.6	~~47.0~~	Year's Total.	695.4
* Days with .01 in. or more.	25	15	16	12	6	16	23	9	17	14	20	19	192	
* Days with .04 in. or more.	12	11	13	11	6	14	19	6	14	12	11	15	144	709.5
40-9999	73.7	45.9	43.9	50.2	24.0	77.1	141.8	14.5	84.8	33.0	~~59.6~~	61.1	~~709.6~~	

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1445~~ 2467

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1051.

REGISTER OF RAINFALL IN 1937.

Kept at Coventry (City Hospital)

in the County of Warwick

TL. 400

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	2·5	Tr	·5	Tr					2·4	Tr	2·7	9·5		1
2	Tr	2·2	·3	18·5					Tr		·2	5·8		2
3	0·1	1·5	Tr	Tr	4·8				·4	Tr	Tr	1·8		3
4	2·0	4·5	Tr	Tr	1·2			·4			Tr	15·3		4
5	5·6	Tr	3·8	Tr	Tr		·3				Tr	·6		5
6	2·6	Tr	2·0	1·2	3·0		·2			1·5	Tr	Tr		6
7		16·8	1·0	3·0	·2				Tr	Tr				7
8	Tr	2·6	Tr	·4	2·8		·2				11·3	Tr		8
9	Tr	Tr	Tr	1·5	8·1		6·3		3·4		Tr	1·0		9
10	·1	1·0	9·7	16·1	Tr	5·1	·5				Tr	3·8		10
11	Tr	Tr	5·1	Tr	12·8	14·5	·3				Tr	3·2		11
12	2·6	7·5	8·5	Tr	7·7	3·1		12·3	3·2			4·0		12
13	2·3	1·9	1·1	1·0	·4	3·1		7·1	21·3			·2		13
14	·1	1·3	8·9	·8	Tr			10·5	·5		Tr	2·4		14
15	3·6	2·1	Tr	5·1	Tr		22·8		2·1			·2		15
16	·3	1·8	7·8	12·8				1·8	9·0		Tr	Tr		16
17	3·5	·6	7·5	4·2					2·0					17
18	10·0	2·8	3·1	·4			·6		2·6	·1	5·7	Tr		18
19	1·4	1·3	2·8	2·8	3·0	5·0	10·0		Tr	·2	2·1			19
20	4·6	·3	Tr	13·2	10·0	1·5	Tr			·1		·8		20
21	2·9	4·9	·3	·5	Tr		4·1		Tr	Tr	Tr	2·3		21
22	4·1	·3	3·0	Tr	2·3	4·5	7·2		Tr	8·9	6·1	Tr		22
23	6·2	·2	·1		·3		·5			7·6	3·9	Tr		23
24	2·1	7·0	·5		·3		·4		1·4	7·6	Tr	·2		24
25	3·1	7·8	Tr		3·8				1·2	7·9	Tr	Tr		25
26	Tr	6·3	1·3		9·2					·2	Tr	Tr		26
27		8·1	Tr	7·5						15·6	Tr	Tr		27
28		1·2	Tr			0·2				·6		·7		28
29	1·6	✕				·3				·6	1·0	·5		29
30	7·6	✕						6·5		Tr	2·1	·2		30
31	7·2	✕		✕		✕	Tr		✕	5·0	✕			31
TOTAL	75·7	84·0	67·3	89·0	69·9	37·3	53·4	38·6	49·5	~~55·5~~	35·1	52·5	Year's Total.	~~707·8~~ 708·2
* Days with 0.2 mm. or more.	20	23	18	16	16	9	13	6	12	11	9	18	171	
* Days with 1.0 mm. or more.	19	19	14	12	12	7	5	5	10	7	8	10	128	

(144w) * See Instructions 2 (f) on other side. † Spare column, no entries required.

~~89·0~~ 38·6 49·5 ~~55·5~~ 55·9 35·1 52·5 707·8

(Signed) ....

40-9999 [P.T.O.

145

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 2467

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1938.

Kept at Coventry (City Hospital)
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 241 ft.

T.L 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1		Tr	·5		Tr	12·2	Tr			1·7	1·0	5·1		1
2	·7		Tr	[illegible]	·3	4·4				5·2	Tr	·4		2
3	·2		Tr		2·6	·3	12·1		·9	13·6	Tr	Tr		3
4	·3		Tr	Tr		·4	·3	3·5		5·3	Tr	5·8		4
5	Tr			Tr			2·2	5·5	2·3	1·0	Tr	·3		5
6	Tr	Tr	Tr			·2	4·1		1·4	2·1		Tr		6
7	2·7		Tr			1·8	3·3	5·7	1·3	3·1	Tr	1·0		7
8	7·1	Tr					·6	11·4		3·1		·2		8
9	Tr	1·5	Tr			·3	·8	Tr				8·1		9
10	Tr	2·1				2·4	4·5	4·8	Tr			1·2		10
11	12·3	·7					Tr	1·2		1·5	3·1	Tr		11
12	3·7	Tr	Tr	[illegible]	3·6		·3	1·8		5·3	1·0	Tr		12
13	Tr									Tr	3·5	11·5		13
14	7·8	·4	Tr	[illegible]	1·1		15·3		1·6		Tr	Tr		14
15	2·1			[illegible]	1·5		2·2			Tr	Tr	4·8		15
16	6·8		Tr	[illegible]	Tr		2·8	·4			·5	7·1		16
17	Tr	1·3		[illegible]	Tr		Tr	Tr	Tr	4·0	·4			17
18	·5	Tr		[illegible]	3·8	3·9	Tr	1·5	11·0		9·5			18
19	Tr							5·2	Tr		3·1	1·1		19
20									·2	Tr	10·1	·3		20
21	·4								Tr		1·4	3·8		21
22	Tr		Tr	[illegible]	·	Tr			Tr		9·9	5·5		22
23				Tr	·2		Tr		1·0	Tr	Tr	1·6		23
24		Tr	·3		1·3				7·0	·	·2	·2		24
25	2·0	5·0	2·4		1·2		Tr	Tr	·4	2·5	7·5	3·6		25
26	1·9	8·4	2·3		·4			1·2	1·9	4·3	Tr	4·9		26
27	1·0	Tr			7·2	4·0	10·1	9·9	4·5	1·0	7·2	Tr		27
28	6·0	Tr			6·0	3·2	·3	28·8	1·3	Tr	2·8	3·8		28
29	9·8	×		·2	6·9		Tr	Tr	Tr	1·1	3·2	3·0		29
30	1·0	×			Tr	10·1			11·4	·4	5·3	2·4		30
31	4·2	×		×	5·5	×			×	3·5	×	9·3		31
TOTAL	70·5	19·4	5·5	2·0	41·6	43·2	58·9	80·9	46·2	58·7	69·7	85·0	Year's Total 581·6	
* Days with 0.2 mm. or more.	10	7	4	3	14	12	14	13	14	17	17	23	157	
* Days with 1.0 mm. or more.	14	5	2	0	11	8	9	12	11	16	14	18	120	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 2·78 ·76 ·22 ·68 1·64 1·70 2·32 (Signed) 1·82 2·31 2·75 3·35 22·92 [P.T.O.

1·06 3·19

~~[illegible]~~
2467

FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939 .

400 TL

Kept at Coventry (City Hospital)
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 241 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·0		0·2	5·1	1·0			23·5	·1	2·1		Tr	1
2	1·0		Tr	1·1				10·4	17·3	·4	1·8		2
3	5·9			9·4				15·2	1·3		3·8	7·2	3
4	1·5		12·1	18·5	2·5		2·5	5·9	·1	9·5	·4	2·5	4
5	Tr	Tr	Tr	1·8	9·0		2·8	13·9	Tr	·6	5·3	3·4	5
6	18·7		Tr	Tr	Tr		14·4	·8		Tr	·5		6
7	·2	1·1			Tr		5·1	·3			12·0	6·0	7
8	Tr	3·0	6·9				11·5	6·3		14·9	3·0	10·8	8
9	·7	1·1	Tr				1·1	5·9		9·8	1·5	4·7	9
10	8·1	Tr	·5			Tr		2·3	·7	·8	Tr	Tr	10
11	Tr	Tr	3·9		Tr	2·1		Tr		Tr	Tr	Tr	11
12	·3	1·0	Tr			3·6		Tr	·1	Tr	Tr		12
13				·3	·7	Tr	4·0	Tr	1·3	2·2			13
14	13·9	Tr	Tr	Tr	13·1	1·5	3·3		Tr	1·5	2·5	Tr	14
15	6·2			Tr	1·0	9·8	11·4			8·6	4·1	Tr	15
16	4·8	Tr	2·8	Tr	5·2	2·7	4·2		Tr	Tr	5·1		16
17	10·2	1·2	Tr		2·2	·5	6·3			51·2	·3		17
18	3·8	1·0	1·0		Tr	11·1	3·6		Tr	Tr	15·8		18
19	5·2	Tr	Tr		Tr		19·1			Tr	·2		19
20	4·7	Tr	·2			Tr	Tr	6·9			Tr		20
21	2·5	4·9	4·3	·3	1·0	·2	15·7	15·3	·4	Tr	Tr		21
22	3·4	5·5	Tr				4·3	Tr	·1	·2	7·5	Tr	22
23	Tr	Tr	·2	Tr		Tr	1·0			2·1	18·1	Tr	23
24	5·4	Tr	·2	4·1		Tr	2·1			1·1	Tr	Tr	24
25	29·5	2·7	1·0	Tr			Tr			Tr	5·6	Tr	25
26	5·7	Tr	Tr	Tr				1·4	Tr	·6	6·0	1·5	26
27	Tr	4·4	1·8	Tr		Tr	2·0			Tr	Tr	1·3	27
28	Tr	4·1	3·0			·5	3·6			Tr	4·4	·4	28
29			Tr	4·8			7·4	1·6		7·0	1·0		29
30	Tr	✕		1·6		3·9				Tr	1·9		30
31		✕		✕		✕	2·1	7·9	✕		✕		31
TOTAL	132·7	30·0	38·1	47·0	35·7	35·9	127·5	117·6	21·4	112·6	100·8	37·8	YEAR'S TOTAL 837·1
Days with 0·2 mm. or more.	21	11	14	10	9	10	21	15	5	16	21	9	162
Days with 1·0 mm. or more.	18	11	9	8	8	7	21	13	3	11	17	8	134
(144W)	5·22	1·18	1·50	1·85	1·41	1·41	5·02	4·63	·84	4·43	3·97	1·49	32·95

40-9999

(Signed)

[P.T.O.

145

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2467 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1940

Kept at Coventry (City Hospital)
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 241 ft.

F.L.

480

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1		·5	Tr	1·2	Tr						2·5	0·4		1
2			Tr	9·4			1·0			0·2	21·0	0·6		2
3		2·6	Tr	0·5						3·0	30·0	2·0		3
4		2·1	Tr	5·1						2·7	6·5	1·2		4
5		·2		Tr	2·1					4·8	14·5	4·0		5
6	2·7	6·6		Tr	0·4		0·9			9·5	7·7	Tr		6
7	1·2	4·1	Tr	Tr	Tr				0·7	Tr	0·2	0·3		7
8	Tr	Tr	Tr	Tr	Tr		0·7			1·6	0·8	5·3		8
9			·2	Tr	Tr		6·0	4·2	0·6	2·1	4·1	4·0		9
10	Tr		·6				18·8	Tr		2·0	2·9	7·5		10
11		Tr	·3	1·4			5·2			Tr	16·8	1·8		11
12		Tr	1·5			Tr	14·0	Tr	1·5		0·2	Tr		12
13		Tr	14·4	0·2			1·0		1·6		0·2	Tr		13
14			·3	1·7	7·3		Tr	Tr	2·3	1·0		10·7		14
15		Tr	1·1	1·5	1·0		1·8		1·1	0·2	(2·5)	Tr		15
16	Tr	4·3	8·3			Tr	2·5		2·4	15·3	(15·5)	Tr		16
17			6·6				4·3			Tr	(6·4)	Tr		17
18	1·9	13·2	7·5	6·4			Tr	0·4	3·5	6·6	(5·1)	1·9		18
19		5·6	1·1	4·6			8·3		3·4	Tr	(2·5)	0·2		19
20		Tr	0·2	0·8			0·7	0·6		4·9	(0·5)			20
21	1·0	·2	0·3	Tr	9·0	5·2	2·4	0·2		1·1	(35·1)			21
22		Tr	0·3	0·3	11·4	2·6			16·4	Tr				22
23		3·0	1·1	2·5	0·8	2·0				0·3		1·5		23
24		Tr	Tr	Tr			2·2			1·2		0·2		24
25		Tr	Tr	0·8						0·3		Tr		25
26	26·9	3·5		5·3	1·1		17·8							26
27	20·2	3·9		Tr			0·5	Tr	Tr		(0·8)			27
28	16·5	4·7		0·3	5·6			Tr						28
29	1·7	Tr	2·6	0·2	0·9		Tr			0·3		4·0		29
30	Tr			16·2	Tr					15·7		0·7		30
31	2·9		1·5							16·5		Tr		31
TOTAL	75·0	54·3	47·9	~~2·30~~ 58·4	39·6	9·8	88·1	5·4	33·5	89·3	(175·8)	46·3	Year's Total 723·4	
* Days with 0.2 mm. or more.	9	14	17	18	10	3	17	4	10	20	(21)	17	160	✓
* Days with 1.0 mm. or more.	9	11	10	11	7	3	13	1	8	15	(15)	11	114	✓

(144W) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

2·95 2·14 ·89 2·30 1·56 ·39 3·47 ·21 1·32 3·52 (6·92) 1·82 28·49 ✓

(Signed)

P.T.O.

2467/5

COVENTRY ROSEHILL
1933—39

780407

Section **A** for the entr… AIR MINI…

…ation No. 2467/5
…ORGANIZATION.

FORM 1090.

REG…

Kept at X Rosehil…

in the County of Wa…

Warwick /1

Diameter of Funnel of Gauge…

Height of top of Gauge above …

,, Ground ,, S…

THE MORNING ME…

An observer who does not confor… year in the space on the right …owing

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									·—	·01	·02	·—		1
2									·—	·—	·05	·—		2
3									·—	·—	·05	·—		3
4									·—	·—	·01	·—		4
5									·—	·—	·01	·—		5
6									·—	·07	·02	·—		6
7									·—	·15	·—	·01		7
8									·—	·02	·—	·—		8
9									·—	·08	·08	·—		9
10									·—	1·23	·13	·—		10
11									·—	·02	·—	·—		11
12									·22	·—	·—	·05†		12
13									·03	·03	·30	·—		13
14									·—	·06	·32	·02		14
15									·—	·01	·34	·04		15
16									·—	·02	·02	·04		16
17									·05	·—	·03	·01		17
18									·—	·—	·02	·—		18
19									·08	·—	·02	·—		19
20									·20	·04	·01	·01		20
21									·02	·—	·01	·—		21
22									·—	·26	·01	·—		22
23									·48	·04	·—	·—		23
24									·88	·02	·04	·04		24
25									·09	·—	·01	·—		25
26									·04	·17	·—	·01		26
27									·07	·05	·—	·—		27
28									·01	·11	·—	·05		28
29									·01	·03	·—	·03		29
30		X							·—	·03	·—	·08		30
31		X		X		X			X	·18	X	·—		31
TOTAL									2·18	2·63	1·50	·39	Year's Total [illegible]	
*Days with ·01 in. or more.									13	21	20	12	–	
*Days with ·04 in. or more.									8	12	8	6	–	

9 from [illegible] No 2468?

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Miss H Rotherham

N

[P.T.O.

Section **A** for the entry ~~of Daily Observations.~~ Station No. 2467/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at (Rosehill) Coventry

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 330 ft.

CS 2465-7.

get file.

Warwick /1

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									.—	.01	.02	.—		1
2									.—	.—	.05	.—		2
3									.—	.—	.05	.—		3
4									.—	.—	.01	.—		4
5									.—	.—	.01	.—		5
6									.—	.07	.02	.—		6
7									.—	.15	.—	.01		7
8									.—	.02	.—	.—		8
9									.—	.08	.08	.—		9
10									.—	1.23	.13	.—		10
11									.—	.02	.—	.—		11
12									.22	.—	.—	.05†		12
13									.03	.03	.30	.—		13
14									.—	.06	.32	.02		14
15									.—	.01	.34	.04		15
16									.—	.07	.02	.04		16
17									.05	.—	.03	.01		17
18									.—	.—	.02	.—		18
19									.08	.—	.02	.—		19
20									.20	.04	.01	.01		20
21									.02	.—	.01	.—		21
22									.—	.26	.01	.—		22
23									.48	.04	.—	.—		23
24									.88	.02	.04	.04		24
25									.09	.—	.01	.—		25
26									.04	.17	.—	.01		26
27									.07	.05	.—	.—		27
28									.01	.11	.—	.05		28
29									.01	.03	.—	.03		29
30		×							.—	.03	.—	.08		30
31		×		×		×			×	.18	×	.—		31
TOTAL									2.18	2.63	1.50	.39	Year's Total with	
*Days with .01 in. or more.									13	21	20	12	–	
*Days with .04 in. or more.									8	12	8	6	–	

9 from [illegible] gauge No 2468?

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Miss H. Rotherham

[P.T.O.

/272-216/33

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2467/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

VI/Warwick/1

Kept at (Rosehill) Coventry

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 330 ft.

g from 2468 Comp 1933
good agreement O.K.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05	—	—	—	—	—	.01	.28	.02	.01	.09	.33		1
2	.03	.02	.12	—	—	—	—	.01	.28	.01	.04	.20		2
3	.08	.04	—	.00	—	—	—	—	.01	.10	.02	—		3
4	.07	.01	.09	.21	.14	—	—	—	.15	.08	.09	.40		4
5	—	—	.04	.03†	.08	—	—	.35	—	.03	.10	.14		5
6	—	—	.02	.05	.24	.08	—	.01	.02	.15	—	.52		6
7	.11	—	.01	—	.01	.08	—	.15	.01	.05	—	.30		7
8	—	—	—	—	.11	.11	—	.09	—	.02	.15	.01		8
9	.01	—	.19	.02	.01	—	—	.05	—	—	.60	.25		9
10	.13	—	.14	.14	—	—	—	.27	—	.01	.07	—		10
11	.68	—	.06	.34	—	—	—		—	—	—	.17		11
12	—	—	.14	.03	—	—	.10	.20	—	—	—	.01		12
13	.39	—	.03	.09	—	—	.52	.08	—	.04	—	.16		13
14	.10	—	.22	.01	.02	.13	—	.01	—	.25	.29	.33		14
15	.10	—	.14	—	.08	—	.02	—	.02	.15†	.25	.04		15
16	.12	—	.16	—	.01	—	—	.01	—	.10	.03	.06		16
17	.02	—	.01	—	.01	—	.03	.01	.18	.13	.02	.12		17
18	.14	—	.01	.17	—	—	.04	—	.07	.02	—	.03		18
19	—	—	.11	.11	—	.06	—	—	—	.02	—	—		19
20	—	—	.02	.13	—	.20	—	.01	.02	.01	—	.01		20
21	.01	—	.01	—	—	—	—	.05	—	.07	—	—		21
22	—	—	.01	—	—	.28	—	.25	.19	.01	—	.10		22
23	—	—	.02	.15	.04	.03	.11	.03	.01	.01	—	.09		23
24	—	.30	.16	.02	—	.04	.53	—	.31	.03	—	—		24
25	.18	.01	—	.03	.02	.07	—	—	.01	.13	—	.48		25
26	.06	—	.05	.16	—	.01	—	—	.07	.01	.01	.38		26
27	—	.07†	.01	.17	—	.20	—	—	.01	.02	—	.18		27
28	.01	—	—	.33	—	.04	—	.34	—	—	.05	.37		28
29	—		—	—	—	.01	.34	.14	.49	.02	—	—		29
30	.02	×	—	—	—	—	.02	—	.03	.02	—	.08		30
31	.02	×	—	×	—	×	—	—	×	.23†	×	.05		31
TOTAL	2.33	.45	1.77	2.19	.77	1.34	1.72	2.34	1.90	1.73	1.81	4.81	Year's Total 23.16	
*Days with .01 in. or more.	20	6	23	18	12	14	10	20	18	27	14	25	207	
*Days with .04 in. or more.	13	3	13	12	6	11	6	12	8	12	10	21	127	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Helen Rotherham [P.T.O.

X MISS. H. ROTHERHAM X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2467/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rosehill Coventry

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.03		.07	.09	.17	.07		.66	.04	.14	.01		1
2			.03		.03	.02			.04	.25		.09		2
3		.25	.02	.11		.11			.35	.27	.26	.12		3
4				.11†		.15			.05	.22	.01			4
5		.61	.09	.09†		.07	.05		.01		.16	.01		5
6		.04	.01	.33		.28					.06			6
7				.25						.23	.36	.14		7
8				.16		.27		.85		.09	.18	.02		8
9				.25						.61	.36	.01		9
10											.12			10
11	.14					.06				.01	.23	.03		11
12	.02†	.01				.24		.17	.01					12
13	.09	.03		.17	.17					.01	.01			13
14			.02		.03†	.05					.38	.13†		14
15		.02		.86	.06	.15			.31		.19	.14		15
16		.04	.14	.25		.09			.24	.15	.78	.16†		16
17				.06		.17	.01		.17	.09	.66			17
18				.24	.05	.12	.23			.02	.01			18
19	.01			.09	.44	.19	.11		.07	.07	.29	.01		19
20	.02	.21		.17		.07	.06		.04		.18			20
21		.30	.02	.08					.37		.13			21
22		.02†		.25					.10	.40				22
23		.02	.06					.32	.07	.03				23
24	.02	.15	.02					.03	.85	.35		.43†		24
25	.23†	.07		.10		1.35*			.01			.10		25
26		.04						.24	.19	.01		.63		26
27		.07			.02				.04	.01	.22	1.21		27
28	.03†				.12			.03	.01	.02		.06		28
29			.07					.05	.09	.01	.07	.14		29
30	.05	×		.09	.85			.75		.18	.21	.10		30
31		×		×		×			×	.65	×	.16		31
TOTAL	.67	1.91	.48	3.73	1.86	3.56	.53	2.44	3.68	3.72	5.01	3.70	Year's Total. 31.29	
* Days with .01 in. or more.	10	16	10	19	10	17	6	8	20	22	22	20	180	
* Days with .04 in. or more.	5	10	4	19	7	16	5	6	16	14	19	14	135	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Helen Rotherham

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2467/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Roxhill - Coventry

in the County of Warwick

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ft. 10 in.

,, Ground ,, Sea Level 330 ft.

Acc Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·09	·04	·48	—	·19	·16	·15	—	—	·06	·11		1
2	·04	·03†	·14	·07	—	·42	·88	·04	—	—	·13	·01		2
3	·01	·02†	—	—	·01	·32	·03	·04	·28	—	·02	—		3
4	·04	—	·02	—	—	·20	—	·03	·39	—	·03	·11*		4
5	·07	—	—	—	—	·01	·03	·06	—	—	—	·14		5
6	·02	—	·09	—	·29	·08	·23	·26	·28+	—	·10	·10		6
7	·11	—	·06	—	—	—	·78	—	+	—	·02	·02		7
8	·32	—	·07	—	—	—	·03	—	—+	·01	·29	·10		8
9	·28	—	·39	—	—	·01	·44	—	·17	·04	·08	—		9
10	·07	—	—	—	—	—	·24	—	·07	—	·02	·02		10
11	—	—	—	·08†	—	·06	·40	·01	·14	—	·42	—		11
12	—	—	—	·04†	·06	·16	·58	—	·60	—	·26	·15		12
13	—	—	—	·14†	—	·54	—	—	—	·07	·01	·19		13
14	—	—	—	·24	—	·05	·37	—	·25	—	—	·53		14
15	—	·02	—	—	—	—	·09	—	·01	—	·03	·10		15
16	·22*	·19	—	—	—	—	·11	—	—	—	·59	·01		16
17	—	·38	—	—	·11	—	·20	—	—	·09	·05	·14		17
18	—	·01	—	—	—	·23	·16	·02	—	·16	—	·01		18
19	·34†	·08	·07	·21	—	·10	—	·07	—	·03	—	—		19
20	·01	·05	·06	·05	—	·10	·06	—	·33	—	—	—		20
21	—	—	—	·25	—	1·67	·03	—	·02	—	—	—		21
22	—	·60†	·04	—	·19	—	·22	—	—	—	·01	·08		22
23	—	·04	·21	·15	·07	—	·39	—	—	·05	—	—		23
24	·35	·09	—	—	—	—	—	—	·13	·27	—	·01		24
25	·08	—	·14	·28	—	·03	·15	—	·25	·03	·03	—		25
26	·04	·07	·29	—	—	—	·04	—	—	·07	·02	—		26
27	·02	—	·01	—	—	—	·02	—	·09	·12	—	—		27
28	·42	·09	·34	—	—	—	·05	—	·05	·01	·01	·07		28
29	·03	·11†	·08	—	—	·08	—	—	—	·07	·21	·07		29
30	·04	✕	—	—	·18	·05	·10	—	—	·29	·06	—		30
31	·49	✕	·07	✕	—	✕	·03	—	✕	·15	✕	·31	Year's Total	31
TOTAL	3·01	1·87	2·12	1·99	·91	4·30	6·32	·68	3·06	1·46	2·45	2·28	30·45 ✓	
* Days with .01 in. or more.	21	13	17	11	4	18	26	9	17	15	21	20	195 ✓	
* Days with .04 in. or more.	14	11	15	11	6	15	26	6	15	11	11	14	155 ✓	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Helen Rotherham

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2467/5
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at [illegible] Coventry
in the County of Warwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·—	·—	·—	·—	·—	·—	·—	·07	·—	·09	·37		1
2	·01	·12	·05	·72	·—	·—	·—	·—	·—	·—	·02	·23		2
3	·—	·05	·—	·—	·24	·01	·—	·—	·02	·—	·—	·12		3
4	·06	·18	·01	·—	·04	·—	·—	·—	·—	·—	·—	·52*		4
5	·17	·—	·15†	·—	·—	·—	·01	·—	·—	·—	·—	·05		5
6	·08	·—	·11*	·04	·13	·—	·—	·—	·—	·05	·—	·03		6
7	·—	·66	·02†	·16	·—	·03	·—	·—	·—	·—	·—	·—		7
8	·—	·12	·—	·03	·06	·—	·01	·—	·—	·—	·—	·01		8
9	·—	·—	·—	·05	·39	·—	·50	·—	·20	·—	·—	·05†		9
10	·02	·04	·43*	·22	·—	·15	·04	·—	·—	·—	·—	·11		10
11	·—	·—	·16†	·—	·53	·66	·01	·—	·—	·—	·—	·15		11
12	·07	·31	·14	·—	·32	·01	·—	·28	·11	·—	·—	·19		12
13	·07	·07	·17†	·07	·02	·20	·—	32	·84	·—	·—	·01		13
14	·—	·01	·19	·02	·—	·—	·—	·37	·—	·—	·—	·06†		14
15	·17	·05	·—	·21	·—	·—	·81	·—	·07	·—	·45	·01		15
16	·—	·09	·33	·56	·—	·—	·—	·11	·19	·—	·—	·—		16
17	·22	·03	·29	·16	·—	·—	·—	·—	·04	·—	·—	·—		17
18	·40	·11	·12	·03	·—	·—	·04	·—	·22	·—	·26	·01*		18
19	·02	·[illegible]	·07	·12	·10	·25	·25	·—	·—	·02	·09*	·—		19
20	·17	·—	·—	·46	·42	·05	·—	·—	·—	·—	·—	·05†		20
21	·11	·—	·02 ~~·16†~~	·02	·—	·—	·16	·—	·—	·—	·—	·09		21
22	·15	·31	·14*	·—	·11	·04	·18	·—	·—	·41	·32	·—		22
23	·29	·07	~~[illegible]~~†	·—	·03	·—	·14	·—	·—	·28	·18	·—		23
24	·11	·01	·05	·—	·02	·—	·01	~~·06~~	·05	·33	·—	·—		24
25	·13	·05	·—	·—	·10	·—	·—	~~·05~~	·05	·36	·—	·03		25
26		·09	~~·30~~	·—	·36	·—	·—	·—	·—	·02	·—	·—		26
27		·03	·05†	·30	·—	·—	·—	·—	·—	·63	·—	·—		27
28		·11	~~·12~~	·—	·—	·04	·—	·—	·—	·03	·—	·04		28
29	·11*	·05	~~[illegible]~~	·—	·—	·—	·—	·—	·—	·05	·07	·03		29
30	·35†	×	·—	·—	·—	·—	~~·10~~	·10	·—	·—	·07	·—		30
31	·34	×	·—	×	·—	×	·—	·—	×	·23	×	·—		31
TOTAL	3.15	3.17	2.50	3.17	2.87	1.44	2.16	1.18	1.86	2.41	1.55	2.16	Year's Total 27.62	✓ ✓
* Days with .01 in. or more.	21	22	18	16	15	9	12	5	11	11	9	20	169	✓ ✓
* Days with .04 in. or more.	18	17	15	12	12	7	8	5	10	9	8	13	134	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Helen Rotherham [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. 2467/5

FORM 1090

REGISTER OF RAINFALL IN 1938

Thunderstorm Station. No 7.955

Kept at Rosehill Coventry
in the County of Warwick
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground ft. 1.0 in.
,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·—	·—	·03	·—	·02	·47	·15	·—	·—	·10	·09	·17		1
2	·05	·—	·—	·04	·01	·16	·—	·—	·—	·20	·—	·02		2
3	·01	·—	·—	·—	·13	·01	·51	·—	·06	·41	·—	·—		3
4	·04	·—	·—	·—	·—	·01	·—	·19	·—	·17	·—	·31		4
5	·—	·—	·—	·—	·—	·—	·18	·41	·02	·09	·—	·—		5
6	·—	·01	·—	·—	·—	·01	·28	·—	·15	· 8	·—	·01		6
7	·13	·—	·—	·—	·—	·02	·16	·35	·05	·10	·—	·05		7
8	·30	·—	·—	·—	·—	·—	·02	·65	·—	·12	·—	·02		8
9	·01	·09	·—	·—	·—	·—	·01	·04	·—	·—	·—	·32		9
10	·—	·02	·—	·—	·—	·05	·17	·10	·10	·—	·—	·08		10
11	·47	·03	·—	·—	·—	·—	·—	·—	·—	·05	·15	·—		11
12	·22	·02	·—	·—	·13	·—	·03	·—	·—	·20	·02	·13		12
13	·—	·01*	·—	·—	·—	·—	·—	·—	·—	·—	·11	·47		13
14	·24	·02*	·—	·—	·08	·—	·60	·—	·05	·—	·—	·—		14
15	·09	·—	·—	·—	·02	·—	·12	·—	·—	·—	·—	·30		15
16	·19	·—	·—	·—	·—	·—	·14	·—	·—	·—	·03	·17		16
17	·—	·06	·—	·—	·—	·—	·—	·01	·01	·15	·02	·—		17
18	·03	·—	·—	·—	·19	·27	·—	·—	·46	·—	·38	·—		18
19	·—	·—	·—	·—	·—	·—	·—	·24	·03	·—	·10	·06*		19
20	·07	·—	·—	·—	·—	·—	·—	·—	·04	·—	·37	·03*		20
21	·02	·—	·—	·—	·—	·—	·—	·09	·02	·—	·11	·16*		21
22	·01	·—	·—	·03	·—	·06	·—	·—	·—	·—	·38	·21†		22
23	·—	·—	·—	·01	·—	·—	·—	·—	·08	·—	·—	·07		23
24	·—	·—	·—	·—	·05	·—	·—	·—	·39	·—	·03	·—		24
25	07	18	·10	·—	·13	·—	·01	·07	·01	·10	·28	·15†		25
26	·05†	·33	·10	·—	·03	·—	·—	·14	·03	·22	·—	·16		26
27	·03	·—	·—	·—	·25	·12	·42	·36	·18	·05	·27	·—		27
28	·12	·10	·—	·—	·25	·08	·03	1·04	·08	·—	·08	·14		28
29	·34	·—	·—	·—	·30	·—	·01	·—	·—	·05	·13	·11		29
30	·03	✕	·—	·—	·01	·13	·—	·—	·43	·02	·21	·12†		30
31	·13	✕	·—	✕	·18	✕	·—	·—	✕	·10	✕	·36		31
TOTAL	2·65	·78	·24	·08	1·78	1·39 ~~2·85~~	2·85 ~~3·69~~	3·69 ~~2·10~~	2·10 ~~2·21~~	2·21 ~~2·76~~	2·76 ~~3·56~~	3·56 ~~24·09~~	Year's Total 24·09 ✓	
* Days with .01 in. or more.	22	11	4	3	~~12~~ 15	172	187	183	178	187	16	~~17~~ 23	171 ✓	
* Days with .04 in. or more.	15	4	2	1	8 10	~~7~~8	[illegible] 10	12	181	136	193	~~21~~ 19	121 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Helen Rotherham

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2467/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Rosehill Coventry

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ......ft. 10 in.

,, Ground ,, Sea Level 330 ft.

april 23rd–30th estimated from nearby stns.

Gauge removed

Newfield School Coventry

272216/33

Thunderstorm ch.

No 7. 955.

Inc

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Enter rainfall for date previous 6" when it is measured

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·—	·02	·22										1
2	·04†	·—	·—	[illegible]6										2
3	·30*	·—	·—	·34										3
4	·07†	·01	·35	·72										4
5	·—	·—	·—	·07										5
6	·72†	·—	·02	·—										6
7	·02	·04	·27	·—										7
8	·—	·10	·—	·—										8
9	·02	·04	·—	·—										9
10	·35	·—	·04	·—										10
11	·02	·—	·17	·—										11
12	·01	·04	·—	·—										12
13	·—	·—	·—	·14										13
14	·45	·—	·02	·04										14
15	·19	·—	·—	·—										15
16	·20	·—	·16	·—										16
17	·47	·04	·—	·—										17
18	·19	·05	·05	·—										18
19	·22	·—	·—	·—										19
20	·17	·—	·01	·—										20
21	·15	·34	·20	·02										21
22	·14	·21	·—	·—										22
23	·02	·—	·—	✓										23
24	·19*	·—	·—	–										24
25	·12†	·09	·04	–										25
26	·17	·—	·—	(·50)										26
27	·—	·22	·09	–										27
28	·—	·15	·14	✓										28
29	·—		·—	x										29
30	·—		·—	x										30
31	·—		·—											31
TOTAL	5·24	1·33	1·58	2·11									Year's Total 10·26	up imp
* Days with .01 in. or more.	23	12	14	12									61	
* Days with .04 in. or more.	17	11	10	9									47	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

P.T.O.

2468

Section **A** for the en

AIR MIN

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090. REC

2468

KERESLY GRANGE

1931 — 33

780408

Kept at Kere

in the County of War

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,,

THE MORNING M

An observer who does not confo
year in the space on the right

lowing

Jan. 1, following

Date	Jan.	Feb.	Ma								Nov.	Dec.	Date
	in.	in.	i								in.	in.	
1	·05	·03	—	·09	·04	·03	—	—	·36	—	—	—	1
2	·05	·12	—	·65	·02	·04	—	·23	·42	·04	·01	·11	2
3	·02	·01	—	·10	—	—	·04	—	1·03	—	·74	·17	3
4		·09*	—	·21	·01	—	·72	·22	·05	—	·14	·01	4
5		·07*	—	·09	·02	·98	·04	·03	·15	—	—	·28	5
6		·19†	—	·04	—	·07	·11	—	·02	·19	·24	—	6
7		·01	—	—	—	·02	—	·55	—	·03	·06	·03	7
8	·06*	·11	·01*	·09	—	·02	·04	·83	·01	·03	·24	·01	8
9		·17	·04*	·05	—	·03	—	·09	—	—	·42	—	9
10	·02	·01	·01*	—	·01	·10	·14	·29	·08	—	·07	—	10
11	·12	·35	—	—	—	·06	·01	·01	·13	—	·07	—	11
12	·04	·04*	·01	—	—	—	1·15	·04	·31	·05	·03	—	12
13	—	~~0~~	—	—	·01	—	·06	·04	—	·05	—	—	13
14	·03	·08	—	—	·02	·15	·34	·80	·07	—	·18	—	14
15	·01	·05*	·02	·09	·27	—	·31	·26	—	—	·02	·04	15
16	·11	·35*	—	·15	·35	·70	·01	·25	·16	—	—	—	16
17	·06	·15	—	·30	·50	·02	·04	·01	·03	—	·02	—	17
18	·08	·03	—	·24	—	·05	·06	·32	—	—	·30	—	18
19	·03	·15	—	·21	—	·33	·09	·02	—	—	—	—	19
20	·01	·08	·03	·03	—	·01	—	·29	—	·05	·03	·03	20
21	·13	—	—	—	·54	—	—	·03	—	—	·05	·01	21
22	·14	—	·04	·05	·06	·01	—	·05	·04	—	·01	—	22
23	·11	—	·10	·11	·36	·06	—	—	—	—	·23	·15	23
24	—	·01	·07	·15	·39	·03	·01	—	·01	—	·01	—	24
25	·01	—	—	·91	·03	—	·44	—	—	—	·05	·02	25
26	·05	·04	—	·33	—	—	·06	—	—	—	·18	·01	26
27	·12	·62	—	·02	·35	—	·04	—	—	·02	·12	·04	27
28	·10	·24†	—	·08	·20	—	—	—	—	·04	·01	·20*	28
29	·03	—	—	—	·05	—	·09	—	—	·33	·01	·02*	29
30	—	×	—	—	—	—	·01	—	·03	—	·01	·02†	30
31	·22†	×	—	×	—	×	·03	—	×	·01	×	·04	31
TOTAL	1·60	3·00	·27	3·99	3·23	2·73	3·84	4·36	2·90	·84	3·25	1·19	YEAR'S TOTAL 31·20
*Days with ·01 in. or more.	23	23	9	21	18	18	22	19	16	11	25	17	222
*Days with ·04 in. or more.	15	17	3	19	11	11	17	14	[illegible]	7	15	8	148

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Rotherham

P.T.O.

2468

Section **A** for the en OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

400

Kept at Keresley Grange

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 413 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·03	·—	·09	·04	·05	·—	·—	·36	·—	·—	·—	1
2	·05	·12	·—	·65	·02	·04	·—	·23	·42	·04	·01	·11	2
3	·02	·01	·—	·10	·—	·—	·04	·—	1·03	·—	·74	·17	3
4		·09*	·—	·21	·01	·—	·72	·22	·05	·—	·14	·01	4
5		·07*	·—	·09	·02	·98	·04	·03	·15	·—	·—	·28	5
6		·19†	·—	·04	·—	·07	·11	·—	·02	·19	·24	·—	6
7		·01	·—	·—	·—	·02	·—	·55	·—	·03	·06	·03	7
8	·06*	·11	·01*	·09	·—	·02	·04	·83	·01	·03	·24	·01	8
9		·17	·04*	·05	·—	·03	·—	·09	·—	·—	·42	·—	9
10	·02	·01	·01×	·—	·01	·10	·14	·29	·08	·—	·07	·—	10
11	·12	·35	·—	·—	·—	·06	·01	·01	·13	·—	·07	·—	11
12	·04	·04*	·01	·—	·—	·—	1·15	·04	·31	·05	·03	·—	12
13	·—	·—	·—	·—	·01	·—	·06	·04	·—	·05	·—	·—	13
14	·03	·08	·—	·—	·02	·15	·34	·80	·07	—	·18	·—	14
15	·01	·05*	·02	·09	·27	·—	·31	·26	·—	—	·02	·04	15
16	·11	·35*	—	·15	·35	·70	·01	·25	·16	·—	·—	·—	16
17	·06	·15	·—	·30	·50	·02	·04	·01	·03	·—	·02	·—	17
18	·08	·03	·—	·24	·—	·05	·06	·32	·—	·—	·30	·—	18
19	·03	·15	·—	·21	·—	·33	·09	·02	·—	·—	·—	·—	19
20	·01	·08	03	·03	·—	·01	·—	·29	·—	·05	·03	·03	20
21	·13	·—	·—	·—	·54	·—	·—	·03	·—	·—	·05	·01	21
22	·14	·—	·04	·05	·06	·01	—	·05	·04	·—	·01	·—	22
23	·11	·—	·10	·11	·36	·06	·—	·—	—	·—	·23	·15	23
24	·—	·01	·07	·15	·39	·03	·01	·—	·01	·—	·01	·—	24
25	·01	·—	·—	·91	·03	·—	·44	·—	—	·—	·05	·02	25
26	·05	·04	·—	·33	·—	·—	·06	·—	·—	·—	·18	·01	26
27	·12	·62	·—	·02	·35	·—	·04	·—	·—	·02	·12	·04	27
28	·10	·24†	·—	·08	·20	·—	·—	·—	·—	·04	·01	·20*	28
29	·03	·—	·—	·—	·05	·—	·09	·—	·—	·33	·01	·02*	29
30	·—	×	·—	·—	—	·—	·01	·—	·03	—	·01	·02*	30
31	·22†	×	·—	×	·—	×	·03	·—	×	·01	×	·04	31
TOTAL	1·60	3·00	·27	3·99	3·23	2·73	3·84	4·36	2·90	·84	3·25	1·19	YEAR'S TOTAL 31·20
*Days with ·01 in. or more.	23	23	9	21	18	18	22	19	16	11	25	17	222
*Days with ·04 in. or more.	15	17	3	19	11	11	17	14	[illegible]	7	15	8	148

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Helen Rotherham

P.T.O.

2468

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~796~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Kenesley Grange.
in the County of Warwick.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft 10 in.
,, Ground ,, Sea Level 413 ft.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·03	—	·11	·07	·08	—	·21	·08	·19	·03	·01	1
2	·04	—	—	·13	·38	—	—	·02	·49	·09	·03	·06	2
3	·01	—	—	·22	·09	—	—	—	—	·03	—	·01	3
4	·02	·01	—	·35	—	—	—	—	·06	—	·43	—	4
5	·19	—	·02	·02	—	—	—	—	·07	—	·01	·02	5
6	·25	—	·05	·30	—	—	·02	—	·44	—	—	—	6
7	·01	—	·25	·24	—	—	—	—	·04	·14	—	—	7
8	—	—	—	·10	·05	—	—	—	·19	·21	—	—	8
9	·28	·10	—	·02	—	—	—	—	—	—	—	—	9
10	·20	·03	·01	·06	·06	—	—	—	·10	·16	—	—	10
11	·01	·03	—	·06	·09	·02	1·25	—	·02	·10	·01	·04	11
12	·29	·01	—	—	·18	—	·20	·01	·11	·25	—	—	12
13	·12	·08	—	·09	·02	—	·95	—	·03	·06	·04	·05	13
14	·24	—	—	—	—	—	·04	·03	—	·04	·04	·04	14
15	·01	·01	—	·04	·41	—	·02	—	—	·05	—	·03	15
16	·22	—	·01	·13	·04	—	·01	—	—	—	—	·01	16
17	·01	—	—	—	—	—	·08	—	—	·17	·02	—	17
18	—	—	—	—	·05	—	—	—	—	·04	·07	·01	18
19	—	—	—	·03	·02	—	—	—	—	·18	·01	—	19
20	—	—	—	·12	1·05	—	·02	·86	—	·45	·12	·03	20
21	·02	—	·13	·16	1·75	—	—	·30	—	·30	·03	·20	21
22	·02	·02	·22	·05	·04	—	·33	—	·65	·08	·14	·01	22
23	—	·03	—	—	·72	—	·03	·01	·05	·05	·18	·04	23
24	—	—	—	·01	·01	—	·44	—	·05	·04	·28	·01	24
25	·01	·04	—	—	·02	—	·15	—	·04	·08	·03	·02	25
26	—	—	·02	·38	·16	—	·10	—	·08	·01	·03	—	26
27	—	—	·43	·33	·57	·05	·19	—	—	—	·09	·01	27
28	—	—	·07	·13	·37	·40	·15	·34	—	·08	·01	·04	28
29	·01	—	·33	·16	·20	·14	·02	·02	·17	·33	·03	·12	29
30	—	×	·07	·02	·10	·85	·05	·16	·43	·25	·35	·24	30
31	·01	×	·07	×	·01	×	·68	—	×	·01	×	·11	31
TOTAL	2·00	0·39	1·68	3·26	6·46	1·54	4·73	1·96	3·10	3·39	1·98	1·11	YEAR'S TOTAL 31·60
*Days with ·01 in. or more.	21	11	13	24	24	6	19	10	18	25	21	21	213
*Days with ·04 in. or more.	9	3	9	19	19	5	13	5	16	22	10	10	140

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2468

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

January – August

moved to Rosehill

Kept at Kersley Grange

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level 413. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.37	.32	.02	.01									1
2	.25	.02	.47		.08	.06							2
3	.01	.15	.22		.09								3
4	.21	.01	.03		.29								4
5	.09	.08	.22		.04								5
6		.18	.11		.17								6
7	.08	.25	.02		.03								7
8	.07	.01	.10		.09		.27						8
9					.08		.35						9
10		.14			.01	.12	.01	.10					10
11	.05				.04		.15	.03					11
12	.02					.05	.09						12
13	.03				.10	.02	.22	.04					13
14	.02	.01			.11		.03	.084					14
15	.46		.03			.01	.70	.028					15
16	.10*		.60	.01	.03	.11	.05	.02					16
17	.03*	.02†	.41		.08	.16							17
18	.05	.03*	.03			.15	.03						18
19	.01	.01*	.45	.01*		.16	.02						19
20		.05†	.06		.03	.06		.04					20
21		.05*	.01		.28	.11		.12					21
22					.01	.44		.33					22
23				.10		.14							23
24		.25†		.15	.10	.35							24
25		.33†		.27		.75							25
26		.55†		.08	.01	.16							26
27		.01			.04								27
28		.01		.30	.03		.01						28
29	.02			.15			.43						29
30	07	×	.14	.02			.04						30
31	.03	×	.29	×		×	.03	.11	×		×		31
TOTAL	1.97	2.54	3.21	1.09	1.74	2.85	2.43	.87					TOTAL 16.17
*Days with ·01 in. or more.	19	20	17	9	21	16	15	9					126
*Days with .04 in. or more.	11	11	11	6	7	14	9	7					76

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Helen Rotheram

P.T.O.

565843/36

2468/5 — 448982

Bedworth W.W.

1936-40

780408

Section **A** for the entr

AIR MIN

Station No. 2468/5

LL ORGANIZATION

FORM 1090

REC 6

Kept at BEDWORT

in the County of WARW

Diameter of Funnel of Gauge.

Height of top of Gauge above

" Ground "

THE MORNING MEAS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	·01	·07	·50	—	·16	·11	·07	—	—	·07	·13		1
2	·04	—	·18	·08	—	·70	1·15	·13	—	—	·11	·01		2
3	—	—	—	—	—	·65	·01	·02	·17	—	·07	—		3
4	—	—	·11	—	—	·17	—	—	·33	—	·03	·11		4
5	·06	—	—	—	—	—	·02	·04	·14	—	—	·08		5
6	—	—	·01	—	·04	·07	·30	·09	·11	—	·12	·13		6
7	·07	—	·03	—	—	·02	·89	—	·07	—	·01	—		7
8	·30	—	·05	—	—	—	—	—	·07	—	·24	·11		8
9	·23	—	·17	—	—	—	1·04	—	·10	·03	—	—		9
10	·05	—	·07	—	—	—	·21	—	·02	—	—	·01		10
11	—	—	—	·06	—	·06	1·08	—	·02	—	·54	—		11
12	—	—	—	·08	·02	·18		—	·88	—	·10	·12		12
13	—	—	—	·23	—	·57	—	—	—	·06	·01	·30		13
14	—	—	—	·25	—	·05	·36	—	·36	·07	—	·51		14
15	—	—	—	—	—	·01	·37	—	·01	—	·03	·12		15
16	—	·16	—	—	—	—	·05	—	—	—	·65	—		16
17	—	·48	—	—	·03	—	·27	—	—	·11	·04	·15		17
18	·12	·03	—	—	—	·02	·18	·02	—	·37	—	·05		18
19	—	·10	·05	·30	—	·18	—	·03	—	·07	—	—		19
20	—	—	—	·09	—	1·25	—	—	·15	—	—	—		20
21	·04	·06	·06	·16	—	4·00	·01	—	—	—	—	—		21
22	·09	·80	·03	—	·15	—	·17	—	—	—	—	·07		22
23	·24	·06	·10	·10	·03	—	·53	—	—	·01	·01	·01		23
24	·33	—	—	—	·02	—	—	—	·17	·22	—	—		24
25	·08	·06	·13	·23	—	—	·03	—	·31	·01	—	—		25
26	·01	—	·41	—	—	—	·05	—	—	·10	·02	—		26
27	—	—	·01	—	—	—	·01	—	·10	·08	—	—		27
28	·48	·30	·14	—	—	·02	·09	—	—	—	—	·08		28
29	·10	·23	·21	—	—	·03	—	—	—	·08	·22	·08		29
30		×	—	—	·42	·07	·09	—	—	·31	·10	—		30
31	·75	×	·02	×	—	×	·06	—	×	·17	×	·10		31
TOTAL	2·99	2·29	1·85	2·08	·76	8·21	7·08	·40	3·01	1·69	2·37	2·17	Year's Total 34·90	
* Days with .01 in. or more.	16	11	18	11	7	18	23	7	16	14	17	18	176	
* Days with .04 in. or more.	15	9	13	11	3	13	18	4	13	11	11	15	136	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ~~Cecil S. B. Cooper~~ [P.T.O.

NX WATERWORKS MANAGER – X

OFFICIAL USE 565843/36

Section **A** for the entry of Daily Observations

Station No. 2468/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BEDWORTH WATERWORKS

in the County of WARWICKSHIRE

Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 336·55 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	·07	·50	—	·16	·11	·07	—	—	·07	·13		1
2	·04	—	·18	·08	—	·70	1·15	·13	—	—	·11	·01		2
3	—	—	—	—	—	·65	·01	·02	·17	—	·07	—		3
4	—	—	·11	—	—	·17	—	—	·33	—	·03	·11		4
5	·06	—	—	—	—	—	·02	·04	·14	—	—	·08		5
6	—	—	·01	—	·04	·07	·30	·09	·11	—	·12	·13		6
7	·07	—	·03	—	—	·02	·89	—	·07	—	·01	—		7
8	·30	—	·05	—	—	—	—	—	·07	—	·24	·11		8
9	·23	—	·17	—	—	—	1·04	—	·10	·03	—	—		9
10	·05	—	·07	—	—	—	·21	—	·02	—	—	·01		10
11	—	—	—	·06	—	·06	1·08	—	·02	—	·54	—		11
12	—	—	—	·08	·02	·18		—	·88	—	·10	·12		12
13	—	—	—	·23	—	·57	—	—	—	·06	·01	·30		13
14	—	—	—	·25	—	·05	·36	—	·36	·07	—	·51		14
15	—	—	—	—	—	·01	·37	—	·01	—	·03	·12		15
16	—	·16	—	—	—	—	·05	—	—	—	·65	—		16
17	—	·48	—	—	·03	—	·27	—	—	·11	·04	·15		17
18	·12	·03	—	—	—	·02	·18	·02	—	·37	—	·05		18
19	—	·10	·05	·30	—	·18	—	·03	—	·07	—	—		19
20	—	—	—	·09	—	1·25	—	—	·15	—	—	—		20
21	·04	·06	·06	·16	—	4·00	·01	—	—	—	—	—		21
22	·09	·80	·03	—	·15	—	·17	—	—	—	—	·07		22
23	·24	·06	·10	·10	·03	—	·53	—	—	·01	·01	·01		23
24	·33	—	—	—	·02	—	—	—	·17	·22	—	—		24
25	·08	·06	·13	·23	—	—	·03	—	·31	·01	—	—		25
26	·01	—	·41	—	—	—	·05	—	—	·10	·02	—		26
27	—	—	·01	—	—	—	·01	—	·10	·08	—	—		27
28	·48	·30	·14	—	—	·02	·09	—	—	—	—	·08		28
29	·10	·23	·21	—	—	·03	—	—	—	·08	·22	·08		29
30		✕	—	—	·42	·07	·09	—	—	·31	·10	—		30
31	·75	✕	·02	✕	—	✕	·06	—	✕	·17	✕	·10		31
TOTAL	2·99	2·29	1·85	2·08	·76	8·21	7·08	·40	3·01	1·69	2·37	2·17	Year's Total 34·90	
* Days with .01 in. or more.	16	11	18	11	7	18	23	7	16	14	17	18	176	
* Days with .04 in. or more.	15	9	13	11	3	13	18	4	13	11	11	15	136	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) ~~Cecil S. B. Cooper~~ [P.T.O.

NA WATERWORKS MANAGER – X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2468/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at BEDWORTH WATERWORKS

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 336·55 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·24	-	·02	-	-	-	-	-	·07	-	·12	·15		1
2	NIL	·05	·03	·68	-	-	-	-	-	-	-	·25		2
3	NIL	·05	-	-	·27	-	-	-	·11	-	-	·19		3
4	·07	·20	-	-	·03	-	-	-	-	-	-	·45		4
5	·21	-	·10	-	-	-	-	-	-	-	-	·27		5
6	·11	-	·07	-	·12	-	-	-	-	·02	-	-		6
7	NIL	·72	·14	·20	-	-	-	-	-	-	-	-		7
8	NIL	·20	-	·01	-	-	-	-	-	-	·37	-		8
9	-	-	-	·02	·55	-	·46	-	·19	-	-	·04		9
10	·01	·02	·03	·22	-	·35	-	-	-	-	-	·08		10
11	-	-	·74	-	·61	·18	·02	-	-	-	-	·09		11
12	·07	·39	·14	-	·47	·02	-	-	·14	-	-	·22		12
13	·04	·09	·01	·09	·02	·20	-	·35	·18	-	-	·04		13
14	-	·01	·39	·07	-	-	-	·40	·02	-	-	·09		14
15	·16	·02	-	·31	-	-	1·14	-	·07	-	-	·02		15
16	·04	·13	·53	·52	-	-	-	·07	·25	-	-	-		16
17	·17	·01	·45	·15	-	-	-	-	·08	-	-	-		17
18	·64	·08	·07	·01	-	-	-	-	·05	-	·33	-		18
19	·01	·11	·03	·15	·03	·23	·30	-	-	·02	·10	-		19
20	·30	-	-	·45	·49	·03	-	-	-	-	-	·05		20
21	·10	·17	·03	·02	-	-	·29	-	-	·02	-	·05		21
22	·16	·04	-	-	·10	-	·06	-	-	·35	·28	-		22
23	·32	-	·23	-	·02	-	·20	-	-	·37	·22	-		23
24	·14	·31	·08	-	·02	-	·01	-	·02	·33	-	-		24
25	·11	·37	-	-	·10	-	-	-	·06	·40	-	-		25
26	-	·26	·05	-	·43	-	-	-	-	-	-	·02		26
27	-	·15	-	·32	-	-	-	-	-	·73	-	-		27
28	-	·19	-	-	-	·03	-	-	-	·02	-	·04		28
29	-	~~·02~~	-	-	-	-	-	-	-	·05	·08	·01		29
30	·43	✕	-	-	-	-	-	·17	-	-	·10	·01		30
31	·37	✕	-	✕	-	✕	-	-	✕	·17	✕	-		31
TOTAL	3·70	3·57	3·14	3·22	3·26	1·04	2·48	·99	1·24	2·48	1·60	2·07	Year's Total 28·79	✓ ✓
* Days with .01 in. or more.	20	21	18	15	14	7	8	4	12	11	8	18	156	✓ ✓
* Days with .04 in. or more.	18	17	12	11	9	4	6	4	10	7	8	14	120	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C. S. B. Cooper

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2468/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bedworth Waterworks

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 336·55 ft.

Day

w.j.h. notified 8/3/39 w.j.h.

corr for snow Dec 19-26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	–	·02	·55	·17	–	–	·09	·02	·15		1
2	·04	–	–	·02	–	·46	–	–	–	·34	–	·02		2
3	·01	–	–	–	·07	·03	·25	–	–	·73	·01	–		3
4	·03	–	–	–	–	·02	–	·35	–	·20	–	·31		4
5	–	–	–	–	–	–	·15	·10	–	·02	–	–		5
6	–	–	–	–	–	·02	·46	–	·14	·08	–	–		6
7	·15	–	–	–	–	–	·15	·16	·07	·09	–	·04		7
8	·34	–	–	–	–	–	·07	·15	–	·23	–	·03		8
9	·02	·05	–	–	–	–	–	–	–	–	–	·34		9
10	–	–	–	–	–	·02	·28	·05	–	–	–	·04		10
11	·51	·05	–	–	–	–	–	·99	–	·02	·13	·02		11
12	·22	–	–	–	·13	–	·04	–	–	·28	·05	–		12
13	–	–	–	–	–	–	–	–	–	–	·10	·44		13
14	·24	–	–	–	·07	–	·60	–	·08	–	–	–		14
15	·06	–	–	–	·02	–	·19	–	–	·01	–	·36		15
16	·28	–	–	–	–	–	·17	–	–	–	·04	·11		16
17	–	·03	–	–	–	–	·02	–	·03	·16	·02	–		17
18	·04	–	–	–	·26	·28	–	–	·08	–	·36	–		18
19	–	–	–	–	–	–	–	·18	·05	–	·06	~~1·00~~ 4		19
20	–	–	–	–	–	–	–	–	·02	–	·37	– ✓		20 Snow
21	–	–	–	–	–	–	–	–	·02	–	·10	– 4		21
22	–	–	–	·02	–	·20	–	–	–	–	·37	4 (·45)		22
23	–	–	–	–	·02	–	–	–	·04	–	·01	– 4		23
24	–	–	–	–	·05	–	–	–	·36	–	·02	– ✓		24
25	·06	·14	·11	–	·06	–	–	–	·02	·11	·33	– 4		25
26	–	·35	·11	–	–	–	–	·06	·04	·28	–	~~·45~~ 4		26
27	·05	·01	–	–	·24	·15	·45	·24	·16	·05	·25	–		27
28	·06	–	–	–	·28	·07	·03	1·07	·02	–	·05	·19		28
29	·33	–	–	–	·40	–	·02	–	–	·03	·16	·12		29
30	·04	✕	–	–	–	·10	–	–	·42	·02	·30	·10		30
31	·15	✕	–	✕	·15	✕	–	–	✕	·12	✕	·45		31
TOTAL	2·63	·63	·22	·04	1·77	1·90	3·05	3·35	1·55	2·86	2·75	(3·67) ~~4·17~~	Year's Total ~~24·92~~	✓ 24·42
* Days with .01 in. or more.	18~~3~~	6~~2~~	2	2	~~3~~13	11~~4~~	15~~3~~	10	~~5~~15	~~5~~18	~~5~~19	23 3~~17~~	~~35~~	# ~~146~~ ✓152
* Days with .04 in. or more.	15	4	2	–	10	7	12	10	10	13	14	~~14~~ 18	~~111~~ 115	# #✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C. S. B. Cooke

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2468/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Bedworth Waterworks.

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 336.55 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·01	·23	·04	-	-	·16	·20	-	-	·04		1
2	·09	-	-	·08	-	-	-	·30	·80	-	·03	·05		2
3	·34	-	-	·41	-	-	-	·56	·10	·05	·21	·36		3
4	-	-	·40	·39	-	-	·10	·29	·19	·32	·63	·12		4
5	·12	-	-	·11	·42	-	·09	·75	-	·14	·32	·16		5
6	·26	-	-	-	-	-	·40	·02	-	-	·01	-		6
7	·03	·03	-	-	-	-	·08	·01	-	-	·47	·18		7
8	-	·08	·32	-	-	-	·61	·08	-	·36	·23	·36		8
9	·03	·05	-	-	-	-	·05	·15	-	·51	·17	·20		9
10	·06	-	·02	-	-	-	-	·29	·05	·03	·01	-		10
11	·01	·01	·18	-	-	·01	-	·02	-	-	-	-		11
12	-	·06	-	-	·02	·07	-	-	-	-	-	-		12
13	-	-	-	·03	·01	·01	·17	-	·05	·16	·13	-		13
14	·49	-	-	·02	·52	·09	·12	-	-	·45	-	-		14
15	·38	-	·01	-	·07	·32	·58	-	-	·26	·07	-		15
16	·15	-	·13	-	·34	·24	·57	-	·03	-	·21	-		16
17	·46	·06	-	-	·06	-	·39	-	-	2·35	·01	-		17
18	·16	·03	·04	-	-	·36	·10	-	-	·01	·60	-		18
19	·21	-	-	-	-	-	·33	-	-	-	-	-		19
20	·07	-	·01	-	-	·03	-	·05	-	-	-	-		20
21	·24	·36	·28	·01	·02	·13	·25	·30	·05	-	-	-		21
22	·25	·28	-	-	-	·06	·10	-	·01	-	·37	-		22
23	·01	-	·02	·08	-	·01	·01	-	-	·11	·74	-		23
24	-	-	-	·04	-	·03	·12	-	-	·07	·39	-		24
25	·81	·06	·02	-	-	-	·03	-	-	-	·29	-		25
26	·48	·26	-	-	-	-	-	·01	-	·02	-	·05		26
27	-	·25	·07	-	-	-	·09	-	-	·02	·04	-		27
28	-	-	·11	-	-	·09	·05	-	-	-	·20	·08		28
29	-	X	-	·21	-	-	·30	·10	-	·24	·04	-		29
30	-	X	-	·07	-	·05	-	-	-	-	·11	-		30
31	-	X	-	X	-	X	-	·02	X	-	X	-		31
TOTAL	4·96	1·53	1·62	1·68	1·50	1·50	4·54	3·11	1·48	5·10	5·28	1·60	Year's Total 33·90	
* Days with .01 in. or more.	21	12	14	12	9	14	21	16	9	16	22	10	176	
* Days with .04 in. or more.	16	9	8	9	6	9	19	11	7	12	18	10	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) C.S.B. Cooper

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2468/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at BEDWORTH WATERWORKS

in the County of WARWICK.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 336·55 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·01	-	-	-	-	-	-	·10	·01		1
2	-	-	-	·41	-	-	·02	-	-	·15	·75	·03		2
3	-	·07	-	·10	-	-	-	-	-	·15	·43	·06		3
4	-	·11	-	·10	-	-	-	-	-	·16	·59	·03		4
5	-	·11	-	-	·06	-	·02	-	-	·25	·60	·10		5
6	·10	·01	-	-	-	-	·10	-	-	·28	·32	-		6
7	·04	·22	-	·02	·01	-	-	-	·04	-	-	-		7
8	-	·24	-	·03	-	-	·11	-	-	·12	·01	·25		8
9	-	-	·02	-	-	-	·16	-	·02	·14	·30	·25		9
10	-	-	·03	-	-	-	·67	·05	-	·08	·19	·15		10
11	-	-	·07	·03	-	-	·23	-	-	-	·72	·13		11
12	-	-	·09	-	-	-	·41	-	·04	-	·04	-		12
13	-	·03	·39	·02	-	-	·05	-	·02	-	-	-		13
14	-	-	·04	·05	·28	-	·02	·01	·08	·05	·04	·46		14
15	-	-	·03	·12	·03	-	·07	-	·15	·05	-	-		15
16	·01	·16	·23	·02	-	·02	·22	-	·10	·99	·65	-		16
17	-	-	·33	-	-	-	·07	-	·05	-	·10	-		17
18	·08	·60	·25	·21	-	-	-	·03	-	·20	·15	·02		18
19	-	·21	·06	·25	-	-	·40	-	·40	·06	·15	-		19
20	-	·02	-	·05	-	-	·11	·06	-	·17	·05	·07		20
21	·03	-	-	-	·07	-	·27	·02	-	·06	1·30	-		21
22	-	-	·02	·01	·48	·27	-	-	·06	·01	-	-		22
23	-	·16	·06	·06	·03	·15	-	-	-	·08	-	·04		23
24	-	·16	-	-	-	-	·10	-	-	·03	-	·01		24
25	-	-	-	-	-	-	-	-	-	-	-	-		25
26	·89	-	-	·01	·05	-	·49	-	-	-	-	-		26
27	·72	·15	-	·17	-	-	·12	-	-	-	·06	-		27
28	·62	·06	-	·01	·12	-	-	-	-	-	-	-		28
29	·20	·31	·10	-	·06	-	·02	-	-	-	-	·22		29
30	-	✕	-	·91	-	-	-	-	-	·65	-	·08		30
31	·09	✕	·03	✕	-	✕	-	-	✕	·88	✕	·02		31
TOTAL	2·78	2·62	1·75	2·59	1·19	0·44	3·66	0·17	0·96	4·56	6·55	1·93	Year's Total 29·20	
* Days with .01 in. or more.	10	16	15	20	10	3	20	5	10	20	19	17	165	
* Days with .04 in. or more.	8	13	10	11	7	2	16	2	8	18	18	11	124	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) C.S.B. Cooper

[P.T.O.

2469.

Section | **A** | **for the entry**
AIR MINIST
FORM 1090.
REGIS
Kept at Astley V
in the County of War
Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea
THE MORNING MEAS
An observer who does not conform
year in the space on the right of

2469
ASTLEY VICARAGE
1931 - 40

780408

FOR OFFICIAL USE.
RGANIZATION.

ing

Jan. 1, following

Date	**Jan.**	**Feb.**	**March**								**ov.**	**Dec.**	*Date*
	in.	in.	in.								in.	in.	
1	—	—	—	.10	.01	{.15	—	—	.30		—	—	1
2	—	.18	—	.62	.02		—	—	.39	.01	.05	.10	2
3	—	—	—	.09	—	—	.02	—	1.80	—	.70	.05	3
4	.05	.08	—	.18	—	—	.70	.18	.17	—	—	—	4
5	—	.06	—	.08	.03	.88	—	.02	.15	—	—	.16	5
6	—	.17	—	.03	—	.18	.04	—	.04	.26	.18	—	6
7	—	—	—	—	—	—	.13	.58	—	—	.05	—	7
8	.05	.08	—	—	—	—	.03	1.40	—	—	.25	—	8
9	—	.18	—	.06	—	.05	—	.10	—	—	.53	—	9
10	—	—	—	—	—	.10	—	.19	—	—	.12	.01	10
11	.10	.26	—	—	.01	.07	—	—	—	—	.01	—	11
12	.03	.06	—	—	—	—	1.16	—	.53	—	—	—	12
13	—	.06	—	—	—	—	—	.18	—	.03	—	—	13
14	—	—	.01	—	—	.18	.42	.75	—	—	x	—	14
15	—	.13	—	.12	.18	—	.22	.30	—	—	✓	.05	15
16	.02	.42	—	.09	.53	.70	—	.27	.21	—	.64	—	16
17	.08	.17	—	.29	.52	.20	.06	—	—	.01	✓	—	17
18	.08	—	—	.32	—	.01	.07	.27	—	—	x	—	18
19	.03	.09	—	.20	—	.02	.02	.03	—	—	—	—	19
20	—	.04	—	.03	—	—	—	.23	—	—	.01	—	20
21	.14	—	—	—	.57	—	—	.06	—	—	.09	—	21
22	.15	—	.01	—	—	—	—	.06	—	—	—	—	22
23	.11	—	.08	.14	.48	.08	—	—	—	—	.24	.11	23
24	—	—	—	.16	.28	—	—	—	—	—	—	—	24
25	.01	—	—	.96	.02	—	.44	—	—	—	.03	—	25
26	—	—	—	.23	—	—	.04	—	—	—	.18	—	26
27	.11	.60	—	.01	.34	—	.08	—	—	.09	.08	.15	27
28	.09	.20	—	.09	.23	—	—	—	—	—	.01	.16	28
29	.03	×	—	—	.05	—	.11	—	—	.29	—	.02	29
30	—	×	—	—	—	—	—	—	.01	—	—	—	30
31	.25	×	—	×	—	×	—	—	×	—	×	.02	31
TOTAL	1.33	2.78	.10	3.80	3.27	2.62	3.84	4.62	3.66	.69	3.17	.83	YEAR'S TOTAL 30.71
*Days with ·01 in. or more.	16	16	3	19	14	13	15	15	9	6	~~16~~ 19	10	155
*Days with ·04 in. or more.	11	16	1	16	9	11	12	13	8	3	~~12~~ 13	7	120

40-9999

(Signed) Ivo F.H. Carr-Gregg

P.T.O.

*See Instruction 2 (*f*) on other side.

2469.

Section **A** for the entry FOR OFFICIAL USE.

AIR MINISTR METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193/ .

Kept at Astley Vicarage.
in the County of Warwickshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.10	.01	.15	—	—	.36	—	—	—	1
2	—	.18	—	.62	.02		—	—	.39	.01	.05	.10	2
3	—	—	—	.09	—	—	.02	—	1.80	—	.70	.05	3
4	.05	.08	—	.18	—	—	.70	.18	.17	—	—	—	4
5	—	.06	—	.08	.03	.88	—	.02	.15	—	—	.16	5
6	—	.17	—	.03	—	.18	.04	—	.04	.26	.18	—	6
7	—	—	—	—	—	—	.13	.58	—	—	.05	—	7
8	.05	.08	—	—	—	—	.03	1.40	—	—	.25	—	8
9	—	.18	—	.06	—	.05	—	.10	—	—	.53	—	9
10	—	—	—	—	—	.10	—	.19	—	—	.12	.01	10
11	.10	.26	—	—	.01	.07	—	—	—	—	.01	—	11
12	.03	.06	—	—	—	—	1.16	—	.53	—	—	—	12
13	—	.06	—	—	—	—	—	.18	—	.03	—	—	13
14	—	—	.01	—	—	.18	.42	.75	—	—	x	—	14
15	—	.13	—	.12	.18	—	.22	.30	—	—	✓	.05	15
16	.02	.42	—	.09	.53	.70	—	.27	.21	—	.64	—	16
17	.08	.17	—	.29	.52	.20	.06	—	—	.01	✓	—	17
18	.08	—	—	.32	—	.01	.07	.27	—	—	x	—	18
19	.03	.09	—	.20	—	.02	.02	.03	—	—	—	—	19
20	—	.04	—	.03	—	—	—	.23	—	—	.01	—	20
21	.14	—	—	—	.57	—	—	.06	—	—	.09	—	21
22	.15	—	.01	—	—	—	—	.06	—	—	—	—	22
23	.11	—	.08	.14	.48	.08	—	—	—	—	.24	.11	23
24	—	—	—	.16	.28	—	—	—	—	—	—	—	24
25	.01	—	—	.96	.02	—	.44	—	—	—	.03	—	25
26	—	—	—	.23	—	—	.04	—	—	—	.18	—	26
27	.11	.60	—	.01	.34	—	.08	—	—	.09	.08	.15	27
28	.09	.20	—	.09	.23	—	—	—	—	—	.01	.16	28
29	.03	×	—	—	.05	—	.11	—	—	.29	—	.02	29
30	—	×	—	—	—	—	—	—	.01	—	—	—	30
31	.25	×	—	×	—	×	—	—	×	—	×	.02	31
TOTAL	1.33	2.78	.10	3.80	3.27	2.62	3.84	4.62	3.66	.69	3.17	.83	YEAR'S TOTAL 30.71
*Days with ·01 in. or more.	16	16	3	19	14	13	15	15	9	6	~~16~~ 19	10	155
*Days with ·04 in. or more.	11	16	1	16	9	11	12	13	8	3	~~12~~ 13	7	120

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ivo F.H. Carr-Gregg

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Astley Vicarage

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	—	.11	.71	.06	—	.16	.04			—	1
2	—	—	—	.08	.29	—	—	.01	.40	1.16		.03	2
3	—	—	—	.25	.05	—	—	—	—		.45	—	3
4	—	—	—	.30	—	—	—	—	—	—		—	4
5	—	—	—	.02	—	—	—	—	.10	—	—	—	5
6		—	.03		—	—	—	—	.34	.19	—	—	6
7		—	.24	.47	.06	—	—	—	.05	—	—	—	7
8		—	—		—	—	—	—	.18	.23	—	—	8
9		—	—	—	.02	—	—	—	—	—	—	—	9
10	1.21		—	.20	.02	—	—	—	.09	.19	—	.01	10
11		.18	—		.11	.06	.85	—	.08	.18	.02	—	11
12			—	—	.13	—	.54	—	.10	.34	.04	—	12
13			—	.07	—	—	.95	—	.01	—	.02	.02	13
14		—	—	.64	—	—	.17	.04	—	.06	.11	—	14
15		—	—	.07	.62	—	—	—	—	.04	—	.03	15
16		—	—	.13	.03	—	—	—	—	—	—	—	16
17	—	—	—	—	—	—	.12	—		.13	—	—	17
18	—	—	—	—	.04	—	—	—		—	.06	—	18
19	—	—	—	.08	.08	—	—	—		.18	—	—	19
20	—	—	—	.06	.87	—	—	.64		.40	.11	.07	20
21	.01	—	.14	.06	1.80	—	—	.25		.29	.02	.12	21
22	—	—	.12	.05	.02	—	.43	—	.69	.69	.20		22
23	—	—	—	—	.50	—	—	—		.09	.02	.01	23
24	.02	.07	—	—	—	—	.18	—		.03	.34	—	24
25	—	—	—	—	—	—	.27	—		.08	.01	.01	25
26	—	—	—	.39	.25	—	.05	—		.04	.01	—	26
27	—	—	.29	.21	.42	—	.27	—		.07	.06	—	27
28	—	—	.02	.10	.41	.14	.18	.38		—	—	.02	28
29	—	—	.17	.35	.19	.98	.01	.02		.27	.01	.06	29
30	—	×	.08	—	.14		.27	.12		.29	.27	.22	30
31	—	×	.07	×	—	×	.42	—	×	—	×	.10	31
TOTAL	1.24	.29	1.16	3.04	6.76	1.24	4.71	1.62	2.08	4.35	1.75	.70	YEAR'S TOTAL 28.94
*Days with ·01 in. or more.	12 ~~5~~	6 ~~4~~	9	23	21	5	14	8	16	21	17 ~~19~~	13 ✓	165
*Days with .04 in. or more.	~~3~~9	5 ~~4~~	17	21	17	5	13	6	15	20	9 ~~15~~	6 ✓	133

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Revd F.H. Carr-Gregg. P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Astley Vicarage

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.31	.33	.02	—	.02	—	—	—	—	—	—	—		1
2	.25	—	.36	—	.07	.06	—	—	—	—	.06	—		2
3	—	.16	.10	—	.08	—	—	—	—	—	.05	—		3
4	.12	.01	—	—	.23	—	—	—	—	—	—	—		4
5	.02	—	.08	—	.03	—	—	—	—	—	.03	—		5
6	—	.21	—	—	.14	—	—	—	—	.08	.02	—		6
7	.07	.28	.02	—	.01	—	—	—	—	.14	—	—		7
8	.03	—	.05	—	.10	—	.28	—	—	.02	—	—		8
9	—	—	—	—	.05	—	.28	—	—	.05	.09	—		9
10	.04	.20	—	—	—	.10	—	.04	—	1.36	.11	—		10
11	—	—	—	—	.01	—	.13	—	—	—	—	—		11
12	—	—	—	—	—	.07	.13	—	.15	—	.30	—		12
13	.04	—	—	—	.12	.01	.20	—	—	.07	—	—		13
14	—	—	—	—	.12	—	.12	.04	—	.11	—	—		14
15	.38	—	—	—	—	—	1.66	.03	—	—	.50	.07		15
16	.07	—	.52	.03	.04	.10	.04	—	—	.04	.21	.04		16
17	.03	.02	.45	—	.01	.10	.23	—	.05	—	—	—		17
18	.05	.01	.03	—	—	.09	—	—	—	—	.08	—		18
19	—	.02	.36	—	—	.21	.04	—	—	—	.01	—		19
20	—	.06	.13	—	.01	.18	—	.02	.10	.04	.01	—		20
21	—	.05	—	—	.01	.06	—	.28	—	—	—	—		21
22	—	—	—	—	—	.07	—	.32	—	.25	—	—		22
23	—	—	—	.12	—	.01	—	—	.33	.04	—	—		23
24	—	.41	—	.10	.06	.45	—	—	—	.03	.06	—		24
25	—	.53	—	.15	—	.67	—	—	.31	—	.01	.08		25
26	—	.65	—	{ .12	—	.27	—	—	—	.10	.01	—		26
27	—	—	—		.26	—	.0	—	.36	—	—	—		27
28	—	—	—	.24	.03	—	.01	—	.01	.29	—	.08		28
29	.04	×	—	.01	—	—	.06	—	—	.03	—	.03		29
30	.01	×	.08	.02	—	—	.04	—	—	.04	—	.10		30
31	.01	×	.31	×	—	×	.02	.11	×	.14	×	—		31
TOTAL	1.47	2.94	2.51	.79	1.40	2.45	3.24	.84	1.31	2.83	1.55	.40	Year's Total 21.73	
*Days with ·01 in. or more.	15	14	13	9	19	15	14	7	7	17	15	6	150	
*Days with .04 in. or more.	10	10	10	6	11	13	12	5	6	14	9	5	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ivo F.H. Carr-Gregg

D

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Astley Vicarage

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	—	—	—	—	—	—	.29	.01	—	.08	.30		1
2	.03	.01	.08	—	—	—	—	—	.28	—	.07	.13		2
3	.03	.03	—	—	—	—	—	—	—	.03	—	—		3
4	.04	—		.27	.09	—	—	—	.17	.02	.11	.42		4
5	—	—	.16	.03	.08	—	—	.41	—	—	.08	.04		5
6	—	—		.04	.19	.04	—	—	—	.19	—	.48		6
7	.10	—	—	—	—	.02	—	.11	—	.03	—	.08		7
8	—	—	.16	—	.07	—	—	.07	—	—	.14	.03		8
9	—	—		—	—	—	—	.66	—	—	.62	.24		9
10	.14	—	.13	.13	—	—	—	.07	—	—	.08	—		10
11	.74	—	.12	.33	—	—	—	.13	—	—	—	.21		11
12	—	—	.21	—	—	—	—	.09	—	.03	—	.01		12
13	.52	—	.01	.07	—	—	.01	.31	—	.01	—	.40		13
14	.08	—	.17	—	—	.01	—	—	—	.31	.49			14
15	.04	—	.07	—	.14	—	—	—	.01	.08	.22	.04		15
16	.12	.02	.12	—	—	—	—	—	—	.15	.03	.06		16
17	.01	—	—	—	—	—	—	—	.32	.12	.02	.08		17
18	—	—	—	.17	—	—	.28	—	.08	—	—	.01		18
19	—	—	.10	—	—	.08	—	—	—	—	—	.03		19
20	—	—	.01	.11	—	—	—	—	—	—	—	—		20
21	—	—	—	—	—	.15	—	.06	.03	.12	—	—		21
22	—	—	—	—	—	—	—	.33	.17	—	—	.06		22
23	—	—	—	.03	.03	.21	—	—	—	—	—	.08		23
24	—	.28	.16	—	—	.01	—	—	.33	—	—	—		24
25	.10	.01	.03	—	.01	.06	.15	—	—	.25	—	.52		25
26		—	—	.15	—	.03	—	—	.03	—	.02	.15		26
27	.01	.10	—	.33	—	—	—	—	—	.07	—	.07		27
28	—	—	—	.36	—	.43	—	.36	—	—	.08	.29		28
29	—	×	—	—	—	—	.32	.20	.51	.02	—	.03		29
30	.03	×	—	—	—	—	—	—	.01	—	—	.10		30
31	.01	×	—	×	—	×	—	—	×	.33	×	.04		31
TOTAL	2.05	.45	1.53	2.02	.61	1.04	.76	2.49	1.95	1.76	2.04	3.90	Year's Total 20.60	✓
*Days with ·01 in. or more.	17	6	17	12	7	10	4	13	12	15	13	26	152	
*Days with .04 in. or more.	11	2	14	10	5	6	3	13	7	9	10	21	111	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Geo F.H. Carr-Gregg

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Astley Vicarage

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	—	—	.08	—	.10	—	—	.43	—	.14	—		1
2	—	.05	.03	—	—	.17	—	—	—	.28	—	.16		2
3	—	.28	.02	.18	—	—	—	—	.37	—	.27	.14		3
4	—	—	—	.08	—	.15	—	—	—	.50	—	—		4
5	—	.62	.09	.09	—	—	.09	—	—	—	.10	—		5
6	—	—	—	.35	—	.02	—	—	—	—	.03	—		6
7	—	—	—	.25	—	.30	—	—	—	—	.39	.21		7
8	—	—	—	.25	—	—	—	.77	—	.28	.56	.03		8
9	—	.02	—	.18	—	.21	—	—	—	.23	.19	.03		9
10	—	—	—	.09	—	.01	—	—	—	—	—	.01		10
11	.23	—	—	—	—	.14	—	—	—	—	—	—		11
12	—	—	—	—	—	.13	—	.10	—	—	.01	—		12
13	.09	.01	—	.19	.17	—	—	—	.02	.02	—	—		13
14	—	—	—	—	.04	.07	—	—	—	—	.35	.15		14
15	—	.03	—	.94	.05	.30	—	—	.25	—	.11	.28		15
16	—	—	.14	.20	~~.02~~	.09	—	—	.38	.25	.74	.09		16
17	—	.05	—	.05	—	.16	.04	—	—	—	.78	—		17
18	—	—	—	.23	.06	.12	.10	—	.15	.09	—	—		18
19	—	—	—	.08	.40	.20	.18	—	.07	—	.24	—		19
20	.02	.20	—	.18	.09	.05	.04	—	—	—	.21	—		20
21	—	.30	.03	.08	—	—	—	—	.23	.01	.10	—		21
22	—	.09	—	.09	—	—	—	—	.08	—	—	—		22
23	—	.04	.15	.10	.03	—	—	.25	—	.39	—	—		23
24	.05	.26	.01	—	—	—	—	—	.77	—	—	.36		24
25	.19	.10	—	.08	—	.89	—	—	—	—	—	.15		25
26	—	.04	—	—	—	—	—	.28	.21	—	.01	.60		26
27	—	.12	—	—	—	—	—	—	.07	.07	.24	1.08		27
28	.07	—	—	—	.04	—	—	—	.05	.07	—	.14		28
29	—	×	.07	—	—	—	—	—	.05	.05	.08	.05		29
30	.05	×	—	.05	.51	—	—	.30	—	.15	.20	.13		30
31	—	×	—	×	—	×	—	—	×	.56	×	.13		31
													Year's Total.	
TOTAL	.79	2.21	.54	3.82	1.41	3.11	.45	1.70	3.13	2.95	4.75	3.44	28.60	
* Days with .01 in. or more.	~~8~~	~~15~~	~~8~~	~~21~~	~~9~~	~~17~~	~~5~~	~~5~~	~~14~~	~~14~~	~~19~~	~~17~~	~~152~~	
* Days with .04 in. or more.	7	12	4	21	8	15	5	5	13	12	16	14	132	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ivo F.H. Carr-Gregg

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Astley Vicarage

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	.01	.09	.52	—	.14	.16	.15	—	—	.07	.11		1
2	—	—	.14	.09	—	.55	1.23	.07	—	—	.15	.03		2
3	.04	.02	—	—	—	1.20	.03	.02	.31	—	—	—		3
4	—	—	.12	—	—	.48	—	.01	.22	—	.03	.09		4
5	.09	.01	.02	—	—	—	.03	.04	.11	—	—	.09		5
6	—	—	—	—	.05	.10	.36	.16	.12	—	.13	—		6
7	.01	—	.05	—	—	—	.61	—	.13	—	.03	.17		7
8	.32	—	.05	—	—	—	—	—	.01	—	.20	—		8
9	.36	—	.28	—	—	—	.78	—	.10	.11	.05	.01		9
10	.02	—	—	—	—	—	.23	—	.04	—	.05	.01		10
11	—	—	—	.12	—	.04	.39	.01	.14	—	.45	—		11
12	—	—	—	.10	.04	.15	.53	—	.73	—	.07	.12		12
13	—	—	—	.06	—	.45	—	—	—	.04	—	.33		13
14	—	—	—	.28	—	.05	.33	—	.52	.09	.21	.48		14
15	—	.02	—	.01	—	.03	.39	—	—	—	.04	.11		15
16	.19	.06	—	—	—	—	.10	—	—	—	.35	.02		16
17	—	.58	—	—	.03	—	.08	—	—	.08	.02	.15		17
18	—	.03	—	—	—	—	.27	—	—	.24	—	.03		18
19	.49	.13	.04	.35	—	.14	—	.11	—	.08	—	—		19
20	—	.07	—	.04	—	.22	.01	—	—	—	—	—		20
21	—	—	.05	.24	—	3.34	.01	—	—	—	—	—		21
22	—	.16	—	—	.15	—	.20	—	—	—	—	.09		22
23	—	—	.12	.11	.05	—	.63	—	—	.02	.01	—		23
24	.24	.16	—	—	.03	—	—	—	.04	.20	—	—		24
25	.10	—	.20	.25	—	—	.04	—	—	.05	.01	—		25
26	.06	.14	.33	—	—	.05	.05	—	.17	.07	—	.01		26
27	—	.03	.02	—	—	—	.02	—	.26	.08	—	—		27
28	.34	.10	.22	—	—	—	.02	—	—	—	—	.09		28
29	.06	.40	.07	—	—	.06	—	—	—	.08	.14	.11		29
30	.06	×	—	—	.30	.38	.09	—	—	.28	.11	—		30
31	.04	×	.06	×	—	×	.05	—	×	.22	×	—		31
TOTAL	2.42	1.92	1.86	2.17	.65	7.38	6.64	.57	2.90	1.64	2.12	2.05	Year's Total 32.32	✓
* Days with .01 in. or more.	15	15	16	12	7	16	25	8	14	14	18	18	178	✓
* Days with .04 in. or more.	13	9	14	11	5	15	19	5	13	13	12	11	140	✓

* See Instruction 3 (i) on other side.

† Spare column, no entries required.

(*Signed*) Geo. F.H. Carr-Gregg [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Astley Vicarage

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 460 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.29 }	.08	.03	—	—	.07	—	—	.09	—	.09	.25		1
2		.05	—	.51	—	—	—	—	—	—	—	.40		2
3	—	.07	.06	—	.14	.01	—	—	.06	—	—	.09		3
4	.09	.13	—	—	.04	—	—	—	—	—	—	.59		4
5	.24	—	.10	—	—	—	.01	—	—	—	—	.06		5
6	.10	—	.11	.03	.14	—	—	—	—	—	—	—		6
7	—	.45	.01	.11	—	—	—	—	—	.02	—	—		7
8	—	.19	—	—	—	—	—	—	—	—	.50	—		8
9	—	—	—	.06	.37	—	.57	—	.14	—	—	.05		9
10	—	.05	.18	.05	—	.28	.02	—	—	—	—	.09		10
11	—	—	.25	—	.57	.23	.02	—	—	—	—	.18		11
12	.11	.31	.27	.04	.41	.10	—	—	.14	—	—	.31		12
13	—	.08	.03	{ .36	.05	.14	—	.40	.58	—	—	—		13
14	—	—	.25	x	—	—	—	.28	.01	—	—	.09		14
15	.25	.05	—	x	—	—	1.06	—	—	—	—	.09		15
16	—	.16	.44	.60	—	—	—	.09	.17	—	—	—		16
17	.35	—	.36	.24	—	—	—	—	.04	—	—	—		17
18	.55	.11	.17	.03	—	—	.02	—	.25	—	—	—		18
19	—	.10	.04	.15	—	.22	.25	—	—	—	.35	—		19
20	.35	—	—	.38	.42	.02	—	—	—	—	—	—		20
21	.09	.17	.04	.02	—	—	.34	—	—	—	—	.08		21
22	.22	.06	.14	—	.18	—	.21	—	—	.40	.27	—		22
23	.23	—	—	—	.03	—	—	—	—	.35	.22	—		23
24	.15	.33	.11	—	— x	—	.05	—	—	.31	—	.01		24
25	.09	.30	.06	—	{ .30	—	—	—	.07	.34	—	—		25
26	—	.34	—	—	x	—	—	—	—	—	—	.01		26
27	—	.27	—	.37	—	—	—	—	—	.66	—	—		27
28	—	.03	—	—	—	.02	—	—	—	—	—	.05		28
29	.08	×	—	—	—	.01	—	—	—	.07	.06	.02		29
30	.34	✕	—	—	—	—	—	.67	—	—	.08	—		30
31	.28	✕	—	✕	—	✕	—	—	✕	.20	✕	.02		31
TOTAL	3.84 3.86	3.63	2.65	2.95	2.65	1.10	2.55	1.44	1.55	2.35	1.57	2.39	Year's Total 28.67	✓
* Days with .01 in. or more.	18	20	18	16	12	10	10	4	10	8	7	17	150	✓
* Days with .04 in. or more.	18	19	15	13	11	6	6	4	9	7	7	13	128	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ivo F. H. Carr-Gregg [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Astley Vicarage

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 440 ft.

Ake

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.05	—	—	—	—	.55	—	—	—	.20	.02	.10		1
2	—	—	—	.06	.01	.44	—	—	—	.13	—	.02		2
3	—	—	—	—	.09	.02	.12	—	—	.61	—	.01		3
4	.05	—	—	—	—	.03	.04	.33	—	.18	—	.30		4
5	—	—	—	—	—	—	.20	.74	—	.03	.01	—		5
6	—	—	—	—	—	.02	.48	—	.17	.09	—	—		6
7	.15	—	—	—	—	—	.21	.19	—	.08	—	.05		7
8	.33	—	—	—	—	—	.07	.14	—	.22	—	—		8
9	.04	.09	—	—	—	.01	—	—	—		—	.43		9
10	—	—	—	—	—	.02	.30	.03	.05		—	.08		10
11	.53	—	—	—	—	—	—	.32	—	.06	.14	.01		11
12	.14	.05	—	—	.11	—	.06	—	—	+	.15	—		12
13	—	—	—	—	—	—	—	—	—		.08	.55		13
14	.27	.01	—	—	.06	—	.67	—	.09		.04	—		14
15	.10	—	—	—	.05	—	.15	—	—			.43		15
16	.22	—	—	—	—	—	.17	—	—			.16		16
17	—	.01	—	—	—	—	.02	—	.02	+	—	—		17
18	.08	—	—	—	.24	.14	—	—	.45		.44	—		18
19	—	—	—	—	—	—	—	.12	.08		.07	.04s		19
20	—	—	—	—	—	—	—	—	—	.86	.33	.02s		20
21	—	—	—	—	—	—	—	—	.03		.08	.40s		21
22	—	—	—	.03	—	.11	—	—	—		.37	.27s		22
23	—	—	—	—	.07	—	—	—	.13			.09s		23
24	—	—	.03	—	.07	—	—	—	.33			.01s		24
25	.09	.12	.13	—	.07	—	—	~~[illegible]~~	—	4	.46	—		25
26	—	.32	.10	—	.05	—	—	.11	—	4	—	.25s		26
27	.04	.01	—	—	.20	.14	.44	.27	.04	4	.28	—		27
28	.09	.01	—	—	.25	—	.04	.82	.02		.10	.18s		28
29	.28	—	—	—	.36	—	.01	—	—	4	.18	.12s		29
30	.04		—	—	.14	.28	—	—	.45	—	.27	.24s		30
31	.17		—		.14		—	—		.11		.24		31
TOTAL	265	.62	.26	.09	1.87	1.76	3.00	3.07	1.86	257	3.07	4.00	Year's Total 24.82	✓
* Days with .01 in. or more.	17	8	3	2	14	11	16	10	12	10 x 4	18	22	~~143~~ 150	✓
* Days with .04 in. or more.	17	4	2	1	13	6	13	9	9	15 ~~9~~ x	14	17	~~114~~ 120	✓

* See Instruction 3 (f) on other side.

x exclusive of period 12-29 (inclusive)

† Spare column, no entries required

(Signed) Jas. F.H. Carr-Gregg

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Astley Vicarage

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 440 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	—	—	.27	.01	—	—	—	—	—	—	.01		1
2	—	—	—	.09	—	—	—	.30	.54	—	.08	.04		2
3	.34s	—	—	.44	—	—	—	.49	—	.02	.20	.38		3
4	.11s	—	.40	.46	.08	—	.15	.22	.06	.42	.04	.11		4
5	—	—	—	.13	.26	—	.13	.38	—	.10	.31	.17		5
6	.61	—	—	—	—	—	.36	.01	—	—	.01	—		6
7	—	.03	—	—	.01	—	—	—	—	—	.39	.25		7
8	—	.06	.28	—	—	—	.57	.10	—	.55	.24	.23		8
9	—	.05	—	—	—	—	—	.20	—	.33	.05	.23		9
10	.46	—	.06	—	—	—	—	.20	—	.03	—	—		10
11	—	—	.23	—	—	—	—	—	.04	—	—	—		11
12	—	.08	—	—	—	.10	—	—	—	—	—	—		12
13	—	—	—	—	.02	—	.30	—	.07	.36	—	—		13
14	.47	—	—	.17	.57	.14	.05	—	—	.20	.09	—		14
15	.28	—	—	—	.08	.10	.45	—	—	.20	.12	—		15
16	.11	—	.18	.03	.42	.38	.12	—	—	—	.14	—		16
17	.41	.05	—	—	.05	—	.30	—	—	2.09	.62	—		17
18	.21	.03	.04	—	.01	.19	.15	—	—	—	—	—		18
19	.18	—	—	—	—	—	.35	—	—	—	—	—		19
20	.18	—	—	—	—	.04	—	.06	—	—	—	—		20
21	.12	.25	.31	—	—	.33	.05	.50	.06	—	.09	—		21
22	.21	.29	—	—	—	—	.15	—	.02	.02	.45	—		22
23	—	—	.03	.07	—	—	.05	—	—	.09	.64	—		23
24	.16s	—	—	.04	—	.04	—	—	—	.09	—	—		24
25	1.03	.04	—	—	—	—	.04	—	—	—	.34	—		25
26	.07	—	—	—	—	—	—	.01	—	.02	.27	.08		26
27	—	.30	.08	—	—	—	.11	—	—	.04	—	.10		27
28	—	.11	.16	—	—	.29	—	—	—	—	.19	—		28
29	—	✕	—	.16	—	—	.30	.33	—	.20	.05	—		29
30	—	✕	—	.08	—	.19	—	—	—	—	.10	—		30
31	—	✕	—	✕	—	✕	—	.24	✕	—	✕	—		31
													Year's Total	
TOTAL	5.01	1.29	1.77	1.94	1.51	1.80	3.63	3.03	.79	4.76	4.42	1.60	31.55	✓
* Days with .01 in. or more.	17	11	10	11	10	10	17	13	6	16	20	10	151	✓
* Days with .04 in. or more.	17	9	9	10	6	10	17	11	5	12	19	9	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ivo F.H. Carr-Gregg

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2469

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Astley Vicarage

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 440 ft.

Jan 28th est'd from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.01	—	—	—	—	—	—	—	—	.13	—		1
2	—	—	—	.36	—	—	.05	—	—	—	.65	—		2
3	—	.30	—	.12	—	—	—	—	—	.16	.84	.09		3
4	—	.04	—	.08	—	—	.01	—	—	.14	.20	.02		4
5	—	—	—	—	.05	—	.01	—	—	.28	.75	.09		5
6	.08	.30	—	—	—	—	.21	—	—	.36	.24	—		6
7	.04	.35	—	.02	.02	—	—	—	.05	—	—	—		7
8	—	—	—	.03	—	—	—	—	—	.14	.10	.23		8
9	—	—	.04	—	—	—	.11	.04	.02	.15	.27	.23		9
10	—	—	.08	—	—	—	.70	—	—	.15	.07	—		10
11	—	—	.02	.04	—	—	.28	—	.07	—	.40	.27		11
12	—	—	.56	—	—	—	.30	—	—	—	.05	.02		12
13	—	.03		—	—	—	—	.02	.05	—	—	—		13
14	—	—	—	.03	.36	—	—	—	.10	—	—	.34		14
15	.08	—	—	.16	—	—	.05	—	.05	—	.12	—		15
16	—	.13	.40	—	—	—	.19	—	.09	.95	.66	—		16
17	—	—	.14	—	—	—	.06	—	—	—	.21	.01		17
18	.09	.70	.20	.20	—	—	—	.02	.24	—	—	—		18
19	—	.15	.03	.23	—	—	.40	—	.05	—	.19	.09		19
20	—	—	—	.03	—	—	.10	.06	—	.20	—	—		20
21	—	.01	—	—	.30	.25	.20	—	—	.03	1.22	—		21
22	.06	—	—	—	.37	.17	—	—	.11	—	—	—		22
23	—	.26	.07	.11	—	.04	—	—	—	—	—	—		23
24	—	—	—	—	—	—	.08	—	—	—	—	—		24
25	—	—	—	—	—	—	—	—	—	.08	—	—		25
26	.94	.15	—	.03	.05	—	.18	—	—	—	.01	.06		26
27	.69	.25	—	.12	—	—	.11	—	.01	—	.08	—		27
28	(.50) ~~1.10~~	.18	—	—	.11	—	—	—	—	—	—	—		28
29	.10	—	.09	—	.11	.05	.03	—	—	—	—	.18		29
30	—	×	—	.79	—	—	—	—	—	.50	—	.05		30
31	—	×	.03	×	—	×	—	—	×	.39	×	—		31
TOTAL	2.68 ~~3.18~~	2.86	1.66	2.35	1.37	.51	3.07	.14	.84	3.53	6.19	1.68	Year's Total ~~27.68~~	26.88 ~~27.18~~
* Days with .01 in. or more.	9	14	15 ~~12~~	17 ~~15~~	9 ~~8~~	4	~~18~~ 19	4	11	~~13~~ 16	~~18~~ 19	~~13~~ 17	~~139~~	154
* Days with .04 in. or more.	9	11	11 9	10	7	4	~~15~~ 16	2	9	~~12~~ 16	~~14~~ 18	~~10~~ 11	~~115~~	123

† Spare column, no entries required.

(Signed) Ivo F.H. Carr-Gregg

P.T.O.

* See Instruction 3 (f) on other side.

2470

Section **A** for the entry of

AIR MINISTR

FORM 1090. **REGIS**

Kept at Little Comp

in the County of Warwi

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea I

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

FOR OFFICIAL USE.

GANIZATION.

g

Jan. 1, following

2470

LITTLE COMMON MANOR

1931—33

780408

Date	Jan.	Feb.	March								v.	Dec.	Date
	in.	in.	in.								.	in.	
1		·05		·07	·03				·25				1
2		·07		·75	·13			·03	·32		·09	·05	2
3	·10			·08			·03	·03	·16		1·71	·18	3
4		·02		·08			·30	·53	·04		·12		4
5		·05		·13	·03	63			·03	·19	·02	·31	5
6		·11		·16		·10				·07	·12	·09	6
7				·02			·66	·56			·15	·03	7
8	·04	·07				·29		·35			·23		8
9		·24		·08		·06		·01		·05	·19		9
10		·01			·02	·05	·09	·19	·02	·01	·09		10
11	·19	·27	·01			·04	·02		·10		·19		11
12	·01	·01					·23	·02	·32				12
13					·07		·05	·08	·01	·07			13
14		·05			·04	·31	·76	·58			·08		14
15		·06		·13	·32		·13	·59			·01	·01	15
16	·08	·17		·21	·50	·44		·68	·31		·28		16
17		·40		·10	·52								17
18	·08	·24	·03	·45		·11	·09	·24					18
19		·03				·03	·69	·09			·02		19
20		·02	·04	·04			·08						20
21	·07				·44			·10					21
22	·20		·01					·04			·01		22
23	·21			}	·55	·22					·30		23
24							·03						24
25	·02			·86			·17				·07		25
26		·02		·12			·25				·15		26
27	·13	·55		·09	·77		·03				·09		27
28	·11	·08			·08					·03		·15	28
29	·01						·17			·22	·02	·02	29
30	·02	×						·01	·09				30
31	·27	×		×	·01	×			×		×	·02	31
Total	1·54	2·52	·09	3·37	3·51	2·28	3·78	4·13	1·65	·64	3·94	·86	YEAR'S TOTAL 28·31
*Days with ·01 in. or more.	15	20	4	18	14	11	17	17	11	7	20	9	163
*Days with ·04 in. or more.	11	14	1	17	10	10	13	12	8	5	15	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Mrs Severton Harris
per J. MacDonald

[P.T.O.

2470

Section **A** for the entry of
AIR MINISTR

FOR OFFICIAL USE.
GANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Little Compton Manor
in the County of Warwickshire

Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·05		·07	·03				·25				1
2		·07		·75	·13			·03	·32		·09	·05	2
3	·10			·08			·03	·03	·16		1·71	·18	3
4		·02		·08			·30	·53	·04		·12		4
5		·05		·13	·03	·63			·03	·19	·02	·31	5
6		·11		·16		·10				·07	·12	·09	6
7				·02			·66	·56			·15	·03	7
8	·04	·07				·29		·35			·23		8
9		·24		·08		·06		·01		·05	·19		9
10		·01			·02	·05	·09	·19	·02	·01	·09		10
11	·19	·27	·01			·04	·02		·10		·19		11
12	·01	·01					·23	·02	·32				12
13					·07		·05	·08	·01	·07			13
14		·05			·04	·31	·76	·58			·08		14
15		·06		·13	·32		·13	·59			·01	·01	15
16	·08	·17		·21	·50	·44		·68	·31		·28		16
17		·40		·10	·52								17
18	·08	·24	·03	·45		·11	·09	·24					18
19		·03				·03	·69	·09			·02		19
20		·02	·04	·04			·08						20
21	·07				·44			·10					21
22	·20		·01					·04			·01		22
23	·21			}	·55	·22					·30		23
24				}			·03						24
25	·02			}·86			·17				·07		25
26		·02		·12			·25				·15		26
27	·13	·55		·09	·77		·03				·09		27
28	·11	·08			·08					·03		·15	28
29	·01						·17			·22	·02	·02	29
30	·02	×						·01	·09				30
31	·27	×		×	·01	×			×		×	·02	31
TOTAL	1·54	2·52	·09	3·37	3·51	2·28	3·78	4·13	1·65	·64	3·94	·86	YEAR'S TOTAL 28·31
*Days with ·01 in. or more.	15	20	4	18	14	11	17	17	11	7	20	9	163
*Days with ·04 in. or more.	11	14	1	17	10	10	13	12	8	5	15	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Mrs Severton Harris
per J. MacDonald

[P.T.O.

Section **A** for the entry of Daily Observations.

2470

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Little Compton Manor

in the County of Warwick

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	-	0·80	·11	·02	-	·85	·03	·05	-	-	1
2	·01	-	-	·11	·22	-	-	-	·02	·06	-	0·15	2
3	-	-	-	·38	·03	-	-	-	-	·01	-	-	3
4	·01	-	-	·11	-	-	-	-		-	·42	-	4
5	·31	-	·02	-	·05	-	-		·10	-	-	-	5
6	·66	-	·01	·11	-	-	-	-	·40		-	-	6
7	·02	-	·16	·05	·04	-	-		·09	·16	-	-	7
8	-	·05	·06	·08	-	-	-	-	·18	·47	-		8
9	·39	-	-	·04	-	-	-	-	·10	-		-	9
10	·08	·03	-	·16	·04	-	-		-	·13		-	10
11	·01	-	-	·15		-	·60		·02	·02	·03	-	11
12	·32	-	-	-	·24	-	-	-	·07	·52	·02	·02	12
13	·04	-	-	·17	·02	-	·08	·01	-	-	·04		13
14	·31	-	-	·02	-	-	-	-		·05	·09	·04	14
15	·01	-	-	·04	·69	-	-	-	·01	-	·01	-	15
16	·24	-	-	·22	·12	-	-	-	·01	-	-	-	16
17	·01	-	-	·01	-	-	·06	-	-	·03	-	-	17
18	-	-	-	-	-	-	-		·13	-	·04	-	18
19	-		-	·16	·03	-	-	-	·03	·30	-	-	19
20	-	-	-	·06	·50		-	1·02		·48	·06	-	20
21	-		·08	·20	·92	-	-	1·56	-	·30	·03	0·21	21
22	·01	·05	-	-	·07	-	·13	-	·98	·26	·03	-	22
23	-	-	-	-	-	-	·06	-	·10	·20	·02	·04	23
24	-	-	-	-	-	-	·08	-	·04	·05	·02	-	24
25		·03	-	·02	·02	·11	·02			·26	·06	-	25
26		-	·10	·13	·10		·08		-	·02	·02	-	26
27		-	·38	·22	·36	·04	·12	-		·06	·14	·01	27
28		-	·11	·05	·34	·12	·09	-	-	·03		·05	28
29		-	·37	·15	·09	·10	·05	·08	·14	·23		·25	29
30		✕	·16	·20	·01	·92	·42	·37	·64	·01	·75	·05	30
31		✕	·10	✕	·01	✕	·27	·01	✕		✕	·17	31
TOTAL	2·48	·18	1·55	2·89	4·01	1·31	2·06	3·90	3·09	3·70	1·78	·99	YEAR'S TOTAL 27·94
*Days with ·01 in. or more.	16	5	11	24	21	6	13	7	18	22	16	10	169
*Days with ·04 in. or more.	9	2	9	21	15	5	12	5	12	16	8	8	122

40-9999

M

*See Instruction 2 (f) on other side.

(Signed)..........

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2470

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Little Compton Manor

in the County of Warwickshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·21	·05	–									1
2	·31		·44		·06								2
3	·02	·16	·18		·02								3
4	·20				·27								4
5			·27		·08								5
6		·25	·14		·24								6
7	·04	·08											7
8	·02		·09		·05		·26						8
9							·21						9
10	·02						·03						10
11	·12				·09			·14					11
12					·03		·20						12
13	·03				·12		·16						13
14						·05		·02					14
15	·62		·09				·05	·09					15
16			·50				·10						16
17	·14		·30					·02					17
18	·11					·15							18
19			·20			·05		·05					19
20						1·42							20
21						·08		·24					21
22						·03		·16					22
23				·14		·35							23
24				·09									24
25		2·00		·30	·04	·16							25
26		·75		·11		·05							26
27		·04			·66								27
28				·34									28
29	·09			·38									29
30	·07	X											30
31	·10	X	·08	X		X		·05	X		X		31
TOTAL	2·19	3·49	3 2·~~44~~	1·36	1·66	2·34	1·01	·77					YEAR'S TOTAL
*Days with ·01 in. or more.	15	7	11	6	11	9	7	8					
*Days with .04 in. or more.	11	7	11	6	9	8	6	6					

40-9999

*See Instruction 2 (*f*) on other side.

M D

(*Signed*) Mrs Leverton Harris
J. MacDonald

P.T.O.

FORM 1090. **B**

2470/3

2470/3

EARLSWOOD FULFORD HALL

1940

780408

, The following register of
&c., is NOT required if
values are given on the

d also the space for

ister should be sent :—

RAINFALL IN

At Earlswood (Fulfo

In the County of Warw

Summer

Direction from gauge

Direction from gauge

Rain Gauge { Diameter of Funnel
Height of Top above Ground
Height of Ground above Sea Lev

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·37				
FEB.	3·10				
MAR.	3·10				
APRIL	1·87				
MAY	2·78				
JUNE	·45				
JULY	1·38				
AUG.	·25				
SEPT.	1·82				
OCT.	3·85				
NOV.	8·12				
DEC.	1·67				
TOTAL	30·76				

Distances ...

Directions from gauge ...

If gauge has been moved during the year state—

Date of move.............. Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted **in British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Signature ....Copied in M.O.3 from observer's original record

March + April adjusted from surrounding stations. EHR. 26/3/42

Beale [illegible]

* See Instruction 3 (*f*) below.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0·0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 / 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

2470/3

FORM 1090.

B Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 19~~3~~40

At Earlswood (Fulford Hall)

In the County of Warwick - 4

Rain Gauge
- Diameter of Funnel..........in.
- *Height of Top above Ground.......ft...........in.*
- *Height of Ground above Sea Level..........ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·37				
FEB.	3·10				
MAR.	3·10				
APRIL	1·87				
MAY	2·78				
JUNE	·45				
JULY	1·38				
AUG.	·25				
SEPT.	1·82				
OCT.	3·85				
NOV.	8·12				
DEC.	1·67				
TOTAL	30·76				

Signature ....Copied in M.O.3 from observer's original record

March + April adjusted from surrounding stations. EHR. 26/3/42

Beele [illegible]

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

....

....

Hour of observation by the clock—in Winter..........in Summer..........

Nearest Railway Station.......... Distance.......... Direction from gauge..........

Nearest Parish Church at.......... Distance.......... Direction from gauge..........

Nature of objects nearest to gauge				
Height of objects				
Distances ...				
Directions from gauge ...				

If gauge has been moved during the year state—

Date of move.......... Distance.......... Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

....

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91 S.O. Code No. 40-9999

FORM 1090. **B**

2470/6

VI/ Warwick /4

2470/6

BALSALL COMMON

1934 — 40

280408

*** The following register of
&c., is NOT required
values are given on the

and also the space for

egister should be sent:— Central School,

RAINFALL IN

At Balsall Common

In the County of Warwick

in Summer 10·0 A·M.

3/4 mile Direction from gauge N·N·E

150 yds Direction from gauge E

Rain Gauge
- Diameter of Funnel
- *Height of Top above Ground*
- *Height of Ground above Sea*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·345				
FEB.	·425				
MAR.	2·087				
APRIL	2·503				
MAY	·815				
JUNE	·960				
JULY	1·955				
AUG.	2·165				
SEPT.	2·180				
OCT.	1·915				
NOV.	1·795				
DEC.	5·155				
Total	24·300				

Distances ..	30 ft			
Directions from gauge ..	S ~~N~~ E.			

If gauge has been moved during the year state—

Date of move.................... Distance.................... Direction....................

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

~~Extract from letter~~ d. 14/5/35.
"As this is a School & only open five days weekly & not at holiday times, we cannot guarantee daily or weekly readings, but will make sure that the monthly totals are accurate"

C1934.

Note for 10 yr sheet
"Not read week-ends & holidays, but gauge is read on 1st of each month if School not open"

15 MAY 1935

Signature ~~W F E Seeley~~
The Headmaster.

*See Instruction 2 (*f*) below.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17/18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

2470/6

VI/ Warwick/4

FORM 1090.

B Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1934

At Balsall Common Coventry.

In the County of Warwickshire.

Rain Gauge

Diameter of Funnel Five in.

Height of Top above Ground 1 *ft* — *in.*

Height of Ground above Sea Level 400 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·345				
FEB.	·425				
MAR.	2·087				
APRIL	2·503				
MAY	·815				
JUNE	·960				
JULY	1·955				
AUG.	2·165				
SEPT.	2·180				
OCT.	1·915				
NOV.	1·795				
DEC.	5·155				
Total	24·300				

Signature ~~W F E Seeley~~ Print

The Headmaster

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
(Mr) W. F. E. Seeley, Balsall Street Central School,
Balsall Common, Coventry.

Hour of observation by the clock—in Winter 9·0 A.M. in Summer 10·0 A.M.

Nearest Railway Station Berkswell Distance 3/4 mile Direction from gauge N.N.E

Nearest Parish Church at Balsall Common Distance 150 yds Direction from gauge E

Nature of objects nearest to gauge	Buildings.			
Height of objects	20 ft.			
Distances ..	30 ft.			
Directions from gauge ..	S ~~W~~ E.			

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Extract from letter d. 14/5/35.
"As this is a School & only open five days weekly & not at holiday times, we cannot guarantee daily or weekly readings, but will make sure that the Monthly totals are accurate"

C1934.

Note for 10yr sheet
"Not read week-ends & holidays, but gauge is read on 1st of each month if school not open"

15 MAY 1935

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

N

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2470/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090. COVENTRY

REGISTER OF RAINFALL IN 1935.

Kept at BALSALL STREET ~~CENTRAL~~ SCHOOL

in the County of WARWICK

Diameter of Funnel of Gauge 4½ in.

Height of top of Gauge above Ground ....ft.........in.

,, Ground ,, Sea Level 400 ft.

footnote

* Previously called Balsall Common

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.035			.025	.035	.095	.075		.610	.105		.025		1
2		.210	.075			.045			.030	.315	.100	.070		2
3				.045		.095			.540	.305	.270	.120		3
4				.120		.260			.125	.095	.010	.010		4
5		.665	.085			.130	.100		.030		.150	.010		5
6				.690		.300					.040			6
7	.010					.030				.290	.285	.105		7
8				.185		.015		1.380		.070	.230	.085		8
9				.245		.285				.640	.360	.010		9
10											.020	.010		10
11						.060		.010		.010	.275	.025		11
12	.260	.015				.300		.140	.020		.020			12
13		.030		.195	.160					.030				13
14					.080	.015					.420	.080		14
15				1.020	.030	.095	.035		.460		.140	.205		15
16		.250	.160	.200		.045	.020		.385	.185	.890	.075		16
17				.025		.130	.180			.015	.460			17
18				.255	.555	.105	.145		.140	.020	.010			18
19	.020			.115		.260	.190		.080	.145	.350	.030		19
20		.175		.190		.070	.055		.010		.320			20
21		.085	.020	.070					.220	.030	.160			21
22				.150				.090	.070		.020			22
23	.080	.290	.065	.030				.210	.230	.415		.250		23
24								.010	.635	.015		.280		24
25		.075		.100		.840				.030		.120		25
26	.160	.065						.380	.175		.030	.560		26
27		.075			.100				.010		.120	1.020		27
28	.050	.010			.410			.030	.010	.060	.020	.060		28
29								.050	.170	.050	.095	.160		29
30	.025		.065	.100	.200	.020		.620	.025	.300	.220	.140		30
31	.015									.590		.160		31
TOTAL	.655	1.945	.470	3.760	1.570	3.195	.800	2.920	3.975	3.715	5.015	3.610	Year's Total 31.630	
* Days with .01 in. or more.	13	15	7	20	9	20	8	10	20	21	25	23	191	
* Days with .04 in. or more.	8	12	5	17	7	16	6	7	13	14	18	17	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W F E Seeley [P.T.O.

The Headmaster.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2470/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Balsall Street Central School, Balsall Common, Coventry
in the County of Warwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·10	·09	·44	—	·27	·21	·08	—	—	·08	·08		1
2	·03	—	·03	·07	—	·13	·80	·06	—	—	·12	·02		2
3	·03	·03	—	—	·01	·77	·05	—	·39	—	—	—		3
4	—	—	·09	—	—	·16	—	—	·19	—	·03	·09		4
5	·12	·02	—	—	—	—	·03	·12	·04	·01	·18	·21		5
6	—	—	—	—	—	·10	·37	·25	·15	—	—	—		6
7	·07	—	·06	—	—	—	·48	—	·16	—	·02	·03		7
8	·42	—	·05	—	—	—	·11	—	·01	—	·44	·06		8
9	·34	—	·22	—	—	·02	1·06	—	·21	·02	·06	—		9
10	·11	—	—	—	·06	—	·26	—	·04	—	·02	—		10
11	—	—	—	·09	—	·05	·17	·08	·18	—	·55	—		11
12	—	—	—	·08	·04	·21	·59	—	·48	—	·12	·12		12
13	—	—	—	·06	—	·14	·01	—	·55	·06	·02	·26		13
14	—	—	—	·24	—	·05	·33	—	·02	·02	·01	·45		14
15	—	·03	—	·03	—	—	·47	—	—	—	·03	·09		15
16	·19	·17	—	·02	—	—	·10	—	—	—	·47	·02		16
17	—	·58	—	—	·02	—	·13	—	·03	·11	·04	·14		17
18	—	·04	—	—	—	·50	·25	—	—	·13	—	·01		18
19	·47	·14	·08	·17	—	·09	—	·09	—	·03	—	—		19
20	·02	·08	·08	·08	—	·02	·01	—	·14	—	—	—		20
21	—	—	—	·26	—	·91	·06	—	—	—	—	—		21
22	—	·59	·03	—	·08	—	·23	—	—	—	—	·08		22
23	—	·05	·46	·11	·05	—	·47	—	—	·06	—	—		23
24	·31	·07	—	·02	·01	—	·01	—	·09	·08	·02	—		24
25	·10	—	·19	·35	—	·01	·03	—	·16	·20	·06	—		25
26	·04	·08	·32	·04	—	—	·03	—	—	·10	·01	—		26
27	·06	—	·02	—	—	—	—	—	·03	·15	—	—		27
28	·40	·10	·31	—	—	—	·06	—	—	·02	—	·01		28
29	·02	·29	·11	—	—	·16	·01	—	—	·03	·05	·11		29
30	·03	✕	—	—	·27	·24	·06	—	—	·29	·01	—		30
31	·56	✕	·13	✕	·01	✕	·06	—	✕	·16	✕	·27		31
TOTAL	3·33	2·37	2·27	2·06	·55	3·83	6·45	·68	2·87	1·47	2·34	2·05	Year's Total 30·27	✓
* Days with .01 in. or more.	19	15	16	15	9	17	28	6	17	16	20	17	195	✓
* Days with .04 in. or more.	13	12	13	12	5	14	21	6	13	10	11	12	142	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. F. E. Seeley [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2470/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at Balsall Street Central School, Balsall Common, Coventry

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·01	—	—	—	—	—	—	·06	—	·08	·35		1
2	·02	·10	·04	—	—	—	—	—	—	·04	—	·22		2
3	—	·07	—	—	·09	·01	—	—	—	—	—	·18		3
4	·09	·16	—	—	·03	—	—	—	—	—	—	·48		4
5	·17	—	·16	—	—	—	—	—	—	—	—	·13		5
6	·13	·04	·09	·06	·16	—	·01	—	—	·10	—	·01		6
7	—	·68	—	·13	—	—	—	—	—	—	—	—		7
8	—	·16	—	·03	—	—	·02	—	—	—	·45	·01		8
9	—	—	·02	·05	·31	—	·51	—	·17	—	—	·06		9
10	·03	·06	·49	·28	—	·21	·04	—	—	—	—	·11		10
11	—	—	·15	—	·42	·33	·04	—	—	—	—	·10		11
12	·10	·36	·40	—	·27	—	—	·57	·12	—	—	·27		12
13	·10	·06	·03	·10	·03	·09	—	·52	·98	—	—	·02		13
14	—	·02	·29	·02	—	—	—	·35	·01	—	·01	·05		14
15	—	·13	—	·38	—	—	·98	—	·05	—	·01	·09		15
16	·18	·09	·44	·18	—	—	—	·06	·15	—	—	—		16
17	·04	·04	·46	·08	—	—	—	—	·23	—	—	—		17
18	—	·08	·11	·06	—	—	·03	—	·70	—	·33	·05		18
19	·35	·05	·11	·11	—	·12	·39	—	—	—	·09	—		19
20	·46	·01	—	·45	—	—	—	—	—	—		·05		20
21	·30	·21	—	·04	·38	—	·16	—	—	·03	—	—		21
22	·12	—	·15	—	·23	·18	·25	—	—	·47	·36	—		22
23	·32	—	·01	—	·06	—	·05	—	—	·21	·18	·01		23
24	·11	·29	·04	—	·04	—	·04	—	·08	·37	—	·01		24
25	·09	·29	·01	—	·04	—	—	—	·06	·32	—	—		25
26	·13	·22	·06	—	·37	—	—	—	—	·01	—	·01		26
27	·01	·15	—	·34	—	·01	—	—	—	·68	—	—		27
28	—	·18	·01	—	—	—	—	—	—	·04	—	·05		28
29	·20	—	—	—	—	—	—	—	—	·04	·03	·01		29
30	·24	✕	—	—	—	·02	—	·18	—	·01	·06	·02		30
31	·31	✕	—	✕	—	✕	—	—	✕	·19	✕	·01		31
TOTAL	3·54	3·46	3·07	2·31	2·43	·97	2·52	1·68	2·61	2·51	1·60	2·30	Year's Total 29·00	✓ ✓
* Days with .01 in. or more.	22	23	19	15	13	8	12	5	11	13	10	23	174	✓ ✓
* Days with .04 in. or more.	19	20	14	13	11	5	9	5	10	10	7	14	137	✓ ✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W.H. Seeley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2470/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Balsall Street Central School, Balsall Common, Coventry.

in the County of Warwickshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" Ground " Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	-	-	-	Trace	.56	.01	-	-	.15	.05	.23		1
2	-	-	-	-	.02	.09	-	-	-	.10	-	.02		2
3	.01	-	-	.05	.08	-	.45	-	.02	.48	-	-		3
4	.01	-	-	-	-	-	.02	-	-	.20	-	.30		4
5	-	-	-	-	-	-	.22	1.75	.08	.12	-	.02		5
6	-	-	-	-	-	.03	.53	-	.06	.08	-	-		6
7	.04	-	-	-	-	-	.18	.31	.06	.20	-	.05		7
8	.36	.01	-	-	-	-	.09	.49	-	.18	-	-		8
9	.01	.05	-	-	-	-	.05	.79	-	-	-	.31		9
10	-	.03	-	-	-	-	.21	.07	-	-	-	.15		10
11	.48	.02	-	-	-	.10	-	-	-	.07	.15	-		11
12	.23	-	-	-	.17	-	.01	-	-	.21	.17	.02		12
13	-	.01	-	-	-	-	-	-	-	-	.14	.49		13
14	.15	.01	-	-	.06	-	.58	-	.10	-	-	-		14
15	.14	-	-	-	.03	-	.18	-	-	-	-	.41		15
16	.16	-	-	-	-	-	.04	.01	-	-	.06	.09		16
17	-	.04	-	-	.09	-	.01	-	.02	.14	-	.02		17
18	.03	-	-	-	.16	.05	.03	-	.24	-	.39	-		18
19	-	-	-	-	-	-	-	.22	.03	-	.09	.06		19
20	-	-	-	-	-	-	-	-	.04	-	.40	.09		20
21	.02	-	-	-	-	-	-	-	.02	-	.09	.45		21
22	-	-	-	Trace	-	.05	-	-	-	-	.34	.28		22
23	-	-	-	-	-	-	-	-	.12	-	-	-		23
24	-	-	.04	-	.08	-	-	-	.18	-	.03	-		24
25	.07	.23	.10	-	.05	-	.05	-	.02	.13	.29	.20		25
26	.08	.28	.11	-	.05	Trace	-	.01	.04	.18	-	.15		26
27	.04	.01	.03	-	.20	.18	.53	.43	.31	.06	.33	-		27
28	.20	-	-	-	.14	.09	-	.93	.04	-	.04	.18		28
29	.42	-	-	-	.32	-	.02	-	-	.04	.12	.13		29
30	.05	X	-	-	-	.21	-	-	.50	.02	.25	.08		30
31	.28	X	-	X	.20	X	-	.01	X	.16	X	.39	Year's Total	31
TOTAL	2.82	.69	.28	.05	1.65	1.36	3.21	5.02	1.88	2.52	2.94	4.12	26.54	✓
* Days with .01 in. or more.	20	10	4	1	14	9	18	11	17	17	16	22	159	✓
* Days with .04 in. or more.	15	4	3	1	12	8	12	8	12	16	15	18	124	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W F G Seeley

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2470/6.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Balsall Street Central School, Balsall Common, Coventry.

in the County of Warwickshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 400 ft.

N.B. The average rainfall here for the past 7 years is 28.30 inches.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	-	.03	.19	.09	--	-	.25	.15	-	-	-		1
2	.04	-	-	-	-	-	-	.35	.57	-	.06	-		2
3	.20	-	-	.39	-	-	-	.56	-	.01	.14	.37		3
4	.05	-	.40	.86	.05	-	.50	.23	-	.41	.03	.17		4
5	-	-	-	-	.37	-	.12	.23	-	.05	.30	.12		5
6	.76	-	-	-	-	-	.48	.02	-	-	.03	-		6
7	.01	.07	-	-	-	-	.22	.01	-	-	.48	.27		7
8	-	.12	.28	-	-	-	.54	.12	-	.64	.27	.33		8
9	.03	.06	-	-	-	-	.03	.23	-	.37	-	.21		9
10	.50	-	-	-	-	.01	-	.15	.08	.03	-	-		10
11	-	.03	.25	-	-	.10	-	-	.02	-	-	-		11
12	-	-	-	-	.01	.08	-	-	.06	-	.02	-		12
13	-	-	-	.13	.02	.01	.33	-	-	.26	-	-		13
14	.43	-	.03	.05	.26	.11	.06	-	-	.14	.12	-		14
15	.37	-	-	-	.04	.50	.43	-	-	.17	.17	-		15
16	.23	-	-	-	.30	.17	.12	-	-	-	.19	-		16
17	.46	.03	-	-	.07	.04	.14	-	-	1.27	.06	-		17
18	.26	.04	.07	-	-	.23	.11	-	-	-	.62	-		18
19	.24	-	-	-	-	-	.57	-	-	-	-	-		19
20	.21	-	-	-	-	.01	.03	.59	-	-	-	-		20
21	.11	.24	.21	-	-	.03	.70	.81	-	-	-	-		21
22	.22	.27	-	-	-	-	.06	-	.03	.01	.36	-		22
23	-	-	-	.06	-	.02	.07	-	-	.12	.75	-		23
24	.30	-	-	.12	-	.01	-	-	-	.04	-	-		24
25	1.06	.12	.01	-	-	-	.07	-	-	.02	.23	-		25
26	.11	-	-	.02	-	-	-	.01	.01	.02	.21	.04		26
27	.01	.30	.08	-	-	.01	.12	-	-	.06	-	.09		27
28	.01	.11	.12	.02	-	.08	.12	-	-	-	.17	.03		28
29	-	-	-	.20	-	-	.31	.52	-	.26	.05	-		29
30	-	✕	-	.16	-	.11	-	-	-	-	.07	-		30
31	-	✕	-	✕	-	✕	.10	-	✕	-	✕	-		31
TOTAL	5.63	1.39	1.48	2.20	1.21	1.52	5.23	4.08	.91	3.88	4.33	1.63	Year's Total 33.49	✓
* Days with .01 in. or more.	22	11	10	11	9	16	22	14	6	17	20	9	167	✓
* Days with .04 in. or more.	19	9	7	9	7	9	20	11	4	12	17	8	132	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W F E Seeley

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2470/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Balsall Street Central School, Balsall Common, Coventry.

in the County of Warwickshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 400 ft.

Jan 28th est'd from nearby stns.

N.B. Average rainfall over 8 years is 29.16"

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	.02	-	-	-	-	-	-	.06	-		1
2	-	.02	-	.42	-	-	.04	-	-	-	.92	-		2
3	-	.28	-	.03	-	-	-	-	-	.15	1.29	.09		3
4	-	.11	-	.17	-	-	.06	-	-	.16	.15	.02		4
5	-	-	-	-	.11	-	-	-	-	.17	.61	.16		5
6	.12	.34	-	-	-	-	.33	-	-	.33	.31	-		6
7	-	.27	-	-	.02	-	-	-	.04	-	-	-		7
8	.03	-	-	-	-	.20	.01	-	-	.14	.05	.21		8
9	-	-	-	.01	-	-	.09	.16	.02	.19	.15	.22		9
10	-	-	.03	-	-	-	.63	-	-	.04	.22	.19		10
11	-	-	.03	.02	-	-	.12	-	-	-	.35	.09		11
12	-	-	.10	-	-	-	.47	-	.10	-	-	-		12
13	-	.01	.64	-	-	-	.03	.01	.06	-	-	-		13
14	-	-	-	.08	.40	-	-	-	.11	.06	.04	.47		14
15	-	-	.02	.08	.31	-	-	-	.04	.11	.11	.01		15
16	.08	.43	.20	-	-	-	.15	-	.14	.49	.60	-		16
17	-	.07	.19	-	-	-	.05	-	-	-	.41	-		17
18	.10	.21	.28	.31	-	-	-	-	.15	.33	.10	.05		18
19	-	.20	.06	.35	-	-	.53	-	.20	-	.14	.04		19
20	-	-	.02	.05	-	-	.01	.04	-	.35	-	-		20
21	.08	-	.01	-	.51	.24	.08	-	-	.04	1.26	-		21
22	-	-	-	-	.31	.10	-	-	.11	-	-	-		22
23	-	.12	.06	.17	.20	.13	-	-	-	.04	.01	.05		23
24	-	-	-	-	-	-	.11	-	.03	-	-	.01		24
25	-	-	-	-	-	-	-	-	-	-	-	-		25
26	-	.16	-	.72	.11	.02	.12	-	-	-	-	-		26
27	1.71 (·60)	.23	-	-	-	-	.11	-	-	-	-	-		27
28	-	.20	-	-	.18	-	-	-	-	-	-	-		28
29	-	-	.11	.05	.07	.06	.03	-	-	-	-	.18		29
30	-	X	-	.51	.02	-	-	-	-	.63	-	-		30
31	.04	X	.04	X	-	X	-	-	X	.73	X	.02		31
TOTAL	2·76 ~~2.16~~	2.65	1.79	2.99	2.24	.75	2.97	.21	1.00	3.96	6.78	1.81	Year's Total ~~29.31~~ 29.91	
* Days with .01 in. or more.	~~7~~ 8	14	14	15	11	6	18	3	11	16	18	15	14~~8~~ 9	
* Days with .04 in. or more.	~~6~~ 7	12	9	11	9	5	14	2	9	16	17	11	12~~1~~ 2	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) W. J. E. Seeley

[P.T.O.

2471

Section **A** for the entry of D

AIR MINISTRY.

R OFFICIAL USE.

NIZATION.

FORM 1090.

REGIST

Kept at ("Wych Elm") No … res X

in the County of BIRMIN

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

West Heath House

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

P

2471

NORTHFIELD "WYCH ELM"

1931——39

780408

Jan. 1, following

Date	Jan.	Feb.	March	A								Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·07	·	·06	·03	·05	·	·	·38	·01	·	·	1
2	·08	·12	·	·70	·04	·03	·	·12	·42	·	·01	·06	2
3	·	·	·	·03	·	·	·01	·	·88	·	·51	·10	3
4	·	·	·	·13	·	·	·65	·08	·13	·	·04	~~·25~~	4
5	·	·07	·	·18	·08	1·10	·09	·01	·13	·	·	·25	5
6	·	·15	·	·07	·	·25	·02	·01	·01	·31	·20	~~·04~~	6
7	·	·	·	·	·	·01	·87	·65	·	·03	·14	·01	7
8	·09	·06	·01	·05	·	·08	·01	1·26	·	·01	·19	·	8
9	·	·30	·01	·04	·	·02	·	·05	·	·	·46	·	9
10	·01	·01	·01	·	·03	·07	·01	·26	·02	·	·30	·	10
11	·22	·32	·	·	·03	·02	·	·	·13	·	·16	·	11
12	·02	·08	·	·	·	·	·65	·15	·40	·04	·	·	12
13	·	·	·	·	·	·	·04	·16	·	·	·	·	13
14	·	·08	·11	·	·01	1·61	·39	1·33	·03	·	·56	·	14
15	·01	·15	·	·10	·15	·	·18	·33	·	·	·	·04	15
16	·09	·15	·	·24	·47	·70	·	·09	·14	·	·	·	16
17	·06	·07	·	·19	·96	·03	·06	·	·	·01	·04	·	17
18	·16	·05	·	·29	·	·25	·06	·21	·	·	·35	·	18
19	·03	·22	·	·18	·	·08	·34	·12	·	·	·	·	19
20	-	·10	·10	·01	·	·	·02	·36	·	·	·01	·01	20
21	·19	·	·	·	·50	·	·	·	·	·	·15	·	21
22	·11	·	·07	·06	·01	·	·	·06	·	·	·01	·	22
23	·20	·01	·	·17	·48	·18	·	·05	·	·	·21	·24	23
24	·01	·	·	·09	·34	·	·06	·	·	·	·	·	24
25	·04	·	·	·73	·	·	·18	·	·	·	·08	·	25
26	·02	·	·	·42	·	·	·03	·	·	·	·30	·01	26
27	·11	·66	·	·10	·55	·	·02	·	·	·01	·11	·03	27
28	·16	·14	·	·19	·40	·	·	·	·	·05	·01	·12	28
29	·02	×	·	·	·18	·	·11	·	·	·34	·01	·	29
30	·	×	·	·	·	·	·	·	·	·	·	·	30
31	·27	×	·	×	·10	×	·		×	·	×	·	31
TOTAL	1·90	2·81	·31	4·03	4·36	4·48	3·80	5·30	2·67	·81	3·85	·87	YEAR'S TOTAL 35·19
*Days with ·01 in. or more.	20	19	6	21	17	15	20	18	11	9	21	10	187
*Days with ·04 in. or more.	13	17	3	19	12	10	13	16	8	4	16	6	1367

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J O Shewell

[P.T.O.

Section **A** for the entry of D R OFFICIAL USE. 2471

AIR MINISTRY.—~~METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.~~

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ("Wych Elm") Northfield

in the ~~County~~ *of* BIRMINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 540 ft.

Note change of address

Footnote :- Formerly at West Heath House

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·07	·	·06	·03	·05	·	·	·38	·01	·	·	1
2	·08	·12	·	·70	·04	·03	·	·12	·42	·	·01	·06	2
3	·	·	·	·03	·	·	·01	·	·88	·	·51	·10	3
4	·	·	·	·13	·	·	·65	·08	·13	·	·04	~~·25~~	4
5	·	·07	·	·18	·08	1·10	·09	·01	·13	·	·	·25	5
6	·	·15	·	·07	·	·25	·02	·01	·01	·31	·20	~~·04~~	6
7	·	·	·	·	·	·01	·87	·65	·	·03	·14	·01	7
8	·09	·06	·01	·05	·	·08	·01	1·26	·	·01	·19	·	8
9	·	·30	·01	·04	·	·02	·	·05	·	·	·46	·	9
10	·01	·01	·01	·	·03	·07	·01	·26	·02	·	·30	·	10
11	·22	·32	·	·	·03	·02	·	·	·13	·	·16	·	11
12	·02	·08	·	·	·	·	·65	·15	·40	·04	·	·	12
13	·	·	·	·	·	·	·04	·16	·	·	·	·	13
14	·	·08	·11	·	·01	1·61	·39	1·33	·03	·	·56	·	14
15	·01	·15	·	·10	·15	·	·18	·33	·	·	·	·04	15
16	·09	·15	·	·24	·47	·70	·	·09	·14	·	·	·	16
17	·06	·07	·	·19	·96	·03	·06	·	·	·01	·04	·	17
18	·16	·05	·	·29	·	·25	·06	·21	·	·	·35	·	18
19	·03	·22	·	·18	·	·08	·34	·12	·	·	·	·	19
20	-	·10	·10	·01	·	·	·02	·36	·	·	·01	·01	20
21	·19	·	·	·	·50	·	·	·	·	·	·15	·	21
22	·11	·	·07	·06	·01	·	·	·06	·	·	·01	·	22
23	·20	·01	·	·17	·48	·18	·	·05	·	·	·21	·24	23
24	·01	·	·	·09	·34	·	·06	·	·	·	·	·	24
25	·04	·	·	·73	·	·	·18	·	·	·	·08	·	25
26	·02	·	·	·42	·	·	·03	·	·	·	·30	·01	26
27	·11	·66	·	·10	·55	·	·02	·	·	·01	·11	·03	27
28	·16	·14	·	·19	·40	·	·	·	·	·05	·01	·12	28
29	·02	×	·	·	·18	·	·11	·	·	·34	·01	·	29
30	·	×	·	·	·	·	·	·	·	·	·	·	30
31	·27	×	·	×	·10	×	·	·	×	·	×	·	31
TOTAL	1·90	2·81	·31	4·03	4·36	4·48	3·80	5·30	2·67	·81	3·85	·87	YEAR'S TOTAL 35·19
*Days with ·01 in. or more.	20	19	6	21	17	15	20	18	11	9	21	10	187
*Days with ·04 in. or more.	13	17	3	19	12	10	13	16	8	4	16	6	1367

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. O. Shewell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2471

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at "Wych Elm" Northfield

in the ~~*County*~~ *of* BIRMINGHAM.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·03	·	·15	·78	·07	·03	·05	·07	·18	·02	·	1
2	·03	·01	·	·12	·42	·	·	·	·37	·05	·01	·10	2
3	-	·02	·	·20	·11	·	·	·	·	·02	·	·03	3
4	·03	·01	·	·33	·	·	·	·	·	·	·48	·	4
5	·36	·	·05	·01	·06	·	·	·	·10	·	·	·	5
6	·29	·	·11	·44	·	·	·11	·	·31	·	·	·	6
7	·02	·	·18	·09	·	·	·	·	·03	·25	·	·	7
8	·	·	·01	·03	·	·	·	·	·70	·57	·	·	8
9	·16	·11	·	·	·01	·	·	·	·	·	·	·	9
10	·28	·02	·01	·16	·09	·	·	·	·13	·23	·	·	10
11	-	·02	·	·07	·07	·04	·16	·	·03	·07	·01	·03	11
12	·28	·	·	·	·19	·	·	·	·11	·34	·04	·	12
13	·03	·02	·	·12	·04	·	1·13	·01	·02	·02	·01	·05	13
14	·26	·	·	·02	·	·	·07	·10	·	·02	·10	·01	14
15	·01	·	·	·06	·65	·	·	·	·	·03	·	·01	15
16	·24	·	·	·13	·04	·	·05	·	·	·	·	·	16
17	-	·	·	·	·	·	·05	·	·01	·05	·01	·	17
18	-	·	·	·	·05	·	·	·	·02	·02	·08	·	18
19	·01	·01	·	·05	·03	·	·	·	·	·22	·01	·	19
20	·	·	·	·12	·81	·	·01	·82	·	·40	·10	·	20
21	·	·	·09	·14	1·21	·	·	·16	·	·28	·07	·11	21
22	·	·	·17	·06	·03	·	·09	·	·64	·03	·11	·02	22
23	·	·02	·	·01	·29	·	·05	·	·07	·14	·04	·03	23
24	·02	·	·	·	·04	·07	·43	·	·15	·02	·15	·	24
25	·	·03	·	·	·02	·07	·03	·	·36	·14	·09	·	25
26	·	·	·05	·44	·14	·	·19	·	·	·02	·02	·01	26
27	·	·	·62	·25	·40	·	·12	·	·	·01	·07	·01	27
28	·	·	·06	·07	·25	·05	·16	·69	·	·	·	·03	28
29	·	·	·21	·17	·24	·15	·06	·	·19	·36	·03	·12	29
30	·	×	·11	·17	·01	·95	·61	·	·44	·17	·21	·15	30
31	·	×	·02	×	·01	×	·21	·	×	·	×	·23	31
TOTAL	2·08	·30	1·69	3·41	5·99	1·40	3.56	1·83	3·75	3·64	1·66	·94	YEAR'S TOTAL 30·25
*Days with ·01 in. or more.	15	11	13	24	25	7	18	6	18	24	20	15	196
*Days with .04 in. or more.	8	1	10	20	19	7	15	5	13	15	12	6	131

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. B. Shewell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2471

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at "Wych Elm" NORTHFIELD
in the ~~County~~ City *of* Birmingham
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·41	·38	·02	·	·	·	·	·	·	·	·04	·		1
2	·20	·	·32	·	·01	·01	·	·	·	·	·	·		2
3	·	·08	·21	·	·15	·	·	·	·	·	·07	·		3
4	·08	·	·	·	·31	·	·	·	·	·	·01	·		4
5	·14	·10	·27	·	·10	·	·	·	·	·	·01	·		5
6	·	·22	·01	·	·12	·	·	·	·	·08	·01	·		6
7	·01	·20	·06	·	·	·	·	·	·	·13	·	·		7
8	·05	·	·13	·	·12	·	·53	·	·	·	·	·		8
9	·	·	·	·	·06	·	·39	·	·	·64	·03	·		9
10	·07	·23	·	·	·	·02	·21	·	·	1·58	·14	·		10
11	·	·	·	·	·04	·	·43	·	·	·03	·01	·		11
12	·	·	·	·	·	·01	·12	·	·04	·	·	·04		12
13	·	·	·	·	·11	·01	·26	·	·01	·06	·27	·		13
14	·	·	·	·	·	·	·12	·07	·	·07	·31	·		14
15	·65	·	·01	·	·	·45	·38	·02	·	·	·01	·07		15
16	·10	·	·81	·	·01	·09	·01	·	·	·05	·03	·		16
17	·10	·	·27	·	·	·07	·05	·	·05	·	·07	·01		17
18	·03	·01	·10	·	·	·35	·	·	·	·	·03	·		18
19	·	·03	·34	·	·	·16	·	·	·02	·	·05	·		19
20	·	·01	·06	·	·	·94	·	·12	·02	·02	·01	·		20
21	·	·	·	·	·	·07	·	·22	·	·01	·	·		21
22	·	·	·	·	·	·29	·	·35	·	·19	·	·		22
23	·	·	·	·15	·	·03	·	·	·13	·25	·01	·		23
24	·	·55	·	·18	·04	·37	·	·	·20	·03	·02	·		24
25	·	·59	·	·18	·	·35	·	·	·17	·	·	·05		25
26	·	·87	·	·14	·18	·	·	·	·02	·23	·	·02		26
27	·	·01	·	·	·32	·	·	·	·01	·05	·	·06		27
28	·	·	·	·27	·15	·	·01	·	·01	·05	·	·11		28
29	·01		·02	·	·	·	·	·	·	·03	·	·01		29
30	·04	✕	·16	·	·	·	·02	·	·	·05	·	·15		30
31	·07	✕	·25	✕	·	✕	·03	·09	✕	·28	✕	·		31
TOTAL	1·96	3·28	3·04	·92	1·72	3·22	2·56	·87	·68	3·83	1·08	·52	Year's Total 23·68	
*Days with ·01 in. or more.	14	13	16	5	14	15	13	6	11	19	18	9	153	
*Days with .04 in. or more.	11	9	12	5	12	10	9	5	5	14	6	6	104	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Shewell

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2471

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at "Wych Elm" NORTHFIELD

in the ~~County~~ City *of* Birmingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·	·	·	·	·	·	·18	·61	·01	·07	·44		1
2	·04	·01	·06	·	·	·	·	·01	·35	·	·11	·20		2
3	·04	·03	·	·	·	·	·	·01	·02	·07	·	·05		3
4	·07	·	·20	·08	·13	·	·	·	·11	·	·10	·50		4
5	·	·	·10	·02	·13	·	·	·60	·	·04	·17	·03		5
6	·	·	·16	·02	·30	·03	·	·01	·	·18	·	·52		6
7	·15	·	·	·	·	·07	·	·10	·	·08	·	·30		7
8	·	·	·10	·	·05	·	·	·02	·	·	·23	·05		8
9	·	·	·21	·03	·	·	·	·08	·	·	·77	·50		9
10	·09	·	·24	·30	·	·	·	·13	·	·	·11	·01		10
11	·99	·	·07	·20	·	·	·04	·13	·	·	·02	·30		11
12	·	·	·19	·02	·	·	·46	·12	·	·	·	·01		12
13	·52	·	·01	·15	·	·	·47	·02	·	·03	·	·10		13
14	·19	·	·36	·	·	·02	·	·	·02	·20	·36	·19		14
15	·04	·	·15	·	·20	·	·05	·	·07	·53	·27	·13		15
16	·18	·	·15	·	·01	·	·	·02	·	·	·03	·01		16
17	·02	·	·03	·01	·01	·	·06	·	·40	·10	·02	·09		17
18	·30	·	·	·28	·	·	·01	·	·	·	·	·02		18
19	·	·	·20	·02	·	·10	·	·	·02	·01	·	·16		19
20	·	·	·08	·	·	·01	·	·02	·	·	·	·01		20
21	·	·	·01	·	·	·30	·	·16	·	·07	·	·		21
22	·	·	·01	·	·02	·	·	·19	·23	·	·	·27		22
23	·	·	·03	·25	·07	·13	·07	·	·	·01	·	·03		23
24	·	·29	·10	·08	·	·05	·01	·	·24	·	·	·		24
25	·28	·	·	·06	·05	·27	·	·	·	·33	·	·48		25
26	·07	·	·06	·02	·	·03	·	·	·03	·06	·05	·04		26
27	·05	·01	·	·19	·	·02	·	·	·02	·02	·01	·17		27
28	·	·	·	·39	·	·05	·01	·21	·	·07	·04	·38		28
29	·		·	·	·	·	·57	·06	·62	·04	·01	·01		29
30	·04	×	·	·	·	·	·02	·	·04	·		·20		30
31	·	×	·	×	·	×	·	·	×	·13	×	·11		31
TOTAL	3·09	·34	2·52	2·12	·97	1·08	1·77	2·07	2·78	1·98	2·37	5·31	Year's Total. 26·40	
* Days with .01 in. or more.	17	4	21	17	10	12	11	18	14	18	16	29	187	
* Days with .04 in. or more.	15	1	16	10	7	7	7	11	9	13 9	11	21	128	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. O. Shewell

[P.T.O.

(FILE No. 661848/26)

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 2471

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Wych Elm" NORTHFIELD

in the ~~*County*~~ *of* BIRMINGHAM Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	·05	·01	·01	·01	·06	·01	·	·17	·24	·15	·02		1
2	·	·	·	·01	·	·	·	·	·18	·24	·01	·09		2
3	·01	·22	·06	·01	·	·01	·	·	·05	·23	·20	·18		3
4	·	·	·	·17	·	·16	·	·	·33	·21	·01	·06		4
5	·	·58	·16	·06	·	·	·03	·	·	·04	·10	·01		5
6	·	·	·01	·35	·	·29	·	·	·	·	·01	·		6
7	·	·	·	·20	·	·09	·	·	·	·17	·29	·17		7
8	·	·	·	·18	·	·03	·	·02	·	·17	·27	·09		8
9	·	·	·	·28	·	·36	·	·	·	·35	·45	·		9
10	·	·	·	·04	·	·	·10	·	·	·	·02	·		10
11	·22	·01	·	·	·	·17	·	·	·	·	·21	·02		11
12	·20	·02	·	·	·	·08	·	·05	·02	·	·	·		12
13	·20	·11	·	·18	·17	·	·	·	·	·01	·	·		13
14	·01	·	·		·08	·04	·	·	·	·	·76	·16		14
15	·	·02	·	·68	·03	·02	·01	·	·16	·	·16	·17		15
16	·	·08	·13	·30	·	·14	·	·	·48	·24	·80	·16		16
17	·	·	·	·11	·	·14	·05	·	·	·01	·56	·		17
18	·01	·	·	·24	·02	·18	·12	·	·26	·07	·10	·		18
19	·	·	·	·17	·46	·28	·15	·	·06	·14	·30	·01		19
20	·02	·27	·	·39	·01	·06	·12	·	·05	·	·54	·		20
21	·	·31	·01	·	·	·	·	·	·52	·01	·13	·		21
22	·	·08	·	·08	·	·	·	·04	·01	·	·	·		22
23	·06	·01	·11	·06	·	·	·	·30	·07	·47	·	·		23
24	·13	·35	·01	·	·	·	·	·	·89	·03	·	·53		24
25	·10	·25	·	·11	·	·47	·	·	·	·	·	·17		25
26	·	·06	·	·	·	·	·	·48	·21	·	·	·54		26
27	·	·16	·	·	·	·	·01	·	·40	·03	·17	1·04		27
28	·03	·03	·	·	·46	·	·	·13	·08	·09	·01	·06		28
29	·01	·	·05	·	·	·	·	·07	·06	·07	·13	·26		29
30	·03	×	·	·19	·02	·01	·	·40	·03	·14	·40	·15		30
31	·	×	·	×	·	×	·	·	×	·56	×	·24		31
TOTAL	1·06	2·61	·55	3·82	1·26	2·59	·60	1·49	4·03	3·52	5·78	4·13	Year's Total. 31·44	
* Days with .01 in. or more.	14	17	9	21	9	18	9	8	19	22	23	20	189	
* Days with .04 in. or more.	6	12	5	18	4	14	5	7	16	16	18	16	137	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Shewell

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2471

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at "Wych Elm" NORTHFIELD

in the County of BIRMINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

„ Ground „ Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·10	·14	·46	·	·27	·14	·12	·	·	·06	·01		1
2	·	·	·06	·05	·	·67	·81	·	·	·	·06	·05		2
3	·07	·01	·	·	·	·34	·02	·	·34	·	·03	·03		3
4	·	·	·11	·	·	·13	·	·	·20	·	·08	·10		4
5	·19	·01	·02	·	·	·	·03	·08	·03	·	·01	·24		5
6	·03	·	·	·	·20	·08	·	·22	·20	·	·25	·05		6
7	·02	·	·07	·	·	·	·37	·	·26	·	·14	·		7
8	·27	·	·08	·	·	·	·	·	·07	·	·44	·06		8
9	·32	·	·14	·	·	·	1·34	·	·12	·12	·07	·01		9
10	·06	·	·02	·	·	·	·29	·03	·04	·	·01	·		10
11	·	·	·	·05	·	·03	·06	·04	·17	·	·63	·		11
12	·	·	·	·03	·19	·47	·69	·	·53	·	·07	·25		12
13	·	·	·	·06	·	·22	·	·	·	·04	·01	·31		13
14	·	·	·	·22	·01	·06	·23	·	·27	·03	·05	·39		14
15	·06	·	·	·	·13	·02	·01	·	·10	·	·06	·12		15
16	·12	·18	·01	·02	·07	·	·06	·	·	·	·53	·02		16
17	·	·74	·	·	·	·	·15	·	·	·13	·03	·34		17
18	·	·08	·	·	·02	·27	·41	·01	·	·10	·	·03		18
19	·53	·18	·06	·25	·	·05	·02	·05	·	·05	·	·		19
20	·02	·18	·01	·02	·	·03	·	·	·14	·01	·	·		20
21	·	·	·	·22	·	1·49	·04	·	·	·	·	·		21
22	·	·77	·06	·	·11	·	·29	·	·	·	·01	·05		22
23	·	·03	·25	·13	·09	·	·33	·	·	·03	·	·01		23
24	·25	·10	·	·02	·01	·	·01	·	·02	·21	·01	·		24
25	·12	·	·21	·28	·	·	·48	·	·24	·03	·01	·		25
26	·04	·10	·36	·04	·	·	·01	·	·06	·09	·06	·		26
27	·14	·02	·04	·	·	·	·01	·	·11	·10	·01	·		27
28	·49	·09	·19	·	·	·	·02	·	·	·02	·	·12		28
29	·01	·25	·15	·	·23	·27	·06	·	·	·02	·03	·15		29
30	·03	✕	·	·	·01	·30	·11	·	·	·42	·	·		30
31	·66	✕	·10	✕	·27	✕	·07	·	✕	·07	✕	·19		31
													Year's Total	
TOTAL	3·44	2·84	2·08	1·85	1·34	4·60	6·06	·55	2·90	1·47	2·66	2·53	32·32	✓
* Days with .01 in. or more.	20	15	19	14	12	16	26	7	17	16	23	20	205	✓
* Days with .04 in. or more.	13	11	15	10	8	13	18	5	15	10	13	14	145	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J.H. Shewell [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2471

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Totals

Kept at "Wych Elm" Northfield

in the County of BIRMINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

„ Ground „ Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·01	·	·07	·	·	·	·	·19	·	·10	·43		1
2	·02	·07	·03	·53	·	·	·01	·	·	·	·01	·24		2
3	·	·08	·05	·	·	·	·05	·	·03	·	·	·09		3
4	·10	·23	·01	·	·03	·01	·	·	·	·	·	·62		4
5	·10	·	·21	·	·	·	·02	·02	·	·	·	·		5
6	·07	·15	·01	·08	·09	·	·01	·	·	·04	·01	·		6
7	·	·58	·01	·21	·	·	·	·	·02	·	·	·		7
8	·	·08	·	·03	·05	·	·02	·	·	·	·39	·		8
9	·	·02	·	·06	·21	·	·38	·	·21	·	·	·01		9
10	·02	·03	·40	·08	·	·12	·	·	·	·	·	·12		10
11	·	·02	·39	·	·45	·11	·02	·24	·	·	·	·18		11
12	·13	·38	·21	·	·26	·	·	·46	·16	·	·	·36		12
13	·10	·03	·01	·11		·04	·	·	·10	·	·	·02		13
14	·	·02	·15	·05	·	·	·	·16	·02	·	·01	·08		14
15	·19	·05	·	·38	·	·	1·35	·01	·15	·	·01	·03		15
16	·	·18	·47	·35	·	·	·	·	·19	·	·	·		16
17	·18	·06	·33	·16	·	·09	·	·	·28	·	·	·		17
18	·58	·08	·13	·01	·	·	·01	·	·61	·01	·29	·04		18
19	·	·04	·16	·12	·	·20	·19	·	·	·	·08	·		19
20	·27	·02	·03	·43	·30	·	·	·	·	·	·	·		20
21	·11	·25	·03	·08	·02	·	·28	·	·	·	·	·08		21
22	·15	·03	·11	·	·10	·04	·25	·	·	·61	·30	·04		22
23	·26	·02	·01	·	·37	·	·09	·	·	·47	·16	·		23
24	·26	·36	·03	·	·03	·	·	·	·05	·24	·	·		24
25	·05	·34	·	·	·02	·	·	·	·06	·61	·	·01		25
26	·	·48	·05	·	·59	·	·	·	·	·	·	·04		26
27	·	·35	·	·22	·	·	·	·	·	·84	·	·		27
28	·	·31	·	·	·	·03	·	·	·	·04	·	·02		28
29	·10		·	·	·	·01	·	·	·	·09	·04	·01		29
30	·31	✕	·		·	·01	·	·01	·	·03	·10	·01		30
31	·28	✕	·	✕	·	✕	·	·	✕	·11	✕	·01		31
TOTAL	3·32	4·27	2·83	2·97	2·52	·66	2·68	·90	2·07	3·09	1·50	2·44	Year's Total 29·25	✓
* Days with .01 in. or more.	20	27	21	17	13	10	13	6	13	11	12	20	183	✓
* Days with .04 in. or more.	18	18	12	15	9	6	7	3	10	9	8	12	127	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) J. W. Shewell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2471

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at "Wych Elm" Northfield

in the ~~County~~ *of* BIRMINGHAM

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" Ground " Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·	·	·03	·	·	·64	·33	·	·	·11	·06	·32		1
2	·	·	·	·	·01	·20	·	·	·	·25	·	·		2
3	·01	·	·	·	·08	·01	·41	·	·	·52	·	·		3
4	·	·	·	·	·	·01	·01	·28	·	·18	·	·26		4
5	·	·	·	·	·	·06	·08	1·00	·02	·05	·	·02		5
6	·01	·01	·	·	·	·02	·36	·	·07	·07	·	·01		6
7	·01	·	·	·	·	·	·33	·27	·13	·25	·	·02		7
8	·50	·	·	·	·	·	·18	·39	·	·22	·	·04		8
9	·03	·04	·	·	·	·03	·04	·04	·	·	·	·55		9
10	·01	·01	·	·	·	·09	·38	·28	·	·	·	·13		10
11	·51	·05	·	·	·	·01	·	·	·	·02	·15	·04		11
12	·23	·01	·	·	·12	·	·	·39	·	·21	·26	·		12
13	·	·	·	·	·02	·	·04	·	·	·01	·23	·75		13
14	·19	·01	·	·	·02	·	·66	·	·04	·	·	·01		14
15	·12	·	·	·	·16	·	·11	·	·	·	·02	·48		15
16	·21	·	·	·	·	·	·01	·03	·	·	·04	·02		16
17	·	·03	·	·	·	·	·01	·	·03	·11	·01	·01		17
18	·05	·01	·	·	·12	·30	·	·09	·11	·	·34	·		18
19	·	·	·	·	·	·	·	0·10	·02	·	·24	·01		19
20	·	·	·	·	·	·	·	·	·02	·	·18	·		20
21	·03	·	·	·	·	·	·	·04	·05	·	·06	·40		21
22	·	·	·	·07	·	·07	·	·01	·	·	·36	·37		22
23	·	·	·	·	·	·	·	·	·10	·	·01	·		23
24	·	·	·07	·	·17	·	·	·03	·08	·	·03	·04		24
25	·05	·19	·16	·	·01	·	·07	·03	·12	·20	·40	·22		25
26	·07	·33	·18	·	·08	·	·	·	·02	·30	·	·12		26
27	·10	·01	·	·	·34	·18	·32	·45	·23	·02	·37	·		27
28	·17	·01	·	·	·10	·18	·04	·49	·09	·	·03	·16		28
29	·49		·	·	·47	·01	·01	·	·	·06	·15	·17		29
30	·06	✕	·	·	·01	·28	·	·	·97	·01	·30	·26		30
31	·15	✕	·	✕	·16	✕	·	·	✕	·18	✕	·30		31
TOTAL	3·00	·71	·44	·07	1·87	2·09	3·39	3·92	2·10	2·77	3·29	4·71	Year's Total 28·36	✓
* Days with .01 in. or more.	20	12	4	1	15	15	18	16	16	18	19	24	178	✓
* Days with .04 in. or more.	14	4	3	1	10	9	14	12	11	14	14	17	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. W. Shewell

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2471

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at "Wych Elm" Northfield
in the County of Birmingham
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 540 ft.

CHANGE OF ADDRESS
FROM and INCLUDING SEPT: 26
Entries from Sept 26th transferred to S/N 2447/8
TO:-
"ARROWSIDE" ALCESTER WARWICKS
DIAM. FUNNEL SAME - HEIGHT ditto. 148 ft above SL.
LONGITUDE 1° 52' - LAT. 52° 13'

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
										ALCESTER				
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·	·08	·16	·10	·	·	·	·03	·	·	·01		1
2	·11	·	·	·02	·	·	·02	·41	·48	·	·04	·01		2
3	·28	·	·	·32	·	·	·	·36	·	·	·20	·24		3
4	·12	·	·35	·39	·05	·	·35	·16	·13	·19	·04	·19		4
5	–	·	·01	·13	·28	·	·16	·13	·	·05	·25	·14		5
6	·64	·	·	·	·	·	·55	·01	·	·05	·10	·		6
7	·01	·06	·	·	·	·	·25	·	·	·10	·29	·33		7
8	·01	·16	·31	·	·	·	·50	·10	·	·80	·23	·32		8
9	·01	·04	·	·	·	·	·	·23	·	·36	·	·15		9
10	·62	·	·05	·	·	·	·	·16	·07	·04	·	·		10
11	·01	·02	·16	·	·	·11	·	·	·	·	·	·		11
12	·01	·01	·	·	·	·17	·	·	·	·03	·	·		12
13	–	·	·01	·10	·01	·	·21	·	·06	·19	·	·		13
14	·41	·	·03	·11	·16	·14	·14	·	·	·10	·09	·		14
15	·76	·	·01	·02	·09	·52	·43	·	·01	·14	·31	·		15
16	·13	·	·05	·	·35	·05	·06	·	·	·08	·25	·		16
17	·57	·03	·	·01	·05	·09	·46	·	·	·98	·02	·		17
18	·25	·07	·06	·	·01	·16	·11	·	·	·01	·36	·		18
19	·19	·	·	·	·	·	·43	·	·	·	·	·		19
20	·23	·	·02	·	·	·01	·26	·03	·	·04	·	·		20
21	·16	·24	·18	·03	·06	·10	·01	·07	·07	·	·	·		21
22	·27	·26	·01	·08	·	·01	·02	·	·02	·01	·40	·		22
23	·09	·	·	·03	·	·01	·14	·	·	·06	·56	·		23
24	·18	·	·	·16	·	·01	·16	·	·	·01	·	·		24
25	·92	·11	·	·03	·	·	·08	·	·		·17			25
26	·05	·	·	·01	·	·	·	·	ALCESTER ·	·02	·39	·05		26
27	·01	·18	·10	·02	·	·02	·12	·	·	·05	·	·09		27
28	·01	·18	·16	·	·	·29	·16	·02	·	·	·19	·15		28
29	–		·	·21	·	·	·12	·39	·	·	·09	·		29
30	–	✕	·	·10	·	·59	·01	·	·	·18	·08	·		30
31	–	✕	·	✕		✕	·01	·20	✕	·01	✕	·		31
TOTAL	6·18	1·36	1·59	1·93	1·16	2·28	4·76	2·27	·87	~~3·53~~	~~4·06~~	~~1·68~~	Year's Total ~~31·67~~	
* Days with .01 in. or more.	26	12	16	18	10	15	24	13	8	~~22~~	~~19~~	~~11~~	~~194~~	
* Days with .04 in. or more.	19	9	10	10	8	10	19	10	5	~~17~~	~~18~~	~~9~~	~~144~~	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J G Shewell

[P.T.O.

Section **A** for the ... on No. 2471/5

2471/5 - 096712

HIGHTER HEATH RES

1933 - 1940

780408

METFORM 1090
(Rev. Feb. 1965)

33

Kept at Highter

in the County of War

Diameter of funnel of gaug

Height of top of gauge abo

Height of ground above se

THE MORNING MEASU Y

An observer who does not *f the following*
year in the space on the righ **eaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.49	.34	.02	-	-	-	-	-	-	-	.03	-		1
2	.26	-	.37	-	.03	-	-	-	-	-	.01	-		2
3	-	.09	.17		.14	-	-	-	-	-	-	-		3
4	.15	-	-		.30	-	-	-	-	-	-	-		4
5	.12	.11	.29	-	.11	-	-	-	-	-	.01	-		5
6	-	.23	-	-	.11	-	-	-	-	.07	-	.01		6
7	.03	.16	.06	-	-	-	-	-	-	.14	-	-		7
8	.05	-	.10	-	.12	-	.42	-	-	.01	-	-		8
9	-	-	-		.04	-	.31	.02	-	.39	.02	-		9
10	.06	.24	-	-	-	.01	-	.03	-	1.76	.04	-		10
11	-	-	-	-	.01	-	.28	-	-	.03	-	-		11
12	.01	-	-	-	-	.09	.12	-	.06	.01	-	.03		12
13	.01	-	-	-	.17	.02	.29	-	.04	.15	.25	-		13
14	-	-	-	-	-	-	.13	.05	-	.07	.32	-		14
15	.77	-	.01	-	-	.34	.50	.04	-	-	.03	.06		15
16	.06	-	.75		.01	.08	.35	.01	-	.06	.03	-		16
17	.11	-	.36		-	.05	.06	-	.06	-	.11	-		17
18	.08	-	.03	-	-	.37	-	-	-	-	.04	-		18
19	-	.03	.42	-	-	.31	-	-	.01	-	.03	-		19
20	-	-	.03	-	-	.62	-	.06	.05	.02	.01	-		20
21	-	-	-	-	-	.15	-	.15	-	.01	-	-		21
22	-	-	-	-	-	.30	-	.31	-	.21	-	-		22
23	-	-	-	.18	-	.06	-	-	.10	.21	-	-		23
24	-	.30	-	.17	.04	.28	-	-	.23	.02	.04	-		24
25	-	.66	-	.21	-	.48	-	-	.17	-	-	.06		25
26	-	.76	-	.12	.10	-	-	-	.01	.26	-	.01		26
27	-	.01	-	-	.35	-	-	-	.01	.05	-	.06		27
28	-	-	-	.29	.59	-	.01	-	.01	.08	-	.11		28
29	-	X	.01	.07	-	-	.11	-	-	.08	-	.01		29
30	.05	X	.16	.01	-	-	.05	-	-	.04	-	.16		30
31	.10	X	.26	X	-	X	.02	.10	X	.20	X	-		31
TOTAL	2.35	2.93	3.04	1.05	2.12	3.16	2.65	0.77	0.75	3.87	0.97	0.51	Year's Total 24.17	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 2471/5

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~33

Kept at Hightes Heath Reservoir

in the County of Warwickshire

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·49	·34	·02	–	–	–	–	–	–	–	·03	–		1
2	·26	–	·37	–	·03	–	–	–	–	–	·01	–		2
3	–	·09	·17	–	·14	–	–	–	–	–	–	–		3
4	·15	–	–	–	·30	–	–	–	–	–	–	–		4
5	·12	·11	·29	–	·11	–	–	–	–	–	·01	–		5
6	–	·23	–	–	·11	–	–	–	–	·07	–	·01		6
7	·03	·16	·06	–	–	–	–	–	–	·14	–	–		7
8	·05	–	·10	–	·12	–	·42	–	–	·01	–	–		8
9	–	–	–		·04	–	·31	·02	–	·39	·02	–		9
10	·06	·24	–	–	–	·01	–	·03	–	1·76	·04	–		10
11	–	–	–	–	·01	–	·28	–	–	·03	–	–		11
12	·01	–	–	–	–	·09	·12	–	·06	·01	–	·03		12
13	·01	–	–	–	·17	·02	·29	–	·04	·15	·25	–		13
14	–	–	–	–	–	–	·13	·05	–	·07	·32	–		14
15	·77	–	·01	–	–	·34	·50	·04	–	–	·03	·06		15
16	·06	–	·75		·01	·08	·35	·01	–	·06	·03	–		16
17	·11	–	·36		–	·05	·06	–	·06	–	·11	–		17
18	·08	–	·03	–	–	·37	–	–	–	–	·04	–		18
19	–	·03	·42	–	–	·31	–	–	·01	–	·03	–		19
20	–	–	·03	–	–	·62	–	·06	·05	·02	·01	–		20
21	–	–	–	–	–	·15	–	·15	–	·01	–	–		21
22	–	–	–	–	–	·30	–	·31	–	·21	–	–		22
23	–	–	–	·18	–	·06	–	–	·10	·21	–	–		23
24	–	·30	–	·17	·04	·28	–	–	·23	·02	·04	–		24
25	–	·66	–	·21	–	·48	–	–	·17	–	–	·06		25
26	–	·76	–	·12	·10	–	–	–	·01	·26	–	·01		26
27	–	·01	–	–	·35	–	–	–	·01	·05	–	·06		27
28	–	–	–	·29	·59	–	·01	–	·01	·08	–	·11		28
29	–	X	·01	·07	–	–	·11	–	–	·08	–	·01		29
30	·05	X	·16	·01	–	–	·05	–	–	·04	–	·16		30
31	·10	X	·26	X	–	X	·02	·10	X	·20	X	–		31
TOTAL	2·35	2·93	3·04	1·05	2·12	3·16	2·65	0·77	0·75	3·87	0·97	0·51	Year's Total 24·17	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

096712

Section **A** for the entry of Daily Observations

Station No. 2471/5

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~34

Kept at Highters Heath Reservoir

in the County of Warwickshire

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	-	-	-	-	-	-	·14	·01	·01	·06	·45		1
2	·04	-	·08	-	-	-	-	-	·38	-	·07	·21		2
3	·02	·06	-	-	-	-	-	-	·01	·12	-	·02		3
4	·07	-	·14	·07	·15	-	-	-	·13	·01	·09	·48		4
5	-	-	·08	·02	·17	-	-	·54	-	·03	·11	·03		5
6	-	-	·01	·03	·33	·09	-	-	-	·17	-	·47		6
7	·15	·01	-	-	-	·06	-	·12	-	·04	-	·30		7
8	-	-	·06	-	·04	-	-	·02	-	-	·19	·05		8
9	·01	-	·23	·04	-	-	-	·07	-	-	·80	·21		9
10	·11	-	·19	·26	-	-	-	·11	-	-	·10	-		10
11	1·03	-	·04	·19	-	-	-	·10	-	-	-	·30		11
12	-	·01	·11	·01	-	-	·19	·17	-	-	-	·01		12
13	·60	-	·02	·18	-	-	·22	·04	-	·03	-	·10		13
14	·16	-	·41	·01	·03	·04	-	-	·02	·18	·38	·27		14
15	·03	·01	·17	-	·16	-	·08	-	·25	·38	·29	·13		15
16	·18	-	·18	-	·01	-	-	·02	-	·04	·03	-		16
17	·03	-	·02	·01	·05	-	·04	-	·29	·04	·03	·12		17
18	·25	-	-	·32	-	-	·03	-	·01	-	-	·04		18
19	-	-	·21	·02	-	·09	-	·03	·03	-	-	·10		19
20	-	-	·02	·02	-	-	-	-	-	·01	-	-		20
21	·01	-	-	-	-	·28	-	·11	-	·05	-	-		21
22	-	-	-	-	·01	-	-	·33	·26	·01	-	·17		22
23	-	·01	·02	·27	·10	·17	·06	-	-	-	·01	·09		23
24	-	·28	·10	·02	-	·05	-	-	·26	-	·01	-		24
25	·25	-	-	·10	·04	·21	-	-	-	·25	-	·53		25
26	·06	-	·10	·09	-	·04	-	-	·05	·03	·03	·02		26
27	·01	-	-	·15	-	·01	-	-	·02	·02	-	·19		27
28	-	-	-	·34	-	·18	·01	·23	-	·13	·07	·37		28
29	-	X	-	-	-	-	·56	·10	·59	·01	-	·01		29
30	·04	X	-	-	-	-	·03	-	·04	-	-	·21		30
31	-	X	-	X	-	X	-	-	X	·15	X	·10		31
TOTAL	3·08	·38	2·19	2·15	1·09	1·22	1·22	2·13	2·35	1·71	2·27	4·98	Year's Total 24·77	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

096712

Section A **for the entry of Daily Observations** **Station No.** 2471/5

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~35

Kept at Highton Heath Reservoir

in the County of Warwickshire

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·04	-	·03	-	·06	·02	-	·15	·15	·20	·04		1
2	-	-	-	-	-	·06	-	-	·22	·28	-	·09		2
3	-	·22	·08	-	-	-	-	-	·16	·23	·25	·13		3
4	-	-	-	·17	-	·15	-	-	·21	·16	·01	·14		4
5	-	·58	·15	·03	-	·10	·05	-	-	·02	·14	-		5
6	-	·02	-	·34	-	·28	-	-	-	-	·11	-		6
7	-	-	-	·21	-	·17	-	-	-	·19	·34	·15		7
8	-	-	-	·18	-	·07	-	·51	-	·14	·24	·08		8
9	-	-	-	·27	-	·33	-	-	-	·32	·31	·03		9
10	-	-	-	·06	-	-	-	-	-	-	·03	-		10
11	·20	-	-	-	-	·25	-	·01	-	-	·20	·02		11
12	·12	·04	-	-	-	·12	-	·07	·01	-	·01	-		12
13	·15	·08	-	·19	·17	-	-	-	-	·01	-	-		13
14	-	-	-	-	·04	-	-	-	-	-	·59	·13		14
15	-	·03	-	·73	·02	·11	·04	-	·20	-	·21	·13		15
16	-	·09	·16	·27	-	·21	-	-	·57	·19	·69	·20		16
17	-	·01	-	·09	-	·15	·11	-	-	-	·49	·01		17
18	-	-	-	·24	·03	·13	·12	-	·21	·06	·06	-		18
19	-	·01	-	·16	·49	·31	·15	-	·05	·07	·29	·01		19
20	·03	·28	-	·21	-	·06	·02	-	·04	-	·42	-		20
21	-	·35	·01	-	-	-	-	-	·35	·02	·11	·01		21
22	-	·05	-	·11	-	-	-	-	-	-	-	-		22
23	·02	·01	·14	-	-	-	-	·40	·05	·42	-	·05		23
24	·11	·32	·01	-	-	-	-	·01	·84	·03	-	·49		24
25	·13	·18	-	·10	-	·58	-	-	-	-	-	·05		25
26	-	·06	-	-	-	-	-	·47	·21	-	·01	·54		26
27	-	·14	-	-	-	-	·01	-	·31	·07	·19	·98		27
28	·05	·01	-	-	·44	-	-	·02	·06	·12	·02	·06		28
29	·01	X	·06	-	-	-	-	-	·10	·07	·12	·22		29
30	·02	X	-	·12	·22	-	-	·37	·04	·19	·37	·12		30
31	-	X	-	X	-	X	-	-	X	·58	X	·18		31
TOTAL	·86	2·52	·61	3·51	1·41	3·14	·52	1·86	3·78	3·32	5·41	3·86	Year's Total 30·80	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..........(P.T.O.)

Section **A** for the entry of Daily Observations 096712 Station No. 2471/5

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~36

Kept at Highters Heath Reservoir

in the County of Warwickshire

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·07	·07	·50	-	·20	·17	·13	-	-	·05	·09		1
2	·06	·01	·05	·05	-	·28	·85	-	-	-	·09	-		2
3	·01	-	-	-	·02	·50	·01	-	·34	-	·02	·01		3
4	-	-	·10	-	-	·23	-	·01	·23	-	·06	·11		4
5	·14	-	·01	-	-	-	·04	·09	·04	-	-	·25		5
6	·03	-	-	-	·22	·07	·28	·32	·18	-	·25	·05		6
7	·04	-	·07	-	-	-	·31	-	·24	-	·10	·02		7
8	·33	-	·05	-	-	-	-	-	·04	-	·38	·03		8
9	·40	-	·25	-	-	-	1·05	-	·10	·08	·05	·01		9
10	·07	-	·06	-	-	-	·16	·13	·01	-	·01	-		10
11	·01	-	-	·08	-	·03	·15	-	·03	-	·63	-		11
12	-	-	-	·03	·12	·33	·62	-	99	-	·06	·12		12
13	-	-	-	·06	-	·20	-	-	-	·03	-	·38		13
14	-	-	-	·21	-	·07	·26	-	·61	·03	·05	·59		14
15	-	·04	-	-	10	·01	·07	-	·19	-	·08	·07		15
16	·13	·18	-	-	-	-	·08	-	-	-	·55	·01		16
17	-	81	-	-	-	-	·14	-	-	·16	·02	·29		17
18	-	·02	-	-	-	·07	·35	·01	-	·13	-	·04		18
19	·56	16	·06	·25	-	·06	-	04	-	·04	-	-		19
20	·03	·19	-	·02	-	·02	-	-	·10	-	-	-		20
21	-	-	·02	·21	-	2·26	·03	-	-	-	-	-		21
22	-	·52	·05	-	07	-	·25	-	-	-	·01	·06		22
23	-	·01	·42	·13	·10	-	·58	-	-	·03	-	-		23
24	·26	·13	-	·01	-	-	-	-	·04	·20	·01	-		24
25	·16	-	18	·23	-	-	·07	-	·34	·06	-	-		25
26	·04	·09	·32	·02	-	·04	·05	-	-	·09	·07	-		26
27	·08	·01	·02	-	-	-	-	-	·05	·12	-	-		27
28	·42	·10	27	-	-	-	·04	-	-	·03	-	·13		28
29	·01	19	·11	-	-	·24	·13	-	-	·01	·03	·09		29
30	·03	X	-	-	·58	70	·08	-	-	·38	-	-		30
31	·68	X	·09	X	·01	X	·05	-	X	·11	X	·18		31
TOTAL	3·49	2·53	2·20	1·80	1·22	5·31	5·82	·73	3·53	1·50	2·52	2·53	Year's Total 33·18	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section A **for the entry of Daily Observations** 096712 **Station No.** 2471/5

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~37

Kept at Highters Heath Reservoir

in the County of Warwickshire

Diameter of funnel of gauge ...... in.

Height of top of gauge above ground ...... ft. ...... in.

Height of ground above sea level ...... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·01	–	·03	–	–	–	–	·18	–	·11	·34		**1**
2	·01	·08	·03	·52	–	–	·02	–	–	–	–	·20		**2**
3	–	·07	·19	–	–	–	·08	–	·07	–	–	·11		**3**
4	·09	·20	·01	–	·05	–	–	–	–	–	·01	·52		**4**
5	·14	–	·21	–	–	–	·03	–	–	–	–	–		**5**
6	·09	–	·01	·07	·10	–	·01	–	–	·06	–	–		**6**
7	–	·77	–	·18	–	–	·01	–	·02	–	–	–		**7**
8	–	·09	–	·02	·03	–	·03	–	–	–	·48	–		**8**
9	–	·02	–	·05	·32	–	·33	–	·20	–	–	·02		**9**
10	·01	·05	·23	·13	–	·18	·02	–	–	–	–	·10		**10**
11	–	–	·28	–	·42	·16	·02	–	–	–	–	·06		**11**
12	·12	·38	·25	–	·27	·02	–	·14	·14	–	–	·33		**12**
13	08	·03	·02	·14	·01	·11	–	1·05	·20	–	–	·03		**13**
14	–	·01	·10	·05	–	–	–	·16	·02	–	–	·06		**14**
15	·19	·09	–	·34	–	–	1·43	·04	·06	–	·02	·02		**15**
16	–	·15	·49	·27	–	–	–	·08	·11	–	·01	–		**16**
17	·23	·04	·44	·13	–	·02	–	–	·24	–	–	–		**17**
18	·48	·08	·11	·01	–	–	–	–	·51	·01	·26	·01		**18**
19	·02	·03	·09	·09	–	·16	·31	–	–	–	·08	·02		**19**
20	·28	·03	·02	·41	·28	–	–	–	–	–	–	·02		**20**
21	·15	·23	·02	·06	·02	–	·27	–	–	–	–	·09		**21**
22	·15	·04	·06	·01	·11	·13	·24	–	–	·49	·41	·03		**22**
23	·28	·01	–	–	·03	–	·07	–	–	·31	·14	–		**23**
24	·33	·33	·05	–	·02	–	–	–	05	·39	–	–		**24**
25	·10	·31	–	–	·02	–	–	–	·06	·34	–	·02		**25**
26	·01	·42	·06	–	·57	–	–	–	–	–	–	·02		**26**
27	–	·28	–	·21	–	–	–	–	–	·86	–	–		**27**
28	–	·03	–	–	–	03	–	–	–	·03	–	·05		**28**
29	·04	X	–	–	–	04	–	–	–	·03	·03	·02		**29**
30	·30	X	–	–	–	·01	–	07	–	–	·08	–		**30**
31	·30	X	–	X	–	X	–	–	X	·09	X	·01		**31**
TOTAL	3·43	3·78	2·67	2·72	2·25	·86	2·87	1·54	1·86	2·61	1·63	2·08	Year's Total 28·30	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ...... (P.T.O.)

096712

Section A **for the entry of Daily Observations** **Station No.** 247/5

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~38

Kept at Highters Heath Reservoir
in the County of Warwickshire
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·01	-	-	·49	·82	-	-	·06	·05	·27		1
2	-	-	-	·05	·01	·10	-	-	-	·28	-	·01		2
3	·01	-	-	-	·10	·01	·33	-	·02	·54	-	-		3
4	·01	-	-	-	-	·01	-	·34	-	·20	-	·29		4
5	-	-	-	-	-	-	·01	·98	·04	·03	-	·02		5
6	·01	-	-	-	-	·05	·44	-	·06	·08	-	·02		6
7	·02	-	·01	-	-	-	·34	·24	·10	·23	-	·04		7
8	·55	-	-	-	-	-	·13	·31	-	·23	-	·03		8
9	-	·05	-	-	-	·01	·02	·20	-	-	-	·48		9
10	-	·02	-	-	-	·08	·33	·03	-	-	-	·09		10
11	·49	·03	-	-	-	-	-	-	-	·03	·19	·04		11
12	·21	-	-	-	·16	-	-	·06	-	·20	·29	·01		12
13	-	-	-	-	-	-	-	-	-	-	·26	·96		13
14	·25	-	-	-	·01	-	·54	-	·04	-	-	-		14
15	·09	-	-	-	·07	-	·15	-	-	-	-	·43		15
16	·23	-	-	-	-	-	·02	·03	-	-	·03	·04		16
17	-	·02	-	-	·12	-	-	-	·05	·15	-	·01		17
18	·04	-	-	-	·11	·42	-	-	·33	-	·37	-		18
19	-	-	-	-	-	-	-	·15	·01	-	·07	·02		19
20	-	-	-	-	-	-	-	-	·01	-	·31	-		20
21	·02	-	-	-	-	-	-	-	·03	-	·07	·08		21
22	-	-	-	·03	-	·06	-	·01	-	-	·37	·18		22
23	-	-	-	-	-	-	-	-	·11	-	·01	·05		23
24	-	-	·07	-	·08	-	-	-	·10	-	·03	-		24
25	·05	·19	·11	-	·01	-	·02	-	·04	·16	·38	·27		25
26	·08	·35	·13	-	·04	-	-	·07	·05	·23	-	·07		26
27	·06	·02	-	-	·13	·17	·25	·42	·37	·05	·43	-		27
28	·12	·03	-	-	·11	·11	·04	·49	·14	-	·05	·12		28
29	·40	X	-	-	·42	-	·01	-	-	·03	·15	·15		29
30	·05	X	-	-	·01	·38	-	-	·65	·02	·27	·20		30
31	·18	X	-	X	·17	X	-	-	X	·19	X	·30		31
TOTAL	2·87	·71	·33	·08	1·55	1·89	3·45	3·33	2·15	2·71	3·33	4·18	Year's Total 26·58	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

096712

Section A **for the entry of Daily Observations** **Station No.** 2471/5

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~39

Kept at Highters Heath Reservoir.

in the County of Warwickshire

Diameter of funnel of gauge.................in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	·06	·16	·10	–	–	–	·07	–	–	–		1
2	·11	–	–	·02	–	–	–	·34	·66	·01	·02	–		2
3	·19	–	–	·34	–	–	–	·39	–	–	·17	·40		3
4	·06	–	·40	·50	·05	–	·51	·28	·03	·34	·11	·24		4
5	–	–	–	·08	·27	–	·18	·09	–	·09	·30	·07		5
6	·59	–	·01	–	·01	–	·36	–	–	–	·06	–		6
7	–	·06	–	–	–	–	·26	·01	–	–	·23	·39		7
8	·01	·16	·27	–	–	–	·53	·14	–	·41	·07	·27		8
9	·03	·07	–	–	–	–	–	·25	–	·35	·07	·22		9
10	·50	–	·06	–	–	–	–	·24	·05	·08	·02	–		10
11	–	·03	·16	–	–	·08	–	–	–	–	–	·01		11
12	·01	·01	–	–	–	·09	–	–	–	–	–	–		12
13	–	·01	–	·05	·02	–	·17	–	·08	·08	–	–		13
14	·42	–	·04	·11	·16	14	·14	–	–	·04	·11	–		14
15	·38	–	·02	·02	·07	·42	·52	–	·03	·20	·13	–		15
16	·10	–	·03	–	·33	·13	·05	–	–	·06	·20	–		16
17	·57	·04	–	·05	·05	·04	·45	–	–	·96	·10	–		17
18	·22	·05	·08	–	–	·28	·09	–	–	–	·53	–		18
19	·22	–	–	–	–	–	·32	–	–	–	–	·01		19
20	·19	–	·01	–	–	·02	–	·08	–	–	–	–		20
21	·13	·22	·16	·04	·08	·08	·01	·17	·06	–	–	–		21
22	·28	·28	·01	·02	–	–	·06	–	·01	·02	·33	–		22
23	·03	–	–	·05	–	·02	·10	–	–	·04	·70	–		23
24	·14	–	–	12	–	–	·39	–	–	·11	–	–		24
25	·52	·10	–	·02	–	·01	·04	–	–	·02	·26	·01		25
26	·19	–	–	·08	–	–	–	–	–	–	·33	·04		26
27	–	·12	·12	·01	–	·02	·10	·01	–	·02	·02	·07		27
28	–	·18	·14	–	–	·34	·13	–	–	–	·18	·05		28
29	–	X	–	·19	–	–	·38	·70	–	·17	·08	–		29
30	–	X	–	·09	–	·49	–	–	–	–	·04	·02		30
31	–	X	–	X	–	X	·04	·12	X	–	X	–		31
TOTAL	4·93	1·33	1·57	1·95	1·14	2·16	4·83	2·82	·99	3·00	4·06	1·80	Year's Total 30·58	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

096712

Section A **for the entry of Daily Observations** **Station No.** 2471/5

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~40

Kept at Highters Heath Reservoir.

in the County of Warwickshire

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	·02	-	-	-	-	-	-	·10	-		1
2	·01	·04	-	·46	-	-	·03	-	-	-	·88	-		2
3	-	·18	-	·03	-	-	-	-	-	·17	·70	·06		3
4	-	·06	-	·17	-	-	·14	-	-	·17	·34	·05		4
5	-	·01	-	-	·06	-	·04	-	·01	·17	·60	·13		5
6	·06	·24	-	-	-	-	·09	-	-	·44	·26	-		6
7	·01	·16	-	·02	-	-	·15	-	·04	-	-	·02		7
8	-	-	-	·04	-	-	·02	-	-	·16	·05	·21		8
9	-	-	-	-	-	·02	·06	·13	-	·26	·28	·18		9
10	-	-	·05	-	-	·01	·61	-	-	·07	·14	·18		10
11	-	-	·03	-	-	-	·19	-	-	-	·57	·08		11
12	-	-	·06	-	-	-	·14	-	·16	-	·03	-		12
13	-	·02	·48	·04	-	-	·03	-	·06	-	-	-		13
14	-	-	·09	·08	·53	-	·01	-	·12	·08	·01	·37		14
15	-	-	·06	·11	·23	-	-	-	·03	·08	·10	-		15
16	·02	·14	·23	·01	-	-	·13	-	·17	·48	·55	·01		16
17	-	-	·24	-	-	-	·03	-	-	-	·15	-		17
18	·10	·57	·21	·31	-	-	-	·03	·20	·21	·08	·07		18
19	-	·20	·05	·38	-	-	·46	-	·16	-	·16	·02		19
20	-	-	-	·03	-	-	·07	·03	-	·35	·01	-		20
21	-	-	-	-	·57	·15	·03	-	-	·02	1·42	-		21
22	-	-	·02	·02	·38	·19	-	-	·16	-	-	-		22
23	-	·15	·04	·12	·11	·06	-	·03	·01	·04	-	-		23
24	·02	-	-	-	-	-	·07	-	-	·01	-	·02		24
25	·01	-	-	-	-	-	-	-	-	-	-	-		25
26	1·14	·13	·01	·46	·11	-	·29	-	-	-	·02	-		26
27	·61	·27	-	·70	-	-	·34	·02	-	-	·01	-		27
28	·54	·25	-	·03	·56	-	-	-	-	-	-	-		28
29	·11	-	·09	·18	-	·13	·01	-	-	-	-	·18		29
30	·05	X	-	·43	·03	-	-	-	-	·52	-	·01		30
31	·10	X	·06	X	-	X	-	-	X	87	X	·01		31
TOTAL	2·78	2·43	1·72	3·64	2·58	·56	2·94	·24	1·12	4·10	6·46	1·60	Year's Total 30·17	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

2472

Section **A** for the entr
AIR MINI

FORM 1090.

REG

PY FOR OFFICIAL USE.
ORGANIZATION.

Kept at Marsh Cott

in the County of W

n No 2472

Diameter of Funnel of Gauge
Height of top of Gauge above
,, Ground ,,

THE MORNING MI

An observer who does not confo
year in the space on the right

lowing

Jan. 1, following

2472

Solihull Marsh Cottage
1931—32

780408

Date	Jan.	Feb.	Ma								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·03	—	—	·08	·30	—	—	·36	—	—	—	1
2	—	·05	—	·49	·04	·05	—	·22	·44	—	·03	·18	2
3	·06	·04	—	·25	—	—	·05	—	1·02	—	·38	·13	3
4	·02	·03	—	·20	—	—	·65	·16	·34	—	·05	—	4
5	—	·12	—	·12	·05	1·17	—	·02	·04	·25	—	·26	5
6	—	·19	—	·04	—	·18	—	—	·03	·03	·26	·02	6
7	—	·12	—	—	—	·05	—	·61	—	—	·07	·02	7
8	·06	·08	—	·07	—	·06	—	1·00	—	—	·27	—	8
9	—	·10	—	—	—	·04	—	·07	—	—	·45	—	9
10	—	—	—	—	·04	·06	·05	·22	—	—	·16	—	10
11	·23	—	—	—	—	—	—	—	·23	—	·14	—	11
12	·04	·06	—	—	—	—	·67	·07	·36	—	—	—	12
13	—	·08	—	—	—	—	—	·27	·03	·05	—	—	13
14	—	·10	—	—	·06	·26	·81	1·38	—	—	·45	—	14
15	—	·08	—	·02	·22	—	·45	·38	·01	·02	·01	·04	15
16	·09	—	—	·21	·35	·68	—	·30	·16	—	—	—	16
17	·08	·06	—	—	·56	·02	·07	—	—	—	·04	—	17
18	·11	·08	—	·15	—	·18	·03	·25	—	—	·30	—	18
19	·02	·20	—	22	—	·11	·35	·11	—	—	·02	—	19
20	·01	·10	·11	·02	—	—	·07	·29	—	—	·03	·04	20
21	·12	—	—	—	·54	—	—	—	—	—	·22	—	21
22	·17	—	·19	·02	—	—	—	·09	—	—	—	—	22
23	·16	—	—	·15	·36	·16	—	—	—	—	·17	·12	23
24	·02	·02	—	·10	·37	—	·05	—	—	—	—	—	24
25	·04	—	—	·70	·03	—	·20	—	—	—	·05	—	25
26	·03	—	—	·26	—	—	·03	—	—	—	·19	—	26
27	·15	·50	—	·06	·44	—	·05	—	—	—	·13	·07	27
28	·11	—	—	·10	·25	—	—	—	—	·07	·02	·13	28
29	·04	—	—	·03	·10	—	·07	—	—	·30	·01	—	29
30	—	×	—	—	—	—	·02	—	—	—	—	—	30
31	·30	×	·02	×	—	×	—	—	×	—	×	·40	31
TOTAL	1·91	2·04	·32	3·21	3·49	3·32	3·62	5·44	3·02	·72	3·45	1·41	YEAR'S TOTAL 31·95
*Days with ·01 in. or more.	21	19	3	19	15	14	16	16	11	6	22	11	173
*Days with ·04 in. or more.	16	16	2	15	14	13	13	15	8	4	16	9	151

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ivo L. Currall

[P.T.O.

2472

Section **A** for the entr PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Marsh Cottage Solihull

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 420 ft.

Station No 2472

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·03	—	—	·08	·30	—	—	·36	—	—	—	1
2	—	·05	—	·49	·04	·05	—	·22	·44	—	·03	·18	2
3	·06	·04	—	·25	—	—	·05	—	1·02	—	·38	·13	3
4	·02	·03	—	·20	—	—	·65	·16	·34	—	·05	—	4
5	—	·12	—	·12	·05	1·17	—	·02	·04	·25	—	·26	5
6	—	·19	—	·04	—	·18	—	—	·03	·03	·26	·02	6
7	—	·12	—	—	—	·05	—	·61	—	—	·07	·02	7
8	·06	·08	—	·07	—	·06	—	1·00	—	—	·27	—	8
9	—	·10	—	—	—	·04	—	·07	—	—	·45	—	9
10	—	—	—	—	·04	·06	·05	·22	—	—	·16	—	10
11	·23	—	—	—	—	—	—	—	·23	—	·14	—	11
12	·04	·06	—	—	—	—	·67	·07	·36	—	—	—	12
13	—	·08	—	—	—	—	—	·27	·03	·05	—	—	13
14	—	·10	—	—	·06	·26	·81	1·38	—	—	·45	—	14
15	—	·08	—	·02	·22	—	·45	·38	·01	·02	·01	·04	15
16	·09	—	—	·21	·35	·68	—	·30	·16	—	—	—	16
17	·08	·06	—	—	·56	·02	·07	—	—	—	·04	—	17
18	·11	·08	—	·15	—	·18	·03	·25	—	—	·30	—	18
19	·02	·20	—	·22	—	·11	·35	·11	—	—	·02	—	19
20	·01	·10	·11	·02	—	—	·07	·29	—	—	·03	·04	20
21	·12	—	—	—	·54	—	—	—	—	—	·22	—	21
22	·17	—	·19	·02	—	—	—	·09	—	—	—	—	22
23	·16	—	—	·15	·36	·16	—	—	—	—	·17	·12	23
24	·02	·02	—	·10	·37	—	·05	—	—	—	—	—	24
25	·04	—	—	·10	·03	—	·20	—	—	—	·05	—	25
26	·03	—	—	·26	—	—	·03	—	—	—	·19	—	26
27	·15	·50	—	·06	·44	—	·05	—	—	—	·13	·07	27
28	·11	—	—	·10	·25	—	—	—	—	·07	·02	·13	28
29	·04	—	—	·03	·10	—	·07	—	—	·30	·01	—	29
30	—	×	—	—	—	—	·02	—	—	—	—	—	30
31	·30	×	·02	×	—	×	—	—	×	—	×	·40	31
TOTAL	1·91	2·04	·32	3·21	3·49	3·32	3·62	5·44	3·02	·72	3·45	1·41	YEAR'S TOTAL 31·95
*Days with ·01 in. or more.	21	19	3	19	15	14	16	16	11	6	22	11	173
*Days with ·04 in. or more.	16	16	2	15	14	13	13	15	8	4	16	9	151

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ivo L. Currall

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2472

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Solihull

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground ...... ft ...... in.

,, Ground ,, Sea Level .... ft.

As before

Est for Nov & Dec

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·04	—	·16	·80	·08	—	·48	—	·36	·02		1
2	·04	—	—	·14	·50	—	—	·02	·40	·08	—		2
3	—	—	—	·16	·10	—	—	—	·05	—	—		3
4	—	—	—	·47	—	—	—	—	—	—	·55		4
5	·18	—	·04	·05	·09	—	—	—	·06	—			5
6	·38	—	·08	·37	—	—	—	—	·30	—			6
7	—	—	·22	·35	·02	—	—	—	·09	·20			7
8	—	—	—	·09	—	—	—	—	·38	·30			8
9	·28	·08	—	·07	—	—	—	—	—	~~·30~~			9
10	·22	—	·05	·08	·13	—	—	—	·18	·18			10
11	·02	·05	—	—	·08	·10	·09	—	·04	·11	—	—	11
12	·31	·03	—	—	·16	—	—	—	·08	—	—	—	12
13	·11	·02	—	—	·04	—	·60	—	—	·04	—	—	13
14	—	—	—	—	1·38	—	·40	—	—	·08	—	—	14
15	—	—	—	·07	—	—	—	—	—	·05	—	—	15
16	·20	—	—	·12	—	—	—	—	—	—	—	—	16
17	—	—	—	·02	—	—	·04	—	—	—	—	—	17
18	—	—	—	—	·05	—	[illegible]	—	—	—	—	—	18
19	—	—	—	·08	·06	—	—	—	—	·07	—	—	19
20	—	—	—	·08	1·00	—	—	·70	—	·31	—	—	20
21	—	—	·15	·17	1·33	—	—	·30	—	·20	—	—	21
22	—	—	·19	·04	·05	—	·28	—	·58	·10	—	—	22
23	·02	—	—	—	·75	—	·04	—	·05	·05	—	—	23
24	—	—	—	—	—	—	·06	—	·08	·04	—	—	24
25	—	·05	·06	·02	·02	—	·08	—	·04	·10	—	—	25
26	—	~~·05~~	—	·35	·20	—	·17	—	·05	·04	—	—	26
27	—	—	·45	·23	·40	—	·10	—	—	—	—	—	27
28	—	—	·06	·08	·38	·65	·12	·26	—	—	—	—	28
29	—	—	·28	·10	·05	·17	·04	—	·16	·30	—	—	29
30	—	×	·11	·04	·02 ~~·02~~	·91	·11	·26	·45	·28	—	—	30
31	—	×	·04	×	—	×	·66	—	×	—	×	—	31 d
TOTAL	1·79	·27	1·73	3·34	7·61	1·91	2·79	2·02	2·99	2·89	(1·75)	(1·00)	YEAR'S TOTAL (30·09)
*Days with ·01 in. or more.	11	6	12	23	22	5	14	6	16	19	–	–	—
*Days with .04 in. or more.	8	4	12	21	19	5	14	5	16	19	–	–	—

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Ivo L. Currall

[P.T.O.

2472/5

Sec A for the er … ation No. ~~21138~~

AIR MI … L ORGANIZATION

FORM 1090

RE … o.

Kept at ~~Halesowen~~

in the County of ~~Worc~~

Diameter of Funnel of Gau

Height of top of Gauge ab

,, Ground ,,

THE MORNING ME … DAY

An observer who does not c … following
year in the space on the rig

RA.
ONTHLY

Jan. 1, following

2472

FRANKLEY . HALESOVER

1935 — 40

780408

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·04	-	-	·68	·33	-	-	·13	·06	·34		1
2	-	-	-	·07	·02	·17	-	-	-	·22	-	·01		2
3	·01	-	-	-	·09	·01	·43	-	·01	·52	-	-		3
4	·02	-	·01	-	-	·07	·13	·26	-	·25	-	·30		4
5	-	-	-	-	-	·03	·02	·74	·08	·06	·01	·03		5
6	·02	·01	-	-	-	·05	·44	-	·03	·08	-	·01		6
7	·02	·01	·01	-	-	-	·39	·50	·09	·25	-	·04		7
8	·55	-	-	-	-	-	·17	·34	-	·22	-	·04		8
9	·08	·06	-	-	-	·06	·07	·03	-	.	-	·54		9
10	·02	·02	-	-	-	·08	·38	·21	-	.	-	·13		10
11	·51	·06	-	-	-	·01	·01	-	-	·03	·18	·07		11
12	·22	-	-	-	·13	.	·01	·04	-	·22	·36	·01		12
13	-	-	-	-	·05	.	-	-	-	·01	·22	·83		13
14	·21	·01	-	-	·02	.	·71	-	·05	-	-	·01		14
15	·11	-	-	-	·14	.	·12	-	-	.	·05	·50		15
16	·27	-	-	-	-	.	-	·03	-	·03	·07	·06		16
17	·01	·04	-	-	·01	.	·01	-	·04	·12	·01	.		17
18	·06	-	-	-	·14	·27	-	·10	·05	·01	·36	.		18
19	-	-	-	-	-	.	-	·08	·03	.	·08	·05		19
20	·01	-	-	-	-	.	-	-	·02	.	·38	·01		20
21	·03	-	-	-	-	.	-	·02	·07	.	·08	·14		21
22	·01	-	-	·08	-	·06	-	·01	-	.	·39	·18		22
23	-	-	-	-	·01	.	-	-	·10	.	·01	·02		23
24	-	-	·16	-	·20	.	.	·05	·07	.	·05	·04		24
25	·06	·22	·13	-	-	.	·05	·06	·07	·22	·50	·19		25
26	·07	·33	·18	-	·07	·05	-	-	·11	·28	-	·15		26
27	·09	·01	-	-	·38	·18	·33	·43	·18	·01	·38	-		27
28	·18	·02	-	-	·11	·20	·05	·40	·04	-	·07	·17		28
29	·47	×	-	-	·47	-	·02	-	-	·07	·16	·16		29
30	·08	✕	-	-	·02	·18	-	-	·95	·01	·33	·27		30
31	·13	✕	-	✕	·17	✕	-	-	✕	·16	✕	·29		31
TOTAL	3·24	0·79	0·53	0.15	2·03	2·10	3·67	3·30	1·99	2·90	3·75	4·59	Year's Total 29·04	
* Days with .01 in. or more.	24	11	6	2	16	15	18	16	17	20	20	27	192	
* Days with .04 in. or more.	15	5	4	2	11	12	13	12	13	14	17	20	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. W. Wilkinson [P.T.O.

M. Inst. C. E.

2472/5

Sec[illegible]n **A** for the entry of Daily Observations

Station No. ~~2438~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at ~~Halesowen~~ Frankley

in the County of ~~Worcester~~ Warwick

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·04	-	-	·68	·33	-	-	·13	·06	·34		1
2	-	-	-	·07	·02	·17	-	-	-	·22	-	·01		2
3	·01	-	-	-	·09	·01	·43	-	·01	·52	-	-		3
4	·02	-	·01	-	-	·07	·13	·26	-	·25	-	·30		4
5	-	-	-	-	-	·03	·02	·74	·08	·06	·01	·03		5
6	·02	·01	-	-	-	·05	·44	-	·03	·08	-	·01		6
7	·02	·01	·01	-	-	-	·39	·50	·09	·25	-	·04		7
8	·55	-	-	-	-	-	·17	·34	-	·22	-	·04		8
9	·08	·06	-	-	-	·06	·07	·03	-	.	-	·54		9
10	·02	·02	-	-	-	·08	·38	·21	-	.	-	·13		10
11	·51	·06	-	-	-	·01	·01	-	-	·03	·18	·07		11
12	·22	-	-	-	·13	.	·01	·04	-	·22	·36	·01		12
13	-	-	-	-	·05	.	-	-	-	·01	·22	·83		13
14	·21	·01	-	-	·02	.	·71	-	·05	-	-	·01		14
15	·11	-	-	-	·14	.	·12	-	-	.	·05	·50		15
16	·27	-	-	-	-	.	-	·03	-	·03	·07	·06		16
17	·01	·04	-	-	·01	.	·01	-	·04	·12	·01	.		17
18	·06	-	-	-	·14	·27	-	·10	·05	·01	·36	.		18
19	-	-	-	-	-	.	-	·08	·03	.	·08	·05		19
20	·01	-	-	-	-	.	-	-	·02	-	·38	·01		20
21	·03	-	-	-	-	.	.	·02	·07	.	·08	·14		21
22	·01	-	-	·08	-	·06	-	·01	-	.	·39	·18		22
23	-	-	-	-	·01	.	-	-	·10	.	·01	·02		23
24	-	-	·16	-	·20	.	.	·05	·07	.	·05	·04		24
25	·06	·22	·13	-	-	.	·05	·06	·07	·22	·50	·19		25
26	·07	·33	·18	-	·07	·05	-	-	·11	·28	-	·15		26
27	·09	·01	-	-	·38	·18	·33	·43	·18	·01	·38	-		27
28	·18	·02	-	-	·11	·20	·05	·40	·04	-	·07	·17		28
29	·47	✕	-	-	·47	-	·02	-	-	·07	·16	·16		29
30	·08	✕	-	-	·02	·18	-	-	·95	·01	·33	·27		30
31	·13	✕	-	✕	·17	✕	-	-	✕	·16	✕	·29		31
TOTAL	3·24	0·79	0·53	0·15	2·03	2·10	3·67	3·30	1·99	2·90	3·75	4·59	Year's Total 29·04	
* Days with .01 in. or more.	24	11	6	2	16	15	18	16	17	20	20	27	192	
* Days with .04 in. or more.	15	5	4	2	11	12	13	12	13	14	17	20	138	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Wilkinson [P.T.O.

M. Inst. C. E.

COPY FOR OFFICIAL USE moved from [illegible]

Section **A** for the entry of Daily Observations

Station No. 2438

24715

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Halesowen, Frankley

in the County of Worcestershire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.

VALUES FORWARDED MONT[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	-	·08	·12	·06	-	-	-	·06	-	·01	·03		1
2	·07	-	-	·03	-	-	·05	·42	·40	·01	·04	-		2
3	·32	-	-	·35	-	-	-	·33	·02	-	·13	·40		3
4	·09	-	·56	·47	·10	-	·38	·15	·17	·30	·08	·23		4
5	-	-	-	·18	·28	-	·24	·07	-	·22	·45	·07		5
6	·69	-	·01	-	-	-	·49	·02	-	-	·06	-		6
7	·01	·08	·01	-	-	-	·28	·01	-	-	·30	·57		7
8	·01	·15	·34	-	-	-	·41	·07	-	·54	·10	·22		8
9	·05	·05	-	-	·01	-	·01	·34	-	·38	·04	·28		9
10	·65	-	·05	-	-	-	-	·05	·09	·21	·01	·02		10
11	·03	·03	·18	-	-	·11	-	·02	-	[illegible]	-	-		11
12	·03	·02	-	-	-	·17	-	-	-	-	·01	-		12
13	-	-	·02	·08	·01	-	·21	-	·10	·07	-	-		13
14	·46	-	·04	·05	·20	·17	·07	-	-	·06	·09	-		14
15	·66	-	·02	·05	·12	·49	·53	-	-	·15	·21	-		15
16	·13	-	·07	-	·34	·02	·19	-	-	·34	·19	-		16
17	·60	·04	·01	·02	·03	·05	·30	-	-	1·02	·13	-		17
18	·29	·10	·06	-	-	·15	·11	-	-	-	·59	-		18
19	·23	-	-	-	-	-	·91	-	-	-	·03	·02		19
20	·25	-	·02	-	-	·03	·25	·04	-	-	-	-		20
21	·16	·26	·19	·03	·08	·12	·05	·06	·08	-	·01	-		21
22	·27	·27	·02	·05	-	-	·04	-	·02	·03	·29	-		22
23	·11	-	·02	·06	-	·01	·16	-	-	·06	·76	-		23
24	·06	-	-	·18	-	-	·09	-	-	·15	·01	-		24
25	·74	·12	-	-	-	-	·18	-	-	·08	·28	·02		25
26	·02	-	-	·03	-	-	-	·02	-	·01	·46	·05		26
27	·01	·24	·12	·03	-	·03	·13	-	-	·08	·02	·13		27
28	·01	·16	·14	-	-	·38	·15	·04	-	-	·19	·09		28
29	-	X	-	·17	-	·01	·12	·62	-	·15	·05	-		29
30	-	×	-	·11	-	·30	·01	·02	-	·01	·10	·03		30
31	-	×	-	×	-	×	·01	·15	×	·01	×	·05		31
TOTAL	6·14	1·52	1·76	2·01	1·23	2·04	5·37	2·43	0·94	3·85	4·64	2·21	Year's Total 34·12	
* Days with .01 in. or more.	26	12	19	17	10	14	25	17	8	21	27	15	211	
* Days with .04 in. or more.	19	10	11	12	7	9	22	12	6	13	20	10	151	

† Spare column, no entries required.

(*Signed*) J. W. Wilkinson [P.T.O.

aaB

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2472/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930.

Kept at Halesowen, Frankley

in the County of Warwick

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground.......ft.......in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.

VALUES FORWARDED

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	·03	·01	–	–	–	–	–	·11	–		1
2	–	·01	–	·41	–	–	·07	–	–	–	·83	·03		2
3	–	·25	–	·04	–	–	–	–	–	·20	1·03	·08		3
4	–	·13	–	·19	–	–	·11	–	–	·16	·10	·07		4
5	–	–	–	–	·04	–	·03	–	·01	·16	·58	·14		5
6	·12	·32	–	–	–	–	·10	–	–	·66	·18	·01		6
7	·01	·25	–	·04	·01	–	·07	–	·06	·01	–	·01		7
8	–	–	–	·04	–	–	·01	–	–	·23	·05	·23		8
9	–	–	–	–	–	·10	·07	·07	·02	·18	·40	·21		9
10	–	–	·09	–	–	·02	·41	–	–	·06	·11	·26		10
11	–	–	·02	·02	–	–	·46	·03	–	–	·80	·13		11
12	–	–	·11	–	–	·02	·16	·01	·22	–	·05	–		12
13	–	–	·41	·05	–	–	–	·02	·06	–	–	·02		13
14	–	–	·03	·08	·63	–	–	·01	·17	·08	·02	·42		14
15	–	–	·03	·13	·63	–	–	–	·07	·12	·10	–		15
16	·02	·29	·31	·03	–	–	·14	–	·13	·59	·63	·02		16
17	–	–	·25	–	–	–	·03	–	–	–	·19	–		17
18	·13	·57	·23	·34	–	–	–	·04	·37	·14	·06	·08		18
19	–	·25	·07	·42	–	–	·40	–	·01	–	·19	·01		19
20	–	–	–	·02	–	–	·24	·02	–	·36	·02	–		20
21	·01	–	–	–	·41	·33	·04	·01	–	–	1·25	–		21
22	–	–	·03	·01	·35	·07	–	–	·11	–	–	–		22
23	–	·12	·03	·12	·47	·06	–	–	·03	·02	–	·04		23
24	·01	–	–	–	–	–	·10	–	·01	·02	–	·01		24
25	·01	–	–	·01	·01	·02	·01	–	–	·01	·02	·01		25
26	1·36	·14	·04	·86	·08	–	·25	–	–	–	·05	·01		26
2·95 27	·88	·35	–	·35	–	–	·11	–	·01	–	·02	–		27
28	·71	·16	–	·02	·72	–	–	–	–	–	–	–		28
29	·08	–	·12	·78	–	·14	·02	–	–	·01	–	·21		29
30	·04	✕	–	·53	·01	–	–	–	–	·68	–	·02		30
31	·06	✕	·07	✕	·01	✕	–	–	✕	·99	✕	·02		31
TOTAL	3·44	2·84	1·84	4·52	3·38	0·76	2·83	0·21	1·28	4·68	6·79	2·04	Year's Total 34·61	✓
* Days with .01 in. or more.	13	12	15	22	13	8	20	8	14	19	22	22	188	✓
* Days with .04 in. or more.	8	11	10	15	8	5	15	2	8	14	18	11	125	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. A. Barnes

for CHIEF ENGINEER.

P.T.O.

2473

Section **A** for the entry of Daily Obse
AIR MINISTRY.—METEO
FORM 1090.

REGISTER C

—

COPY FOR OFFICIAL USE.
AINFALL ORGANIZATION.

1931 .

Kept at BARTLEY RESERVOIR N°1
in the County of WARWICKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
,, Ground ,, Sea Level 6

2° 25' 45" N
° 59' 7" W

2473 — 095343
BARTLEY RES NO I
1931 – 1940

780408

THE MORNING MEASUREMENT

US DAY.

An observer who does not conform to this rule shou
year in the space on the right of this paragraph.

st of the following

Please read

eaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	Ma					Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	i					in.	in.	in.	
1	·01	·02	–	·07	·				1	·01	–	–	1
2	·06	·12	–	·71	·05	·03	–	·08	·54	·03	·03	·16	2
3	·06	–	–	·02	–	–	·01	–	·68	·01	·75	·10	3
4	–	–	–	·15	–	–	·50	·11	·11	·01	·05	–	4
5	–	·12	–	·19	·10	1·26	–	–	·06	–	–	·32	5
6	–	·16	–	·07	–	·06	·01	·02	·01	·36	·20	–	6
7	–	–	–	–	·03	–	·73	·64	–	·01	·17	·01	7
8	·05	·09	·01	·08	–	·09	·02	1·13	–	–	·19	–	8
9	·01	·37	–	·04	–	·05	–	·07	–	–	·49	–	9
10	–	–	–	–	·04	·05	·01	·22	·03	–	·35	–	10
11	·20	·43	–	–	–	·01	–	–	·25	–	·22	·01	11
12	·02	·07	–	–	–	–	·63	·19	·33	·03	–	–	12
13	–	–	·01	–	·01	–	·13	·39	–	–	–	–	13
14	–	·08	·05	–	·07	2·20	·47	1·53	·03	–	·64	–	14
15	·01	·13	–	·11	·09	–	·08	·25	–	–	–	·05	15
16	·08	·10	–	·23	·75	·77	–	·05	·15	–	–	–	16
17	·06	·10	–	·14	·96	·05	·08	–	–	·01	·05	–	17
18	·15	·01	–	·23	–	·35	·06	·19	·01	–	·40	–	18
19	·02	·23	–	·16	–	·11	·33	·16	–	–	–	–	19
20	–	·11	·11	·01	–	–	–	·51	–	–	·02	·03	20
21	·23	–	–	–	·56	–	–	–	–	–	·22	–	21
22	·16	–	·05	–	·01	–	–	·07	–	–	·01	–	22
23	·23	·01	–	·25	·53	·16	·01	·05	–	–	·28	·26	23
24	–	·01	–	·15	·38	–	·07	–	–	–	–	–	24
25	·05	–	–	·78	–	–	·19	–	–	–	·08	–	25
26	·02	–	–	·36	–	–	·02	–	–	–	·30	·01	26
27	·13	·66	–	·09	·62	–	·03	–	–	·02	·15	·05	27
28	·15	·11	·01	·16	·33	–	–	–	–	·04	·01	·11	28
29	·03	×	–	–	·19	–	·14	–	–	·36	–	–	29
30	–	×	–	–	–	–	–	–	–	–	–	–	30
31	·59	×	–	×	·11	×	–	–	×	–	×	·02	31 ✓
TOTAL	2·32 ✓	2·93 ✓	0·24 ✓	4·00 ✓	4·87 ✓	5·27 ✓	3·52 ✓	5·66 ✓	2·61 ✓	0·89 ✓	4·61 ✓	1·13 ✓	YEAR'S TOTAL 38·05
*Days with ·01 in. or more.	21 ✓	19 ✓	6 ✓	20 ✓	18 ✓	14 ✓	19 ✓	17 ✓	12 ✓	11 ✓	20 ✓	12 ✓	189 ✓
*Days with ·04 in. or more.	14 ✓	15 ✓	3 ✓	18 ✓	15 ✓	12 ✓	12 ✓	16 ✓	8 ✓	3 ✓	16 ✓	7 ✓	139 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. A. Barnes. C.E.
F.R. Met: Soc

[P.T.O.

2473

Section **A** for the entry of Daily Obse

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEO RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at BARTLEY RESERVOIR N°1: Daily

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 600 ft.

Lat: 52° 25' 45" N

Long: 1° 59' 7" W

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·02	—	·07	·04	·08	—	—	·41	·01	—	—	1
2	·06	·12	—	·71	·05	·03	—	·08	·54	·03	·03	·16	2
3	·06	—	—	·02	—	—	·01	—	·68	·01	·75	·10	3
4	—	—	—	·15	—	—	·50	·11	·11	·01	·05	—	4
5	—	·12	—	·19	·10	1·26	—	—	·06	—	—	·32	5
6	—	·16	—	·07	—	·06	·01	·02	·01	·36	·20	—	6
7	—	—	—	—	·03	—	·73	·64	—	·01	·17	·01	7
8	·05	·09	·01	·08	—	·09	·02	1·13	—	—	·19	—	8
9	·01	·37	—	·04	—	·05	—	·07	—	—	·49	—	9
10	—	—	—	—	·04	·05	·01	·22	·03	—	·35	—	10
11	·20	·43	—	—	—	·01	—	—	·25	—	·22	·01	11
12	·02	·07	—	—	—	—	·63	·19	·33	·03	—	—	12
13	—	—	·01	—	·01	—	·13	·39	—	—	—	—	13
14	—	·08	·05	—	·07	2·20	·47	1·53	·03	—	·64	—	14
15	·01	·13	—	·11	·09	—	·08	·25	—	—	—	·05	15
16	·08	·10	—	·23	·75	·77	—	·05	·15	—	—	—	16
17	·06	·10	—	·14	·96	·05	·08	—	—	·01	·05	—	17
18	·15	·01	—	·23	—	·35	·06	·19	·01	—	·40	—	18
19	·02	·23	—	·16	—	·11	·33	·16	—	—	—	—	19
20	—	·11	·11	·01	—	—	—	·51	—	—	·02	·03	20
21	·23	—	—	—	·56	—	—	—	—	—	·22	—	21
22	·16	—	·05	—	·01	—	—	·07	—	—	·01	—	22
23	·23	·01	—	·25	·53	·16	·01	·05	—	—	·28	·26	23
24	—	·01	—	·15	·38	—	·07	—	—	—	—	—	24
25	·05	—	—	·78	—	—	·19	—	—	—	·08	—	25
26	·02	—	—	·36	—	—	·02	—	—	—	·30	·01	26
27	·13	·66	—	·09	·62	—	·03	—	—	·02	·15	·05	27
28	·15	·11	·01	·16	·33	—	—	—	—	·04	·01	·11	28
29	·03	X	—	—	·19	—	·14	—	—	·36	—	—	29
30	—	X	—	—	—	—	—	—	—	—	—	—	30
31	·59	X	—	X	·11	X	—	—	X	—	X	·02	31
TOTAL	2·32	2·93	0·24	4·00	4·87	5·27	3·52	5·66	2·61	0·89	4·61	1·13	YEAR'S TOTAL 38·05
*Days with ·01 in. or more.	21	19	6	20	18	14	19	17	12	11	20	12	189
*Days with ·04 in. or more.	14	15	3	18	15	12	12	16	8	3	16	7	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. A. Barnes. C.E. F.R. Met: Soc.

[P.T.O.

COPY FOR OFFICIAL USE.

File N°

Section **A** for the entry of Daily Observations.

Station No. 2473

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at BARTLEY RESERVOIR Nº1: Daily

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 600 ft.

Lat: 52° 25′ 45″ N

Long: 1° 59′ 7″ W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·03	—	·22	·89	·05	·02	·21	·02	·15	·03	—	1
2	·03	—	—	·10	·40	—	—	—	·36	·05	—	·15	2
3	—	·02	—	·21	·07	—	—	—	·01	·02	—	·02	3
4	·04	—	—	·30	—	—	—	—	—	—	·43	—	4
5	·43	—	·04	·01	·06	—	—	—	·12	—	—	·01	5
6	·36	—	·11	·37	—	—	·14	—	·35	—	—	—	6
7	·02	—	·18	·07	—	—	—	—	·17	·34	—	—	7
8	—	—	·01	·03	—	—	—	—	·42	·56	—	—	8
9	·31	·11	—	·01	—	—	—	—	—	·01	—	—	9
10	·47	·02	—	·18	·10	—	—	—	·13	·27	—	—	10
11	—	·04	—	·07	·07	—	·15	—	·04	·05	·01	·01	11
12	·38	—	—	—	·22	—	—	—	·12	·43	·04	—	12
13	·02	·04	—	·13	·05	—	1·30	·01	—	·01	·01	·05	13
14	·28	—	·01	·06	—	—	·11	·08	—	·01	·07	·02	14
15	—	—	—	·08	·61	—	·02	—	—	·02	—	·03	15
16	·30	—	—	·13	·06	—	·07	—	—	—	—	—	16
17	—	—	—	—	—	—	·05	—	—	·17	—	—	17
18	—	—	—	—	·07	—	—	—	·01	·02	·08	—	18
19	·01	·01	—	·12	·08	—	—	—	—	·28	—	—	19
20	—	—	—	·11	·77	—	—	·83	—	·43	·12	—	20
21	—	—	·14	·20	1·05	—	—	·20	—	·29	·12	·14	21
22	—	—	·15	·06	·06	—	·05	—	·59	·04	·08	·02	22
23	—	·01	—	—	·22	—	·04	—	·08	·10	·06	·04	23
24	·02	—	—	—	·03	·08	·04	—	·16	·02	·19	—	24
25	—	·05	—	—	·01	·06	·12	—	·11	·13	·08	·01	25
26	—	—	·05	·43	·20	—	·21	—	·04	·02	·04	—	26
27	—	—	·58	·29	·36	—	·04	—	—	—	·06	·02	27
28	—	—	·29	·06	·35	·05	·16	·53	—	—	—	·02	28
29	—	—	·27	·20	·16	·17	·07	·01	·19	·46	·05	·15	29
30	—	×	·13	·18	·02	·97	·10	·03	·37	·15	·33	·16	30
31	·01	×	·05	×	·01	×	·54	—	×	·01	×	·27	31
TOTAL	2·40	0·33	2·01	3·62	5·92	1·38	3·26	1·90	3·29	4·04	1·80	1·12	YEAR'S TOTAL 31·37
*Days with ·01 in. or more.	15	9	13	24	24	6	18	8	18	25	17	16	193
*Days with .04 in. or more.	8	4	11	21	20	6	16	5	15	16	14	7	143

40-9999

*See Instruction 2 (*f*) on other side

(Signed) Alfred A. Barnes C.E.
F.R. Met: Soc:

P.T.O.

2473/1

Form 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1932

At Bartley Reservoir : No 2 Monthly

In the County of Warwickshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 0 *ft* 10 *in.*
Height of Ground above Sea Level 599 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	2·68				
FEB.	0·32				
MAR.	2·01				
APRIL	3·72				
MAY	5·92				
JUNE	1·37				
JULY	3·30				
AUG.	1·86				
SEPT.	3·36				
OCT.	3·99				
NOV.	1·82				
DEC.	1·12				
Total	31·47	?.wp			

Signature Alfred. A. Barnes..

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Northfield LMS Distance 3085 yds Direction from gauge SE.

Nearest Parish Church at Bartley Green Distance 1032 yds Direction from gauge NW.

Nature of objects nearest to gauge	Office Bungalow	Trees	Open ground	
Heights of objects	13 feet	25' feet	–	–
Distances ..	13 yards	38 yds	–	–
Directions from gauge ..	S	E	N	W.

If gauge has been moved during the year state—

Date of move NONE Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Sent in error.

DO NOT MAKE OUT 10 YR SHEET.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

Section **A** for the entry of Daily Observations.

2473 ~~64108/56~~ **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BARTLEY RESERVOIR: No 1: Daily
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 600 ft.

Lat: 52° 25' 45" W.
Long: 1° 59' 7" W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·52	·03	–	–	–	–	–	–	–	·04	–	1
2	·27	–	·38	–	·02	–	–	–	–	–	·01	–	2
3	–	·10	·20	–	·16	–	–	–	–	–	·03	–	3
4	·13	–	–	–	·39	–	–	–	–	–	–	–	4
5	·15	·07	·44	–	·03	–	–	–	–	–	·01	–	5
6	–	·30	·01	–	·15	–	–	–	–	·12	–	·01	6
7	·02	·15	·04	–	–	–	–	–	–	·14	–	·01	7
8	·03	–	·18	–	·09	–	·56	–	–	–	–	–	8
9	–	–	–	·01	·03	–	·38	·01	–	1·79	·02	–	9
10	·10	·33	–	–	–	·01	·02	–	–	1·80	·12	–	10
11	–	–	–	–	·03	–	·53	–	–	–	–	–	11
12	·02	–	–	–	–	·01	·29	–	·02	–	–	·03	12
13	·01	–	–	–	·09	·02	·13	–	–	·09	·28	–	13
14	·01	–	–	–	–	–	·03	·05	–	·12	·40	–	14
15	·73	–	·02	–	–	·05	·25	·02	–	·01	·01	·05	15
16	·09	–	·80	–	·01	·10	·01	·02	–	·06	·03	–	16
17	·10	–	·25	–	–	·14	·06	–	·05	–	·06	–	17
18	·03	–	·05	–	–	·19	–	–	–	–	·02	–	18
19	–	·02	·45	–	–	·12	–	–	·08	–	·06	–	19
20	–	·01	·04	–	–	·61	–	·01	·05	·02	·01	–	20
21	–	–	–	–	–	·38	–	·31	–	·01	·01	–	21
22	–	–	–	·01	–	·31	–	·34	–	·21	–	–	22
23	–	–	–	·19	–	·03	–	–	·11	·25	–	–	23
24	–	·52	–	·20	·07	·46	–	–	·28	·03	–	–	24
25	–	·72	–	·19	–	·22	–	–	·06	–	·01	·07	25
26	–	·87	–	·18	·32	–	–	–	·02	·27	–	·01	26
27	–	·02	–	–	·15	–	–	–	·01	·03	–	·07	27
28	–	–	–	·23	·15	–	·01	–	·01	·04	–	·10	28
29	·01	×	·02	–	–	–	·04	–	–	·02	–	·01	29
30	·04	×	·11	–	–	–	·05	–	–	·06	–	·15	30
31	·11	×	·29	×	–	×	·02	·10	×	·25	×	·01	31
TOTAL	2·27	3·63	3·31	1·01	1·69	2·65	2·38	0·89	0·69	5·32	1·12	0·52	YEAR'S TOTAL 25·48
Days with ·01 in. or more.	14	12	16	7	14	14	14	8	10	19	16	11	158
Days with ·04 in. or more.	10	9	12	5	9	10	9	4	6	13	6	5	98

40-9999

N.B. 3 PARTIAL DROUGHTS IN LAST 6 MONTHS:–
16 JULY TO 20 AUG: 0·30 IN: IN 36 Days
23 AUG: TO 22 SEPT: 0·30 IN: IN 31 Days.
16 NOV: TO 26 DEC: 0·39 IN: IN 42 Days

(Signed) D a a Barnes. C.E.
P.T.O. F.R. Met: Soc.

P.T.O.

2473

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. ~~69/887/26~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at BARTLEY RESERVOIR Nº1 Daily

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 600 ft.

Lat: 52° 25′ 45″ N

Long: 1° 59′ 7″ W

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	–	–	–	–	–	·19	·33	·01	·05	·50		1
2	·04	·01	·08	–	–	–	–	–	·42	–	·11	·18		2
3	·05	·06	–	–	–	–	–	–	·02	·16	–	·06		3
4	·09	–	·23	·08	·20	–	–	–	·07	·01	·09	·49		4
5	–	–	·09	·03	·06	–	–	·64	–	–	·21	·02		5
6	–	–	·04	·01	·36	·03	–	·03	–	·17	–	·56		6
7	·16	·01	–	–	–	·04	–	·09	–	·10	·01	·33		7
8	–	–	–	–	·05	–	–	·01	–	–	·21	·08		8
9	–	–	·20	·04	–	–	–	·10	–	–	·69	·49		9
10	·09	–	·24	·30	–	–	–	·16	–	–	·13	–		10
11	1·10	–	·03	·21	–	–	·04	·08	–	–	·03	·37		11
12	–	·01	·19	·03	–	–	·25	·08	–	–	–	·01		12
13	·43	–	·01	·18	–	–	·80	·01	–	·02	–	·11		13
14	·19	–	·40	–	–	·02	–	–	·03	·16	·34	·18		14
15	·02	–	·10	–	·18	–	·05	–	·19	·47	·27	·15		15
16	·22	·01	·18	–	·01	–	–	·02	–	·03	·03	·01		16
17	·03	–	·05	·02	·01	–	·10	–	·43	·07	·01	·12		17
18	·30	–	–	·24	–	·03	–	–	·04	–	–	·03		18
19	–	–	·20	·01	–	·12	–	·02	·02	·02	–	·19		19
20	–	–	·15	·03	–	·03	–	–	–	–	·01	·01		20
21	·01	–	·02	–	–	·34	–	·17	·01	·08	–	–		21
22	·01	–	·01	–	·02	–	–	·23	·26	·01	–	·29		22
23	–	–	·05	·27	·07	·15	·02	–	·02	–	–	·12		23
24	–	·27	·09	·05	·03	·04	–	–	·23	–	–	–		24
25	·30	·02	–	·09	·03	·28	–	–	–	·26	–	·52		25
26	·12	–	·05	–	–	·06	–	–	·03	·09	·03	·04		26
27	·04	–	–	·31	–	·02	–	–	·02	·02	–	·20		27
28	–	–	–	·41	–	·04	·01	·19	·04	·04	·11	·41		28
29	–	×	–	–	–	–	·38	·06	·52	·03	–	·02		29
30	·04	×	–	–	–	–	·02	·01	·06	·01	–	·24		30
31	–	×	–	×	–	×	·03	–	×	·12	×	·12		31
TOTAL	3·57	0·39	2·41	2·31	1·02	1·20	1·40	2·09	2·74	1·88	2·33	5·85	Year's Total. 24·49	✓
* Days with .01 in. or more.	19	4	20	17	11	13	10	17	18	20	16	28	196	
* Days with .04 in. or more.	14	2	16	11	6	8	6	11	11	11	10	22	128	

PARTIAL DROUGHT 0·29" in 34 DAYS

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. A. Barnes. C.E.
F.R. Met. Soc.

[P.T.O.

2473

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 691887/26

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at BARTLEY RESERVOIR No 1 Daily

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 600 ft.

Lat: 52° 25′ 45″ N

Long: 1° 59′ 7″ W

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·06	—	·03	—	·07	·03	—	·09	·25	·20	·02		1
2	—	—	—	·01	—	·17	—	—	·08	·29	—	·05		2
3	·01	·18	·11	·03	—	·02	—	—	—	·27	·25	·18		3
4	—	—	—	·13	—	·10	—	—	·39	·21	—	·05		4
5	—	·55	·17	·03	—	—	·05	—	—	·24	·07	·01		5
6	—	—	—	·37	—	·36	—	—	—	—	—	—		6
7	—	—	—	·20	—	·10	—	—	—	·20	·28	·16		7
8	—	—	—	·20	—	·12	—	·18	—	·14	·31	·10		8
9	·01	—	—	·40	—	·38	—	—	—	·40	·47	·01		9
10	—	—	—	·05	—	—	—	—	—	—	·01	—		10
11	·30	·01	—	—	—	·10	—	—	—	—	·24	·01		11
12	·10	·01	—	—	—	·07	—	·09	·04	—	—	—		12
13	·20	·09	—	·22	·16	—	—	—	—	·02	·03	—		13
14	·01	—	—	·01	·04	—	—	—	·06	—	1·02	·18		14
15	—	·03	—	·70	·04	·05	·01	—	·18	—	·20	·14		15
16	—	·05	·12	·36	—	·20	·03	—	·65	·29	·68	·12		16
17	—	—	—	·11	—	·16	·10	—	—	—	·60	—		17
18	—	—	—	·26	·09	·14	·02	—	·31	·08	·11	—		18
19	—	·01	—	·10	·41	·32	·13	—	·06	·15	·33	·02		19
20	·02	·45	—	·49	·01	·03	·06	—	·03	·01	·54	—		20
21	—	·34	·01	—	—	—	—	—	·62	·01	·10	—		21
22	—	·06	·01	·07	—	—	—	·12	·01	—	—	—		22
23	·07	—	·12	·15	—	—	—	·21	·14	·52	—	·15		23
24	·10	·42	·01	—	—	—	—	·01	·82	·03	—	·47		24
25	·08	·20	—	·10	—	·45	—	—	—	—	—	·14		25
26	—	·15	—	—	—	—	—	·84	·18	—	·01	·62		26
27	—	·10	—	—	·01	—	·03	·01	·30	·04	·20	·94		27
28	·06	·10	—	—	·38	—	—	·08	·09	·09	·02	·04		28
29	—	×	·06	—	—	—	—	·02	·06	·07	·17	·25		29
30	·03	×	—	·17	·01	·02	—	·31	·02	·23	·55	·17		30
31	—	×	—	×	—	×	—	—	×	·47	×	·18		31
TOTAL	1·02	2·81	0·61	4·19	1·15	2·86	0·46	1·87	4·13	4·01	6·39	4·01	Year's Total 33·51	
* Days with .01 in. or more.	13	17	8	22	9	18	9	10	19	21	22	22	190	
* Days with .04 in. or more.	7	13	5	17	6	15	4	7	16	17	18	17	142	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

Partial Drought
21 July to 21 Aug:
0·30 ins: in 32 days.

(Signed) A. A. Barnes C.E.
F.R. Met: Soc:

[P.T.O.

69 1887/26

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2473

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at BARTLEY RESERVOIR No. 1. DAILY

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 600 ft.

Lat 52° 25′ 45″ N

Long 1° 59′ 7″ W

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.04	.12	.09	.46	–	.25	.14	.11	–	–	.07	.06		1
2	.05	–	.04	.06	–	.35	.88	–	–	–	.10	–		2
3	.01	–	–	–	–	.27	.04	–	.46	–	.01	–		3
4	–	–	.12	–	–	.08	–	.01	.19	–	.08	.09		4
5	.26	.02	.01	–	.02	.01	.03	.11	–	–	–	.17		5
6	.04	–	–	–	.17	.07	.18	.16	.20	–	.29	.06		6
7	.04	–	.08	–	–	–	.52	–	.16	–	.24	.03		7
8	.39	–	.07	–	–	–	–	–	.06	–	.59	.05		8
9	.49	–	.14	–	–	–	1.29	–	.19	.17	.04	.01		9
10	.06	–	.01	–	–	–	.27	.09	.01	–	.01	–		10
11	–	–	–	.05	–	.07	.09	–	.14	–	.78	–		11
12	–	–	–	.04	.32	.60	.67	.01	.55	–	.14	.14		12
13	.01	–	–	.04	–	.10	–	–	–	.05	.03	.65		13
14	–	–	–	.20	.04	.09	.21	–	.55	.03	.06	.59		14
15	.05	–	–	.02	.12	–	.03	–	.03	–	.07	.14		15
16	.10	.19	–	.07	.06	–	.09	–	–	–	.57	.06		16
17	–	.82	–	–	–	–	.14	–	–	.14	.03	.41		17
18	–	.04	–	–	–	.27	.44	.01	–	.11	–	.05		18
19	.58	.20	.07	.26	–	.06	.03	.07	–	.05	–	–		19
20	.01	.22	–	.02	–	.03	–	–	.13	.01	–	–		20
21	–	–	–	.21	–	1.01	.04	–	–	–	.01	–		21
22	–	.71	.08	–	.14	–	.31	–	–	–	–	.05		22
23	–	.03	.31	.15	.09	–	.40	–	–	.04	–	–		23
24	.26	.10	–	.02	.01	–	–	–	.03	.35	.01	–		24
25	.15	–	.20	.31	–	–	.34	–	.35	.05	–	–		25
26	.06	.11	.33	.01	–	–	.04	–	–	.07	.07	–		26
27	.16	.02	.05	–	–	–	–	–	.19	.12	.01	–		27
28	.42	.08	.21	–	–	–	.12	–	–	.02	.01	.14		28
29	.02	.23	.19	–	–	.23	.10	–	–	.02	.02	.16		29
30	.05	✕	–	–	.39	.12	.20	–	–	.39	–	–		30
31	.66	✕	.12	✕	–	✕	.01	–	✕	.11	✕	.24		31
TOTAL	3.91	2.89	2.12	1.92	1.36	3.61	6.61	.57	3.24	1.73	3.24	3.10	Year's Total 34.30	✓
* Days with .01 in. or more.	22	14	17	15	10	16	25	8	15	16	22	18	198	✓
* Days with .04 in. or more.	18	11	15	11	8	14	21	5	12	12	13	16	156	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. A. Barnes C.E.
F.R. Met. Soc.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2473

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at BARTLEY RESERVOIR Nº1 Daily
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 600 ft.

Lat: 52° 25' 45" N
Long: 1° 59' 7" W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·02	·01	·06	-	-	-	-	·17	-	·14	·61		1
2	·02	·09	·03	·62	-	-	-	-	-	-	·01	·19		2
3	-	·11	·02	-	-	·02	·05	-	-	-	·01	·09		3
4	·10	·23	·02	-	·10	-	-	·01	-	-	-	·59		4
5	·10	-	·18	-	-	-	·03	-	-	-	-	-		5
6	·05	·01	·04	·11	·11	-	-	-	-	·03	·01	·01		6
7	-	·75	-	·19	·01	·01	-	-	-	-	-	-		7
8	-	·07	-	·03	·08	-	·02	-	·01	-	·35	-		8
9	-	·01	-	·06	·19	-	·39	-	·21	-	-	-		9
10	·04	·04	·32	·05	-	·16	-	-	-	-	-	·17		10
11	-	·01	·25	-	·40	·13	·03	-	-	-	-	·14		11
12	·16	·44	·22	-	·24	·03	-	·11	·15	-	-	·49		12
13	·09	·03	·02	·15	·01	·01	-	·43	·13	-	-	·05		13
14	-	·01	·13	·09	-	-	-	·19	·02	-	·01	·10		14
15	·20	·05	-	·41	-	-	1·32	·07	·19	-	·02	·01		15
16	-	·23	·57	·30	-	-	-	·20	·33	-	-	-		16
17	·30	·07	·33	·16	-	·10	-	-	·47	-	-	-		17
18	·49	·09	·16	·01	-	-	·04	-	·42	-	·37	·04		18
19	·02	·03	·12	·15	-	·14	·17	-	-	·01	·12	-		19
20	·33	·01	-	·38	·32	-	-	-	-	-	-	·01		20
21	·16	·24	·03	·07	·01	-	·26	-	-	-	-	·10		21
22	·17	·03	·10	-	·08	·03	·28	-	·01	·71	·39	·05		22
23	·30	·01	·01	-	·29	-	·03	-	-	·44	·17	-		23
24	·32	·35	·03	-	·09	-	·01	-	·05	·29	-	·02		24
25	·04	·44	-	-	·04	-	-	-	·05	·38	-	·01		25
26	-	·57	·04	-	·59	-	-	-	-	-	-	·03		26
27	·01	·38	-	·28	-	-	-	-	-	·82	-	-		27
28	-	·10	·01	-	-	·04	-	-	-	·04	-	·06		28
29	·02	×	-	-	-	-	-	-	-	·06	·07	·01		29
30	·37	×	-	-	-	-	-	·05	-	·09	·14	·01		30
31	·28	×	-	×	-	×	-	-	×	·12	×	·01		31
													Year's Total.	
TOTAL	3·62	4·42	2·64	3·12	2·56	0·67	2·63	1·06	2·21	2·99	1·81	2·80	30·53	✓ ✓
* Days with .01 in. or more.	22	27	21	17	15	10	12	7	13	11	13	22	190	✓ ✓
* Days with .04 in. or more.	18	17	12	15	12	5	7	6	10	9	8	13	132	✓ ✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A.A. Barnes CE
F.R. Met. Soc.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 691887/26.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

2473

Kept at BARTLEY RESERVOIR: No 1 Daily

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 600 ft.

Lat: 52° 25′ 45″ N

Long: 1° 59′ 7″ W

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·	·	·02	·	-	·67	·25	·	·	·15	·08	·32		1
2	·	·	·	·05	·02	·15	-	·	·	·20	·	·01		2
3	·01	·	·	-	·11	·01	·33	·	·	·65	·	-		3
4	·01	·	·	·	-	·06	·10	·32	·	·19	·	·30		4
5	-	·	·	·	-	·02	·15	1·03	·08	·04	·	·03		5
6	·01	·01	·	-	·	·05	·49	-	·02	·11	·	-		6
7	·01	·	·	·	·	·	·39	·66	·10	·16	·	·04		7
8	·55	·	·	·	·	·	·14	·23	·	·26	·	·03		8
9	·07	·05	·	·	·	·05	·06	·03	·	-	·	·58		9
10	·01	·03	·	-	·	·07	·36	·12	·	·	-	·13		10
11	·51	·05	-	·	·	·01	·	·	·	·02	·18	·06		11
12	·25	-	·	-	·15	·	·	·	·	·23	·59	·		12
13	-	-	·	-	·04	·	·	·	·	·01	·11	·85		13
14	·28	·01	·	-	·01	·	·68	·	·07	·	·	·		14
15	·13	·	·	-	·15	·	·11	·	-	·	·04	·54		15
16	·26	·	·	-	-	·	·	·03	·	·04	·07	·06		16
17	-	·03	·	·	·02	·	·	·	·03	·11	·01	·01		17
18	·07	·	·	·	·14	·24	·	·13	·04	·01	·36	·		18
19	·	·	·	·	·	·	·	·07	·03	-	·07	·02		19
20	·01	·	·	·	-	·	·	·	·02	-	·38	-		20
21	·02	·	·	-	·	·	·	·	·06	·	·08	·19		21
22	·	·	·	·08	·	·02	·	·	·	·	·39	·18		22
23	-	·	·	·	·	·	·	·	·12	·	·	·02		23
24	·	·	14	·	13	·	·	04	·07	·	03	·01		24
25	·05	·24	·08	·	·	·	·03	·04	·11	·19	·57	·12		25
26	·07	·33	·19	·	·06	·10	·	·	·10	·28	-	·27		26
27	·09	·01	·	·	·50	·14	·34	·43	·18	·01	·46	-		27
28	·12	·02	·	·	·10	·22	·04	·38	·04	-	·05	·15		28
29	·46	×	·	·	·49	-	·01	-	-	·07	·19	·17		29
30	·07	×	·	·	·02	·17	·	·	·95	·01	·35	·25		30
31	·14	×	·	×	·17	×	·	·	×	·18	×	·31		31
TOTAL	3·20 ✓	0·78 ✓	0·43 ✓	0·13 ✓	2·11 ✓	1·98 ✓	3·48 ✓	3·51 ✓	2·02 ✓	2·92 ✓	4·01 ✓	4·65 ✓	Year's Total. 29·22 ✓	✓
* Days with .01 in. or more.	22 ✓	10 ✓	4 ✓	2 ✓	15 ✓	15 ✓	15 ✓	13 ✓	16 ✓	20 ✓	18 ✓	24 ✓	174 ✓	✓
* Days with .04 in. or more.	15 ✓	4 ✓	3 ✓	2 ✓	11 ✓	11 ✓	13 ✓	11 ✓	12 ✓	15 ✓	16 ✓	17 ✓	130 ✓	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. A. Barnes C.E. F.R.Met.Soc. [P.T.O.

A.A.B.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2473

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at BARTLEY RESERVOIR No1 Daily

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 600 ft.

Lat: 52° 25′ 45″ N

Long: 1° 59′ 7″ W

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·20	-	·08	·14	·08	-	-	-	·04	-	-	·04		1
2	·08	-	-	·03	-	-	·03	·40	·43	·01	·01	-		2
3	·30	-	-	·37	-	-	-	·33	·01	-	·11	·39		3
4	·08	-	·37	·40	·10	-	·39	·14	·07	·38	·09	·19		4
5	-	-	-	·17	·25	-	·33	·06	-	·20	·47	·05		5
6	·75	-	-	-	-	-	·51	·01	-	-	·09	-		6
7	·01	·08	-	-	-	-	·28	·01	-	-	·36	·56		7
8	·01	·17	·29	-	-	-	·47	·04	-	·58	·12	·20		8
9	·01	·06	-	-	·01	-	-	·32	-	·39	·04	·28		9
10	·66	-	·03	-	-	-	-	·07	·08	·19	-	·01		10
11	·03	·03	·17	-	-	·12	-	·01	-	·01	-	-		11
12	·01	·01	-	-	-	·12	-	-	-	-	-	-		12
13	-	-	·01	·12	-	-	·20	-	·08	·07	·01	-		13
14	·50	-	·03	·04	·19	·21	·05	-	-	·07	·10	-		14
15	·70	-	·02	·06	·12	·54	·49	-	-	·16	·21	-		15
16	·16	-	·05	-	·34	·01	·19	-	-	·20	·20	-		16
17	·65	·04	-	·01	·02	·05	·48	-	-	1·06 ✓	·10	-		17
18	·26	·07	·06	-	-	·21	·08	-	-	-	·60	-		18
19	·23	-	-	-	-	-	·55	-	-	-	·02	·02		19
20	·27	-	·02	-	-	·03	·27	·04	-	-	-	-		20
21	·10	·29	·20	·02	·06	·08	·02	·06	·07	-	-	-		21
22	·29	·26	·01	·02	-	-	·04	-	·02	·02	·39	-		22
23	·08	-	·01	·05	-	-	·17	-	-	·07	·75	-		23
24	·19	-	-	·16	-	-	·09	-	-	·09	-	-		24
25	·60	·09	-	-	-	·01	·16	-	-	·03	·33	·01		25
26	·03	-	·01	·01	-	-	-	·03	-	-	·44	·08		26
27	·01	·27	·11	·01	-	·04	·13	-	-	·03	·03	·09		27
28	-	·14	·13	-	-	·42	·14	·04	-	-	·21	·05		28
29	-	X	-	·19	-	-	·11	·56	-	·17	·05	-		29
30	-	✕	-	·14	-	·29	-	-	-	-	·09	·05		30
31	-	✕	-	✕	-	✕	-	·16	✕	·01	✕	·02		31
													Year's Total	
TOTAL	6·21	1·51	1·60	1·94	1·17	2·13	5·18	2·28	0·80	3·74	4·82	2·04	33·42	✓
* Days with .01 in. or more.	25	12	17	17	9	13	22	16	8	19	23	15	196	✓
* Days with .04 in. or more.	18	10	9	11	7	10	20	12	6	13	19	11	146	✓

† Spare column, no entries required.

(*Signed*) Alfred A. Barnes C.E. F.R. Met Soc. [P.T.O.

* See Instruction 3 (f) on other side.

2473 ~~or 2439~~ ?

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 691887/26

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at BARTLEY RESERVOIR No 1 Daily
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 600 ft.

Lat: 52° 25′ 45″ N
Long 1° 59′ 7″ W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	·02	–	·03	·02	–	–	–	–	–	·10	–		1
2	–	·02	–	·38	–	–	·09	–	–	·01	·90	·01		2
3	–	·27	–	·02	–	–	–	–	–	·21	1·00	·07		3
4	–	·13	–	·16	–	–	·07	–	–	·12	·14	·05		4
5	–	·01	–	–	·03	–	·03	–	·01	·14	·58	·17		5
6	·10	·30	–	–	–	–	·05	–	–	·76	·23	–		6
7	·01	·22	–	·03	·01	–	·13	–	·07	·02	–	·02		7
8	–	–	–	·04	–	–	–	–	–	·26	·05	·27		8
9	–	–	–	–	–	·08	·08	·09	·02	·20	·40	·23		9
10	–	–	·09	–	–	·02	·38	–	–	·04	·15	·22		10
11	–	–	·02	·03	–	–	·44	–	–	–	·78	·12		11
12	–	–	·10	–	–	·01	·14	·01	·18	–	·04	–		12
13	–	·05	·43	·06	–	–	–	·03	·05	–	–	·02		13
14	–	–	·03	·09	·63	–	–	–	·18	·07	–	·49		14
15	–	–	·07	·07	·60	–	–	–	·06	·12	·10	–		15
16	·02	·28	·32	·04	–	–	·14	–	·13	·62	·60	·02		16
17	–	·01	·26	–	–	–	·02	–	–	–	·18	–		17
18	·11	·65	·24	·33	–	–	–	·04	·33	·14	·12	·07		18
19	–	·22	·07	·43	–	–	·50	–	–	–	·23	–		19
20	–	·01	–	·02	–	–	·20	·04	–	·33	·01	–		20
21	–	·01	–	–	·45	·35	·08	–	–	·02	1·38	–		21
22	–	–	·02	·01	·35	·05	–	·01	·12	–	–	–		22
23	–	·10	·03	·11	·35	·06	–	–	·04	·03	–	·02		23
24	·02	–	–	–	–	–	·09	–	·01	·01	–	·03		24
25	·02	–	–	·01	·01	·04	·01	–	–	–	–	–		25
26	1·39	·14	·05	·90	·07	–	·25	–	–	–	·02	–		26
27	1·01	·40	–	·57	–	–	?10	–	·02	–	·02	–		27
28	·61	·19	–	·01	·83	–	–	–	–	–	–	–		28
29	–	–	·13	·62	–	·15	·02	–	–	–	–	·24		29
30	·02	×	–	·47	·01	–	–	–	–	·70	–	·02		30
31	·02	×	·07	×	–	×	–	–	×	1·09	×	·02		31
													Year's Total.	
TOTAL	3·33	3·03	1·93	4·43	3·36	0·76	2·82	0·22	1·22	4·89	7·03	2·09	35·11	✓
* Days with .01 in. or more.	11	18	15	22	12	8	19	6	13	19	20	18	181	✓
* Days with .04 in. or more.	5	12	11	14	7	6	15	3	9	14	17	10	123	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. A. Barnes C. E.

[P.T.O.

MOSELEY

2473/5

VI / Warwick / 4

Reg

2473/5

MOSELEY COTTON LANE

1931 —— 40

780408

Kept at Ferndale, 2

in the County of Warw

5"
1' 0"
400'.

IMPORTANT NO sible, and the result entered to the previous

Date	Jan. in.	Feb. in.	Mar in.								Nov. in.	Dec. in.	Date
1								—	·32	Trace	Trace	—	1
2								·09(5)	·42	·04	·01	{ ✗ 1 ✗	2
3								—	1·00	·01	·47	·19	3
4								·16	·18	Trace	·05	Trace	4
5								Trace	·04	—	—	3	5
6								Trace	·01	·25	1·24	~~—~~	6 1·97
7								·54	—	Trace	·12	·02	7
8								1·18	—	Trace	·25	Trace	8
9								·05	—	—	·46	Trace	9
10								·18	·04	—	·26	—	10
11								—	·09	—	·19	Trace	11
12								·07	·42	·06	Trace	—	12
13								·09	Trace	·01	—	—	13
14								1·53	·05	—	·57	—	14
15								·36	Trace	—	Trace	·05	15 4
16								·09	·14	Trace	—	—	16
17								—	Trace	·01	·03	Trace	17
18								·17	Trace	Trace	·33	Trace	18
19								·10	—	—	Trace	—	19
20								·34	—	·01	·01	·01	20
21								—	—	—	·14	Trace	21
22								·08	—	—	Trace	—	22
23								·02	—	—	·27	·20	23
24								—	—	—	Trace	Trace	24
25							·24	—	—	—	·06	{ –	25
26							·02	—	—	—	·28	✓ ·01	26
27							·05	—	—	·01	·12	·06	27
28							—	—	—	·05	~~Trace~~	·15	28
29							·09	—	—	·39	Trace	—	29
30							—	—	Trace	—	Trace	—	30
31							—	—	✗	—	✗	·02	31
Total							nil	5·1	2·74	·84	3·86	1·01	TOTAL for year 5 mths ~~13·55~~
No. of Rain Days	·01 or more							16	11.	10	18	~~10~~ 11	~~65~~
	·04 or more							15.	10	5.	15	~~6~~ 7	~~37~~

Published by HOWARD WILSON, Rain Gauge Manufacturer, GARSTANG.

PRICE, TWOPENCE.

N 5·10 U. A BAKER ESQ

MOSELEY

2473/5

VI / Warwick / 4

Register of Rainfall in 1937

Kept at Ferndale, 24 Cotton Lane, Moseley, Birmingham *by* U. Ambrose Baker

in the County of Warwickshire (City of B'ham) *Time of Observation* 9 am

5"
1' 0"
400'.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., if possible, and the result entered to the previous day.

Date	**Jan.** in.	**Feb.** in.	**March** in.	**April** in.	**May** in.	**June** in.	**July** in.	**Aug.** in.	**Sept.** in.	**Oct.** in.	**Nov.** in.	**Dec.** in.	*Date*
1								—	·32	Trace	Trace	—	1
2								·09 (5)	·42	·04	·01	x 4x	2
3								—	1·00	·01	·47	·19	3
4								·16	·18	Trace	·05	Trace	4
5								Trace	·04	—	—	·3	5
6								Trace	·01	·25	1·24	—	6
7								·59	—	Trace	·12	·02	7
8								1·18	—	Trace	·25	Trace	8
9								·05	—	—	·46	Trace	9
10								·18	·04	—	·26	—	10
11								—	·09	—	·19	Trace	11
12								·07	·42	·06	Trace	—	12
13								·09	Trace	·01	—	—	13
14								1·53	·05	—	·57	—	14
15								·36	Trace	—	Trace	·05	15
16								·09	·14	Trace	—	—	16
17								—	Trace	·01	·03	Trace	17
18								·17	Trace	Trace	·33	Trace	18
19								·10	—	—	Trace	—	19
20								·34	—	·01	·01	·01	20
21								—	—	—	·14	Trace	21
22								·08	—	—	Trace	—	22
23								·02	—	—	·27	·20	23
24								—	—	—	Trace	Trace	24
25							·24	—	—	—	·06	✓	25
26							·02	—	—	—	·28	·01	26
27							·05	—	—	·01	·12	·06	27
28							—	—	—	·05	~~Trace~~	·15	28
29							·09	—	—	·39	Trace	—	29
30							—	—	Trace	—	Trace	—	30
31							—	—	×	—	×	·02	31
Total							nil	5·1	2·74	·84	3·86	1·01	TOTAL ~~for year~~ 5 mths ~~13·55~~
No. of Rain Days	·01 or more							16	11.	10	18	~~10~~ 11	~~65~~
	·04 or more							15.	10	5.	15	~~8~~ 7	~~57~~

1·97

4

nil

Published by HOWARD WILSON, Rain Gauge Manufacturer, GARSTANG.

PRICE, TWOPENCE.

N

U. A BAKER Esq

~~MOSELEY (COTTON LANE)~~ 769022/27 (2473/5

Section A for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 24 Cotton Lane, Moseley

in the County of Warwickshire (City of B'ham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 450' ft.

Warwick/4

C inf 1931

OK by surrounding stns. Print.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.*	in.	in.	in.	in.	in.	in.	in.	
1	·02	·04	Trace	·15	·80	·06	·04	·19	·01	·23	·01	Trace	1
2	·04	Trace	—	·10	·44	—	—	—	·34	·05	Trace	·11	2
3	Trace	·01	—	·23	·08	—	Trace	Trace	Trace	·01	Trace	·03	3
4	·03	Trace	—	·31	Trace	Trace	Trace	—	—	Trace	·55	Trace	4
5	·44	·01	·03	·03	·05	—	Trace	Trace	·08	—	Trace	Trace	5
6	·37	—	·10	·39	—	—	·08	—	·26	—	Trace	·01	6
7	Trace	Trace	·21	·15	Trace	—	Trace	—	·06	·32	—	Trace	7
8	Trace	Trace	Trace	·04	—	—	—	—	·51	·46	—	Trace	8
9	·22	·11	—	·01	·03	—	—	—	Trace	—	—	Trace	9
10	·30	{	·04	·12	·08	Trace	—	—	·15	·21	—	Trace	10
11	·01	{ ·06	—	·04	·10	·06	·12	—	Trace	·12	·01	·01	11
12	·29	—	—	—	·18	Trace	·01	Trace	·1	·34	·05	Trace	12
13	·03	·02	Trace	·13	·05	—	·68	Trace	·01	·02	·01	·06	13
14	·30	Trace	Trace	·08	Trace	—	·1	·06	Trace	·05	·08	·01	14
15	Trace	—	—	·07	·81	—	Trace	Trace	—	·03	—	—?	15
16	·31	Trace	Trace	·11	·06	—	·1	—	—	Trace	Trace	·03	16
17	Trace	—	—	Trace	Trace	—	·01	—	Trace	·21	Trace	Trace	17
18	Trace	Trace	—	—	·06	—	·03	—	·02	·01	·08	Trace	18
19	·01	·01	—	·10	·04	—	—	—	—	·23	Trace	—	19
20	Trace	—	—	·08+	·91	—	·01	·88	—	·41	·06	—	20
21	—	—	·12	·10	1·32	—	—	·17	—	·26	·05	·13	21
22	Trace	—	·18	·07	·05	Trace	·26	Trace	·67	·05	·22	·02	22
23	—	—	Trace	Trace	·52	Trace	·02	—	·08	·09	·11	·04	23
24	·01	Trace	—	Trace	·01	Trace	·24	—	·12	·01	·27	Trace	24
25	Trace	·03	—	Trace	Trace	·07	·16	—	·22	·13	·07	·01	25
26	—	Trace	·05	·53	·18	Trace	·21	—	·04	·01	·02	Trace	26
27	Trace	—	·43	·24	·40	—	·08	—	—	Trace	·07	·01	27
28	—	Trace	·07	·06	·35	·09	·13	·88	—	—	Trace	·02	28
29	Trace	Trace	·25	·24	·06	·11	·06	·02	·16	·3	·05	·13	29
30	Trace	×	·14	·07	Trace	·96	·08	·08	·5	·17	·23	·13	30
31	Trace	×	·04	×	Trace	×	·62	Trace	×	Trace	×	·3	31
TOTAL	2·38	·29	1·66	3·45	6·58	1·35	3·04	2·28	3·33	3·72	1·94	1·05	YEAR'S TOTAL 31·07
*Days with ·01 in. or more.	14	8	12	24	22	6	20	7	17	23	17	16	186
*Days with ·04 in. or more.	8	2	11	22	20	6	15	6	14	17	13	7	141

780408

40-9999

+ late. 2. 0/pm (* 1st May. wasted Trace ·82)

(Signed) U. Ambrose Baker

~~U.A BAKER ESQ~~

P.T.O.

*See Instruction 2 (*f*) on other side.

2473/5 ~~2473/5~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. File 769022/27

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 24 Cotton Lane Moseley
in the ~~County~~ City *of* Birmingham 13.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·42	·03	—	—	T	—	—	—	—	02	—		1
2	·22	*}	·31	—	}	—	—	T	—	Trace	·01	T		2
3	—	·09}	·16	—	·17}	—	—	—	—	—	·01	—		3
4	·14	Trace	Trace	—	·31	—	—	—	—	—	—	—		4
5	·09	·08	·3	—	·1	—	—	—	—	—	·02	—		5
6	T	·23	Trace	T	·11	—	T	—	—	·08	—	·01		6
7	·04	·2	·16	—	—	—	—	—	T	·13	—	·01		7
8	·04	Trace	·11	—	·08	—	·45	T	—	Trace	}	—		8
9	Trace	—	—	Trace	·08	—	·34	·05	—	·53	·01}	—		9
10	·06	·35	—	—	T	·01	Trace	—	—	1·64	·03	—		10
11	Trace	—	—	—	·03	Trace	·42	Trace	—	·01	—	—		11
12	·01	—	—	—	—	·08	·14	—	·04	·01	Trace	·03		12
13	·01	Trace	—	—	·24	·02	·25	T	·04	·08	·22	Sleet		13
14	·01	—	—	—	—	—	·01	·07	—	·06	·3	〃		14
15	·7	—	·01	—	T	·64	·29	·02	—	Trace	·08	·06		15
16	·09	~~Trace~~	·73	Trace	·01	·09	·31	·01	—	·07	·04	Trace		16
17	·12	·01	·36	—	T	·16	·02	Trace	·06	—	·08	Trace		17
18	·1	*}	·04	—	—	·2	—	—	—	Trace	·04	—		18
19	—	·06}	·37	Snow	—	·17?	T	—	·01	—	·04	—		19
20	—	·01	·01	Sleet	Trace	·16	—	·04	·06	·03	·01	—		20
21	—	Trace	—	[illegible]	T	·21	—	·16	—	·01	·01	—		21
22	—	—	—	—	—	·16	—	·29	—	·25	—	—		22
23	—	Trace	—	·15	—	·04	—	T	·08	·19	Trace	—		23
24	—	·73	—	·18	·08	·29	—	—	·25	·02	·02	—		24
25	—	}	—	·17	T	·33	—	—	·11	—	·01	·06		25
26	Trace	1·42}	—	·09	·07	—	—	—	·02	·34	Trace	}		26
27	Trace	·01	—	—	·43	—	—	—	·01	·04	—	·07}		27
28	—	—	—	·27	·49	—	·01	—	·01	·07	—	·13		28
29	*}	×	·01	·05	—	T	·20	T	—	·09	—	·01		29
30	·05}	×	·1	—	—	—	·03	—	Trace	·06	—	·14		30
31	·09	×	·29	×	—	×	·05	·09	×	·25	×	Trace		31
TOTAL	2·24	3·61	2·99	·91	2·20	2·56	2·52	·73	·69	3·96	·95	·52	Year's Total 23·88	
*Days with ·01 in. or more.	16	13	15	6	13	14	13	8	11	20	17	9	155	
*Days with .04 in. or more.	13	10	11	6	11	12	9	6	7	15	7	5	112	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Ambrose Baker

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2473/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

File No 769222/17

Kept at 24 COTTON LANE. MOSELEY.
in the ~~County~~ *of* B'ham
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level ft.

April 1 – 16' measured in unregistered measure. Totals agreed when measured in new measure.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	Tr	—	—	—	—	—	·13	·12	·01	·08	·33		1
2	·03	·01	·08	—	—	—	—	Trace	·40	—	·06	·17		2
3	·02	·07	—	—	—	—	—	·02	·01	·08	Trace	·03		3
4	·09	Trace	·12	·05	·15	—	—	—	·10	·01	·08	·44		4
5	Trace	—	·10	·03	·18	Tr	—	·53	—	·01	·13	·02		5
6	Trace	—	Trace	·03	·28	·08	—	Trace	Tr	·15	—	·46		6
7	·14	·02	Tr	—	—	·04	—	·12	—	·06	Tr	·33		7
8	Trace	—	·08	—	·05	Tr	—	·02	—	—	·18	·06		8
9	—	—	·22	Trace	—	—	—	·06	Tr	—	·75	·28		9
10	·10	Trace	·17	·27	—	—	—	·14	—	Tr	·15	—		10
11	1·09	—	·03	·15	—	—	—	·15	—	—	·01	·32		11
12	Trace	—	·15	·01	Tr	—	·15	·18	—	—	Tr	·01		12
13	·57	Trace	·02	·17	—	Tr	·35	·09	—	·02	Tr	·07		13
14	·19	Trace	·40	Trace	·06	·04	—	—	·06	·21	·35	·22		14
15	·06	—	·13	—	·14	Tr	·05	—	·14	·34	·29	·15		15
16	·17	—	·18	—	·02	—	—	Tr	—	·05	·04	Trace		16
17	·02	Trace	·03	·01	·04	—	·09	·01	·30	·04	·01	·14		17
18	·30	—	·01	·30	Tr	·01	·05	·01	Trace	—	Tr	·02		18
19	Trace	—	·20	·01	Tr	·05	—	—	·01	·01	—	·08		19
20	—	—	·03	·02	Tr	Trace	—	Trace	Trace	Tr	Tr	Tr		20
21	·02	—	Tr	—	Tr	·29	Trace	·11	·01	·07	Tr	Trace		21
22	Trace	—	Trace	—	·01	—	—	·20	·24	Trace	—	·17		22
23	Trace	Trace	·03	·25	·15	·17	·03	Tr	·01	Tr	·02	·07		23
24	—	·25	·10	·01	Tr	·08	·02	—	·18	·01	—	·01		24
25	·29	Trace	—	·07	·06	·30	—	—	—	·20	—	·47		25
26	·08	Tr	·05	·01	—	·02	Tr	—	·03	·04	·03	·02		26
27	·01	Trace	—	·19	—	Trace	Tr	—	·01	·02	·02	·19		27
28	—	—	—	·43	—	·27	Trace	·21	—	Trace	·08	·40		28
29	—	×	—	—	—	—	·33	·22	·60	·02	Trace	·01		29
30	·04	×	—	—	—	—	·02	Trace	·03	·01	—	·21	4·68	30
31	Trace	×	—	×	—	×	—	·01	×	·18	×	·12		31
													Year's Total.	
TOTAL	3·23	·35	2·13	2·01	1·14	1·35	1·09	2·21	2·25	1·54	2·28	4·80	24·38	
* Days with .01 in. or more.	18	4	19	17	11	11	9	17	16	20	16	27	183	
* Days with .04 in. or more.	12	2	13	9	9	9	6	12	9	11	11	20	121	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) U. Ambrose Baker

[P.T.O.

2473/5

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 24 Cotton Lane, Moseley

in the ~~County~~ City *of* BIRMINGHAM 13.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level .... ft.

Station No 2473/5

File No 769022/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·03	~~[illegible]~~	·03	·01	·06	·02	—	·19	·20	·19	·04	1
2	Tr	Tr	·01	—	—	·16	—	Tr	·24	·23	Trace	·10	2
3	Trace	·24	·07	·04	—	Trace	—	—	·14	·18	·26	·15	3
4	—	—	~~Tr~~	·17	—	·10	—	—	·09	·22	·01	·13	4
5	—	·54	·15	·03	—	·01	·10	—	·01	·10	·11	Trace	5
6	—	·01	Trace	·33	—	·31	—	—	—	—	Trace	·01	6
7	Tr	—	—	·19	—	·13	—	—	—	·23	·31	·13	7
8	—	—	Trace	·19	—	·12	—	·43	—	·70	·24	·09	8
9	Trace	—	Tr	·27	Tr+	·33	—	—	Tr	·35	·32	—	9
10	Tr	—	Tr	·07	—	—	Tr	—	—	Tr	·03	Trace	10
11	·21	Trace	Trace	—	—	·11	—	·01	Trace	·02	·24	·03	11
12	·11	·01	—	—	—	·14	Tr	·08	·01	—	Trace	—	12
13	·17	·07	—	·19	·16	Trace	—	—	—	·02	Trace	Trace	13
14	·01	—	Trace	—	·04	—	—	—	·02	—	·74	·13	14
15	Trace	·03	—	·68	·03	·07	·01	—	·20	—	·22	·18	15
16	Trace	·05	·15	·30	Tr	·08	·01	—	·51	·26	1·08	·14	16
17	—	Trace	—	·11	Tr	·15	·05	—	·03	—	·42	Trace	17
18	Trace	—	—	·20	·03	·09	·12	·01	·21	·05	·05	Trace	18
19	Trace	Trace	—	·13	·61	·30	·17	—	·06	—	·32	·01	19
20	·02	·25	—	·18	·02	·05	·04	—	·03	·03	·46	Trace	20
21	—	·36	·01	—	—	—	—	—	·45	Tr	·12	·01	21
22	—	·09	—	·12	—	—	—	·02	·01	·45	Trace	Trace	22
23	·02	·01	·15	Tr	Tr	—	—	·40	·08	·04	Trace	·05	23
24	·08	·33	Trace	—	—	—	—	·03	·91	Trace	—	·51	24
25	·15	·35	—	·09	—	·51	—	—	—	Tr	—	·09	25
26	—	·34	—	Tr	—	—	—	·51	·18	Tr	·02	·56	26
27	—	·01	—	—	Tr	Tr	·01	·03	·35	·07	·20	·94	27
28	·06	·03	—	—	·50	—	—	·05	·06	·11	·05	·06	28
29	Trace	×	·07	—	—	—	—	{	·07	·05	·12	·26	29
30	·02	×	—	·10	·07	·02	—	·40	·01	·28	·40	·14	30
31	Trace	×	—	×	Trace	×	—	Trace	×	·46	×	·20	31
TOTAL	·87	2·75	·61	3·42	1·47	2·74	·53	1·97	3·86	3·45	5·91	3·96	YEAR'S TOTAL 31·54
*Days with ·01 in. or more.	11	17	7	19	9	18	9	11 or 12	22	20	22	22	188
*Days with ·04 in. or more.	6	10	5	17	5	16	5	6 or 7	15	17	19	18	139

40-9999

*See Instruction 2 (*f*) on other side.

+ about 9.15 am.

(*Signed*) W. Ambrose Baker

P.T.O.

2473/5

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at 24 Colton Lane, Moseley

in the ~~*County*~~ *of* Birmingham 13

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0" in.

,, Ground ,, Sea Level ft.

Station No. 2473/6
File No. 769002/27

Acc

'Tr' = Is Rain or moisture observed but none in gauge really Trace but to distinguish

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	·10	·10	·53	—	·20	·30	·11	Tr	—	·07	·11	1
2	·10	·01	·05	·07	—	·24	·94	Trace	—	—	·08	Trace	2
3	Trace	Tr	}	—	·01	·45	·04	·01	·25	—	·03	·01	3
4	Tr	Tr	·10 }	—	—	·19	Tr	·02	·19	—	·08	·09	4
5	·12	·07	·02	Tr	Tr	Tr	·05	·09	·08	—	Trace	·24	5
6	·03	—	·01	—	·26	·08	·24	·12	·18	—	·25	·04	6
7	·03	—	·09	—	—	Trace	·31	Trace	·17	Trace	·15	·03	7
8	·31	—	·09	—	Tr	—	Tr	—	·05	Tr	·41	·04	8
9	·43	—	·15	—	Tr	Trace	2·02	—	·14	·10	·02	·01	9
10	·08	—	·16	Tr	—	—	·23	·57	·01	—	—)	Tr	10
11	—	—	Trace	·11	—	·04	·19	Trace	·04	—	·69 }	—	11
12	Trace	—	—	·03	·16	·41	·58	Trace	·80	—	·09	·15	12
13	Trace	—	Tr	·09	Trace	·19	Trace	Trace	—	·03	·01	x }	13
14	Trace	—	—	·25	·01	·07	·22	—	·60	·07	·03	·96 }	14
15	·04	·02	—	Tr	·12	·01	·24	—	·19	Trace	·08	·12	15
16	·17	·17	Trace	Tr	Tr	—	·10	—	Trace	{ ·20	·59	·05	16
17	—	·81	—	—	Trace	—	·12	—	—	{ ·12 }	·04	·31	17
18	·01	·03	—	—	Trace	·05	·38	·02	—	? }	Tr	·05	18
19	·59	·17	·06	·26	—	·06	·04	·05	—	·04	Trace	—	19
20	·02	·20	Trace	·02	—	·05	Trace	Tr	·14	Trace	Tr	—	20
21	—	Tr	·03	·22	—	1·11	·05	—	Trace	—	Trace	—	21
22	Trace	·83	·06	·01	·12	—	·25	—	—	Trace	Trace	·06	22
23	—	·03	·38	·15	·13	—	·04	—	—	·03	Trace	—	23
24	·24	·11	Trace	·02	·01	—	·02	—	·04	·35	·01	—	24
25	·16	—	·22	·23	—	·01	·13	—	·35	·05	Trace	—	25
26	·06	·10	·37	Trace	—	·05	·02	—	—	·07	·09	—	26
27	·14	Trace	·04	—	Tr	—	·01	—	·10	·15	Trace	—	27
28	·40	·13	·23	Tr	—	Tr	·05	—	Tr	·05	Trace	·13	28
29	·02	·30	·13	—	—	·17	·21	—	—	·03	·03	·15	29
30	·05	×	—	—	·38	·60	·11	—	—	·41	Trace	Trace	30
31	·68	×	·11	×	·02	×	·05	Tr	×	·09	×	·19	31
TOTAL	3·68	3·08	2·40	1·99	1·22	3·98	6·94	·99	3·33	1·79	2·75	2·74	YEAR'S TOTAL 34·89
*Days with ·01 in. or more.	20	15	20	13	10	18	27	8	16	15	18	19	199
*Days with ·04 in. or more.	15	11	16	9	6	16	24	5	15	12	12	16	157

40-9999

(Signed) W. Ambrose Baker [P.T.O.

*See Instruction 2 (*f*) on other side.

2473/5

Section | **A** | **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at 'Ferndale' 24 Cotton Lane Moseley
in the ~~County~~ *of* Birmingham 13
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level ft.

Stat No 2473/5
File No. 769022/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·02	Trace	·03	—	—	—	—	·16	Tr	·12	·37	1
2	·01	·09	✗ }	·56	—	—	Tr	—	Tr	Tr	Trace	·24	2
3	Trace	·09	✗ ·20 }	Trace	Trace	·01	·06	—	·01	—	Trace	·09	3
4	·12	·20	·01	—	·06	Tr	—	·01	—	—	Trace	·52	4
5	·15	—	·23	—	Trace	—	·04	·01	—	Tr	—	Trace	5
6	·14	·01	·03	·06	·11	Tr	Trace	—	—	·02	Trace	—	6
7	—	·74	Trace	·19	Trace	Tr	—	—	—	—	·01	—	7
8	—	·10	—	·04	·04	Tr	·02	—	·01	—	·45	Tr	8
9	—	·01	Trace	·10	·21	—	·41	—	·24	—	—	·01	9
+ late 9.30am 10	·01	·09	·70 +	·09	—	·20	Trace	—	—	—	—	·22	10
11	—	Trace	·41	—	·48	·23	·01	Tr	—	Tr	—	·07	11
12	·57	·40	·24	—	·30	Trace	Tr	·16	·18	—	—	·38	12
13	·09	·04	·02	·17	·01	·12	—	·68	·26	—	—	·02	13
14	Trace	·02	·09	·11	—	Tr	—	·36	·02	—	·02	·13	14
15	·23	·07	Trace	·36	Trace	—	1·49	·04	·13	—	·01	·02	15
16	—	·17	·48	·41	—	—	—	·10	·13	—	—	—	16
17	·23	·05	·41	·19	—	·02	—	Tr	·19	Tr	—	Tr	17
18	·56	·11	·21	·02	—	—	·03	—	·41	·01	·29	·04	18
19	·01	·05	·08	·10	—	·09	·34	—	Trace	·01	·11	Tr	19
20	·30	·02	·01	·42	·28	—	—	—	Tr	Trace	—	·01	20
21	·14	·24	·03	·01	·01	—	·32	—	—	—	Trace	·13	21
22	·17	·05	·10	—	·11	·06	·07	—	—	·49	·40	·03	22
23	·33	✓ 2 Days }	·01	Tr	·04	—	—	—	·06	·29	·14	Trace	23
24	·34	✗ ·33 }	·11	—	·02	—	Tr	—	·06	·39	—	·01	24
25	·10	·35	—	—	·02	—	—	—	—	·42	Trace	·01	25
26	Tr	·42	·08	—	·55	—	—	—	—	Trace	—	·03	26
27	·01	·57	—	·25	—	—	—	—	—	·94	—	—	27
28	Trace	·14	—	—	—	·05	—	—	—	·03	·05	·06	28
29	·05	✗	—	—	—	·02	—	—	—	·05	·08	·01	29
30	·34	✗	—	—	—	Trace	Trace	·05	Tr	·02	·04	·01	30
31	·31	✗	—	✗	—	✗	—	—	✗	·12	✗	·02	31 ✓
TOTAL	3·87	4·38	3·45	3·11	2·34	·80	2·79	1·41	1·86	2·79	1·72	2·43	YEAR'S TOTAL 30·95 ✓
*Days with ·01 in. or more.	22	26 ✓	20 ✓	17	14	9	10	8	13	12	12	22	185 ✓
*Days with ·04 in. or more.	18	20 ~~21~~	14 ~~13~~	14	10	6	7	6	10	7	9	11	132 ~~142~~ ✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) U. Ambrose Baker

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No 2473/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

File No 769022/27

Kept at 24 Cotton Lane, Moseley

in the ~~County~~ of Birmingham 13

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 500 ft.

{Jan. 11th entd. by observer in pencil; agrees with nearby stns.)

V W.E.S.R.

W.J.H.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Trace	Tr	Tr	—	Trace	·58	·36	Tr	—	·10	·19	·25		1
2	Tr	Tr	—	·08	·02	·17	—	—	—	·23	—	·01		2
3	·01	—	—	—	·12	·01	·30	—	·04	·58	—	—		3
4	·01	—	—	Tr	—	·02	·02	·30	Trace	·22	Tr	·27		4
5	—	—	—	Tr	—	Trace	·13	·65	·05	·05	—	·02		5
6	·01	·01	—	—	—	·05	·55	·01	·03	·11	—	Trace		6
7	·03	—	—	—	—	Tr	·37	·19	·10	·15	—	·05		7
8	·53	—	Tr	—	—	—	·13	·19	Trace	·24	—	·02		8
9	·02	·07	—	—	—	·08	·02	·65	—	—	—	·55		9
10	·01	·03	—	—	—	·11	·40	·23	Tr	—	Tr	·11		10
11	·49	·03	—	—	—	Tr	Tr	Trace	Tr	·02	·16	·05		11
12	·24	Tr	—	—	·11	—	·03	Trace	—	·21	·34	—		12
13	—	Trace	—	—	·01	—	—	—	—	Trace	·24	·76		13
14	·26	·01	—	—	·02	—	·64	—	·04	—	—	Tr		14
15	·13	Tr	—	—	·08	—	·16	Tr	—	Tr	—	·43		15
16	·24	—	Tr	—	Trace	—	·01	·02	—	Trace	·04	·04		16
17	—	·03	—	—	·04	—	·01	·01	·03	·11	·01	·02		17
18	·04	Tr	—	—	·12	·39	·01	·03	·39	·01	·37	Tr		18
19	—	—	—	—	—	—	—	·15	·02	—	·06	·04		19
20	·01	Tr	—	—	—	—	Tr	—	·03	—	·32	·01		20
21	·04	—	—	Tr	—	—	—	·01	·03	—	·08	4 }		21
22	Trace	—	—	·05	—	·04	—	Trace	Tr	—	·38	·57 4 }		22
23	—	—	—	Tr	Trace	—	—	—	·11	Trace	Trace	·05		23
24	Tr	Tr	·10	—	·23	Tr	—	Trace	·09	— x }	·02	Trace		24
25	·07	·22	·11	—	·03	—	·03	Trace	·03	·20 }	·47	4 }		25
26	·04	·44	·18	Tr	·04	Tr	—	·14	·06	·25	Trace	·37 4 }		26
27	·05	·01	Tr	—	·14	·17	·28	·43	·33	·04	·47	~~—~~		27
28	·08	·02	—	—	·09	·15	·04	·54	·11	—	—	·14		28
29	·50	X	Trace	Tr	·42	Tr	·01	—	Trace	·05	·02	·15		29
30	·09		—	—	·01	·21	—	—	·68	·01	·29	·19		30
31	·16		—		·19		·01	—		·21		·31		31
TOTAL	3·06	·87	·39	·13	1·67	1·98	3·51	3·55	2·17	2·79	3·46	4·41	Year's Total 27·99	
* Days with ·01 in. or more.	22	10	3	2	16	12	20	15	17	18	16	24	175 or ~~176~~	
* Days with ·04 in. or more.	15	3	3	2	11	10	11	10	11	15	13	19	~~121~~ or 123	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) U. Ambrose Baker [P.T.O.

2473/5

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at 'Ferndale' 24 Colton Lane Moseley

in the ~~*County*~~ *of* Birmingham 13

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0" in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	·08	·21	·03	—	—	—	·04	—	Trace	·04	1
2	·11	—	—	·02	—	—	·01	·32	·59	·01	·01	—	2
3	·32	—	·42	·41	—	—	—	·39	—	Tr	·15	·46	3
4	·1	—	Tr	·39	·08	—	·52	·16	—	·34	·1	·17	4
5	Trace	—	Trace	·13	·29	—	·20	·09	·07	·09	·43	·08	5
6	·75	Trace	—	—	—	—	·48	·01	—	Tr	·05	—	6
7	Trace	·06	—	—	—	—	·25	Trace	—	Tr	·25	·40	7
8	Trace	·18	·32	—	—	—	·47	·05	—	·45	·09	·25	8
9	·01	·07	Trace	—	Tr	—	·01	·23	Tr	·4	·03	·23	9
10	·53	—	·05	—	—	Trace	Tr	·17	·06	·12	Trace	Trace	10
11	·02	·02	·18	—	—	·08	—	·01	Trace	Tr	—	Trace	11
12	Trace	·01	—	—	Tr	·03	—	—	Trace	Tr	Trace	—	12
13	Trace	—	Trace	·05	·02	·03	·17	—	·07	·09	—	Trace	13
14	·44	—	·04	·06	·18	·12	·12	—	—	·02	·1	—	14
15	·6	—	·01	·01	·09	·43	·49	—	·02	·2	·13	—	15
16	·15	Trace	·03	Trace	·40	·12	·02	—	—	·05	·25	—	16
17	·67	·03	—	Trace	·07	·01	·2	—	—	1·11	·09	—	17
18	·27	·06	·1	—	—	·18	·17	—	Trace	Trace	·55	—	18
19	·2	—	Trace	—	—	—	·25	—	—	—	Trace	·01	19
20	·2	—	·01	—	Trace	·03	Trace	·11	Tr	—	—	—	20
21	·15	·24	·19	·02	·12	·08	·02	·14	·06	—	—	—	21
22	·34	·28	Trace	·07	—	Trace	·11	—	·01	·01	·37	—	22
23	·03	—	Trace	·08	—	·02	·08	—	—	·13	·75	—	23
24	Snow + Sleet	—	—	·1	—	Trace	·17	—	—	·15	—	—	24
25		·08	Trace	·01	—	·01	·04	—	—	·01	·38	Trace	25
26	·82	—	Trace	·02	—	—	—	·01	Trace	Tr	·34	·07	26
27	·01	2	·12	·02	—	·02	·11	Tr	—	Trace	·03	·13	27
28	Trace	·19	·14	Trace	—	·25	·13	Trace	—	Tr	·19	Trace	28
29	—	×	—	·18	—	—	·22	·58	—	·16	·09	—	29
30	—	×	—	·19	—	·27	Trace	—	—	—	·09	·01	30
31	—	×	—	×	—	×	Tr	·11	×	Tr	×	·01	31
TOTAL	5·81	1·42	1·69	1·97	1·28	1·68	4·24	2·38	·92	3·34	4·47	1·86	YEAR'S TOTAL 31·06
*Days with ·01 in. or more.	20	12	13	17	9	15	22	14	8	16	21	12	179
*Days with ·04 in. or more.	16	9	10	11	7	8	18	11	6	12	18	9	135

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) U. Ambrose Baker

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2473/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at 24 Cotton Lane, Moseley

in the County of B'ham 13.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 550 ft.

Jan 26th – 28th estd. from nearby stns.

Totals Acp.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	Trace	—	·01	Tr	—	—	—	—	—	·07	Trace		1
2	Trace	·03	—	·35	—	—	·10	—	—	—	·91	·01		2
3	—	·14	—	·01	—	—	—	—	—	·17	·72	·08		3
4	—	·09	—	·20	—	—	·03	—	—	·10	·41	·03		4
5	—	·01	—	—	·04	—	·11	—	·01	·15	·62	·13		5
6	·07	·21	—	—	—	—	·12	—	—	·60	·30	·01		6
7	·01	·22	—	·01	·01	—	·18	—	·02	Tr	Trace	·01		7
8	Trace	Trace	—	·04	—	—	·01	Tr	Trace	·22	·07	·19		8
9	—	—	Trace	—	—	·01	·07	·05	Trace	·15	·33	·24		9
10	—	—	·09	—	—	Trace	·57	Tr	Trace	·05	·11	·20		10
11	—	Trace	·03	·02	—	—	·37	—	—	—	·74	·11		11
12	—	Trace	·09	—	—	·02	·09	Trace	·10	—	·04	Trace		12
13	—	·02	·57	·03	—	—	·01	·01	·10	·09	—	—		13
14	—	Trace	·03	·12	·58	—	Trace	Tr	·13	—	·01	·43		14
15	—	Tr	·02	·09	·20	—	—	—	·04	·19	·11	Trace		15
16	·06	·32	·35	·07	—	Trace	·13	—	·11	·52	·59	·01		16
17	—	·02	·26	—	—	—	·04	—	—	—	·12	Trace		17
18	·12	·54	·17	·28	—	—	—	·03	·20	·20	·13	·07		18
19	—	·22		·37	—	—	·35	—	·17	Trace	·19	·02		19
20	Trace	Trace	·05	·02	·54	Trace	·19	·02	—	·36	·01	—		20
21	·01	Trace	Trace	—	*(·40)	·19	—	Tr	—	·01	1·34	—		21
22	—	—		·01	·13	·19	—	Tr	·12	—	—	—		22
23	—	·10	·03	·14	Tr	·10	—	·03	·05	·04	Trace	·05		23
24	·02	—	—	—	Trace	—	·09	Tr	—	·02	Trace	Trace		24
25	·01	Trace	—	·02	—	—	·02	Tr	—	Trace	—	—		25
26	x	·16	·02	·71	·11	Tr	·22	Tr	—	—	·01	Tr		26
27	x	·25	Tr	·95	—	—	·27	Trace	·01	—	·01	—		27
28	2·87	·29	—	·03	·36	—	—	—	—	—	—	Tr		28
29	Trace		·10	·13	Trace	·15	·02	—	—	Trace	—	·27		29
30	·06	×	—	·61	·02	—	—	—	—	·57	—	·02		30
31	·12	×	·07	×	·01	×	—	—	×	·95	×	·02		31
TOTAL	3·35 ~~2·65~~	2·62	1·88	4·22	2·40	·66	2·99	·14	1·06	4·39	6·84	1·90	Year's Total. ~~31·75~~	32·45
* Days with .01 in. or more.	12	15	14	22	11	6	21	5	12	17	21	18	175	
* Days with .04 in. or more.	8	11	10	13	8	4	15	1	9	15	17	10	121	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) W. Ambrose Baker

[P.T.O.

X BARTLEY (BROM

2473/7

BROMWICH WOOD

1932 - 40

780408

Section **A** for the entry
AIR MINIST

tation No. 2473/7
ORGANIZATION.

Warwick

FORM 1090.

REGI

Kept at Bartley : B
in the County of War

25' 36½" N.
0' 3" W

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEAS

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
O.K. print

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02	–	·20	·91	·05	·04	·21	·02	·16	·04	–	1
2	·03	·01	–	·10	·43	–	–	–	·40	·06	–	·14	2
3	–	·02	–	·20	·08	–	–	–	·01	·03	–	·02	3
4	·03	–	–	·32	–	–	–	–	–	–	·47	–	4
5	·37	–	·05	·01	·08	–	–	–	·14	–	–	–	5
6	·33	–	·11	·41	–	–	·18	–	·38	–	–	–	6
7	–	–	·17	·07	–	–	–	–	·15	·36	–	–	7
8	–	–	·01	·03	–	–	–	–	·53	·61	–	–	8
9	·28	·09	–	·02	–	–	–	–	–	–	–	–	9
10	·43	·01	–	·20	·10	–	–	–	·15	·26	–	–	10
11	–	·04	–	·08	·06	–	·15	–	·05	·06	·02	·01	11
12	·32	–	–	–	·21	–	–	–	·14	·43	·04	·01	12
13	·02	·04	–	·12	·04	–	1·28	·01	–	·01	·02	·06	13
14	·23	·01	–	·08	–	–	·11	·08	–	·02	·07	·02	14
15	–	–	–	·08	·69	–	·02	–	–	·02	–	·02	15
16	·27	–	–	·13	·08	–	·11	–	–	·01	–	–	16
17	·01	–	–	–	–	–	·10	–	·01	·14	–	–	17
18	–	–	–	–	·07	–	–	–	·02	·02	·10	–	18
19	·01	–	–	·13	·05	–	–	–	–	·22	–	–	19
20	–	–	–	·13	·82	–	·01	·86	–	·43	·11	–	20
21	–	–	·11	·18	1·09	–	–	·25	–	·29	·11	·14	21
22	–	–	·15	·06	·06	–	·05	–	·58	·04	·09	·03	22
23	–	·02	–	–	·19	–	·05	–	·08	·09	·04	·03	23
24	·03	–	–	–	·04	·09	·05	–	·17	·03	·19	–	24
25	–	·05	–	–	–	·08	·16	–	·09	·13	·08	·01	25
26	–	–	·06	·45	·20	–	·16	–	·05	·02	·04	–	26
27	–	–	·57	·28	·41	–	·05	–	–	–	·06	·03	27
28	–	–	·35	·07	·30	·05	·16	·52	–	–	–	·03	28
29	–	–	·23	·23	·12	·17	·08	·01	·20	·41	·05	·15	29
30	–	×	·13	·17	·01	·88	·14	·06	·38	·16	·28	·15	30
31	·01	×	·07	×	·01	×	·64	–	×	–	×	·28	31
TOTAL	2·39	0·31	2·01	3·45	6·05	1·32	3·54	2·00	3·55	4·01	1·81	1·13	YEAR'S TOTAL 31·84
*Days with ·01 in. or more.	15	10	12	24	23	6	19	8	19	24	17	16	193
*Days with .04 in. or more.	4	4	11	21	21	6	14	6	15	16	15	6	145

40-9999
*See Instruction 2 (*f*) on other side

N

(*Signed*) J. W. Wilkinson C.E.

X J.W. WILKINSON ESQ. C.E. per a.a.B.

P.T.O.

X BARTLEY (BROMWIC

2472/7

Section **A** for the entry … ation No

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Warwicks

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bartley : Bromwich Wood
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 611 ft.

Lat: 52° 25′ 36½″ N.
Long: 2° 0′ 3″ W

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
O.K. print

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02	—	·20	·91	·05	·04	·21	·02	·16	·04	—	1
2	·03	·01	—	·10	·43	—	—	—	·40	·06	—	·14	2
3	—	·02	—	·20	·08	—	—	—	·01	·03	—	·02	3
4	·03	—	—	·32	—	—	—	—	—	—	·47	—	4
5	·37	—	·05	·01	·08	—	—	—	·14	—	—	—	5
6	·33	—	·11	·41	—	—	·18	—	·38	—	—	—	6
7	—	—	·17	·07	—	—	—	—	·15	·36	—	—	7
8	—	—	·01	·03	—	—	—	—	·53	·61	—	—	8
9	·28	·09	—	·02	—	—	—	—	—	—	—	—	9
10	·43	·01	—	·20	·10	—	—	—	·15	·26	—	—	10
11	—	·04	—	·08	·06	—	·15	—	·05	·06	·02	·01	11
12	·32	—	—	—	·21	—	—	—	·14	·43	·04	·01	12
13	·02	·04	—	·12	·04	—	1·28	·01	—	·01	·02	·06	13
14	·23	·01	—	·08	—	—	·11	·08	—	·02	·07	·02	14
15	—	—	—	·08	·69	—	·02	—	—	·02	—	·02	15
16	·27	—	—	·13	·08	—	·11	—	—	·01	—	—	16
17	·01	—	—	—	—	—	·10	—	·01	·14	—	—	17
18	—	—	—	—	·07	—	—	—	·02	·02	·10	—	18
19	·01	—	—	·13	·05	—	—	—	—	·22	—	—	19
20	—	—	—	·13	·82	—	·01	·86	—	·43	·11	—	20
21	—	—	·11	·18	1·09	—	—	·25	—	·29	·11	·14	21
22	—	—	·15	·06	·06	—	·05	—	·58	·04	·09	·03	22
23	—	·02	—	—	·19	—	·05	—	·08	·09	·04	·03	23
24	·03	—	—	—	·04	·09	·05	—	·17	·03	·19	—	24
25	—	·05	—	—	—	·08	·16	—	·09	·13	·08	·01	25
26	—	—	·06	·45	·20	—	·16	—	·05	·02	·04	—	26
27	—	—	·57	·28	·41	—	·05	—	—	—	·06	·03	27
28	—	—	·35	·07	·30	·05	·16	·52	—	—	—	·03	28
29	—	—	·23	·23	·12	·17	·08	·01	·20	·41	·05	·15	29
30	—	×	·13	·17	·01	·88	·14	·06	·38	·16	·28	·15	30
31	·01	×	·07	×	·01	×	·64	—	×	—	×	·28	31
TOTAL	2·39	0·31	2·01	3·45	6·05	1·32	3·54	2·00	3·55	4·01	1·81	1·13	YEAR'S TOTAL 31·84
*Days with ·01 in. or more.	15	10	12	24	23	6	19	8	19	24	17	16	193
*Days with .04 in. or more.	7	4	11	21	21	6	17	6	15	16	15	6	145

40-9999
*See Instruction 2 (*f*) on other side.

N

(*Signed*) J. W. Wilkinson C.E.

X J W WILKINSON ESQ., C.E. X per a.a.B.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2473/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at BARTLEY (Bromwich Wood)
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 611 ft.

Lat: 52° 25' 36½" N.
Long: 2° 0' 3" W.

J.M.W.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

19 JAN 1934

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·41	·54	·03	–	–	–	–	–	–	–	·04	–	1
2	·23	–	·41	–	·02	–	–	–	–	–	·01	–	2
3	–	·10	·17	–	·15	–	–	–	–	–	·04	–	3
4	·15	–	–	–	·39	–	–	–	–	–	–	–	4
5	·14	·09	·34	–	·03	–	–	–	–	–	·01	–	5
6	–	·30	·02	–	·14	–	–	–	–	·13	–	·01	6
7	·02	·16	·02	–	–	–	–	–	–	·15	–	·01	7
8	·04	–	·17	–	·09	–	·75	–	–	–	–	–	8
9	–	–	–	·01	·04	–	·35	·01	–	1·73	·02	–	9
10	·10	·33	–	–	–	·01	·02	–	–	1·78	·14	–	10
11	–	–	–	–	·05	–	·58	–	–	–	–	–	11
12	·03	–	–	–	–	·01	·28	–	·02	–	–	·04	12
13	–	–	–	–	·09	·02	·17	–	–	·07	·29	–	13
14	·01	–	–	–	–	–	·05	·05	–	·12	·37	–	14
15	·72	–	·01	–	–	·05	·21	·03	–	·01	01	·06	15
16	·10	–	·80	–	·01	·10	01	·02	–	·07	·04	–	16
17	·11	–	·24	–	–	·15	·06	–	·06	–	·06	–	17
18	·06	–	·04	–	–	·18	–	–	–	–	·02	–	18
19	–	·03	·43	–	–	·26	–	–	·04	–	·07	–	19
20	–	·01	·03	–	–	·56	–	·02	·04	·02	·01	–	20
21	–	–	–	–	–	·56	–	·38	–	·02	·01	–	21
22	–	–	–	·01	–	·50	–	·36	–	·21	–	–	22
23	–	–	–	·20	–	·05	–	–	·12	·24	–	–	23
24	–	·53	–	·19	·07	·42	–	–	·30	·04	–	–	24
25	–	·74	–	·21	–	·22	–	–	·08	–	·01	·08	25
26	–	·88	–	·17	·31	–	–	–	·03	·28	–	·01	26
27	–	·02	–	–	·15	–	–	–	·02	·04	–	·07	27
28	–	–	–	·17	·13	–	·01	–	·01	·04	–	·10	28
29	·01	×	·02	–	–	–	·04	–	–	·01	–	·01	29
30	·05	×	·12	–	–	–	·03	–	–	·07	–	·15	30
31	·11	×	·27	×	–	×	·03	·10	×	·25	×	·01	31
TOTAL	2·29	3·73	3·12	0·96	1·67	3·09	2·59	0·97	0·72	5·28	1·15	0·55	YEAR'S TOTAL 26·12
*Days with ·01 in. or more.	16	12	16	7	14	14	14	8	10	19	16	11	157
*Days with .04 in. or more.	12	9	10	5	11	11	9	4	6	15	8	6	106

40-9999
*See Instruction 2 (*f*) on other side.

P.T.O.

(*Signed*) J. M. Wilkinson

P.T O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 247317

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 109

REGISTER OF RAINFALL IN 1934.

Kept at Bartley, Bromwich Wood

in the County of Warwickshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	–	–	–	–	–	–	·22	·26	·01	·06	·50	1
2	·04	·01	·09	–	–	–	–	·01	·41	–	·12	·14	2
3	·05	·07	–	–	–	–	–	–	·03	·15	–	·06	3
4	·09	–	·26	·09	·19	–	–	–	·08	·01	·09	·48	4
5	–	–	·09	·02	·06	–	–	·68	–	–	·25	·02	5
6	–	–	·08	·02	·37	·03	–	·01	–	·18	–	·58	6
7	·20	·01	–	–	–	·07	–	·09	–	·11	·01	·31	7
8	–	–	–	–	·07	–	–	·02	–	–	·21	·09	8
9	–	–	·24	·04	–	–	–	·10	–	–	·67	·38	9
10	·09	–	·24	·29	–	–	–	·20	–	–	·13	–	10
11	1·12	–	·04	·20	–	–	·04	·09	–	–	·03	·38	11
12	–	·01	·19	·03	–	–	·25	·14	–	–	–	·01	12
13	·74	–	·01	·19	–	–	·95	·03	–	·02	–	·13	13
14	·17	–	·41	–	–	·02	–	–	–	·19	·34	·20	14
15	·03	–	·10	–	·18	–	·05	–	·21	·52	·26	·17	15
16	·22	·01	·17	–	·01	–	–	·02	–	·03	·03	·09	16
17	·03	–	·05	·02	·01	–	·10	–	·33	·09	·02	·12	17
18	·30	–	·01	·27	–	·03	–	–	·07	–	–	·03	18
19	–	–	·21	·02	–	·14	–	·01	·02	·03	–	·22	19
20	–	–	·15	·03	–	·03	–	–	–	–	–	·01	20
21	·01	–	·03	–	–	·34	–	·15	–	·07	–	–	21
22	·01	–	·02	–	·02	–	–	·26	·25	·02	–	·33	22
23	–	–	·04	·26	·09	·15	·03	–	·02	–	–	·12	23
24	–	·27	·08	·10	·03	·05	–	–	·25	–	–	–	24
25	·30	·03	–	·11	·04	·25	–	–	–	·24	–	·54	25
26	·11	–	·07	–	–	·07	–	–	·04	·10	·04	·04	26
27	·04	–	–	·33	–	·01	–	–	·02	·03	–	·20	27
28	–	–	–	·41	–	·03	·01	·18	·04	·06	·08	·40	28
29	–	×	–	–	–	–	·43	·07	·54	·03	–	·02	29
30	·05	×	–	–	–	–	·02	·04	·06	·01	–	·24	30
31	–	×	–	×	–	×	·01	–	×	·17	×	·12	31
TOTAL	3·63	0·41	2·58	2·43	1·07	1·22	1·89	2·32	2·63	2·07	2·34	5·87	YEAR'S TOTAL 28·46
*Days with ·01 in. or more.	19	7	21	17	11	13	10	18	16	20	15	28	195
*Days with .04 in. or more.	14	2	17	11	7	7	6	12	12	11	11	22	132

40-9999

*See Instruction 2 (*f*) on other side.

M

(Signed) J. W. Wilkinson M.Inst.C.E. [P.T.O.

Chief Engineer. City of Birmingham Water Dept.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations.** **Station No.** 2473/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bartley, Bromwich Wood

in the County of Warwickshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·06	-	·02	-	·06	·03	-	·11	·26	·19	·02		1
2	-	-	-	·01	-	·16	-	-	·06	·30	·01	·05		2
3	·02	·21	·08	·03	-	·03	-	-	·01	·28	·27	·18		3
4	-	-	-	·16	-	·10	-	-	·34	·22	-	·04		4
5	-	·58	·19	·04	-	-	·05	-	-	·20	·09	·01		5
6	-	-	-	·40	-	·36	-	-	-	-	-	-		6
7	-	-	-	·22	-	·12	-	-	-	·18	·30	·17		7
8	-	-	-	·20	-	·13	-	·15	-	·15	·31	·12		8
9	·01	-	-	·37	-	·41	-	-	-	·40	·42	·01		9
10	-	-	-	·04	-	-	-	-	-	-	·01	-		10
11	·31	·01	-	-	-	·10	-	·01	-	-	·23	·02		11
12	·14	·01	-	-	-	·06	-	·07	·04	-	·01	-		12
13	·26	·11	-	·22	·17	-	-	-	-	·03	·04	-		13
14	·02	-	-	·01	·03	-	-	-	·09	-	·98	·18		14
15	-	·03	-	·68	·04	·05	·02	-	·15	-	·14	·16		15
16	-	·08	·12	·38	-	·21	·02	-	·67	·32	·69	·13		16
17	-	-	-	·11	-	·16	·11	-	·01	-	·64	-		17
18	-	-	-	·28	·10	·12	·03	-	·29	·10	·11	-		18
19	-	·01	-	·10	·42	·32	·13	-	·07	·20	·34	·01		19
20	·02	·45	-	·32	·01	·03	·06	-	·04	·01	·54	-		20
21	-	·34	·01	-	-	-	-	-	·74	·01	·10	-		21
22	-	·08	·01	·07	-	-	-	·13	·01	-	-	-		22
23	·08	-	·13	·12	-	-	-	·21	·16	·53	-	·09		23
24	·16	·43	·01	-	-	-	-	-	·83	·04	-	·49		24
25	·08	·21	-	·11	-	·42	-	-	-	-	-	·12		25
26	-	·16	-	-	-	-	-	·87	·19	-	·01	·62		26
27	-	·11	-	-	·02	-	·03	·02	·29	·04	·18	·91		27
28	·08	·10	-	-	·39	-	-	·15	·09	·09	·02	·03		28
29	-	✕	·06	-	-	-	-	·01	·07	·08	·19	·24		29
30	·04	✕	-	·16	-	·02	-	·32	·03	·25	·47	·19		30
31	-	✕	-	✕	-	✕	-	-	✕	·49	✕	·19		31
TOTAL	1·28	2·98	·61	4·05	1·18	2·86	0·47	1·94	4·29	4·18	6·29	3·98	Year's Total 34·11	
*Days with ·01 in. or more.	13	17	8	22	8	18	9	10	21	21	24	22	193	
*Days with .04 in. or more.	9	13	5	18	5	15	4	7	17	18	19	16	146	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column; no entries required.

(Signed) J. W. Wilkinson M.Inst.C.E.
Chief Engineer.

P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2473/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1[illegible]0.

REGISTER OF RAINFALL IN 1936.

Kept at Bartley, Bromwich Wood

in the County of Warwickshire

Diameter of Funnel of Gauge ....in.

Height of top of Gauge above Ground ....ft ....in.

,, Ground ,, Sea Level ....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·12	·10	·45	–	·26	·19	·11	–	–	·09	·06		1
2	·06	·01	·04	·06	–	·47	·92	–	–	–	·10	–		2
3	·01	–	–	–	–	·24	·05	·01	·46	–	·01	–		3
4	–	–	·13	–	–	·08	–	·01	·21	–	·09	·09		4
5	·29	·02	·02	–	·03	·01	·03	·11	·01	–	–	·22		5
6	·04	–	–	–	·15	·07	·18	·21	·18	–	·27	·08		6
7	·03	–	·08	–	–	–	·54	–	·21	–	·22	·04		7
8	·37	–	·08	–	–	–	–	–	·06	–	·49	·05		8
9	·46	–	·13	–	–	–	1·03	–	·18	·15	·04	·01		9
10	·06	–	–	–	–	–	·25	·02	·02	–	·02	–		10
11	–	–	–	·07	–	·07	·09	–	·10	–	·71	–		11
12	–	–	–	·04	·44	·57	·64	·01	·53	–	·20	·15		12
13	–	–	–	·05	·01	·10	–	–	–	·05	·03	·45		13
14	–	–	–	·21	·03	·09	·21	–	·59	·03	·06	·58		14
15	·05	–	–	·03	·15	–	·03	–	·03	–	·07	·12		15
16	·08	·19	–	·08	·12	–	·09	–	–	–	·53	·06		16
17	–	·83	–	–	–	–	·14	–	–	·13	·03	·45		17
18	–	·04	–	–	–	·23	·37	·01	–	·10	–	·05		18
19	·57	·22	·06	·27	–	·05	·04	·07	–	·08	–	–		19
20	·01	·21	–	·02	–	·03	–	–	·13	·02	–	–		20
21	–	–	–	·21	–	1·11	·06	–	–	–	·01	–		21
22	–	·69	·09	–	·15	–	·30	–	–	–	–	·05		22
23	·01	·03	·33	·14	·09	–	·37	–	–	·04	–	·01		23
24	·23	·09	–	·03	·01	–	–	–	·03	·33	·01	–		24
25	·14	–	·22	·33	–	–	·49	–	·26	·04	–	–		25
26	·09	·11	·33	·02	–	–	·05	–	–	·06	·07	–		26
27	·14	·02	·05	–	–	–	–	–	·22	·14	·01	–		27
28	·42	·09	·21	–	–	–	·18	–	–	·03	·01	·13		28
29	·03	·30	·16	–	–	·25	·19	–	–	·02	·03	·17		29
30	·05	✕	–	–	·37	·10	·20	–	–	·40	–	–		30
31	·66	✕	·13	✕	–	✕	·02	–	✕	·12	✕	·23		31
TOTAL	3·83	2·97	2·16	2·01	1·55	3·73	6·66	·56	3·22	1·74	3·10	3·00	Year's Total. 34·53	
* Days with .01 in. or more.	22	15	16	15	11	16	25	9	16	16	22	19	202	
* Days with .04 in. or more.	16	11	15	11	7	14	22	4	12	12	13	17	154	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Wilkinson [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2473/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 990.

REGISTER OF RAINFALL IN 1937.

Kept at Bartley, Bromwich Wood

in the County of Warwickshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·02	·01	·06	–	–	–	–	·18	–	·13	·06		1
2	·02	·08	·04	·58	–	–	–	–	–	–	·01	·21		2
3	–	·10	·02	–	·01	·02	·05	–	–	–	·01	·09		3
4	·10	·22	·02	–	·11	–	–	·01	–	–	–	·61		4
5	·10	–	·19	–	–	–	·03	–	–	–	–	–		5
6	·07	·01	·02	·08	·12	–	–	–	–	·03	·01	·01		6
7	–	·68	–	·18	·01	–	–	–	–	–	–	–		7
8	–	·08	–	·04	·08	–	·02	–	·01	–	·31	–		8
9	–	·01	–	·05	·17	–	·37	–	·23	–	–	–		9
10	·04	·04	·26	·08	–	·15	–	–	–	–	–	·15		10
11	–	·01	·22	–	·39	·12	·03	–	–	–	–	·16		11
12	·13	·39	·19	–	·24	·03	–	·10	·17	–	–	·42		12
13	·10	·03	·02	·15	·01	·01	–	·41	·15	–	–	·05		13
14	–	·01	·17	·09	–	–	–	·17	·02	–	·01	·11		14
15	·22	·06	–	·39	–	–	1·35	·05	·15	–	·02	·01		15
16	–	·20	·53	·35	–	–	–	·21	·34	–	–	–		16
17	·24	·07	·35	·17	–	·15	–	–	·61	–	–	–		17
18	·49	·08	·16	·01	–	–	·04	–	·42	–	·41	·04		18
19	·03	·03	·15	·14	–	·16	·16	–	–	·01	·13	–		19
20	·29	·02	–	·40	·36	–	–	–	–	–	–	·01		20
21	·14	·25	·03	·08	·02	–	·26	–	–	–	–	·10		21
22	·13	·03	·12	–	·08	·03	·28	–	–	·68	·40	·06		22
23	·28	·02	·01	–	·25	–	·03	–	–	·51	·16	–		23
24	·25	·34	·04	–	·15	–	·01	–	·06	·28	–	·02		24
25	·03	·47	–	–	·04	–	–	–	·06	·32	–	·01		25
26	–	·55	·06	–	·56	–	–	–	–	–	–	·03		26
27	·01	·43	·01	·26	–	–	–	–	–	·74	–	–		27
28	–	·10	–	–	–	·06	–	–	–	·04	–	·06		28
29	·02	×	–	–	–	–	–	–	–	·06	·06	·01		29
30	·34	✕	–	–	–	–	–	·04	–	·12	·13	·01		30
31	·29	✕	–	✕	–	✕	–	–	✕	·11	✕	·01		31
TOTAL	3·38	4·33	2·62	3·11	2·60	0·73	2·63	0·99	2·40	2·90	1·79	2·84	Year's Total 30·32	✓ ✓
* Days with .01 in. or more.	22	27	21	17	16	9	12	7	12	11	13	22	189	✓ ✓
* Days with .04 in. or more.	17	17	13	16	12	5	7	6	10	9	8	13	133	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J.W. Wilkinson [P.T.O.

M.Inst.C.E.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2473/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Bartley, Bromwich Wood

in the County of Warwickshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·03	-	-	·62	·25	-	-	·15	·08	·32		1
2	-	-	-	·06	·02	·17	-	-	-	·20	-	·01		2
3	·01	-	-	-	·11	·01	·38	-	-	·57	-	-		3
4	·01	-	-	-	-	·07	·09	·24	-	·18	-	·30		4
5	-	-	-	-	-	·02	·02	·59	·08	·04	·01	·03		5
6	·01	·01	-	-	-	·05	·45	-	·02	·09	-	-		6
7	·01	-	-	-	-	-	·33	·68	·09	·22	-	·04		7
8	·51	-	-	-	-	-	·14	·08	-	·24	-	·03		8
9	·07	·05	-	-	-	·05	·06	·02	-	.	-	·50		9
10	·01	·01	-	-	-	·07	·34	·17	-	.	-	·13		10
11	·51	·05	-	-	-	·01	-	-	-	·02	·18	·06		11
12	·21	-	-	-	·14	.	-	-	-	·21	·51	-		12
13	-	-	-	-	·05	.	-	-	-	·01	·08	·71		13
14	·23	·01	-	-	·01	.	·69	-	·09	-	-	-		14
15	·11	-	-	-	·12	.	·13	-	-	-	·04	·47		15
16	·25	-	-	-	-	.	-	·04	-	·03	·06	·07		16
17	-	·03	-	-	·02	.	·01	-	·03	·10	·01	·01		17
18	·07	-	-	-	·12	·22	-	·12	·04	·01	·33	-		18
19	-	-	-	-	-	.	-	·07	·03	.	·06	·02		19
20	·01	-	-	-	-	.	-	-	·02	.	·37	-		20
21	·04	-	-	-	-	.	-	-	·07	.	·08	·27		21
22	-	-	-	·10	-	·06	-	·01	-	.	·37	·23		22
23	-	-	-	-	-	.	-	-	·09	.	-	·02		23
24	-	-	·13	-	·19	.	-	·06	·06	.	·04	·01		24
25	·05	·22	·11	-	-	.	·04	·06	·07	·23	·52	·12		25
26	·07	·33	·17	-	·06	·10	-	-	·10	·28	-	·27		26
27	·08	·01	-	-	·38	·13	·29	·45	·18	·01	·38	-		27
28	·17	·02	-	-	·11	·20	·04	·39	·04	-	·05	·18		28
29	·45	X	-	-	·48	-	·01	-	-	·07	·16	·17		29
30	·07	✕	-	-	·04	·20	-	-	·76	·01	·34	·25		30
31	·14	✕	-	✕	·15	✕	-	-	✕	·17	✕	·29		31
TOTAL	3·09	0·74	0·44	0·16	2·00	1·98	3·27	2·98	1·77	2·84	3·67	4·51	Year's Total 27·45	✓
* Days with .01 in. or more.	22	10	4	2	15	15	16	14	16	20	19	24	177	✓
* Days with .04 in. or more.	16	4	3	2	12	12	13	12	12	14	17	17	134	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. M. Wilkinson [P.T.O.
M.Inst.C.E.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2473/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Bartley Bromwich Wood

in the County of Warwick

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTH

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	-	·06	·12	·07	-	-	-	·05	-	-	·04		1
2	·08	-	-	·03	-	-	·05	·41	·56	·01	·01	-		2
3	·28	-	-	·34	-	-	-	·32	·01	-	·11	·35		3
4	·07	-	·32	·43	·11	-	·36	·15	·11	·35	·08	·21		4
5	-	-	-	·16	·27	-	·28	·10	-	·20	·41	·05		5
6	·67	-	-	.	-	-	·47	·01	-	-	·11	-		6
7	·01	·08	·01	.	-	-	·28	·01	-	-	·39	·51		7
8	·01	·15	·92	.	-	-	·46	·05	-	·52	·12	·19		8
9	·01	·05	-	.	·02	-	·01	·32	-	·35	·05	·26		9
10	·62	-	·09	.	.	-	.	·07	·05	·19	-	·01		10
11	·03	·03	·17	.	.	·14	.	·01	-	·01	-	-		11
12	·01	·02	-	.	.	·13	.	-	-	-	-	-		12
13	-	.	·02	·10	-	.	·19	.	·05	·07	-	-		13
14	·48	.	·03	·05	·20	·22	·05	-	-	·07	·10	-		14
15	·63	.	·02	·07	·14	·48	·52	-	-	·14	·20	-		15
16	·15	.	·06	-	·38	·02	·17	.	-	·27	·18	-		16
17	·59	·04	-	·01	·02	·05	·36	-	-	1·01 ✓	·11	-		17
18	·25	·08	·06	-	-	·17	·09	-	-	-	·58	-		18
19	·22	.	-	-	-	-	·78	-	-	-	·03	·02		19
20	·23	.	·03	-	-	·03	·20	·03	-	-	-	-		20
21	·14	·28	·19	·03	·07	·10	·06	·05	·09	-	-	-		21
22	·26	·23	·01	·04	.	.	·04	-	·02	·01	·33	-		22
23	·11	.	·01	·06	-	-	·18	-	-	·07	·74	-		23
24	·16	-	-	·16	-	-	·05	-	-	·15	-	-		24
25	·51 ✓	·11	-	-	-	-	·23	-	-	·05	·35	·01		25
26	·03	-	-	·01	-	-	-	·02	-	-	·46	·10		26
27	·01	·27	·12	·01	.	·04	·14	-	-	·03	·03	·10		27
28	.	·13	·18	-	-	·34	·14	·05	-	-	·20	·03		28
29	.	×	-	·19	-	-	·11	·48	-	·16	·06	-		29
30	.	×	-	·14	.	·35	.	·01	-	-	·09	·03		30
31	-	×	-	×	-	×	-	·16	×	·01	×	·03		31
													Year's Total	
TOTAL	5·79	1·47	1·59	1·95	1·28	2·07	5·22	2·25	0·98	3·65	4·74	1·94	32·93	✓
* Days with .01 in. or more.	25	12	17	17	9	12	23	17	8	19	22	15	196	
* Days with .04 in. or more.	18	10	9	12	7	10	22	11	6	13	19	9	146	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Wilkinson [P.T.O.

aab.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2473/7

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Bartley, Bromwich Wood

in the County of Warwick

Diameter of Funnel of Gauge................in.

Height of top of Gauge above Ground........ft.........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.02	–	.04	.02	–	–	–	–	–	.11	.01		1
2	–	.02	–	.36	–	–	.09	–	–	.01	.90	.03		2
3	–	.27	–	.03	–	–	–	–	–	.23	.93	.08		3
4	–	.13	–	.16	–	–	.06	–	–	.11	.13	.06		4
5	–	.01	–	–	.03	–	.04	–	.01	.15	.58	.16		5
6	.10	.35	–	–	–	–	.04	–	–	.73	.21	–		6
7	–	.26	–	.03	.01	–	.18	–	.07	.02	–	.01		7
8	–	–	–	.04	–	–	–	–	–	.26	.06	.24		8
9	–	–	–	–	–	.10	.10	.09	.01	.20	.38	.22		9
10	–	–	.10	–	–	.02	.40	.02	–	.04	.15	.22		10
11	–	–	.02	.02	–	–	.45	–	–	–	.70	.10		11
12	–	–	.10	–	–	.01	.14	.01	.20	–	.05	–		12
13	–	.03	.40	.04	–	–	–	.03	.05	–	–	.03		13
14	–	–	.03	.09	.59	–	.03	–	.19	.07	.01	.42		14
15	–	–	.05	.09	.68	–	–	–	.07	.10	.10	–		15
16	.01	.30	.33	.04	–	–	.15	–	.13	.59	.63	.03		16
17	–	.01	.24	–	–	–	.03	–	–	–	.16	.02		17
18	.11	.66	.23	.36	–	–	–	.05	.28	.12	.12	.07		18
19	–	.24	.07	.39	–	–	.55	–	–	–	.19	.02		19
20	–	.01	–	.02	–	–	.18	.04	–	.35	.01	–		20
21	–	.01	–	–	.38	.34	.10	–	–	–	1.98	–		21
22	–	–	.02	.01	.34	.05	–	–	.13	–	–	–		22
23	–	.11	.03	.12	.44	.05	–	–	.05	.03	.01	.04		23
24	.01	–	–	–	–	–	.10	–	.01	.01	–	.02		24
25	.02	–	–	.01	.01	.04	.02	–	–	.01	–	–		25
26	1.39	.13	.06	.93	.08	–	.22	–	–	–	.05	–		26
2.98 27	.90	.33	–	.21	–	–	.10	–	.02	–	.02	–		27
28	.69	.17	–	.01	.78	–	–	.01	–	–	–	–		28
29	.03	–	.13	.70	–	.12	.02	–	–	–	–	.23		29
30	.02	✕	–	.50	.01	–	–	–	–	.60	–	.02		30
31	.02	✕	.06	✕	–	✕	–	–	✕	1.00	✕	.02		31
TOTAL	3.30	3.06	1.87	4.20	3.37	0.73	3.00	0.25	1.22	4.63	6.88	2.05	Year's Total 34.56	
* Days with .01 in. or more.	11	18	15	22	12	8	20	7	13	19	22	21	188	
* Days with .04 in. or more.	5	11	11	15	7	6	16	3	9	14	18	11	126	

† Spare column, no entries required.

(*Signed*) A A Barnes
a/CHIEF ENGINEER.

* See Instruction 3 (f) on other side.

[P.T.O.

Section **A** for the en

AIR MIN

FORM 1090.

REC

Kept at Bourn

in the County of Wa

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,,

THE MORNING M

An observer who does not conf
year in the space on the righ

2474

BOURNVILLE

1931– 38

B0408

2474

OPY FOR OFFICIAL USE.

ORGANIZATION.

nd area. OK.

llowing

Jan. 1, following

Date	Jan.	Feb.	M								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	0·01	–	0·08	0·03	0·03	–	–	0·39	0·01	Trace	–	1
2	0·06	0·12	–	0·64	0·02	0·03	Trace	0·11	0·54	0·03	0·04	0·16	2
3	0·07	0·01	–	0·03	–	Trace	0·02	–	0·77	0·01	0·59	0·04	3
4	–	Trace	–	0·13	Trace	Trace	0·63	0·13	0·16	0·01	0·02	Trace	4
5	Trace	0·10	–	0·17	0·12	1·10	0·02	0·01	0·02	Trace	Trace	0·32	5
6	–	0·16	–	0·06	0·01	0·30	0·06	Trace	Trace	0·30	0·23	Trace	6
7	–	0·01	Trace	0·01	0·02	Trace	0·12	0·55	–	0·01	0·13	0·01	7
8	0·05	0·07	Trace	0·07	–	0·12	0·03	1·20	–	Trace	0·19	Trace	8
9	0·01	0·33	Trace	0·01	Trace	0·05	Trace	0·08	–	–	0·47	Trace	9
10	Trace	0·01	–	–	0·04	0·03	0·01	0·17	0·04	–	0·29	–	10
11	0·20	0·40	–	–	0·07	0·01	Trace	0·01	0·31	–	0·16	Trace	11
12	0·02	0·10	–	Trace	–	Trace	0·96	0·04	0·25	0·04	0·01	–	12
13	–	–	Trace	–	0·01	Trace	0·03	0·45	Trace	Trace	–	–	13
14	Trace	0·07	0·05	–	0·07	0·73	0·59	1·15	0·04	–	0·54	Trace	14
15	0·01	0·11	–	0·10	0·09	–	0·08	0·38	Trace	–	Trace	0·04	15
16	0·13	0·09	–	0·26	0·38	0·73	Trace	0·09	0·14	Trace	–	Trace	16
17	0·09	0·11	–	0·20	0·81	0·11	0·08	Trace	0·01	0·01	0·04	–	17
18	0·13	0·01	Trace	0·28	–	0·30	0·05	0·19	Trace	Trace	0·33	–	18
19	0·02	0·14	–	0·13	–	0·04	0·29	0·21	Trace	Trace	Trace	–	19
20	Trace	0·08	0·11	Trace	–	–	0·07	0·36	–	Trace	0·01	0·01	20
21	0·20	Trace	Trace	Trace	0·54	–	Trace	Trace	–	Trace	0·13	Trace	21
22	0·17	–	0·06	Trace	–	–	–	0·07	–	–	0·01	–	22
23	0·17	0·02	–	0·20	0·59	0·20	Trace	0·01	Trace	–	0·28	0·22	23
24	0·01	0·01	0·01	0·16	0·21	Trace	0·10	–	Trace	–	0·01	Trace	24
25	0·05	Trace	–	0·76	0·01	–	0·16	–	–	–	0·06	Trace	25
26	0·02	–	–	0·21	–	–	0·03	–	–	–	0·36	0·01	26
27	0·11	0·63	–	0·05	0·60	–	0·04	–	–	0·01	0·14	0·06	27
28	0·18	0·12	–	0·18	0·30	–	Trace	–	–	0·06	0·01	0·10	28
29	0·04	×	Trace	Trace	0·14	–	0·09	–	–	0·37	Trace	–	29
30	–	×	–	Trace	Trace	–	Trace	–	–	Trace	–	–	30
31	0·40	×	–	×	0·05	×	0·01	–	×	Trace	×	0·03	31
TOTAL	2·14	2·71	0·23	3·73	4·11	3·78	3·47	5·21	2·67	0·86	4·05	1·00	YEAR'S TOTAL 33·96
*Days with ·01 in. or more.	21	22	4	20	20	14	21	18	11	11	22	10	194
*Days with ·04 in. or more.	15	15	3	17	14	10	14	15	9	4	16	7	139

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J K Beak.

P.T.O.

2474

Section **A** for the en … OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bournville

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 468.5 ft.

Plotted in wrong place [illegible] area. OK. apart [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	0·01	–	0·08	0·03	0·03	–	–	0·39	0·01	Trace	–	1
2	0·06	0·12	–	0·64	0·02	0·03	Trace	0·11	0·54	0·03	0·04	0·16	2
3	0·07	0·01	–	0·03	–	Trace	0·02	–	0·77	0·01	0·59	0·04	3
4	–	Trace	–	0·13	Trace	Trace	0·63	0·13	0·16	0·01	0·02	Trace	4
5	Trace	0·10	–	0·17	0·12	1·10	0·02	0·01	0·02	Trace	Trace	0·32	5
6	–	0·16	–	0·06	0·01	0·30	0·06	Trace	Trace	0·30	0·23	Trace	6
7	–	0·01	Trace	0·01	0·02	Trace	0·12	0·55	–	0·01	0·13	0·01	7
8	0·05	0·07	Trace	0·07	–	0·12	0·03	1·20	–	Trace	0·19	Trace	8
9	0·01	0·33	Trace	0·01	Trace	0·05	Trace	0·08	–	–	0·47	Trace	9
10	Trace	0·01	–	–	0·04	0·03	0·01	0·17	0·04	–	0·29	–	10
11	0·20	0·40	–	–	0·07	0·01	Trace	0·01	0·31	–	0·16	Trace	11
12	0·02	0·10	–	Trace	–	Trace	0·96	0·04	0·25	0·04	0·01	–	12
13	–	–	Trace	–	0·01	Trace	0·03	0·45	Trace	Trace	–	–	13
14	Trace	0·07	0·05	–	0·07	0·73	0·59	1·15	0·04	–	0·54	Trace	14
15	0·01	0·11	–	0·10	0·09	–	0·08	0·38	Trace	–	Trace	0·04	15
16	0·13	0·09	–	0·26	0·38	0·73	Trace	0·09	0·14	Trace	–	Trace	16
17	0·09	0·11	–	0·20	0·81	0·11	0·08	Trace	0·01	0·01	0·04	–	17
18	0·13	0·01	Trace	0·28	–	0·30	0·05	0·19	Trace	Trace	0·33	–	18
19	0·02	0·14	–	0·13	–	0·04	0·29	0·21	Trace	Trace	Trace	–	19
20	Trace	0·08	0·11	Trace	–	–	0·07	0·36	–	Trace	0·01	0·01	20
21	0·20	Trace	Trace	Trace	0·54	–	Trace	Trace	–	Trace	0·13	Trace	21
22	0·17	–	0·06	Trace	–	–	–	0·07	–	–	0·01	–	22
23	0·17	0·02	–	0·20	0·59	0·20	Trace	0·01	Trace	–	0·28	0·22	23
24	0·01	0·01	0·01	0·16	0·21	Trace	0·10	–	Trace	–	0·01	Trace	24
25	0·05	Trace	–	0·76	0·01	–	0·16	–	–	–	0·06	Trace	25
26	0·02	–	–	0·21	–	–	0·03	–	–	–	0·36	0·01	26
27	0·11	0·63	–	0·05	0·60	–	0·04	–	–	0·01	0·14	0·06	27
28	0·18	0·12	–	0·18	0·30	–	Trace	–	–	0·06	0·01	0·10	28
29	0·04	×	Trace	Trace	0·14	–	0·09	–	–	0·37	Trace	–	29
30	–	×	–	Trace	Trace	–	Trace	–	–	Trace	–	–	30
31	0·40	×	–	×	0·05	×	0·01	–	×	Trace	×	0·03	31
TOTAL	2·14	2·71	0·23	3·73	4·11	3·78	3·47	5·21	2·67	0·86	4·05	1·00	YEAR'S TOTAL 33·96
*Days with ·01 in. or more.	21	22	4	20	20	14	21	18	11	11	22	10	194
*Days with ·04 in. or more.	15	15	3	17	14	10	14	15	9	4	16	7	139

40-9999

(Signed) J. K. Beak.

P.T.O.

*See Instruction 2 (*f*) on other side.

2474

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2474

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bournville

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 468·5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	0·03	–	0·19	0·90	0·06	0·02	0·61	0·01	0·16	0·03	0·03	1
2	0·03	Trace	–	0·10	0·40	Trace	–	0·22	0·35	0·04	0·01	0·09	2
3	0·01	0·02	–	0·19	0·03	–	–	–	0·03	0·02	Trace	0·03	3
4	0·03	0·01	–	0·36	–	–	–	–	Trace	–	0·50	–	4
5	0·46	Trace	0·04	0·02	0·06	Trace	–	–	0·10	Trace	Trace	Trace	5
6	0·35	–	0·10	0·41	Trace	–	0·08	–	0·29	Trace	–	–	6
7	0·01	–	0·20	0·15	Trace	–	Trace	–	0·18	0·55	–	Trace	7
8	–	Trace	0·01	0·06	–	–	–	–	0·45	0·24	–	–	8
9	0·36	0·11	–	0·01	0·01	–	–	–	Trace	Trace	–	–	9
10	0·26	Trace	0·03	0·16	0·10	Trace	–	–	0·14	0·26	–	Trace	10
11	0·03	0·03	–	0·03	0·11	0·14	0·15	–	Trace	0·07	0·01	0·01	11
12	0·33	–	–	–	0·21	Trace	Trace	–	0·09	0·36	0·04	Trace	12
13	0·03	0·01	Trace	0·14	0·04	–	1·26	0·01	Trace	0·02	0·01	0·06	13
14	0·32	0·01	–	0·05	Trace	–	0·08	0·10	Trace	0·02	0·08	0·05	14
15	0·01	–	–	0·06	0·73	–	Trace	Trace	Trace	0·03	Trace	0·01	15
16	0·33	–	Trace	0·10	0·09	–	0·01	–	–	Trace	Trace	–	16
17	0·01	–	–	Trace	Trace	–	0·05	–	Trace	0·10	–	Trace	17
18	Trace	–	–	–	0·07	–	Trace	–	0·02	0·01	0·07	Trace	18
19	0·01	0·01	–	0·10	0·09	–	Trace	Trace	Trace	0·27	0·01	Trace	19
20	Trace	–	–	0·06	0·87	–	0·01	0·80	–	0·41	0·08	Trace	20
21	Trace	–	0·11	0·24	1·13	–	–	0·14	–	0·27	0·08	0·13	21
22	Trace	–	0·17	0·11	0·05	–	0·08	Trace	0·62	0·06	0·19	0·02	22
23	–	Trace	–	Trace	0·42	–	0·04	–	0·05	0·10	0·03	0·05	23
24	0·03	Trace	–	–	0·02	0·08	0·18	–	0·15	0·01	0·21	Trace	24
25	0·01	0·03	–	–	0·01	0·10	0·07	–	0·29	0·12	0·08	0·01	25
26	Trace	0·01	0·05	0·44	0·25	Trace	0·15	–	0·03	0·03	0·02	Trace	26
27	–	Trace	0·53	0·24	0·27	–	0·06	–	Trace	0·01	0·07	0·02	27
28	–	–	0·08	0·05	0·32	0·09	0·08	0·62	–	–	Trace	0·02	28
29	–	–	0·26	0·25	0·24	0·16	0·15	0·01	0·17	0·37	0·05	0·16	29
30	0·01	✕	0·14	0·12	0·02	0·93	0·07	0·05	0·47	0·21	0·25	0·12	30
31	Trace	✕	0·03	✕	0·02	✕	0·81	Trace	✕	–	✕	0·28	31
TOTAL	2·66	0·27	1·75	3·64	6·46	1·56	3·35	2·56	3·44	3·74	1·82	1·09	YEAR'S TOTAL 32·34
*Days with ·01 in. or more.	20	10	13	24	25	7	18	9	17	24	19	16	202
*Days with .04 in. or more.	7	1	10	21	19	7	15	7	13	16	12	8	136

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. K. Best.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2474

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bournville

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 468·5 ft.

File 664258/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in	in		
1	0·43	0·45	0·02	Trace	–	–	–	–	Trace	Trace	0·03	–		1
2	0·25	–	0·32	–	0·02	0·01	–	–	–	–	0·02	–		2
3	Trace	0·10	0·21	–	0·12	–	–	–	–	–	0·02	–		3
4	0·13	0·06	Trace	–	0·39	–	–	–	–	–	Trace	–		4
5	0·12	0·04	0·35	–	0·07	–	–	–	–	–	0·01	–		5
6	0·01	0·26	0·01	–	0·15	–	–	–	–	0·09	Trace	0·01		6
7	0·06	0·16	0·04	–	–	–	–	–	–	0·11	–	Trace		7
8	0·02	Trace	0·12	–	0·12	–	0·47	–	–	Trace	–	–		8
9	–	Trace	Trace	Trace	0·03	–	0·39	0·05	–	0·68	0·02	–		9
10	0·08	0·26	Trace	–	Trace	0·01	0·02	–	–	1·69	0·06	–		10
11	Trace	–	–	–	0·02	Trace	0·53	–	–	Trace	Trace	–		11
12	0·01	–	–	–	Trace	0·03	0·32	–	0·04	0·01	Trace	0·03		12
13	0·01	–	–	–	0·17	0·03	0·10	–	0·04	0·09	0·25	–		13
14	0·18	–	–	–	–	–	0·03	0·09	–	0·07	0·33	–		14
15	0·60	–	0·02	–	–	0·96	0·44	0·01	–	0·01	0·02	0·07		15
16	0·06	Trace	0·76	0·01	0·02	0·08	0·10	0·02	–	0·05	0·03	Trace		16
17	0·09	Trace	0·34	–	Trace	0·17	0·05	–	0·06	Trace	0·06	Trace		17
18	0·05	Trace	0·04	–	–	0·23	Trace	–	–	–	0·03	–		18
19	Trace	0·01	0·43	Trace	–	0·31	–	–	0·04	–	0·04	–		19
20	–	0·02	0·04	–	0·02	0·38	–	0·05	0·06	0·04	0·01	–		20
21	–	Trace	–	–	–	0·09	–	0·25	Trace	0·01	0·01	–		21
22	–	–	–	–	–	0·29	–	0·34	–	0·17	Trace	–		22
23	–	Trace	–	0·18	–	0·03	–	Trace	0·09	0·33	Trace	–		23
24	–	0·50	–	0·18	0·06	0·45	–	–	0·36	0·01	0·01	–		24
25	–	0·71	–	0·19	–	0·20	–	–	0·04	–	Trace	0·05		25
26	–	0·68	–	0·12	0·17	–	–	–	0·01	0·26	–	0·02		26
27	–	0·02	–	Trace	0·31	–	–	–	0·02	0·08	–	0·07		27
28	–	Trace	–	0·24	0·18	–	0·01	–	–	0·06	–	0·11		28
29	0·02	×	0·02	0·02	Trace	–	0·07	–	0·01	0·07	–	0·01		29
30	0·04	×	0·11	Trace	–	–	0·03	–	Trace	0·05	–	0·17		30
31	0·09	×	0·27	×	–	×	0·02	0·10	×	0·20	×	0·01		31
TOTAL	2·25	3·27	3·10	0·94	1·85	3·27	2·58	0·91	0·77	4·08	0·95	0·55	Year's Total 24·52	
*Days with ·01 in. or more.	18	13	16	7	15	15	14	8	11	20	16	10	163	
*Days with ·04 in. or more.	13	10	12	5	10	10	9	6	8	16	5	5	109	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. T. Best

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2474

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bournville

in the County of Warwickshire

File No: 664258/26

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level * 468.5 * ft.

* See note over-leaf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.02	–	–	Trace	–	–	–	0.18	0.48	0.01	0.07	0.50		1
2	0.03	Trace	0.07	–	–	–	–	0.01	0.38	–	0.10	0.12		2
3	0.03	0.05	Trace	–	–	–	–	0.01	0.02	0.08	Trace	0.11		3
4	0.07	–	0.19	0.07	0.17	–	–	–	0.12	0.01	0.08	0.40		4
5	Trace	–	0.12	0.03	0.09	–	–	0.56	Trace	Trace	0.14	0.03		5
6	0.01	–	0.01	0.02	0.29	0.03	–	Trace	–	0.18	Trace	0.52		6
7	0.14	0.01	Trace	–	Trace	0.09	–	0.11	–	0.07	0.02	0.35		7
8	Trace	–	0.08	–	0.04	Trace	–	0.02	Trace	Trace	0.17	0.07		8
9	0.01	–	0.22	0.03	Trace	–	–	0.10	Trace	Trace	0.78	0.46		9
10	0.08	Trace	0.21	0.27	–	–	–	0.11	–	Trace	0.13	0.01		10
11	1.09	–	0.04	0.20	–	–	0.03	0.10	–	–	0.01	0.33		11
12	0.01	Trace	0.19	0.02	–	–	0.28	0.11	–	–	Trace	0.02		12
13	0.74	Trace	0.02	0.16	–	–	0.57	0.02	–	0.02	–	0.07		13
14	0.03	Trace	0.40	Trace	0.03	0.04	–	Trace	0.15	0.18	0.36	0.20		14
15	0.04	Trace	0.15	–	0.19	0.01	0.04	–	0.15	0.39	0.27	0.12		15
16	0.20	–	0.20	–	Trace	–	–	0.01	Trace	0.04	0.04	Trace		16
17	0.03	–	0.03	0.12	0.03	–	0.04	Trace	0.40	0.05	0.02	0.13		17
18	0.32	–	0.03	0.14	Trace	0.02	0.02	Trace	0.01	Trace	–	0.03		18
19	–	–	0.19	0.02	Trace	0.10	–	0.02	0.02	0.01	–	0.11		19
20	–	–	0.05	0.03	–	0.04	–	–	–	Trace	–	0.01		20
21	0.01	–	Trace	Trace	–	0.30	–	0.14	0.01	0.08	–	Trace		21
22	0.01	–	–	–	0.02	–	–	0.17	0.24	0.01	–	0.27		22
23	–	–	0.03	0.24	0.09	0.15	0.03	Trace	0.04	Trace	0.01	0.03		23
24	–	0.24	0.13	0.05	0.05	0.04	0.02	–	0.19	0.01	–	Trace		24
25	0.26	Trace	Trace	0.07	0.02	0.22	–	–	Trace	0.38	–	0.50		25
26	0.10	–	0.05	0.01	–	0.03	–	–	0.03	0.05	0.03	0.04		26
27	0.04	Trace	–	0.19	–	0.05	–	–	0.02	0.04	0.01	0.18		27
28	Trace	–	–	0.39	–	0.10	0.01	0.22	0.04	0.04	0.04	0.40		28
29	–	✕	–	Trace	–	–	0.45	0.16	0.53	0.01	Trace	0.02		29
30	0.04	✕	–	Trace	–	–	0.02	Trace	0.05	0.01	–	0.21		30
31	0.01	✕	–	✕	–	✕	0.04	0.01	✕	0.13	✕	0.12		31
TOTAL	3.32	0.30	2.41	2.06	1.02	1.22	1.55	2.06	2.88	1.80	2.28	5.36	Year's Total 26.26	✓
*Days with ·01 in. or more.	23	3	20	18	11	14	12	18	18	21	17	28	203	
*Days with .04 in. or more.	12	2	15	11	7	10	6	11	12	13	11	21	131	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J K Best

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2474

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bournville

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 463 ft.

File No: 664258/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.02	0.05	Trace	0.02	Trace	0.06	0.02	–	0.15	0.26	0.06	0.05		1
2	Trace	Trace	–	Trace	–	0.05	–	–	0.18	0.25	0.01	0.10		2
3	–	0.19	0.10	0.05	–	0.05	–	–	0.06	0.31	0.21	0.16		3
4	–	–	Trace	0.11	–	0.16	–	–	0.21	0.12	0.01	0.08		4
5	–	0.53	0.15	0.04	–	0.06	0.03	–	0.01	0.12	0.10	–		5
6	Trace	0.01	Trace	0.36	–	0.34	–	–	–	Trace	–	Trace		6
7	–	–	–	0.21	–	0.11	–	–	–	0.23	0.30	0.17		7
8	–	–	–	0.19	Trace	0.09	–	0.08	–	0.14	0.29	0.10		8
9	Trace	–	–	0.31	–	0.33	–	–	0.02	0.38	0.38	0.01		9
10	0.01	–	–	0.06	–	Trace	0.01	–	–	–	0.02	Trace		10
11	0.29	0.01	Trace	–	–	0.13	–	0.02	–	0.01	0.21	0.02		11
12	0.12	0.05	–	–	–	0.10	–	0.07	0.01	Trace	Trace	Trace		12
13	0.15	0.04	–	0.19	0.16	Trace	–	–	Trace	0.02	0.04	–		13
14	0.01	Trace	–	~~Trace~~	0.06	0.01	–	–	0.05	Trace	0.68	0.22		14
15	0.01	0.03	–	0.71	0.04	0.14	0.04	–	0.18	–	0.20	0.16		15
16	Trace	0.08	0.13	0.35	–	0.08	0.06	–	0.59	0.24	0.91	0.20		16
17	–	0.01	–	0.11	Trace	0.14	0.10	–	0.02	–	0.45	Trace		17
18	Trace	–	Trace	0.23	0.11	0.11	0.03	0.03	0.26	0.06	0.10	–		18
19	Trace	0.01	–	0.18	0.50	0.34	0.21	–	0.07	0.06	0.31	Trace		19
20	0.02	0.28	–	0.30	0.01	0.02	0.04	–	0.02	Trace	0.50	–		20
21	Trace	0.36	0.01	–	–	–	Trace	–	0.40	0.01	0.11	–		21
22	–	0.06	–	0.05	–	–	–	0.17	0.01	Trace	0.01	–		22
23	0.04	0.01	0.15	0.07	Trace	–	–	0.34	0.14	0.44	–	0.04		23
24	0.11	0.37	0.01	Trace	–	–	–	Trace	0.84	0.03	–	0.55		24
25	0.11	0.21	–	0.10	–	0.59	–	–	Trace	Trace	–	0.23		25
26	–	0.13	–	Trace	–	–	–	0.59	0.20	0.01	0.01	0.60		26
27	–	0.15	–	–	0.05	–	0.02	0.02	0.44	0.08	0.20	0.86		27
28	0.05	0.03	–	–	0.37	–	–	0.07	0.07	0.10	0.02	0.01		28
29	Trace	×	0.05	–	–	–	–	0.04	0.07	0.06	0.13	0.32		29
30	0.02	×	–	0.14	0.10	0.02	–	0.33	0.02	0.36	0.47	0.14		30
31	0.01	×	–	×	Trace	×	–	Trace	×	0.49	×	0.28		31
TOTAL	0.97	2.61	0.60	3.77	1.40	2.93	0.56	1.76	4.02	3.78	5.73	4.30	Year's Total. 32.43	
* Days with .01 in. or more.	14	20	7	20	9	20	10	11	23	22	25	20	201	
* Days with .04 in. or more.	7	13	5	19	8	17	5	8	16	17	19	17	151	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. K. Best.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2474

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bournville.
in the County of Warwickshire.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 463 ft.

File No. 664258/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·01	0·09	0·07	0·54	–	0·53	0·23	0·10	trace	–	0·06	0·09		1
2	0·08	0·01	0·05	0·06	–	0·12	0·90	–	–	–	0·10	trace		2
3	0·01	–	trace	trace	0·01	0·28	0·04	0·02	0·37	–	0·01	–		3
4	trace	trace	0·13	–	trace	0·14	trace	0·03	0·21	–	0·09	0·13		4
5	0·26	0·01	0·02	–	0·03	0·02	0·04	0·11	trace	–	0·01	0·20		5
6	0·03	–	0·01	–	0·13	0·08	0·20	0·10	0·21	–	0·29	0·05		6
7	0·02	–	0·08	–	trace	trace	0·29	–	0·22	–	0·16	0·03		7
8	0·31	–	0·09	–	–	–	trace	–	0·03	trace	0·46	0·05		8
9	0·43	–	0·11	–	–	trace	1·16	–	0·14	0·14	0·04	0·01		9
10	0·08	–	0·04	trace	–	–	0·16	0·19	0·01	–	0·01	–		10
11	trace	–	trace	0·08	–	0·05	0·15	trace	0·23	–	0·70	–		11
12	–	–	trace	0·02	0·25	0·54	0·66	trace	0·36	–	0·11	0·16		12
13	–	–	–	0·07	trace	0·15	trace	trace	–	0·03	0·01	0·50		13
14	–	–	–	0·23	0·03	0·08	0·21	–	0·53	0·04	0·04	0·45		14
15	0·05	trace	–	0·02	0·21	trace	0·10	–	0·04	–	0·08	0·13		15
16	0·10	0·18	–	0·01	0·02	–	0·08	–	trace	–	0·58	0·04		16
17	0·01	0·82	–	–	trace	–	0·15	–	–	0·16	0·03	0·39		17
18	–	0·08	–	–	–	0·31	0·42	0·02	–	0·12	trace	0·03		18
19	0·58	0·17	0·07	0·26	–	0·06	0·05	0·06	–	0·05	trace	trace		19
20	0·02	0·20	0·01	0·01	–	0·02	trace	0·01	0·15	trace	–	trace		20
21	–	trace	trace	0·22	–	1·54	0·03	–	trace	trace	trace	–		21
22	–	0·68	0·06	trace	0·14	trace	0·34	–	trace	–	trace	0·04		22
23	trace	0·02	0·40	0·15	0·09	–	0·36	–	trace	0·03	trace	trace		23
24	0·25	0·10	trace	0·03	0·01	–	0·02	–	0·03	0·32	trace	–		24
25	0·13	–	0·18	0·26	trace	0·01	0·45	–	0·30	0·08	trace	–		25
26	0·08	0·10	0·35	0·01	–	0·02	0·02	–	trace	0·08	0·07	–		26
27	0·13	0·01	0·06	–	–	trace	0·02	–	0·13	0·15	trace	–		27
28	0·45	0·10	0·31	trace	–	trace	0·06	–	trace	0·04	0·01	0·15		28
29	0·02	0·22	0·05	–	trace	0·25	0·04	–	–	0·01	0·02	0·16		29
30	0·05	×	trace	–	0·34	0·40	0·15	–	–	0·43	–	trace		30
31	0·68	×	0·09	×	0·02	×	0·02	–	×	0·06	×	0·20		31
													Year's Total	
TOTAL	3·78	2·79	2·18	1·97	1·28	4·60	6·35	0·64	2·96	1·74	2·88	2·81	33·98	✓
* Days with .01 in. or more.	22	15	19	15	12	18	27	9	15	15	20	18	205	✓
* Days with .04 in. or more.	15	11	16	9	6	14	22	5	12	12	13	15	150	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J K Best [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2474

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Bournville

in the County of Warwickshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 463 ft.

File No. 664258/26.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.07	0.02	Trace	0.05	-	-	-	-	0.18	-	0.11	0.40		1
2	0.02	0.11	0.04	0.58	-	-	-	-	Trace	-	Trace	0.20		2
3	Trace	0.08	0.10	Trace	Trace	0.02	0.05	-	0.02	-	Trace	0.08		3
4	0.13	0.22	0.02	Trace	0.05	Trace	-	0.01	-	-	Trace	0.60		4
5	0.13	-	0.21	-	Trace	-	0.04	Trace	-	-	Trace	-		5
6	0.10	0.02	0.03	0.21	0.10	-	0.02	-	-	0.03	Trace	Trace		6
7	Trace	0.76	Trace	0.09	0.01	-	-	-	0.02	-	0.01	-		7
8	-	0.08	-	0.05	0.08	-	0.04	-	Trace	-	0.39	-		8
9	-	Trace	-	0.07	0.20	-	0.43	-	0.21	-	-	0.01		9
10	0.02	0.07	0.44	0.08	-	0.14	-	-	-	-	-	0.13		10
11	-	-	0.46	Trace	0.44	0.12	0.04	Trace	-	Trace	-	0.11		11
12	0.17	0.41	0.25	-	0.28	0.05	-	0.18	0.14	-	-	0.44		12
13	0.10	0.04	0.04	0.16	0.01	0.02	-	1.00	0.13	-	-	0.02		13
14	-	0.01	0.08	0.07	Trace	Trace	-	0.18	0.03	-	0.02	0.10		14
15	0.23	0.08	0.01	0.39	Trace	-	1.47	0.10	0.13	-	0.02	0.02		15
16	Trace	0.19	0.63	0.34	-	-	-	0.12	0.12	-	-	-		16
17	0.26	0.07	0.26	0.17	-	0.02	Trace	Trace	0.41	-	-	-		17
18	0.52	0.09	0.16	0.01	-	-	0.01	-	0.44	0.01	0.29	0.04		18
19	0.02	0.03	0.18	0.13	Trace	0.15	0.22	-	Trace	0.01	0.09	-		19
20	0.33	0.04	0.03	0.43	0.25	Trace	0.02	-	-	Trace	Trace	0.01		20
21	0.17	0.24	0.03	0.08	0.02	-	0.27	-	-	-	Trace	0.10		21
22	0.18	0.04	0.08	0.01	0.10	0.05	0.29	-	-	0.56	0.34	0.05		22
23	0.27	0.03	0.01	-	0.23	-	0.03	-	-	0.39	0.12	Trace		23
24	0.34	0.38	0.05	-	0.03	Trace	Trace	-	0.05	0.28	Trace	0.02		24
25	0.07	0.43	-	-	0.03	-	Trace	-	0.06	0.74	Trace	0.01		25
26	Trace	0.43	0.06	-	0.52	-	-	-	-	Trace	Trace	0.02		26
27	0.01	0.41	Trace	0.20	-	-	-	Trace	-	0.81	-	Trace		27
28	Trace	0.08	Trace	Trace	-	0.05	-	-	-	0.05	-	0.05		28
29	0.02	✕	-	-	-	0.03	-	-	-	0.06	0.05	0.02		29
30	0.37	✕	-	-	-	0.01	Trace	0.06	Trace	0.04	0.09	0.02		30
31	0.30	✕	-	✕	-	✕	-	-	✕	0.11	✕	0.01		31
TOTAL	3.83	4.36	3.17	3.12	2.35	0.66	2.93	1.65	1.94	3.09	1.53	2.46	Year's Total 31.09	✓ ✓
* Days with .01 in. or more.	22	25	21	18	15	11	13	7	13	12	11	22	190	✓ ✓
* Days with .04 in. or more.	17	20	15	16	10	6	9	6	10	9	8	12	138	✓ ✓

† Spare column, no entries required.

(*Signed*) J.K.Beat [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2474

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Bournville

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 463 ft.

File No: 664258/26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	Trace	0.02	–	Trace	0.64	0.24	–	Trace	0.18	0.07	0.32		1
2	Trace	–	–	0.07	0.02	0.14	–	–	–	0.16	Trace	0.02		2
3	Trace	Trace	–	–	0.13	0.02	0.44	–	0.01	0.61	–	Trace		3
4	0.01	–	Trace	–	–	0.05	0.02	0.35	–	0.25	Trace	0.28		4
5	–	–	–	–	–	0.01	0.09	0.66	0.12	0.05	Trace	0.03		5
6	0.01	Trace	Trace	–	–	0.05	0.45	Trace	0.04	0.20	–	Trace		6
7	0.03	Trace	Trace	–	–	Trace	0.50	0.40	0.14	0.12	Trace	0.03		7
8	0.53	–	–	–	–	–	0.15	0.17	Trace	0.24	–	0.04		8
9	0.03	0.07	–	–	–	0.07	0.05	0.07	–	Trace	–	0.63		9
10	Trace	0.03	–	–	–	0.09	0.38	0.20	–	–	–	0.13		10
11	0.52	0.04	–	–	–	Trace	Trace	Trace	Trace	0.03	0.20	0.05		11
12	0.27	0.01	–	–	0.16	–	Trace	0.01	Trace	0.21	0.46	0.01		12
13	Trace	Trace	–	–	0.02	–	Trace	–	–	0.01	0.09	0.74		13
14	0.26	0.01	–	–	0.02	–	0.63	Trace	0.07	Trace	Trace	Trace		14
15	0.14	–	–	–	0.08	–	0.11	Trace	–	Trace	0.02	0.50		15
16	0.24	–	Trace	–	Trace	–	Trace	0.03	–	0.01	0.03	0.04		16
17	–	0.04	–	–	0.04	–	Trace	Trace	0.04	0.12	0.01	–		17
18	0.06	–	–	–	0.14	0.46	0.01	0.15	0.12	0.02	0.36	–		18
19	0.01	Trace	–	–	–	–	–	0.05	0.03	Trace	0.08	0.04		19
20	0.02	–	–	–	–	–	–	–	0.02	0.01	0.33	–		20
21	0.02	–	–	–	–	–	Trace	Trace	0.06	–	0.07	0.23		21
22	Trace	–	–	0.06	–	0.04	–	0.01	–	–	0.39	0.23		22
23	–	–	–	–	Trace	Trace	–	–	0.11	0.01	Trace	0.04		23
24	–	Trace	0.13	–	0.08	–	–	0.01	0.09	Trace	0.03	Trace		24
25	0.06	0.24	0.09	–	0.02	–	0.08	Trace	0.03	0.18	0.48	0.12		25
26	0.06	0.38	0.19	–	0.05	0.13	–	0.02	0.09	0.28	Trace	0.25		26
27	0.07	0.01	Trace	–	0.18	0.08	0.31	0.43	0.27	0.03	0.44	Trace		27
28	0.14	0.02	–	–	0.10	0.19	0.04	0.49	0.06	0.01	0.03	0.15		28
29	0.48	✕	–	–	0.43	0.01	0.01	–	Trace	0.06	0.17	0.17		29
30	0.06	✕	–	–	0.07	0.24	–	–	0.76	Trace	0.32	0.25		30
31	0.18	✕	–	✕	0.13	✕	0.01	–	✕	0.18	✕	0.33		31
TOTAL	3.20	0.85	0.43	0.13	1.67	2.22	3.52	3.05	2.06	2.97	3.58	4.63	Year's Total 28.31 ✓	
* Days with .01 in. or more.	21	10	4	2	16	15	17	15	17	22	18	23	180 ✓	
* Days with .04 in. or more.	14	5	3	2	12	12	13	10	13	14	13	19	130 180 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J K Beat

[P.T.O.

Selly oak

Section **A** for the entr
AIR MINI
FORM 1090
REC

Kept at 38 Wesley Hill
in the County of Wo
Diameter of Funnel of Gauge.
Height of top of Gauge above
,, Ground ,,

THE MORNING MEAS

An observer who does not conf
year in the space on the right

2474/5
SELLY OAK, WESLEY HILL
1940

780408

ion No. ~~2475~~
ORGANIZATION
2474/5

20.5.41

AY
owing

Jan. 1, following

Date	Jan.	Feb.	Mar.									Dec.		Date
	in.	in.	in.									in.	†	
1	–	·01	–	·03	.02	–	·[illegible]	–	–	–	·10			1
2	–	·04	–	·39	–	–	·08	–	–	–	·84			2
3	–	·20	·01	·03	–	–	–	–	–	·18	·86			3
4	–	·05	–	·19	–	–	·07	–	–	·11	·34			4
5	–	·02	–	–	·03	–	·06	–	·01	·13	·62			5
6	·09	·29	–	–	–	–	·06	–	–	·66	·24			6
7	·01	·21		·02	–	–	·10	–	·06	–	–			7
8	–	–		·05	–	–	·02	–	–	·25	·09			8
9	–	–	–	–	–	·28	·05	·09	·01	·16	·44			9
10	–	–	·10	–	–	Trace	·54	–	·01	·05	·05			10
11	–	–	·03	·02	–	–	·37	·04	–	–	·68			11
12	–	·02	·10	–	–	·02	·14	–	·16	–	·03			12
13	–	·05	·49	·05	–	–	–	–	·12	–	–			13
14	–	–	·07	·08	·59	–	–	–	·15	·11	·01			14
15	–	–	·04	·06	·37	–	–	–	·05	·14	·11			15
16	·05	·31	·32	x	–	–	·14	–	·13	·57	·60			16
17	–	·02	·21	x	–	–	·03	–	–	–	·13			17
18	·13	·61	·22	x	–	–	–	–	·21	·17	·07			18
19	–	·23	·08	x	–	–	·34	·07	·14	–	·17			19
20	–	–	–	·95	–	–	·20	–	–	·32	·02			20
21	·01	·01	–	-	·51	·18	·07	–	–	·01	1·30			21
22	–	–	·02	✓	·40	·19	–	–	·09	–	–			22
23	–	·10	·03	✓	·12	·10	–	–	·05	·04	–			23
24	·02	–	–	–	–	–	·08	–	–	·02	–			24
25	·02	–	–	·02	·02	–	·03	–	–	–	–			25
26	1·23	·14	·05	·62	·08	–	·25	–	–	·01	·02			26
27	1·01	·30	–	·57	–	–	·15	·10	·01	–	(·04)			27
28	·94	·22	–	·02	·41	–	–	–	–	–	-			28
29	–	–	·10	·05	–	·10	·02	–	–	–	-			29
30	·05	✕	–	·59	·01	–	–	–	–	·63	-			30
31	·13	✕	·05	✕	·01	✕	–	–	✕	1·07	✕			31
TOTAL	3·79	2·83	1·92	3·74	2·57	·87	2·80	·30	1·20	4·63	6·76	(1·80)	Year's Total 33·21	Part
* Days with .01 in. or more.	12	18	16	22	12	6	20	4	14	18	21	(20)	183	C.H.
* Days with .04 in. or more.	8	13	12	14	7	5	16	4	10	15	17	(10)	131	

Incomplete owing to Air Raid Damage.

Mrs. Neave

† Spare column, no entries required.

* See Instruction 3 (f) on other ~~side.~~ MRS NEAVE ~~X~~ (Signed) Helen M. Neave [P.T.O.

Selly Oak

Section A for the entr ion No. ~~2475~~ 2474/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at 38 Weoley Hill, Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 550 ft.

Part for Dec estd by neighbouring stations

914403/29

20.3.41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·01	—	·03	·02	—	[illegible]	—	—	—	·10			1
2	—	·04	—	·39	—	—	·08	—	—	—	·84			2
3	—	·20	·01	·03	—	—	—	—	—	·18	·86			3
4	—	·05	—	·19	—	—	·07	—	—	·11	·34			4
5	—	·02	—	—	·03	—	·06	—	·01	·13	·62			5
6	·09	·29	—	—	—	—	·06	—	—	·66	·24			6
7	·01	·21		·02	—	—	·10	—	·06	—	—			7
8	—	—		·05	—	—	·02	—	—	·25	·09			8
9	—	—	—	—	—	·28	·05	·09	·01	·16	·44			9
10	—	—	·10	—	—	Trace	·54	—	·01	·05	·05			10
11	—	—	·03	·02	—	—	·37	·04	—	—	·68	Incomplete owing to Air Raid Damage.		11
12	—	·02	·10	—	—	·02	·14	—	·16	—	·03			12
13	—	·05	·49	·05	—	—	—	—	·12	—	—			13
14	—	—	·07	·08	·59	—	—	—	·15	·11	·01			14
15	—	—	·04	·06	·37	—	—	—	·05	·14	·11			15
16	·05	·31	·32	x	—	—	·14	—	·13	·57	·60			16
17	—	·02	·21	x	—	—	·03	—	—	—	·13			17
18	·13	·61	·22	x	—	—	—	—	·21	·17	·07			18
19	—	·23	·08	x	—	—	·34	·07	·14	—	·17			19
20	—	—	—	- ·95	—	—	·20	—	—	·32	·02			20
21	·01	·01	—	-	·51	·18	·07	—	—	·01	1·30			21
22	—	—	·02	✓	·40	·19	—	—	·09	—	—			22
23	—	·10	·03	✓	·12	·10	—	—	·05	·04	—			23
24	·02	—	—	—	—	—	·08	—	—	·02	—			24
25	·02	—	—	·02	·02	—	·03	—	—	—	—			25
26	1·23	·14	·05	·62	·08	—	·25	—	—	·01	·02			26
27	1·01	·30	—	·57	—	—	·15	·10	·01	—	(·04)			27
28	·94	·22	—	·02	·41	—	—	—	—	—	-			28
29	—	—	·10	·05	—	·10	·02	—	—	—	-			29
30	·05	✕	—	·59	·01	—	—	—	—	·63	-			30
31	·13	✕	·05	✕	·01	✕	—	—	✕	1·07	✕			31
TOTAL	3·79	2·83	1·92	3·74	2·57	·87	2·80	·30	1·20	4·63	6·76	(1·80)	Year's Total 33·21	Part
* Days with .01 in. or more.	12	18	16	22	12	6	20	4	14	18	21	(20)	183	C.H.
* Days with .04 in. or more.	8	13	12	14	7	5	16	4	10	15	17	(10)	131	

Mrs. Neave

† Spare column, no entries required.

* See Instruction 3 (f) on other side. MRS NEAVE (Signed) Helen M. Neave [P.T.O.

2475.

Section **A** for the entr
AIR MINIS
PY FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090. **REG**

2475
SELLY OAK, SHENLEY FIELDS
1931-37, 1939

780408

Kept at 87 Witherford
in the County of Wa
Diameter of Funnel of Gauge
Height of top of Gauge above G
,, Ground ,, Se
THE MORNING MEA
An observer who does not conform
year in the space on the right o

g stations. 27/4/32
formed.
Stuck

w Decr. 29/4/32.

wing

Jan. 1, following

Date	Jan.	Feb.	Marc								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·02	·02		[illegible]	[illegible]	[illegible]			·34	[illegible]			1
2	—	·12		·69	·04	·04		·08	·40	·04	·04		2
3	·13			·04			·02		·85	·01	·56		3
4	·02	·01		·14			·57	·19		·01	·04		4
5		·09		·17	·07	1·13	·04	·02					5
6		·14		·06		·10	·02	·01		·33	·20		6
7		·01			·05	·02	·82	·67		·01	·15		7
8		·07	·01	·09		·09	·02	1·19			·19		8
9		·35		·03		·03		·06			·51		9
10					·04	·06		·18			·25		10
11		·40			·02	·02					·21		11
12		·13					·70	·06		·04			12
13					·01		·08	·25					13
14	·02	·07	·08		·04	1·57	·44	1·37			·54		14
15	·12	·12		·14	·10		·27	·28					15
16	·08	·10		·25	·65	·71		·05					16
17	·17	·15		·20	·91	·05	·08			·01	·05		17
18	·02	·03		·26		·33	·08	·18	—	·01	·37		18
19	·01	·13		·18		·13	·27	·15	—				19
20	·19	·10	·10				·04	·40	—		·02		20
21	·17				·55				—		·17		21
22			·05		·01				—	fog ·01	·02		22
23	·18	·02		·27	·40	·15		·07	-		·27		23
24	·01			·12	·43		·07	·04	-		·01		24
25	·05			·79			·19		—		·07		25
26	·10			·24			·03		-		·28		26
27	·18	·62		·07	·60		·08		-	·04	·13		27
28	·	·15		·10	·36	·01			—	·05	·21		28
29	·05				·18		·11		—	·36	·01		29
30		×							—	·01			30
31	·45	×		×	·04	×			×		×		31
TOTAL	2·24	2·83	·24	3·94	4·54	4·49	3·93	5·25	2·57	·95	4·30	(1·00)	YEAR'S TOTAL (36·26)
*Days with ·01 in. or more.		~~20~~	~~4~~	~~19~~	~~19~~	~~16~~	19	18		~~14~~	~~22~~		
*Days with ·04 in. or more.		~~15~~	~~3~~	~~18~~	16	12	15	16		~~6~~	18		

4th - 13th ·27

3rd - 17th : ·98

Recent lasting illness

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Helen M. Neave

[P.T.O.

2475.

Section A for the entr

PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at 87 Witherford Way Selly Oak.
in the County of Warwick
Diameter of Funnel of Gauge 7·96. in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 530 ft.

~~for Dec~~
Decr estimated by surrounding stations. 27/4/32
~~observer informed.~~
J Stuch
Observer approves our estimate for Decr. 29/4/32.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02		·08	·04	·05			·34	·02			1
2	—	·12		·69	·04	·04		·08	·40	·04	·04		2
3	·13			·04			·02		·85	·01	·56		3
4	·02	·01		·14			·57	·19		·01	·04		4
5		·09		·17	·07	1·13	·04	·02					5
6		·14		·06		·10	·02	·01		·33	·20		6
7		·01			·05	·02	·82	·67		·01	·15		7
8	4th–13th ·27	·07	·01	·09		·09	·02	1·19	3rd–17th ·98		·19		8
9		·35		·03		·03		·06			·51		9
10					·04	·06		·18			·25		10
11		·40			·02	·02					·21		11
12		·13					·70	·06		·04			12
13					·01		·08	·25					13
14	·02	·07	·08		·04	1·57	·44	1·37			·54	Record lost during illness	14
15	·12	·12		·14	·10		·27	·28					15
16	·08	·10		·25	·65	·71		·05					16
17	·17	·15		·20	·91	·05	·08			·01	·05		17
18	·02	·03		·26		·33	·08	·18	—	·01	·37		18
19	·01	·13		·18		·13	·27	·15	—				19
20	·19	·10	·10				·04	·40	—		·02		20
21	·17				·55				—		·17		21
22			·05		·01				—	fog ·01	·02		22
23	·18	·02		·27	·40	·15		·07	–		·27		23
24	·01			·12	·43		·07	·04	-		·01		24
25	·05			·79			·19		—		·07		25
26	·10			·24			·03		-		·28		26
27	·18	·62		·07	·60		·08		-	·04	·13		27
28	·	·15		·10	·36	·01			—	·05	·21		28
29	·05				·18		·11		—	·36	·01		29
30		×							—	·01			30
31	·45	×		×	·04	×			×		×		31
TOTAL	2·24	2·83	·24	3·94	4·54	4·49	3·93	5·25	2·57	·95	4·30	(1·00)	YEAR'S TOTAL (36·26)
*Days with ·01 in. or more.		~~20~~	~~4~~	~~19~~	~~19~~	~~16~~	~~19~~	~~18~~		~~14~~	~~22~~		
*Days with ·04 in. or more.		~~15~~	~~3~~	~~18~~	16	12	15	16		~~6~~	~~18~~		

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Helen M. Neave

[P.T.O.

2475

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at 87 Witherford Way, Selly Oak.

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 530 ft.

See 2474.

Allocate Oct–Nov days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·04		·18	·83	·06	·02	·13	·02	·17		—	1
2	·03	·01		·10	·43	—	—	—	·35	·05		·13	2
3		·02		·25	·10	—	—	—	·02	·02		·03	3
4	·04	·01		·34	—	—	—	—	—	—		·01	4
5	·38		·05	·03	·07	—	—	—	·11	—		—	5
6	·31		·10	·38	—	—	·15	—	·35	—		—	6
7	·02		·17	·18	—	—	—	—	·08	·30		—	7
8			·01	·06	—	—	—	—	·55	·55		—	8
9	·16	·13		·02	·02	—		—	—	—		—	9
10	·30	·02	·02	·18	·10	—		—	·13	·27		—	10
11		·02		·05	·10	Thunder. ·10		—	·03	·07		·01	11
12	·31			—	·19	—		Trace	·10	·42		·02	12
13	·03	·04		·11	·06	—		·01	·01	·01		·05	13
14	·27			·03	—	—		·10	—	·02		·01	14
15	·01			·09	·67	—		—	—	·03		·03	15
16	·24			·15	·05	—		—	—	·24		—	16
17				—	—	—		—	·01	·02		—	17
18				—	·07	—		—	·02	·26		—	18
19	·01	·02		·14	·06	—		—	—	—		—	19
20				·10	·77	—		Thunder ·85	—	·45		—	20
21			·14	·19	1·19	—		·17	—	·28		·13	21
22			·13	·06	·04	—		—	·62	·04		·03	22
23		·03		·01	·30	—		—	·08	·09		·04	23
24	·04			—	·05	·09		—	·13	·02		—	24
25		·04		—	·01	·10		—	—			—	25
26			·05	·46	·17	—		—	·13		·04	·02	26
27			·63	·24	·40	—	·06	—	·05		—	·03	27
28			·16	·07	·31	·07	·13	Thunder. ·64	—		·07	·02	28
29			·25	·22	·25	·16	·07	·02	·18		·05	·15	29
30		×	·11	13	·02	1·02	·10	·05	·35		·30	·15	30
31		×	·05	×	·02	×	·68	—	×	·67	×	·28	31 "d"
TOTAL	2·20	·38	1·87	3·77	6·28	1·60	2·89	1·97	3·32	3.98	1.86	1·14	YEAR'S TOTAL 31·26
*Days with ·01 in. or more.	~~15~~	~~11~~	~~13~~	~~25~~	~~25~~	~~7~~		~~8~~	~~20~~			~~17~~	
*Days with ·04 in. or more.				~~21~~	~~21~~	~~7~~		~~6~~	~~14~~			~~7~~	

8th–26th = 1·68

House closed

House closed Oct 25 – Nov 25th = 2·07.

Total 1·40

40-9999

(Signed) Helen M. Neave.

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2475

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 87 Witherford Way, Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 530 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·42	·50	–	–	–	–	–	–	–	–	·07	–		1
2	·21	–	·38	–	·01	·01	–	–	–	–	·01	–		2
3	·01	·09	·36	–	·13	–	–	–	–	–	·03	–		3
4	·09	–	·02	–	·35	–	–	–	–	–	–	–		4
5	13	·09	·33	–	·14	–	–	–	–	–	·01	–		5
6	–	·26	·04	–	·13	–	–	–	–	·10	–	·02		6
7	·03	·15	·04	–	–	–	–	–	–	·11	–	·01		7
8	·05	–	–	–	·09	–	·49	–	–	–	–	–		8
9	·01	–	–	–	·06	–	·32	–	–	1·20	·03	–		9
10	·07	·33	–	·	–	·02	·02	–	–	1·53	·09	–		10
11	·01	–	–	–	·03	–	·59	–	–	·01	–	–		11
12	·02	–	–	–	–	·02	·25	–	·06	·02	–	·04		12
13	·01	–	–	–	·13	·03	·08	–	·02	·07	·25	–		13
14	·02	–	–	–	–	–	·04	·10	–	·08	·31	–		14
15	·76	–	·02	·01	–	·08	·23	·03	–	·02	·03	·07		15
16	·07	–	·82	–	·02	·07	·02	–	–	·04	·04	·01		16
17	·11	–	·30	–	–	·19	·07	–	·08	–	·07	–		17
18	·04	·01	·06	–	–	·17	–	–		–	·03	–		18
19	·01	·03	·45	–	–	·25	–	–	·02	–	·05	·01		19
20	–	·02	·05	–	·01	·46	–	·14	·02	·02	·01	–		20
21	–	·01	–	–	–	·06	–	·26	–	·02	·01	–		21
22	–	–	–	–	–	·28	–	·40	–	·18	–	–		22
23	–	–	–	·19	–	·03	–	–	·15	·32	–	–		23
24	–	·68	–	·10	·08	·46	–	–	·24	·02	·03	–		24
25	–	·63	–	·23	–	·18	–	–	·20	–	–	·06		25
26	–	·80	–	·13	·20	–	–	–	·01	·34	–	·02		26
27	–	·01	–	–	·19	–	–	–	·02	·02	–	·08		27
28	–	–	–	·22	·16		·02	–	·01	·05	–	–		28
29	·03	–	·02	–			–	–	–	·06	–	·02		29
30	·05	×	·14	–			·01	–	–	·06	–	·17		30
31	·09	×	·29	×	–	×	·04	·08	×	·21	×	–		31
TOTAL	2·24	3·61	3·32	·88	1·73	2·31	2·18	1·01	·83	4·48	1·07	·51	Year's Total 24·17	
*Days with ·01 in. or more.	21	14	15	6	15	15	13	6	11	21	16	11	164	
*Days with .04 in. or more.	12	9	12	5	11	10	9	5	5	14	7	5	104	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Helen M. Neave

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2475

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 87 Witherford Way Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 530 ft.

Est days in Nov.

adf

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·04	—	—	—	—	—	·18	·58	—	·08	·39		1
2	·05	—	·10	—	—	—	—	·01	·33	·03	✓	·14		2
3	·05	·06	—	—	—	—	—	·01	·02	·12	✓ ·35	·13		3
4	·09	—	·17	·10	·18	—	—	—	·12	—	✓	·40		4
5	—	—	·10	·02	·07	—	—	·56	—	—	✓	·07		5
6	—	—	·02	·03	·29	·04	—	·01	—	·16	—	·46		6
7	·18	—	—	—	—	·06	—	·10	—	·09	·03	·31		7
8	—	—	—	—	·05	—	—	·02	—	—	·16	·07		8
9	—	—	·20	·03	—	—	—	·07	—	—	·79	·42		9
10	·09	·01	·20	·32	—	—	—	·11	—	—	·14	·01		10
11	1·15	—	·08	·20	—	—	·04	·12	—	—	·03	·32		11
12	—	—	·18	·01	—	—	·21	·11	—	—	—	·02		12
13	·71	—	·02	·26	—	—	·58	·02	—	·03	—	·07		13
14	·18	·01	·38	—	·04	·02	—	—	·02	·18	·40	·17		14
15	·05	—	·12	—	·16	—	·06	—	·09	·45	·22	·13		15
16	·21	—	·16	—	Trace	—	—	·02	—	·04	·04	—		16
17	·04	—	·05	·01	·01	—	·10	—	·36	·05	·02	·09		17
18	·33	—	·04	·29	—	—	—	—	—	—	—	·04		18
19	—	—	·16	—	—	·10	—	—	·02	·02	—	·11		19
20	—	—	·10	—	—	·01	—	·02	—	—	—	·01		20
21	—	—	—	—	—	·30	—	·15	—	·06	—	—		21
22	—	—	·01	—	·04	—	—	·19	—	·02	—	·28		22
23	—	—	—	·20	·07	·12	·03	—	·21	—	·01	·06		23
24	—	·23	·11	·05	—	·06	·02	—	—	·01	—	—		24
25	·31	—	—	·07	·07	·32	—	—	·25	·22	—	·47		25
26	·08	—	·06	—	—	·05	—	—	—	·07	·03	·03		26
27	·05	—	—	·33	—	—	~~·03~~	—	·02	·03	·03	·25		27
28	—	—	—	·45	—	·07	·03	·20	·01	·02	·07	·37		28
29	—	—	—	—	—		·35	·06	·65	·01	·01	·03		29
30	·06	✕	—	—	—	—	·02	—	·06	·02	Trace.	·25		30
31		✕	—	✕	—	✕	·06	—	✕	·11	✕	·13		31
TOTAL	3·66	·35	2·26	2·37	·98	1·15	1·50	1·96	2·72	1·74	2·41	5·23	Year's Total 26·33	
*Days with ·01 in. or more.	17	5	19	15	10	11	11	18	14	20	19	28	184	
*Days with ·04 in. or more.	16	3	16	10	9	9	7	11	9	11	12	23	136	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Helen M. Neave

[P.T.O.

SELLY OAK (SHENLEY FIELDS RD) ×

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 2475.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 87 Witherford Way ~~[illegible] Shenley Fields Rd. Selly Oak~~

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" Ground " Sea Level 520/550 ft.

See change of address

days

× Footnote Formerly: at Witherford Way

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·06	·02	·05	·01	·06	·03		·16	·30	·16	·07	1
2				·02		·10			·08	·10		·07	2
3		·18	·10	·01		·06			·02	·37	·19	×	3
4				·18		·15			·29	·14		·25	4
5		·51	·10	·06			·03			·31	·09	✓	5
6			·05	·37		·34							6
7				·20		·11				·21	·31	·17	7
8				·17		·13		·10		·10	·27	·10	8
9	·01			·30		·39				·35	·43	·01	9
10				·04						—	·03		10
11	·23	·02				·09				·02	·20	·02	11
12	·14	·08				·06		·08	·02	—	·01		12
13	·15			·18	·16					·03	·05		13
14	·01			·71	·08						·85	·15	14
15		·03		·30	·05	·06			·18		·11	·21	15
16			·11	·11		·18			·50	·28	·79	·16	16
17				·25		·14	·07				·65		17
18				·17	·09	·12	·16		·23	·07	·13		18
19				·41	49	·34	·10		·05	·10	·30		19
20	·03	·40			·03	·01	·08		·05		·50		20
21		·40		·08					·57		·10		21
22		·04	·02	·06					·01		·01		22
23	·05		·14					·41	·06	·49		·06	23
24	·13	·39	·01					·01	·92	·02		·42	24
25	·07	·20		·11		·48						·22	25
26								·72	·20		·02	·60	26
27		·26					·03	·02	·37	·08	·23	·78	27
28	·06	·03			·40			·05	·07	·11	·03	·02	28
29	·02		·06					·02	·07	×	·15	·23	29
30	·03	×		·20	·07	·02		·28	·04	·82	·43	·15	30
31		×		×		×			×	×	×	·20	31
TOTAL	·96	2·60	·61	3·98	1·38	2·84	·50	1·69	3·89	3·80	6·04	3·99	YEAR'S TOTAL 32·28
*Days with ·01 in. or more.	13	13	9	21	9	18	7	9	19	20 ✓	24	21 ✓	183
*Days with .04 in. or more.	7	10	6	19	7	16	4	6	16	17	19	17	144

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Helen M. Neave.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2475

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at 142 Shenley Fields Rd Selly Oak
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·12	·12	·40	—	·23	·53	—	—	—	06	·09		1
2	·07	·01	—	·06	—	·19	·51	·04		—	·11	—		2
3	·01	—	—	—	—	·21	·04	·01	·33	—	·05	·01		3
4	—	—	—	—	—	·08	—	—	·30	—	·04	·12		4
5	·19	·04	·13	—	—	—	·04	·06	·01	—	·01	·39		5
6	·04	—	—	—	·17	·09	·19	·13	·21	—	·25	·09		6
7	·04	—	·07	—	—	—	·41	—	·18	—	·20	·04		7
8	·33	—	·07	—	—	—	—	—	·10	—	·48	·06		8
9	·40	—	·10	—	—	—	1·30	—	·16	·13	·04	·02		9
10	·06	—	·02	—	—	—	·27	·15	·02	—	·02	—		10
11	—	—	—	04	—	·07	·05	·02	·18	—	·62	—		11
12	—	—	—	·03	·23	·67	·60	—	·57	—	·12	·15		12
13	—	—	—	·05	—	·18	—	—	—	·04	·03	·46		13
14	—	—	—	·20	·05	—	·20	—	·42	·04	·05	·47		14
15	·05	—	—	—	·10	—	·02	—	·24	—	·08	·12		15
16	·12	·15	—	·02	·05	—	·05	—	—	—	·55	·09		16
17	—	·60	—	—	—	·10	·18	~~·02~~	—	·15	·03	·35		17
18	—	·08	—	—	—	·37	·30	·02	—	·10	—	·03		18
19	·45	·21	·06	·23	—	—	·02	·06	—	·08	—	—		19
20	·02	·17	—	·02	·12	—	—	—	·20	·02	—	—		20
21	—	—	—	—	·12	·63	·04	—	—	—	·01	—		21
22	—	·86	—	·20	—	—	·35	—	—	—	—	·04		22
23	—	—	·51	·12	—	—	·30	—	—	·03	—	—		23
24	·21	·09	—	·02	—	—	·01	—	·06	·35	·02	—		24
25	·12		—	·28	—	—	·43	—	·28	·06	—	—		25
26	·07		·42	·04	—	—	·01	—	·10	·06	·07	—		26
27	·13		·10	—	—	—	·01	—	·14	·19	—	—		27
28	·45	SNOW ·51	—	—	—	—	·03	—		·05	·02	·13		28
29	·02		·24	—	—	·18	·06	—		·02	·02	·16		29
30	·05	✕	·05	—	·25	·17	·14	—		·41	—	—		30
31	·70	✕	—	✕	·04	✕	·08	—	✕	·06	✕	·21		31
TOTAL	3·55	2·84	1·89	1·76	1·13	3·17	6·17	·49	3·50	1·79	2·86	3·03	Year's Total 32·18	✓ ✓
* Days with .01 in. or more.	21	11	12	14	9	13	27	8	17	16	22	19	189	✓
* Days with .04 in. or more.	17	10	11	10	9	13	21	5	15	13	14	16	154	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Helen M Neave

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2475

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at 142 Shenley Fields Road Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 7·96 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 550 ft.

attic

Day

12/

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	03	·01	·04	—	—	—	—		—	·13	·62		1
2	·01	·08	·05	·64	—	—	—	—		—	·01	—		2
3	—	·10	·06	—	—	·03	·04	—		—	·01			3
4	·12	·22	·03	—	·10	—	—	·01		—	·01	·88 ·02		4
5	·10	—	·22	—	—	—	·03	·01		—	—			5
6	·09	·03	·02	—	·10	—	—	—		·02	·01	—		6
7	—	·59	—		—	·01	—	—		—	—	—		7
8	—	·08	—		·06	—	—	—		—	·38	—		8
9	—	·02	—		·17	·12	·40	—		—	—	·02		9
10	·05	·06	·45		—	—		—		—	—	·12		10
11	—	—	·24	6th–20th	·38	·13	—	—		—	—	·16		11
12	·14	37	·21	2·12	·26	·03	—	·11		—	—	·42		12
13	·09	·03	·05		·02	·03	—	·43	1–24 incl.	—	—	·05		13
14	—	·02	·10		—	—	—	·23	1·92	—	·02	·10		14
15	·19	·06	—		—	—	1·31	·09		—	·02	·02		15
16	—		·52		—	—	—	·20		—	—	—		16
17	·20		·33		—	·10	—	—		·01	—	—		17
18	·43		·11		—	—	·03	—		—	·26	·04		18
19	·03		·14		—	·13	·29	—		·01	·11	—		19
20	·30		—		·24	—	—	—		—	—	—		20
21	·28	1·94	03	—	·02	—	·23	—		—	—	·10		21
22			·10	·08	·09	·03	·27	—		·58	·20	·05		22
23	·24		·02	—	·32	—	·04	—		·33	·26	—		23
24	·27		·04	—	·05	—	—	—		·23	—	·02		24
25	·05		—	—	·03	—	—	—	·06	·50	—	·02		25
26	—		·06	—	·59	—	—	—	—	—	—	·02		26
27	·01	·49	—	·23	—	—	—	—	—	·68	—	—		27
28	—	·09	—	—	—	·04	—	—	—	·05	—	·05		28
29	03		—	—	—	·06	—	—	—	·10	·06	·02		29
30	·27	✗	—	—	—	·02	—	·04	—	·06	·11	·02		30
31	·31	✗	—	✗	—	✗	—	—	✗	·11	✗	—		31
TOTAL	3·27	4·21	2·79	3·11	2·43	·73	2·69	1·12	1·98	2·68	1·59	2·75	Year's Total 29·35	
* Days with .01 in. or more.	22	(26)	20	(16)	14	12	~~10~~ 9	8	13	12	14	20	(186)	
* Days with .04 in. or more.	18	(19)	15	(15)	11	6	7	6	10	9	8	12	(136)	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Helen M. Neave

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2475

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at 38 Weoley Hill, Selly Oak. (previously at Shenley Fields Rd. Selly Oak

in the County of Warwick.

in

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·17	—	·08		·25				(·50) —	—	—	·05		1
2	·11	—	—		—				—	·02	·02	—		2
3	·19	—	—		—				—	—	·12	·39		3
4	·22	—	·37		—				—	·48	·09	·18		4
5	—	—	—		·10				—	·12	·47	·07		5
6	·67	—	—		—				—	—	·06	—		6
7	~~·01~~	·07	—		—				—	—	·42	·53		7
8	·01	·15	·32		—				—	·47		·19		8
9	·01	·07	—		—				—	·40	·01	·25		9
10	·62	—	·05		—				·08	·17	·01	·01		10
11	·03	—	·18		—				—	·02	—	·02		11
12	·01	—	—		—				—	·01	·01	—		12
13	—	—	·02		—				·10	·07	—	—		13
14	·57	—	·04	No [illegible]	·28	[illegible]			—	·06	·09	—		14
15	·63	—	·02						·02	·16	·15	—		15
16	·15	—	·05		·38				—	·08	·23	—		16
17	·63	·10	—		·04				—	1·22	·10	—		17
18	·27	·04	·08		—				—	·01	·59	—		18
19	·21	—	—		—				—	—	·01	·03		19
20	·28	—	·01		—				—	—	—	—		20
21	·07	·28	·19		·06				·08	—	—	—		21
22	·32	·26	·02		—				·03	—	·37	—		22
23	·08	—	·01		—				—	·07	·77	—		23
24	·19	—	·03		—				—	·12	—	·01		24
25	·54	·09	—		—				—	·03	·36	·02		25
26	·45	—	·01		—				—	—	·39	·06		26
27	·03	·23	·15		—				—	·12	·04	·11		27
28	·02	·15	·10		—				—	—	·19	·07		28
29	—		—		—				—	·16	·07	—		29
30	—	×	—		—				—	—	·09	·02		30
31	—	×	—	×	—	×			×	·01	×	·01		31
TOTAL	6·48	1·44	1·73	1·99	1·11	(1·70)	(4·20)	(2·40)	~~·31~~ (·81)	3·80	4·66	2·02	Year's Total. (32·34)	
* Days with .01 in. or more.	25	10	18		7				5	20	24	17		
* Days with .04 in. or more.	19	10	11		7				3	14	19	10		

up up WH.

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Helene M. Neave

P.T.O.

2476

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

GANIZATION.

FORM 1090.

REGIST

2476

SELLY OAK, 1 FREDERICK Rd.

1931 —— 40

7P0408

Kept at 1 Frederick R

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to

year in the space on the right of thi

Jan. 1, following
1932
.02

Date	Jan.	Feb.	March									Dec.	Date
	in.	in.	in.									in.	
1	–	.05	–	.08	.04	.04	–	–	.35	–	–	–	1
2	.15	.12	–	.66	.03	–	–	.08	.43	.06	.04	.16	2
3	.08	–	–	.04	–	.04	.01	–	.74	.01	.56	.03	3
4	–	–	–	.15	–	–	.59	.20	.11	–	.01	–	4
5	–	.10	–	.17	.07	1.02	.09	.02	.06	Tr	–	–	5
6	–	.14	–	.06	–	.12	.01	–	Tr	.32	.21	.30	6
7	–	–	–	–	.06	–	.43	.55	–	Tr	.15	.02	7
8	.08	.09	–	08	–	.10	–	1.19	–	–	19	–	8
9	–	.32	–	.03	–	.04	02	.08	–	–	.47	–	9
10	.02	–	–	.01	.03	.03	–	.16	.06	–	.27	–	10
11	.18	.38	–	–	.02	.02	.07	Tr	.19	.05	.20	–	11
12	.03	.13	–	–	–	–	.60	.09	.37	–	.01	–	12
13	–	–	–	–	.01	–	.08	.27	.03	–	–	–	13
14	–	.08	.07	–	.07	1.18	.49	1.25	Tr	–	.48	–	14
15	01	.09	–	15	.08	–	.12	.27	12	–	–	–	15
16	.13	.07	–	.25	.75	.73	–	.05	–	–	–	.05	16
17	.10	.13	–	.23	.83	03	.06	–	–	–	.05	–	17
18	.13	.05	–	.25	–	.30	07	.18	–	–	.37	–	18
19	.01	13	–	.16	–	09	.31	.18	.01	Tr	–	–	19
20	–	.10	.11	Tr	–	–	.08	.35	–	.02	03	.02	20
21	.20	.02	–	–	.54	–	–	–	–	–	.17	–	21
22	.17	–	.04	–	.02	.19	–	.09	–	–	–	–	22
23	.18	.02	–	27	.47	–	Tr	.02	–	–	.02	.24	23
24	.01	–	–	.12	.29	–	.10	–	–	–	.27	–	24
25	.04	–	–	78	–	–	.20	–	–	–	.08	–	25
26	.04	.01	–	.20	–	–	.04	–	–	–	34	–	26
27	.10	.65	–	11	.59	–	.10	–	–	.06	.12	.04	27
28	.19	.24	–	.06	.27	–	.04	–	–	.03	.02	.16	28
29	07	–	–	–	.17	–	08	–	–	.36	–	–	29
30	–	✕	–	–	–	–	–	–	–	–	–	–	30
31	.39	✕	–	✕	.05	✕	Tr	–	✕	–	✕	.02	31
TOTAL	2.31	2.92	.22	3.86	4.39	3.93	3.59	5.03	2.47	.91	4.06	1.04	YEAR'S TOTAL 34.73
*Days with ·01 in. or more.	21 ~~3~~	20 ~~3~~	-3	~~2~~ 20	19 ~~3~~	~~3~~ 14	~~3~~ 21	~~1~~ 17	~~2~~ 11	~~3~~ 8	~~5~~ 21	~~4~~ 10	~~37~~ 185
*Days with ·04 in. or more.	16	17	3	18	14	11	18	15	9	5	16	6	148

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Wm Garden [P.T.O.

2476

Section **A** for the entry of FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at 1 Frederick Road Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft 2" in.

,, Ground ,, Sea Level 540 ft.

olago

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
1932
.02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.05	-	.08	.04	.04	-	-	.35	-	-	-	1
2	.15	.12	-	.66	.03	-	-	.08	.43	.06	04	.16	2
3	.08	-	-	.04	-	.04	.01	-	.74	.01	.56	.03	3
4	-	-	-	.15	-	-	.59	.20	.11	-	.01	-	4
5	-	.10	-	.17	.07	1.02	.09	.02	.06	Tr	-	-	5
6	-	.14	-	.06	-	.12	.01	-	Tr	.32	.21	.30	6
7	-	-	-	-	.06	-	.43	.55	-	Tr	.15	.02	7
8	.08	.09	-	08	-	.10	-	1.19	-	-	19	-	8
9	-	.32	-	.03	-	.04	02	.08	-	-	.47	-	9
10	.02	-	-	.01	.03	.03	-	.16	.06	-	.27	-	10
11	.18	.38	-	-	.02	.02	.07	Tr	.19	.05	.20	-	11
12	.03	.13	-	-	-	-	.60	.09	.37	-	.01	-	12
13	-	-	-	-	.01	-	.08	.27	.03	-	-	-	13
14	-	.08	07	-	.07	1.18	.49	1.25	Tr	-	.48	-	14
15	01	.09	-	.15	.08	-	.12	.27	12	-	-	-	15
16	.13	.07	-	.25	.75	.73	-	.05	-	-	-	.05	16
17	.10	.13	-	.23	.83	03	.06	-	-	-	.05	-	17
18	.13	.05	-	.25	-	.30	07	.18	-	-	.37	-	18
19	.01	13	-	.16	-	09	31	.18	.01	Tr	-	-	19
20	-	.10	.11	Tr	-	-	.08	.35	-	.02	.03	.02	20
21	.20	.02	-	-	.54	-	-	-	-	-	.17	-	21
22	.17	-	.04	-	.02	.19	-	.09	-	-	-	-	22
23	.18	.02	-	27	.47	-	Tr	.02	-	-	.02	.24	23
24	.01	-	-	.12	.29	-	.10	-	-	-	.27	-	24
25	.04	-	-	78	-	-	.20	-	-	-	.08	-	25
26	.04	.01	-	.20	-	-	.04	-	-	-	34	-	26
27	.10	.65	-	11	.59	-	.10	-	-	.06	12	.04	27
28	.19	.24	-	.06	.27	-	.04	-	-	.03	.02	.16	28
29	07	-	-	-	.17	-	08	-	-	.36	-	-	29
30	-	×	-	-	-	-	-	-	-	-	-	-	30
31	.39	×	-	×	.05	×	Tr	-	×	-	×	.02	31
TOTAL	2.31	2.92	.22	3.86	4.39	3.93	3.59	5.03	2.47	.91	4.06	1.04	YEAR'S TOTAL 34.73
*Days with ·01 in. or more.	21 ~~5~~	20 ~~3~~	-3	~~2~~ 20	19 ~~5~~	~~3~~ 14	~~3~~ 21	~~1~~ 17	~~2~~ 11	~~2~~ 8	~~6~~ 21	~~4~~ 10	~~37~~ 185
*Days with ·04 in. or more.	16	17	3	18	14	11	18	15	9	5	16	6	148

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Wm Garden

[P.T.O.

2476

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No 2476

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932

Kept at 1 Frederick Road Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0" in.

,, Ground ,, Sea Level 540 ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.05	–	.20	.83	.05	.01	.11	.01	.16	.02	.01	1
2	.01	–	–	.13	.40	–	–	Tr	.36	.06	–	.14	2
3	–	.02	–	.20	.03	–	–	–	.02	.03	–	.04	3
4	.05	–	–	.30	.07	–	–	–	–	–	.43	–	4
5	.43	–	.05	.03	–	–	–	–	.12	–	.01	–	5
6	34	–	.11	.38	–	–	.15	–	.37	–	–	–	6
7	.03	–	.20	17	–	–	–	–	.15	.30	–	–	7
8	–	Tr	–	05	–	–	–	–	.63	67	–	–	8
9	.25	09	–	02	.02	–	–	–	–	–	–	–	9
10	.31	03	.03	.19	.10	–	–	–	.13	.29	–	–	10
11	.02	.05	–	.04	.09	.07	.15	–	.02	.10	.01	.02	11
12	.30	–	–	–	.18	–	–	–	11	.39	.05	–	12
13	.03	.04	–	.12	.07	–	.98	.01	–	.02	–	.06	13
14	.27	–	–	.04	–	–	11	–	–	.02	.06	.03	14
15	–	–	–	.07	.73	–	–	.12	–	–	.02	.04	15
16	.25	–	–	.10	.11	–	04	–	.01	04	–	–	16
17	–	–	–	–	–	–	05	–	.02	.21	–	–	17
18	–	–	–	–	–	–	–	–	–	.02	–	–	18
19	.02	–	–	.12	.20	–	–	–	–	.28	09	–	19
20	–	–	–	.10	.67	–	–	.78	–	.43	–	–	20
21	–	–	.15	.18	1.10	–	–	.15	–	.27	.16	.15	21
22	–	–	.12	.05	.06	–	.13	–	.61	.08	.13	–	22
23	–	–	–	–	.30	–	.06	–	.04	.07	.07	.03	23
24	–	–	–	–	.11	.06	.04	–	.14	.01	.24	.09	24
25	–	05	–	–	–	.08	.12	–	.15	.12	.08	–	25
26	–	02	.05	.44	.20	–	.20	–	.05	03	.05	–	26
27	–	–	.71	.23	.34	–	.08	–	–	–	.09	.02	27
28	–	–	.17	.04	.39	.06	.13	.75	–	.Tr	.01	.02	28
29	–	–	.45	.23	.25	.15	.05	.01	.15	.38	.10	.18	29
30	.05	×	.13	.12	–	98	.09	.04	.36	.24	.25	.14	30
31	–	×	.03	×	.01	×	.69	–	×	.02	×	.28	31
TOTAL	2.38	.35	2.00	3.55	6.26	1.45	3.08	1.97	3.45	4.00	1.88	1.25	YEAR'S TOTAL 31.62
*Days with ·01 in. or more.	15	8	12	24	22	7	17	8	19	24	18	15	189
*Days with .04 in. or more.	9 ✓	5 ✓	10 ✓	22 ✓	19 ✓	7 ✓	16 ✓	6 ✓	14 ✓	17 ✓	13 ✓	9 ✓	147 ✓

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Wm Garden

P.T.O.

2476

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2476~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at 1 Frederick Rd Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. . in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.40	.54	-	-	-	-	-	-	-	-	.04	-		1
2	.20	-	.36	-	.02	.01	-	-	-	-	.03	-		2
3	-	.10	.15	-	.11	-	-	-	-	-	.02	-		3
4	.10	.01	.01	-	.38	-	-	-	-	-	.01	-		4
5	.13	.09	33	-	.05	-	-	-	-	-	-	-		5
6	-	.29	.04	-	.12	-	-	-	-	.11	-	.01		6
7	.06	13	.18	-	-	-	-	-	-	.12	-	-		7
8	.03	-	-	-	.09	-	.53	-	-	01	.03	-		8
9	-	-	-	-	.09	-	.30	-	-	1.05	.08	-		9
10	.08	.34	-	-	-	Tr	.02	-	-	1.54	-	-		10
11	.03	-	-	-	-	-	.58	-	-	.02	-	-		11
12	-	-	-	-	.04	.02	.27	-	.04	.02	-	-		12
13	-	-	-	-	.15	.03	.13	-	.03	.08	.26	.02		13
14	.08	-	-	-	.01	-	.03	.06	-	.08	.29	-		14
15	.68	-	.01	-	-	.14	.20	.01	-	.02	03	.10		15
16	.09	-	.78	Tr	-	.07	.10	.01	-	.06	.03	-		16
17	-	-	.32	-	-	.16	.04	-	.08	-	.05	-		17
18	.06	-	.06	-	-	.22	.01	-	.03	-	.02	-		18
19	-	.03	.45	-	-	.24	-	-	-	-	.04	-		19
20	-	.01	.03	-	-	.33	-	.03	04	.02	.02	-		20
21	-	-	-	-	-	-	-	.15	-	~~.01~~	.01	-		21
22	-	-	-	-	-	.07	-	.33	-	.18	-	-		22
23	-	-	-	.20	-	.33	-	-	.10	.30 ~~Tr~~	Tr	-		23
24	-	.54	-	.18	.09	.04	-	-	.33	.03	.03	-		24
25	-	73	-	.16	-	.39	-	-	.07	-	-	.06		25
26	-	87	-	.12	.18	.25	-	-	.02	.35	-	.02		26
27	-	-	-	-	.22	-	-	-	.02	.04	-	.06		27
28	-	.04	-	.21	.15	-	.01	-	.01	.05	-	.10		28
29	.04	-	.02	-	-	-	.10	-	-	.09	-	.01		29
30	.03	×	.17	-	-	-	.03	-	-	.07	-	-		30
31	.10	×	.27	×	-	×	.02	.10	×	.21	×	.15		31
TOTAL	2.11	3.72	3.18	.86	1.70	2.30	2.37	.69	.77	4.45	.99	.63	Year's Total ~~21.30~~	23.67
*Days with ·01 in. or more.	16	13	15	5	14	14	15	7	11	21	16	9	165	
*Days with .04 in. or more.	12	10	11	5	12	11	9	4	6	15	6	5	106	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Wm Garden

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2476

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at 1 Frederick Road Selly Oak
in the County of Birmingham Warwickshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1' ft 0" in.
,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .04

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.03	–	–	–	–	–	–	.23	.33	.01	.09	.52		1
2	.04	.02	.08	–	–	–	–	.01	.37	–	.09	.13		2
3	.03	.04	–	–	–	–	–	.02	.02	.11	.10	.22		3
4	.10	–	.14	.06	.18	–	–	–	.09	.01	.09	.30		4
5	.01	–	.09	.03	.08	–	–	.54	–	–	.17	.07		5
6	.01	–	.02	.02	.29	.03	–	–	–	.17	–	.42		6
7	.14	.01	–	–	–	.06	–	.10	–	.10	.02	.32		7
8	.Tr	–	–	–	.06	–	–	.03	–	–	.16	.07		8
9	.01	–	.20	.04	–	–	–	.11	.02	–	.70	.48		9
10	.13	–	.18	.28	–	–	–	.15	–	–	.16	.02		10
11	.96	–	.05	.22	–	–	.03	.13	–	–	.03	.31		11
12	–	–	.20	.01	–	–	.23	.14	–	.02	–	.02		12
13	.66	–	.03	.18	–	–	.33	.05	–	.20	–	.08		13
14	.11	–	.37	–	.08	.04	.07	–	.14	–	.32	.16		14
15	.07	–	.13	–	.11	–	–	–	.03	.45	28	.12		15
16	.18	–	.17	–	.01	–	–	–	–	.05	.04	–		16
17	.03	–	.02	.01	–	–	.09	.02	.44	.05	.02	.11		17
18	.28	–	.03	.27	~~.04~~	.02	–	Tr	Tr	–	–	.04		18
19	.Tr	–	.21	.04	~~.27~~	.07	–	–	.02	01	–	.10		19
20	–	–	.08	.02	–	.02	–	.02	–	–	–	.01		20
21	–	–	01	–	–	.29	–	.14	.01	.09	–	–		21
22	.02	–	–	–	–	–	–	.16	.24	.02	–	.20		22
23	–	02	.06	.25	.11	.12	–	–	.03	–	.01	.08		23
24	–	.21	10	.06	.02	.07	.02	–	.19	.01	–	–		24
25	.26	–	–	.05	.03	.25	.02	–	–	.25	–	.45		25
26	.09	–	.05	.Tr	–	.04	–	–	.03	.06	.03	.06		26
27	.04	–	–	.31	–	.04	–	–	.02	.05	.02	.15		27
28	–	–	–	.46	–	.04	–	.20	.05	–	.07	.39		28
29	–	–	–	–	–	–	.37	.14	.57	.02	–	.02		29
30	.05	×	–	–	–	–	.02	.01	07	.02	–	.28		30
31	.Tr	×	–	×	–	×	.05	–	×	.13	×	13		31
TOTAL	3.25	.30	2.22	2.31	.97	1.09	1.23	2.20	2.67	1.83	2.40	5.26	Year's Total. 26.73	
* Days with .01 in. or more.	21	5	20	17	10	13	10	18	18	20	18	28	198	
* Days with .04 in. or more.	14	2	15	12	7	10	6	12	10	12	12	24	136	

40-9999

† Spare column, no entries required.

(*Signed*) Wm Garden

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL ~~USE~~.

Section **A** for the entry of Daily Observations. Station No. 2476

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at 1 Frederick Road Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 540 ft.

956 sent 5/3/36

Obst agrees to amendment on Nov 1

Suggesting ·07 for 1st Nov/ 905445/29.

Alb.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	.06	–	.02	Tr	.05	–	–	.15	.29	.~~4~~07	.05		1
2	–	–	–	Tr	–	.05	.02	–	.09	.25	.01	.13		2
3	–	.18	.08	.07	–	.06	–	–	.03	.28	.23	.20		3
4	–	–	–	.12	–	–	–	–	.21	.17	.01	.04		4
5	–	.51	.15	.04	–	.10	.05	–	.02	.28	.10	–		5
6	–	.01	–	.33	–	.36	–	–	–	–	.01	.02		6
7	–	–	–	.22	–	.09	–	–	–	.24	.35	.15		7
8	–	–	–	.19	–	.13	–	.09	–	.11	.28	.12		8
9	–	–	–	.30	–	34	–	–	.01	35	.37	.02		9
10	–	–	–	.10	–	–	–	–	–	–	.02	–		10
11	.23	.02	–	–	–	.09	–	.01	–	.02	.22	–		11
12	.20	–	–	–	–	.06	–	.07	.03	–	Tr	–		12
13	.17	.08	–	.18	.17	–	–	–	.01	.02	.03	–		13
14	.01	–	–	–	.06	–	–	–	.04	–	.79	.18		14
15	–	.03	–	.67	–	.09	–	–	.17	–	.11	.20		15
16	–	.04	.12	.42	.05	.16	.08	–	.59	.35	.72	.18		16
17	–	.02	–	.12	Tr	.15	.10	–	.04	–	.70	–		17
18	–	–	–	.23	.11	.10	.04	01	.23	.03	.10	–		18
19	–	.01	–	.17	.53	34	.11	–	.07	.10	.31	–		19
20	.03	.35	–	.34	.01	.02	.06	–	.05	–	.50	–		20
21	–	.37	.01	–	–	–	–	–	.56	.03	.10	–		21
22	–	.09	.01	.06	–	–	–	.15	.02	–	.02	–		22
23	–	.01	.15	.24	–	–	–	.32	.14	.47	–	.16		23
24	.07	.36	–	–	–	–	–	.02	.82	.03	–	.41		24
25	.08	.17	–	.09	–	52	–	–	–	–	–	.25		25
26	.12	.13	–	–	–	–	–	.70	.18	.02	.02	.56		26
27	–	.12	–	–	.01	–	.02	.03	.45	.09	.20	.85		27
28	.06	.05	.01	–	.39	–	–	.05	.08	.10	.04	–		28
29	.01	–	.06	–	–	–	–	.06	.07	.05	.16	.30		29
30	–	✕	–	.13	.08	.02	–	.30	.02	.28	.43	17		30
31	.03	✕	–	✕	–	✕	–	–	✕	52	✕	23		31
TOTAL	1.05	2.61	.59	4.04	1.41	2.73	.48	1.81	4.08	4.08	5.90 ~~6.50~~	4.22	Year's Total ~~33.60~~	33.00
* Days with .01 in. or more.	12	19	8	20	9	18	8	12	24	22	26	19	197	
* Days with .04 in. or more.	8	13	5	19	7	16	6	8	18	16	19	17	152	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Wm Garden [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2476

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at 1 Frederick Rd Selly Oak
in the County of Warwick
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.11	.17	.50	-	.27	.14	.09	Tr	-	.08	.10		1
2	.07	.01	.07	.06	-	.14	.95	-	-	-	.10	-		2
3	.03	-	-	-	-	.30	.03	.02	.32	-	.01	-		3
4	-	-	.10	-	Tr	.14	-	.02	.23	-	.09	.12		4
5	.23	.07	.02	-	-	-	.05	.15	Tr	-	.02	.25		5
6	.04	-	.02	-	.18	.11	.22	.09	.19	-	.34	.04		6
7	.03	-	.07	-	-	-	.29	-	.20	-	.19	.05		7
8	.31	-	.08	-	-	-	-	-	.07	Tr	.50	.05		8
9	.43	-	.10	-	-	-	1.49	-	.15	.12	.04	.02		9
10	.08	-	.06	-	-	-	.19	19	.02	-	.02	-		10
11	-	-	-	.07	-	.03	.17	-	.26	-	.73	-		11
12	-	-	-	.03	.34	.54	.57	-	.46	-	.12	.16		12
13	-	-	-	.06	-	.12	-	-	.01	.04	.03	.50		13
14	-	-	-	.20	.03	.07	.17	-	.56	.02	.04	.51		14
15	.07	-	-	-	.14	-	.12	-	.05	-	.09	.14		15
16	.07	.16	-	-	Tr	-	.08	-	-	-	.57	.06		16
17	-	.72	-	Tr	-	-	.16	-	-	.17	.02	.36		17
18	-	.10	-	-	-	.33	.44	.03	-	.11	-	.03		18
19	.57	.17	.06	.27	-	.15	.03	.08	-	.07	-	-		19
20	.03	.20	Tr	.02	-	.03	.11	-	11	.01	-	-		20
21	-	as snow .84	-	.20	-	1.24	.03	-	-	-	-	.03		21
22	-	.03	.07	Tr	.15	-	.31	-	-	-	-	.02		22
23	-	-	.45	.15	.10	-	.34	-	-	.05	-	-		23
24	.25	.11	-	.02	.01	-	.30	-	.04	.35	-	-		24
25	.12	.09	.28	.28	-	.02	-	-	.39	.08	.03	-		25
26	.11	.02	.26	.01	-	Tr	.02	-	-	.04	.09	-		26
27	.15	.11	.05	-	-	-	.02	-	13	.18	.01	-		27
28	.50	.20	26	-	-	-	.04	-	-	.05	.02	.13		28
29	.02	-	.12	-	-	.27	.05	-	-	.03	.02	.17		29
30	.06	✕	-	-	33	.25	.17	-	-	.43	-	-		30
31	.70	✕	.11	✕	.03	✕	.03	-	✕	.06	✕	.23		31
													Year's Total	
TOTAL	3.87	2.94	2.34	1.87	1.31	3.81	6.52	.67	3.19	1.81	3.16	2.97	34.46	✓
* Days with .01 in. or more.	20	15	18	13	9	16	27	8	16	16	22	19	199	✓
* Days with .04 in. or more.	16	12	16	9	6	13	21	5	14	13	9	15	149	✓

† Spare column, no entries required

(Signed) W. Garden [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2476

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

File 200 906·445/29

Kept at 1 Frederick Road

in the County of Warwick, Selly Oak

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 540 ft.

Days

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.07	.04	.02	.05	-	-	-	-	.15	-	.14	.50		1
2	.02	.10	.05	.60	-	-	-	-	-	-	-	.26		2
3	Tr	.11	.10	-	Tr	.03	.06	-	-	-	.02	.10		3
4	.13	.23	.03	-	.12	-	-	-	-	-	.01	.60		4
5	.13	-	.20	-	-	~~.02~~	-	.21	-	-	-	-		5
6	.12	.01	.05	.10	.11	~~.37~~	.03	-	.03	.03	-	-		6
7	-	.70	-	.17	-	-	-	-	-	-	-	-		7
8	-	.11	.02	.04	.07	-	.02	-	.01	-	.39	-		8
9	-	.03	-	.10	.20	-	.37	-	.20	-	-	.03		9
10	.04	.06	.74	.04	-	.17	-	-	-	-	-	.12		10
11	-	.01	.31	-	.41	.10	.03	-	-	-	-	.18		11
12	.16	.38	.23	-	.29	.03	-	.18	.15	-	-	.38		12
13	.09	.04	.03	.16	-	.03	-	.40	.15	-	-	.04		13
14	-	.02	.10	.09	-	-	-	.13	.03	-	.02	.15		14
15	.20	.08	.54	.37	-	-	1.21	.07	.18	-	.02	.03		15
16	-	.33	.35	.44	-	Tr	-	.17	.13	-	-	-		16
17	.28	.09	-	.21	-	.07	-	-	.42	-	-	-		17
18	.47	.10	.13	.02	-	-	-	-	.47	-	.33	.05		18
19	.03	.04	.15	.13	-	.17	.40	-	-	.02	.13	-		19
20	.33	.05	-	.43	.24	-	-	-	-	-	-	-		20
21	.14	.24	.04	.09	.02	-	.28	-	-	-	-	.01		21
22	.18	.06	.12	.02	.11	-	.29	-	-	.58	.35	.04		22
23	.27	.01	.02	-	.45	.03	03	-	-	.36	.15	-		23
24	.30	34	Tr	-	.04	-	-	-	.06	.27	~~.02~~	-		24
25	.07	34	.10	-	.02	-	-	-	.06	.53	-	.02		25
26	-	.49	.03	-	.59	-	-	-	-	-	-	.01		26
27	Tr	.52	-	.23	-	-	-	-	-	.72	-	.03		27
28	Tr	.12	-	-	-	.05	-	-	-	.05	-	-		28
29	.03	-	-	-	-	.04	-	.04	-	.06	07	.05		29
30	.39	✕	-	-	-	.02	-	-	-	.08	11	.04		30
31	.28	✕	-	✕	-	✕	-	-	✕	.12	✕	.02		31
TOTAL	3.73	4.65	3.36	3.29	2.67	.74	2.72	1.20	2.04	2.82	1.74	2.63	Year's Total 31.59	✓
* Days with .01 in. or more.	21 ~~18~~	27 ~~8~~	21 ~~9~~	18 ~~7~~	13 ~~7~~	11 ~~5~~	10 ~~4~~	7 ~~7~~	13 ~~7~~	11 ~~2~~	12 ~~4~~	20 ~~8~~	~~44~~ 184	✓
* Days with .04 in. or more.	18	22	15	16	11	6	6	7	10	9	8	12	140	✓

† Spare column, no entries required

(*Signed*) Wm Garden [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2476

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at 1 Frederick Rd Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. 0" in.

„ Ground „ Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	.01	–	Tr	.62	.15	–	–	.14	.13	.29		1
2	–	–	–	.07	.02	.14	–	–	–	.20	~~.13~~ –	.02		2
3	.03	–	–	–	.14	–	.30	–	.01	.59	–	–		3
4	–	–	.01	–	–	.06	.09	.30	–	.19	–	.25		4
5	–	–	–	–	–	.01	.13	.61	.07	.05	–	.03		5
6	.02	–	–	–	–	.64	.52	–	.02	.16	–	Tr		6
7	.02	–	–	–	–	–	.51 ~~.12~~	.29	.09	.09	–	.06		7
8	.50	–	–	–	–	–	.12 ~~.08~~	.14	–	23	–	.02		8
9	.07	.07	–	–	–	.14	.05	.09	–	–	–	.47		9
10	.01	.04	–	–	–	.11	.35	.08	–	–		.15		10
11	.57	Tr	–	–	–	Tr	–	.04	–	.02	.16	.04		11
12	–	Tr	–	–	.14	–	.03	–	–	.21	.37	Tr		12
13	.20	.04	–	–	.02	–	–	–	–	Tr	.20	.64		13
14	.23	.03	–	–	.01	–	.67	–	.07	–	–	–		14
15	.14	–	–	–	.13	–	.13	.03	–	–	.03	.43		15
16	.22	–	–	–	–	–	–	–	–	.03	.04	.05		16
17	–	.04	–	–	.02	–	.01	.01	.04	.12	.02	–		17
18	.05	–	–	–	.16	.40	–	–	.05	.01	.33	–		18
19	–	–	–	–	–	–	–	.20	.03	–	.07	.04		19
20	.02	–	–	–	–	–	–	–	.02	Tr	30	–		20
21	.02	–	–	–	–	–	–	Tr	.05	–	.07 ~~.34~~	.54		21
22	–	–	–	.06	–	.02	–	01	–	–	.30 ~~.25~~	(estimated) .25		22
23	–	–	–	–	–	–	–	–	.12	–	– ~~.07~~	.07		23
24	.06	Tr	.16	–	.12	–	–	.02	.09	–	.03 ~~.02~~	.02		24
25	–	.23	.06	–	.02	–	08	.02	.05	.19	.49	.14		25
26	.06	.34	.19	–	.06	.10	–	.03	.09	.29	–	.26		26
27	.07	.02	–	–	.18	.10	.30	.44	.21	.03	.43	–		27
28	.13	.03	–	–	.09	.20	.05	.46	.05	–	.05	.14		28
29	.50	–	–	Tr	.42	–	.01	–	–	.07	.17	.15		29
30	.07	✕	–	–	Tr	.31	–	–	.75	–	.32	.25		30
31	.14	✕	–	✕	.16	✕	–	–	✕	.17	✕	.30		31
													Year's Total	
TOTAL	3.07	.84	.43	.13	1.69	2.25	3.50	2.77	1.81	2.79	3.59	4.61	27.48	✓
* Days with .01 in. or more.	21	9	5	2	15	13	17	16	17	18	18	23	174	✓
* Days with .04 in. or more.	15	6	3	2	10	11	14	10	13	14	15	19	132	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Wm Garden

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 2476

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at 1 Frederick Road B'ham

in the County of Warwick

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground above Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.18	-	.12	.21	.07	-	Tr	-	.03	-	.01	.06		1
2	.12	-	-	.03	-	-	.02	.38	.47	.01	.01	-		2
3	.40	-	-	.34	-	-	-	.31	.01	-	.12	.39		3
4	.13	-	.35	.37	.10	-	.37	.17	.04	.43	.08	.17		4
5	-	-	Tr	.19	.28	-	.15	.10	-	.12	.45	.08		5
6	.59	-	-	-	-	-	.50	.01	-	-	.07	.01		6
7	.01	.07	-	-	-	-	.25	-	-	-	.27	.45		7
8	-	.14	.33	-	-	-	.41	-	-	.50	.13	.18		8
9	-	.07	-	-	-	-	-	.42	-	.36	.05	.24		9
10	.59	.02	.05	-	-	Tr	-	.05	.07	.17	Tr	.01		10
11	.03	.02	.18	-	-	.10	-	-	-	.01	.02	-		11
12	.02	-	-	-	-	.04	-	-	-	.01	-	-		12
13	-	-	.02	.08	.02	Tr	.17	-	.11	.06	-	-		13
14	.47	-	.04	.02	.16	.14	.17	-	-	.08	.11	-		14
15	.75	-	.03	.04	.12	.46	.39	-	.02	.16	.19	-		15
16	.15	-	.06	.08	.36	.04	.02	-	Tr	.06	.17	-		16
17	.60	.03	-	-	.05	.04	.31	-	-	1.05	.10	-		17
18	.27	.07	.09	-	-	.14	.07	-	-	.01	.58	.02		18
19	.19	-	-	-	-	-	.25	-	-	-	.01	-		19
20	.20	-	Tr	-	-	.04	.02	.07	-	-	-	-		20
21	.12	.26	.19	.03	.06	.07	.02	.10	.08	-	-	-		21
22	.31	.26	.03	.06	-	-	.09	-	.03	.01	.37	-		22
23	.07	-	Tr	.06	-	.02	.11	-	-	.03	.72	-		23
24	.23	-	.02	.16	-	.01	.25	-	-	.20	-	-		24
25	.90	.07	Tr	.03	-	.03	.07	-	-	.03	.33	.02		25
26	.04	-	.02	.02	-	-	-	-	-	-	.38	.04		26
27	.02	.22	.12	.01	-	.03	.11	Tr	-	.05	.03	.10		27
28	-	.14	.15	-	-	.28	.13	.01	-	-	.28	.11		28
29	-	-	-	.19	-	.02	.25	.70	-	.17	.07	.01		29
30	-	X	-	.15	-	.30	-	-	-	-	.09	.01		30
31	-	X	-	X	-	X	-	.20	X	-	X	.02		31
													Year's Total	
TOTAL	6.39	1.37	1.80	2.07	1.22	1.76	4.13	2.59	86	3.52	4.64	1.92	32.22	✓
* Days with .01 in. or more.	23	12	16	18	9	16	22	12	9	20	24	17	198	✓
* Days with .04 in. or more.	19	9	11	12	8	11	18	10	5	13	19	10	150	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Wm Gordon

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2476 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

File no 905445/29

Kept at 17 Frederick Rd, Selly Oak

in the County of Warwick

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft. 0" in.

,, Ground ,, Sea Level 540 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	-	.02	.01	-	-	-	-	-	.11	.01		1
2	-	.09	-	.38	-	-	.11	-	-	-	.86	.02		2
3	-	.21	-	.03	-	-	-	-	-	.19	.97	.05		3
4	-	.05	-	.21	-	-	.08	-	-	.10	.12	.05		4
5	-	.02	-	-	.03	-	.07	-	.01	.14	.63	.11		5
6	.08	.27	-	-	-	-	.05	-	-	.64	.23	.03		6
7	.01	.20	-	.03	-	-	.09	-	.03	.01	-	.02		7
8	-	-	-	.07	.01	-	.01	-	-	.23	.09	.20		8
9	-	-	-	-	-	28	.09	.08	.01	.17	.36	.23		9
10	-	-	.12	-	-	-	.55	.02	-	.05	.10	.28		10
11	-	-	.02	.01	-	-	.34	-	-	-	.61	.07		11
12	-	-	.11	-	-	-	.09	Tr	.14	-	.04	-		12
13	-	.04	snow .58	06	-	-	.02	.03	.13	-	-	.38		13
14	-	-	.06	.10	.61		-	-	.17	.11	.01	-		14
15	-	-	.02	.09	.32	Tr	-	-	.07	.15	.10 .56	-		15
16	.06	.25	.29	.06	-	-	.13	-	.12	.52	.15	-		16
17	Tr	-	.23	-	-	-	.03	-	-	-	.07	.02		17
18	.12	.55	.21	.32	-	-	-	.05	.33	.17	.18	.06		18
19	.01	.26	.08	.46	-	-	.35	Tr	.01	-	20 .01	.03		19
20	-	.01	-	-	-	-	.21	.04	-	.35	..	-		20
21	-	-	-	.03	.60	29	.06	-	-	-	1.20	-		21
22	-	-	.02	.02	.32	.07	-	.01	.10	-	-	-		22
23	-	.11	.02	.10	.09	.10	-	-	.03	05	.01	.05		23
24	.02	-	-	-	-	-	.09	-	.01	.02	-	-		24
25	4 as snow	.15	-	.04	.01	-	.03	-	-	.01	.01	-		25
26	4 1.20	.36	.26	.52	.10	-	.25	-	-	-	.01	-		26
27	.80	-	-	.93	29	-	.19	.04	.01	-	.04	.01		27
28	.55	.17	-	.03	-	-	.02	-	-	-	-	-		28
29	.04	-	.11	23	-	.09	-	-	-	-	-	.20		29
30	.04	X	-	.44	.02	-	-	-	-	.60	-	.02		30
31	.04	X	.07	X	.01	X	-	-	X	.97	X	.03		31
TOTAL	2.97	2.74	2.20	4.18	2.42	.83	2.86	.27	1.17	4.48	6.47	1.87	Year's Total 32.46	
* Days with .01 in. or more.	14 ~~12~~	15	15	22	13	5	21	7	14	18	23	20	7 185	
* Days with .04 in. or more.	11 ~~9~~	13	11	15	7	5	16	4	7	15	18	11	3 137	

2 55

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Wm Garden

[P.T.O.

2477

144

Section **A** for the ent

AIR MINI

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REG

Kept at Spa

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above C

,, Ground ,, S

THE MORNING ME

An observer who does not confor *owing*

year in the space on the right

Please re

Jan. 1, following.

2477
SPARKHILL
1931 – 40

780408

Date	Jan.	Feb.	Mar								Nov.	Dec.	Date
	in.	in.	in								in.	in.	
1													1
2													2
3									1·06				3
4													4
5						1·08						·28	5
6													6
7													7
8													8
9											·52		9
10													10
11													11
12							·65						12
13													13
14			·04					1·52					14
15													15
16													16
17					·84								17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25				·91									25
26													26
27		·64											27
28													28
29										·37			29
30		×											30
31	·31	×		×		×			×		×		31
TOTAL	1·82	2·63	0.15	3·58	3·61	3·26	2.83	5·04	2.79	0·79	3·56	0·95	YEAR'S TOTAL 31·01
Days with ·01 in. or more.	20	21	4	21	16	15	18	16	12	7	16	10	176
Days with ·04 in. or more.	13	16	1	17	11	10	11	14	9	5	15	5	127
40-9999	46·2	66·9	3·7	90·9	91·8	82·8	71·8	128·0	70·8	20·1	90·4	24·2	787·6

(Signed)

P.T.O.

Section **A** for the ent FOR OFFICIAL USE. 2477

AIR MINI ORGANIZATION. 144

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Sparkhill

in the County of Warwick

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									1·06				3
4													4
5						1·08						·28	5
6													6
7													7
8													8
9											·52		9
10													10
11													11
12							·65						12
13													13
14			·04					1·52					14
15													15
16													16
17					·84								17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25				·91									25
26													26
27		·64											27
28													28
29		×								·37			29
30		×											30
31	·31	×		×		×			×		×		31
TOTAL	1·82	2·63	0·15	3·58	3·61	3·26	2·83	5·04	2·79	0·79	3·56	0·95	YEAR'S TOTAL 31·01
Days with ·01 in. or more.	20	21	4	21	16	15	18	16	12	7	16	10	176
Days with ·04 in. or more.	13	16	1	17	11	10	11	14	9	5	15	5	127
40-9999	46·2	66·9	3·7	90·9	91·8	82·8	71·8	128·0	70·8	20·1	90·4	24·2	787·6

(Signed).......... [P.T.O.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

2477

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1442

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Sparkhill

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·58					1
2													2
3													3
4											·52		4
5													5
6	·46												6
7													7
8										·50			8
9		·11											9
10													10
11													11
12													12
13							·92						13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21					1·37								21
22									·68				22
23													23
24													24
25													25
26				·46									26
27			·43										27
28													28
29													29
30		×				·96							30
31		×		×		×			×		×	·29	31
TOTAL	2·45	0·26	1·63	3·43	6·95	1·39	3·25	2·13	3·19	3·61	1·98	1·02	YEAR'S TOTAL 31·29
*Days with ·01 in. or more.	14	8	14	23	21	6	19	7	18	21	16	15	182
*Days with ·04 in. or more.	9	1	8	22	18	6	11	5	13	17	11	6	127
40-9999	62·3	6·5	41·4	87·2	176·4	35·4	82·6	54·0	81·1	91·7	50·3	25·8	

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

[P.T.O.

2477

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

1444.

Kept Sparkhill.

in the County of Warwick.

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 424 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10										1·75			10
11													11
12													12
13													13
14											·33		14
15	0·76						·48						15
16			·77										16
17													17
18													18
19													19
20													20
21													21
22								·29					22
23													23
24													24
25						·38			·31				25
26		·79											26
27													27
28				·19	·51							·13	28
29													29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·33	3·60	2·90	0·86	2·26	2·27	2·43	0·76	0·66	3·87	0·92	0·45	YEAR'S TOTAL 23·31
*Days with ·01 in. or more.	14	13	15	7	13	14	15	7	11	19	15	9	152
*Days with ·04 in. or more.	12	11	11	6	12	11	9	5	4	15	5	5	106
40-9999	59·2	91·5	73·7	21·8	57·4	57·6	61·7	19·3	16·8	98·4	23·4	11·4	~~5922~~

(Signed).................................... [P.T.O.

*See Instruction 2 (*f*) on other side.

W

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~1447~~ 2477

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sparkhill

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 424 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5								·48						5
6					·39									6
7														7
8														8
9											·78			9
10														10
11	1·19													11
12														12
13							·31							13
14			·43											14
15										·42				15
16														16
17														17
18														18
19														19
20														20
21						·28								21
22														22
23														23
24		·25												24
25												·52		25
26														26
27														27
28				·43										28
29							·31		·55					29
30		✗												30
31		✗		✗		✗			✗		✗			31
TOTAL	3·13	·33	2·17	2·18	1·05	·96	1·00	2·13	2·34	1·54	2·18	4·61	Year's Total 23·62	
*Days with ·01 in. or more.	16	5	19	17	10	11	9	15	13	17	14	26	172	
*Days with ·04 in. or more.	10	2	14	11	7	7	7	12	8	8	10	20	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Sec **A** for the entry of Daily Observations. Station No. 2477

144

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sparkhill

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 425 ft.

T. C.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5		0.58												5
6														6
7														7
8								0.61						8
9														9
10														10
11														11
12														12
13														13
14														14
15				0.70										15
16			0.16											16
17											·86			17
18														18
19							0.16							19
20														20
21														21
22														22
23														23
24									0.91					24
25	0.23					0.67								25
26														26
27												1.01		27
28					0.78									28
29														29
30		×												30
31		×		×		×			×	0.46	×			31
TOTAL	0.89	2.48	0.69	3.15	1.78	3.18	0.48	2.14	3.74	3.31	5.66	~~2.93~~ 3.72	Year's Total 31.22	
*Days with ·01 in. or more.	11	16	7	19	9	17	6	9	18	21	23	19	175	
*Days with .04 in. or more.	6	10	6	17	6	16	4	7	15	18	18	15	138	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2477

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

144

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sparkhill

in the County of Warwick

TL.

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 425 ft.

mm

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·54										1
2														2
3														3
4														4
5														5
6					0·70									6
7														7
8														8
9							1·27							9
10								0·18						10
11											·68			11
12									0·98					12
13														13
14												·66		14
15														15
16														16
17		0·81												17
18														18
19	0·64													19
20														20
21						0·95								21
22														22
23														23
24										0·32				24
25														25
26			0·50											26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	3·57	2·95	2·24	1·87	1·46	3·79	6·24	0·61	3·36	1·63	2·66	2·54	Year's Total. 32·92	
* Days with .01 in. or more.	18	16	18	12	9	17	26	8	16	14	17	18	189	
* Days with .04 in. or more.	13	11	15	11	7	14	23	7	14	9	12	14	150	
	90·6	75·0	57·0	47·4	37·1	96·3	153·6	15·5	85·3	41·3	67·5	64·4	836·0	

40-9999

† Spare column, no entries required.

(*Signed*)..

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

2477 144

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091. Birmingham REGISTER OF RAINFALL IN 1937.

Kept at (Sparkhill)

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 425 ft.

T.L. ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1													1
2				·54									2
3													3
4												·57	4
5													5
6													6
7		0·61											7
8											·59		8
9													9
10													10
11						·43							11
12													12
13								·83					13
14													14
15							1·23						15
16			·53										16
17													17
18	·59								·41				18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26					·60								26
27										·87			27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
													YEAR'S TOTAL
TOTAL	3·79	4·14	3·07	2·74	2·33	1·06	2·55	1·31	1·73	2·74	1·76	2·24	29·46 ✓
*Days with 0·2 mm. or more.	21	24	16	15	14	7	11	6	13	11	10	23	171 ✓
*Days with 1·0 mm. or more.	18	17	14	13	8	6	8	4	11	7	8	11	125 ✓
(144W)	96·2	105·1	77·9	69·7	59·1	26·8	64·7	33·2	43·9	69·5	44·8	57·1	748·0

40-9999

(Signed)

[P.T.O.

144

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2477

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1938.

Kept at Birmingham (Sparkhill)

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 425 ft.

T. L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2				·07										2
3										·64				3
4														4
5														5
6							·56							6
7														7
8	·55													8
9								·88						9
10														10
11														11
12														12
13												·83		13
14														14
15														15
16														16
17														17
18						54								18
19														19
20														20
21														21
22														22
23														23
24														24
25											·46			25
26		·38	·17											26
27														27
28														28
29					·44									29
30		✕							·81					30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	76·3	19·0	8·6	3·1	38·9	50·4	82·0	86·9	59·7	70·5	89·4	109·0	693·8	
* Days with 0.2 mm. or more.	18	9	3	2	13	11	16	12	16	19	18	24	161	
* Days with 1.0 mm. or more.	12	3	3	2	11	9	11	9	9	12	12	17	110	

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 3·00 ·75 ·34 ·12 1·53 1·98 3·23 (Signed) 2·35 2·78 3·52 4·29 27·31 P.T.O.

3·42

FOR OFFICIAL USE.

2477

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1939.

Kept at Birmingham (Sparkhill)

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 425 ft.

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1													1
2									·64				2
3												·43	3
4				·41			·67						4
5													5
6													6
7													7
8			·46										8
9													9
10													10
11													11
12													12
13													13
14													14
15						·38							15
16					·38								16
17										1·33			17
18													18
19													19
20													20
21													21
22		·28											22
23											·79		23
24													24
25	1·18												25
26													26
27													27
28													28
29								·70					29
30		×											30
31		×		×		×			×		×		31
TOTAL	153·9	33·1	43·7	48·0	32·0	42·1	117·9	71·3	28·0	87·2	109·9	44·5	YEAR'S TOTAL 811·6
Days with 0·2 mm. or more.	24	13	13	18	9	13	22	13	8	16	22	12	183 ✓
Days with 1·0 mm. or more.	17	8	10	13	7	8	20	11	7	11	19	9	140 ✓
	6·06	1·30	1·72	1·89	1·26	1·66	4·64	2·81	1·10	3·43	4·33	1·75	31·95

(144w)

40-9999

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

144

ction **A** for the entry of Daily Observations — Station No. 2477

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 193

Kept at Birmingham (Sparkhill)

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 425 ft.

T. K.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9								·04						9
10							·60							10
11														11
12														12
13			·46											13
14												·41		14
15														15
16														16
17														17
18		·52												18
19									·31					19
20														20
21											1·38			21
22						·30								22
23														23
24														24
25														25
26	1·12			·72										26
27														27
28					·73									28
29														29
30		✕												30
31		✕		✕		✕			✕	·94	✕			31
TOTAL	83·2	66·8	44·8	93·2	73·1	13·8	62·6	3·1	22·1	109·6	174·4	45·1	Year's Total 791·8	
* Days with 0.2 mm. or more.	13	16	15	22	13	4	21	5	10	18	20	18	175	
* Days with 1.0 mm. or more.	9	11	11	12	7	4	15	1	6	15	16	10	117	

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) .... [P.T.O.

3·28 2·63 1·76 3·67 2·88 ·54 2·46 ·12 ·87 3·54 6·87 1·78 30·40

2478

EDGBASTON WARWICK

1931-40.

780408

Station No. 2478.

OROLOGICAL OFFICE—AIR MINISTRY

INFALL IN 19~~3~~31

Millimetres

HOLLERITH CARDS
PUNCHED JR 6/4/
VERIFIED BY JK 20/4/

ERED TO THE PREVIOUS DAY

on January 1st of the following year in the space on the right of this paragraph.

Jan. 5 following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
31	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	in. mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	—	1·2	—	0·2	0·9	1·8	—	—	6·5	—	—	—		1
2	1·7	3·9	—	11·9	0·6	0·8	—	1·1	9·6	0·4	0·2	1·4		2
3	3·5	—	—	1·2	—	—	0·2	—	19·7	0·3	11·5	3·2		3
4	0·1	—	—	4·9	—	—	11·5	3·9	4·4	—	2·6	—		4
5	—	1·3	—	3·8	1·4	27·9	1·0	0·2	1·1	—	—	5·9		5
6	—	4·3	—	1·2	—	1·3	—	0·1	1·6	7·7	5·3	—		6
7	—	—	—	—	0·5	—	5·7	15·8	—	0·3	2·5	—		7
8	0·9	1·6	0·3	0·8	—	1·5	1·1	23·6	—	0·6	6·6	0·1		8
9	0·2	7·2	—	2·3	—	1·6	0·1	0·8	—	—	10·6	—		9
10	—	1·3	—	—	0·3	1·3	—	4·7	2·2	—	5·6	—		10
11	4·0	7·4	—	—	—	0·2	—	—	2·2	—	4·8	0·1		11
12	0·4	2·3	—	—	—	—	19·2	2·0	9·7	0·6	—	—		12
13	0·5	0·1	—	—	—	0·1	0·4	2·5	—	0·7	—	—		13
14	—	1·6	0·6	—	0·1	24·8	9·8	36·4	0·7	—	13·5	—		14
15	—	2·4	—	3·6	2·9	—	3·4	3·9	0·3	—	—	0·9		15
16	3·4	1·9	—	6·2	8·9	15·7	—	1·1	2·8	0·1	—	—		16
17	2·0	3·0	—	4·9	26·4	1·6	0·4	—	—	0·2	0·7	—		17
18	3·2	0·3	—	7·9	—	6·2	2·8	4·6	0·1	—	8·6	—		18
19	0·3	0·7	—	4·2	—	3·0	8·7	2·6	—	—	—	—		19
20	0·1	3·5	1·4	0·1	—	—	2·8	11·1	—	0·3	0·4	0·6		20
21	3·2	—	1·2	0·1	14·3	—	—	0·1	—	—	4·0	—		21
22	2·9	—	0·9	—	0·2	—	—	2·5	—	—	0·1	—		22
23	4·7	0·4	—	7·1	7·5	3·3	0·4	1·2	—	—	6·6	5·9		23
24	0·2	0·1	—	2·6	11·8	—	1·3	—	0·2	—	—	0·1		24
25	0·7	—	—	22·5	0·1	—	8·0	—	—	—	1·5	—		25
26	1·7	—	—	4·7	—	—	0·6	—	—	—	7·8	—		26
27	2·2	15·6	—	1·2	12·5	—	0·6	—	—	—	2·5	—		27
28	3·8	2·6	—	4·1	8·1	—	—	—	—	1·7	—	4·0		28
29	1·4	X	—	0·5	2·7	—	3·3	—	—	10·3	0·1	—		29
30	—	X	0·1	0·1	—	—	—	—	—	—	—	—		30
31	9·3	X	—	X	1·0	X	0·1	—	X	—	X	0·3		31
TOTAL 99	50·4	62·7	4·5	102·1	100·2	91·1	81·4	118·2	61·1	23·2	95·5	22·5	Year's Total 812·9	
*Days with .01 in. or more.														
*Days with .04 in. or more.	14													

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)..(P.T.O.)

[redacted]

Station No. 2478.

OROLOGICAL OFFICE—AIR MINISTRY

REGISTER OF RAINFALL IN 19~~3~~31

Kept Edgbaston

in the County of Warwick

Diameter of funnel of gauge 8 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 535 ft.

Millimetres

HOLLERITH CARDS
PUNCHED BY JR 16/4
VERIFIED BY JR 23/4

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1 following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
31	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	—	1·2	—	0·2	0·9	1·8	—	—	6·5	—	—	—		1
2	1·7	3·9	—	11·9	0·6	0·8	—	1·1	9·6	0·4	0·2	1·4		2
3	3·5	—	—	1·2	—	—	0·2	—	19·7	0·3	11·5	3·2		3
4	0·1	—	—	4·9	—	—	11·5	3·9	4·4	—	2·6	—		4
5	—	1·3	—	3·8	1·4	27·9	1·0	0·2	1·1	—	—	5·9		5
6	—	4·3	—	1·2	—	1·3	—	0·1	1·6	7·7	5·3	—		6
7	—	—	—	—	0·5	—	5·7	15·8	—	0·3	2·5	—		7
8	0·9	1·6	0·3	0·8	—	1·5	1·1	23·6	—	0·6	6·6	0·1		8
9	0·2	7·2	—	2·3	—	1·6	0·1	0·8	—	—	10·6	—		9
10	—	1·3	—	—	0·3	1·3	—	4·7	2·2	—	5·6	—		10
11	4·0	7·4	—	—	—	0·2	—	—	2·2	—	4·8	0·1		11
12	0·4	2·3	—	—	—	—	19·2	2·0	9·7	0·6	—	—		12
13	0·5	0·1	—	—	—	0·1	0·4	2·5	—	0·7	—	—		13
14	—	1·6	0·6	—	0·1	24·8	9·8	36·4	0·7	—	13·5	—		14
15	—	2·4	—	3·6	2·9	—	3·4	3·9	0·3	—	—	0·9		15
16	3·4	1·9	—	6·2	8·9	15·7	—	1·1	2·8	0·1	—	—		16
17	2·0	3·0	—	4·9	26·4	1·6	0·4	—	—	0·2	0·7	—		17
18	3·2	0·3	—	7·9	—	6·2	2·8	4·6	0·1	—	8·6	—		18
19	0·3	0·7	—	4·2	—	3·0	8·7	2·6	—	—	—	—		19
20	0·1	3·5	1·4	0·1	—	—	2·8	11·1	—	0·3	0·4	0·6		20
21	3·2	—	1·2	0·1	14·3	—	—	0·1	—	—	4·0	—		21
22	2·9	—	0·9	—	0·2	—	—	2·5	—	—	0·1	—		22
23	4·7	0·4	—	7·1	7·5	3·3	0·4	1·2	—	—	6·6	5·9		23
24	0·2	0·1	—	2·6	11·8	—	1·3	—	0·2	—	—	0·1		24
25	0·7	—	—	22·5	0·1	—	8·0	—	—	—	1·5	—		25
26	1·7	—	—	4·7	—	—	0·6	—	—	—	7·8	—		26
27	2·2	15·6	—	1·2	12·5	—	0·6	—	—	—	2·5	—		27
28	3·8	2·6	—	4·1	8·1	—	—	—	—	1·7	—	4·0		28
29	1·4	X	—	0·5	2·7	—	3·3	—	—	10·3	0·1	—		29
30	—	X	0·1	0·1	—	—	—	—	—	—	—	—		30
31	9·3	X	—	X	1·0	X	0·1	—	X	—	X	0·3		31
TOTAL 99	50·4	62·7	4·5	102·1	100·2	91·1	81·4	118·2	61·1	23·2	95·5	22·5	Year's Total 812·9	
*Days with .01 in. or more.														
*Days with .04 in. or more.	14													

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..........................(P.T.O.)

Section **A** for the entry of Daily Observations

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

Station No.

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~32

Kept at Edgbaston

in the County of Warwich

Diameter of funnel of gauge in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 535 ft.

Millimetres

HOLLERITH CARD
PUNCHED BY
VERIFIED BY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
32	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	0·5	0·7	—	3·7	21·2	1·5	0·7	5·6	0·3	4·1	0·7	0·6		1
2	1·1	—	—	1·8	13·3	—	—	0·1	5·7	2·4	0·4	2·7		2
3	—	0·2	—	4·4	2·7	—	—	—	0·2	0·2	—	1·1		3
4	1·2	—	—	10·2	—	—	—	—	—	—	12·0	—		4
5	9·7	—	1·3	0·9	1·9	0·1	—	—	2·5	—	—	—		5
6	11·4	—	1·9	8·9	—	—	0·3	—	11·5	—	—	—		6
7	0·1	—	5·4	4·3	—	—	—	—	0·5	5·6	—	—		7
8	—	—	0·5	1·0	—	—	—	—	13·1	13·3	—	—		8
9	4·4	2·0	—	0·2	0·2	—	—	—	—	—	—	—		9
10	11·4	0·5	0·4	2·5	1·8	—	—	—	4·7	6·3	—	—		10
11	0·1	1·2	0·1	2·9	3·3	6·0	3·2	—	0·5	4·5	0·1	0·5		11
12	6·0	—	—	—	4·6	—	—	—	1·8	7·2	1·1	0·1		12
13	2·2	1·7	—	3·0	1·0	—	18·8	0·1	0·7	0·2	0·2	1·3		13
14	5·4	—	—	0·7	—	—	3·6	2·9	—	1·3	3·0	0·5		14
15	0·1	—		0·4	28·3	—	—	—	—	0·9	—	1·0		15
16	5·9	—	—	3·6	23	—	0·7	—	—	—	—	—		16
17	—	—	—	—	—	—	0·9	—	0·5	1·0	—	—		17
18	—	—	—	—	1·7	—	0·2	—	0·5	0·6	1·8	—		18
19	—	0·1	—	—	1·5	—	—	—	—	6·0	0·4	—		19
20	—	—	—	5·1	17·1	—	0·4	17·7	—	10·8	2·4	—		20
21	—	—	0·6	3·8	32·5	—	—	5·6	—	7·6	—	3·1		21
22	—	—	8·1	1·7	0·6	—	3·6	—	15·1	1·2	5·2	0·5		22
23	—	0·3	—	0·1	9·4	—	0·3	—	2·0	1·4	3·2	0·9		23
24	0·6	—	—	—	0·7	—	1·0	—	2·6	0·6	7·1	—		24
25	—	0·3	—	—	0·6	2·9	2·0	—	1·0	2·2	3·4	—		25 X
26	—	0·3	1·0	9·4	3·3	0·3	3·4	—	0·7	0·3	1·2	—		26
27	—	—	15·5	4·7	11·8	—	0·9	—	—	—	2·1	0·1		27
28	—	—	3·2	1·0	7·9	5·7	3·6	28·5	—	—	—	0·5		28
29	—	—	6·0	5·7	4·9	3·2	1·4	0·3	4·7	8·3	0·6	2·0		29
30	0·1	X	2·4	2·2	0·2	22·4	0·9	2·1	7·5	4·3	7·5	5·0		30
31	—	X	1·6	X	0·2	X	18·3	—	X	—	X	7·4		31
99 TOTAL	60·2	7·3	48·0	82·2	173·0	42·1	64·2	62·9	76·1	90·3	52·4	27·3	Year's Total 786·0 ✓	
*Days with .01 in. or more.														
*Days with .04 in. or more.	10													

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Section **A** for the entry of Daily Observations
BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

Station No. 2478

FORM 1090

REGISTER OF RAINFALL IN 19X33

Kept Edgbaston
in the County of Warwick
Diameter of funnel of gauge .... in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 535 ft.

Millimetres

HOLLERITH CARD	INITIALS	DATE
PUNCHED	JL	16/4/55
VERIFIED	JB	20/4/54

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
33	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm		
1	9·8	15·5	0·8	—	—	—	—	—	—	—	0·3	—		1
2	4·8	—	6·8	—	0·5	0·4	—	—	—	0·1	0·5	—		2
3	0·1	3·2	3·1	—	2·5	—	—	—	—	—	0·5	—		3
4	3·1	—	1·1	—	6·7	—	—	—	—	—	—	—		4
5	1·5	1·9	6·2	—	4·5	—	—	—	—	—	0·1	—		5
6	—	1·7	1·7	—	3·2	—	—	—	—	2·0	—	0·1		6
7	—	10·1	1·0	—	—	—	—	—	—	3·6	—	0·2		7
8	2·1	—	3·3	—	1·8	0·2	15·3	—	—	0·1	—	—		8
9	—	—	—	—	2·6	—	6·2	0·1	—	35·5	0·2	—		9
10	0·4	8·3	—	—	—	0·4	—	—	—	41·4	1·2	—		10
11	1·2	—	—	—	0·6	—	6·7	0·1	—	1·0	—	—		11
12	—	—	—	—	—	0·3	1·0	—	0·3	0·2	—	0·6		12
13	0·2	—	—	—	5·3	0·4	7·4	—	1·3	0·5	7·4	—		13
14	—	—	—	—	—	—	—	0·1	—	3·2	7·6	—		14
15	16·9	—	0·4	—	—	4·8	2·5	3·3	—	0·2	1·9	1·6		15
16	1·8	0·1	19·0	0·1	0·2	2·3	5·4	—	—	3·1	1·0	—		16
17	2·6	0·4	9·1	—	—	1·6	0·6	0·3	1·7	—	0·7	—		17
18	1·3	—	1·4	—	—	9·1	0·2	—	0·2	—	0·6	—		18
19	—	0·4	8·4	—	—	5·7	—	—	1·2	—	0·9	—		19
20	—	0·3	0·8	—	0·2	5·7	—	0·5	1·9	—	0·1	—		20
21	—	—	—	—	—	2·8	—	4·1	—	0·7	0·3	—		21
22	—	—	—	—	—	5·1	—	8·9	—	6·3	—	—		22
23	—	—	—	4·6	—	0·8	—	—	1·9	6·7	0·1	—		23
24	—	21·2	—	4·1	1·0	10·6	—	—	1·3	0·9	0·2	—		24
25	—	14·4	—	3·3	0·1	7·1	—	—	6·8	0·3	—	1·6		25
26	—	19·4	—	2·0	1·6	—	—	—	0·7	3·0	—	0·3		26
27	—	1·9	—	—	9·3	—	—	—	0·6	5·0	—	1·4		27
28	—	—	—	3·5	17·7	—	0·2	—	0·1	1·0	—	2·5		28
29	0·4	X	0·5	0·8	—	—	7·4	—	—	1·9	—	0·5		29
30	0·6	X	0·4	—	—	—	0·5	—	—	0·9	—	3·6		30
31	1·9	X	10·2	X	—	X	0·2	2·3	X	9·3	X	—		31
99 TOTAL	48·7	98·8	74·2	18·4	57·8	57·3	53·6	19·7	18·0	126·9	23·6	12·4	Year's Total 609·4	
*Days with .01 in. or more.														
*Days with .04 in. or more.	11													

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

Section **A** for the entry of Daily Observations
BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

Station No.

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~34

HOLLERITH CARD | INITIALS | DATE
PUNCHED BY | JL | 16/4/57
VERIFIED | JL | 29/7/57

Millimetres

[illegible] *at* Edgbaston
in the County of Warwick
Diameter of funnel of gauge .... in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 535 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
34	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	†	
1	0.6	0.1	—	—	—	—	—	4.7	1.9	0.2	2.3	5.3		1
2	0.5	—	2.2	—	—	—	—	0.3	10.0	—	0.6	5.0		2
3	0.9	1.8	—	—	—	—	—	0.1	0.3	2.7	1.1	—		3
4	2.0	0.2	2.3	0.7	1.4	—	—	—	1.1	1.2	1.8	11.8		4
5	—	—	2.9	0.2	3.3	—	—	12.7	—	—	3.7	0.5		5
6	—	—	0.3	0.4	8.4	0.7	—	0.4	—	3.2	—	12.4		6
7	3.9	0.4	—	—	—	2.5	—	2.8	—	2.0	—	8.0		7
8	—	—	0.2	—	1.3	—	—	0.6	—	0.1	4.8	1.5		8
9	—	—	4.6	1.1	—	—	—	2.3	0.3	—	15.1	10.3		9
10	0.2	—	3.6	7.3	—	—	—	3.2	—	—	4.3	—		10
11	27.0	—	1.8	4.6	—	—	0.1	6.8	—	—	0.4	5.4		11
12	0.1	—	4.9	0.3	—	—	4.1	6.4	—	—	—	1.5		12
13	143	—	0.6	3.9	—	—	6.0	1.2	—	0.4	—	2.1		13
14	4.7	—	8.1	—	0.7	0.9	—	—	0.2	2.5	6.8	3.0		14
15	2.2	—	3.4	—	3.6	—	1.1	—	1.4	11.6	5.9	0.7		15
16	4.4	—	3.2	—	0.8	—	—	0.2	—	1.2	2.4	3.3		16
17	0.9	—	0.5	—	0.9	—	1.9	0.2	8.9	1.1	0.2	2.1		17
18	5.7	—	0.8	6.6	—	—	1.4	—	0.5	—	—	0.4		18
19	0.1	—	4.8	0.9	—	3.4	—	0.3	0.3	0.2	—	2.3		19
20	—	—	2.1	0.7	—	—	—	0.5	0.1	—	—	0.1		20
21	0.5	—	0.3	—	—	5.9	—	3.1	—	1.4	—	—		21
22	0.1	—	0.2	—	0.1	—	—	4.9	6.3	0.2	—	2.3		22
23	—	—	0.3	7.4	1.8	3.0	1.8	1.8	—	—	0.2	4.8		23
24	—	4.6	3.4	0.3	—	1.9	0.3	—	5.4	0.1	—	0.3		24
25	2.1	0.3	—	1.6	1.1	4.7	—	—	—	5.9	—	11.0		25
26	8.0	—	1.2	0.1	—	0.4	—	—	0.4	1.8	0.6	0.5		26
27	0.2	—	—	7.9	—	0.6	—	—	0.2	1.9	—	4.2		27
28	—	—	—	11.9	—	1.8	—	4.1	—	—	2.1	9.0		28
29	—	X	—	—	—	—	8.3	1.6	14.5	0.5	0.2	0.2		29
30	1.0	X	—	—	—	—	0.2	0.6	0.7	0.3	—	7.3		30
31	0.1	X	—	X	—	X	0.2	—	X	3.5	X	1.2		31
99 TOTAL	79.5	7.4	51.7	55.9	23.4	25.8	2.54	58.8	52.5	42.0	52.5	116.5	Year's Total 591.4	
*Days with .01 in. or more.														
*Days with .04 in. or more.	11													

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 2478

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

Form 1090

REGISTER OF RAINFALL IN 19 35

Kept at Edgbaston

in the County of Warwick

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 535 ft.

Millimetres

HOLLERITH CARD

PUNCHED JL 16/4/5[illegible]

VERIFIED [illegible] 20/11/5[illegible]

Jan. 1 following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
35	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	†	
1	2·9	0·9	—	0·3	0·2	1·4	0·5	—	3·6	4·6	5·7	0·2		1
2	—	0·2	0·2	0·1	—	2·5	—	—	3·5	5·4	—	2·6		2
3	—	6·0	2·6	—	—	0·3	—	—	0·8	0·8	5·2	2·7		3
4	—	—	—	4·5	—	2·4	—	—	0·1	7·6	0·8	3·6		4
5	—	14·4	3·2	2·4	—	—	1·2	—	0·3	1·0	2·1	—		5
6	—	0·1	0·6	8·2	—	8·3	—	—	—	—	—	0·2		6
7	—	—	—	5·2	—	2·1	—	—	—	1·9	7·4	3·9		7
8	—	—	—	6·4	—	2·6	—	8·8	—	6·9	2·1	2·1		8
9	—	—	—	7·6	0·1	8·5	—	—	0·1	7·9	6·6	0·3		9
10	—	—	—	1·1	—	0·4	—	—	—	—	6·3	—		10
11	5·3	0·1	—	0·6	—	1·9	—	0·2	—	0·5	5·9	0·4		11
12	2·1	0·1	—	—	—	0·9	—	1·6	0·1	—	—	—		12
13	4·0	1·8	—	4·1	—	—	—	—	—	0·4	—	—		13
14	0·2	—	0·1	—	4·3	—	—	—	2·5	—	18·2	2·3		14
15	—	0·7	—	16·6	1·2	2·2	—	—	4·7	—	6·7	2·2		15
16	—	1·4	3·3	6·3	1·8	—	0·1	—	16·3	8·2	11·2	2·5		16
17	—	—	—	3·0	—	4·7	—	—	0·3	0·8	24·4	—		17
18	—	—	—	6·5	—	2·4	0·4	—	4·0	1·7	1·1	—		18
19	—	—	—	2·9	0·7	6·4	2·7	—	0·7	1·6	7·6	0·5		19
20	0·3	9·9	—	5·3	19·8	1·4	2·0	—	1·1	—	11·4	—		20
21	—	6·6	0·3	0·8	0·8	—	3·2	—	17·9	0·5	2·9	—		21
22	—	3·5	0·1	1·8	—	—	—	—	0·3	—	0·1	—		22
23	0·5	0·2	4·3	0·8	—	—	—	13·8	2·3	12·0	—	—		23
24	1·2	8·5	0·1	—	—	—	—	0·5	22·1	2·2	—	11·9		24
25	8·3	3·5	—	2·1	—	11·0	—	—	—	—	—	1·6		25
26	—	—	—	—	—	—	—	17·6	4·2	—	0·8	10·3		26
27	—	5·8	—	—	—	—	—	—	6·7	2·0	5·0	22·1		27
28	1·2	1·7	—	—	16·0	—	—	4·0	1·7	2·7	1·3	6·5		28
29	0·2	X	1·4	—	—	—	—	—	1·2	2·8	0·9	5·4		29
30	0·6	X	—	2·2	0·1	0·3	—	8·3	1·2	4·4	13·6	2·8		30
31	—	X	—	X	—	X	—	0·1	X	9·8	X	7·1		31
99 TOTAL	26·8	65·4	16·2	88·8	45·0	59·7	10·1	54·9	95·7	85·7	147·3	91·2	Year's Total 786·8	
*Days with .01 in. or more.														
*Days with .04 in. or more.	7													

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

Section **A** for the entry of daily observations

Station No. 2478

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1091

REGISTER OF RAINFALL IN 1936

Kep[illegible] Birmingham (Edgbaston)
in the County of Warwick
Diameter of funnel of gauge 8 in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 535 ft.

HOLLERITH CARDS	INITIALS	DATE
PUNCHED BY		16/4
VERIFIED		20/4/[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
36	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	3·6	3·4	13·3	–	4·0	4·3	0·7	–	–	1·9	2·2		1
2	2·0	0·4	1·5	1·8	–	6·0	29·4	1·4	–	–	0·6	0·4		2
3	–	–	–	–	0·2	6·6	1·6	0·6	7·7	–	1·8	0·4		3
4	–	–	2·7	–	–	3·5	0·1	0·2	5·2	–	2·2	2·0		4
5	3·2	1·5	0·6	–	–	–	0·8	1·6	5·4	–	0·1	3·3		5 ×
6	2·3	–	0·1	–	4·5	1·0	4·7	2·3	3·9	–	7·2	3·8		6
7	1·4	–	1·2	–	–	0·5	7·3	–	6·1	–	4·1	0·8		7
8	7·0	–	1·3	–	–	–	–	–	2·1	–	10·0	0·9		8
9	12·1	–	2·5	–	–	0·1	35·7	–	2·2	1·8	0·4	–		9
10	1·1	–	1·2	–	–	–	7·5	8·1	1·0	–	0·8	–		10
11	–	–	–	1·2	–	0·7	5·6	4·1	1·8	–	17·0	–		11
12	–	–	–	1·2	6·3	12·9	12·1	–	12·7	–	5·4	3·5		12
13	–	–	–	2·3	–	6·0	–	–	–	0·6	0·1	13·1		13
14	–	–	–	6·4	0·5	2·1	4·2	–	8·9	0·5	0·9	16·7		14
15	0·1	–	–	0·3	3·3	0·8	3·0	–	7·4	–	2·6	2·7		15
16	3·8	3·0	–	–	0·1	–	1·5	–	–	–	14·4	–		16
17	–	19·0	–	–	–	–	3·5	–	–	2·2	1·3	5·5		17
18	–	1·2	–	–	0·6	6·0	8·8	0·3	–	2·6	–	3·8		18
19	13·5	5·1	1·0	7·3	–	2·0	–	1·5	–	1·7	–	–		19
20	0·2	4·5	–	3·1	–	1·5	0·1	–	1·8	–	–	–		20
21	–	–	–	4·6	–	23·2	0·5	–	–	–	–	–		21
22	–	16·9	1·3	0·1	3·4	–	4·4	–	–	–	–	1·6		22
23	–	1·0	14·6	2·4	2·2	–	11·9	–	–	0·4	–	–		23
24	5·7	3·2	–	0·4	0·4	–	–	–	0·8	11·4	–	–		24
25	3·5	–	0·9	6·8	–	–	8·5	–	7·5	–	–	–		25
26	–	2·5	15·6	–	–	0·9	0·5	–	–	2·8	2·4	–		26
27	4·4	–	0·9	–	–	–	0·2	–	1·1	5·0	0·1	–		27
28	10·6	2·2	1·4	–	–	–	0·9	–	0·1	1·3	0·1	3·1		28
29	3·2	5·6	7·2	–	–	4·5	6·5	–	–	0·5	0·6	3·2		29
30	1·5	X	–	–	3·4	2·6	2·4	–	–	6·5	–	–		30
31	14·2	X	1·1	X	0·2	X	1·3	–	X	3·5	X	0·9		31
TOTAL 99	89·8	69·7	58·5	51·2	25·1	84·9	167·3	20·8	75·7	40·8	74·0	67·9	825·7	
*Days with 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY	C6													

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except years' total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of daily observations

Station No. 2478

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1091

REGISTER OF RAINFALL IN 1937

Kep[illegible]t Birmingham (Edgbaston)

in the County of Warwick

Diameter of funnel of gauge 8 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 535 ft.

HOLLERITH CARD | INI.
PUNCHED BY | 16/4
VERIFIED BY | 20/4/[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
37	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	7.5	0.4	–	0.1	–	–	0.2	–	3.3	–	2.3	11.0		1
2	0.3	1.4	1.4	16.1	–	–	–	–	–	–	–	11.3		2
3	–	2.4	2.4	–	–	0.4	1.1	–	1.1	–	–	2.1		3
4	2.1	4.5	–	–	1.2	–	–	0.1	–	–	0.1	13.0		4
5	3.5	–	5.4	–	–	–	0.1	0.4	–		–	–		5
6	3.8	–	0.3	–	2.6	–	0.2	–	–	0.7	–	–		6
7	–	12.7	–	5.2	–	0.2	–	–	0.2	–	–	–		7
8	–	6.4	–	0.6	0.4	0.1	0.5	–	–	–	8.7	–		8
9	–	0.2	–	1.3	6.8	–	9.7	–	4.9	–	–	0.4		9
10	0.8	1.6	7.4	2.8	–	2.8	1.2	–	–	–	–	2.8		10
11	–	0.1	12.2	–	10.6	7.2	0.6	–	–	–	–	4.5		11
12	4.0	10.2	4.7	–	7.9	–	–	–	4.5	–	–	4.1		12
13	1.3	0.8	–	4.3	0.2	1.5	–	12.8	9.5	–	–	5.3		13
14	–	0.2	2.8	1.7	–	–	–	5.0	0.6	–	0.4	2.7		14
15	3.5	0.8	–	7.0	–	–	31.6	0.6	2.6	–	0.2	0.4		15
16	0.9	3.9	9.9	9.7	–	–	–	3.7	3.0	–	–	–		16
17	4.1	1.4	9.3	4.4	–	0.3	–	–	3.6	–	–	–		17
18	14.1	1.9	2.5	0.5	–	–	1.2	–	14.7	0.1	8.2	0.6		18
19	0.5	2.9	2.5	2.8	–	3.1	8.9	–	–	–	1.8	0.3		19
20	8.1	0.8	–	10.1	6.3	–	–	–	–	0.1	–	–		20
21	3.7	5.2	0.5	2.2	0.7	–	7.4	–	–	–	–	2.8		21
22	1.1	1.2	2.3	–	2.5	2.6	2.5	–	–	10.5	8.0	0.7		22
23	7.7	0.2	0.5	–	8.1	–	4.3	–	–	10.0	6.2	–		23
24	6.6	8.0	1.3	–	1.2	–	0.1	–	1.4	6.5	–	0.1		24
25	1.5	8.9	–	–	0.1	–	–	–	1.2	13.0	–	0.3		25
26	0.1	10.5	1.6	–	14.9	–	–	–	–	–	–	0.7		26
27	–	8.9	–	5.9	–	–	–	–	–	20.2	–	–		27
28	–	3.2	–	–	–	2.2	–	–	–	0.8	–	0.8		28
29	0.4	X	–	–	–	0.5	–	–	–	1.0	2.2	0.1		29
30	8.0	X	–	–	–	–	–	2.1	–	1.6	1.9	0.3		30
31	7.1	X	–	X	–	X	–	–	X	3.2	X	0.2		31
99 TOTAL	93.7	98.7	67.0	72.7	63.5	20.9	69.6	24.7	50.6	67.7	40.0	64.5	733.6	
~~*Days with~~ 0.2 mm. or more														
*Days with 1.0 mm. or more														
OFFICE USE ONLY	17													

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except years' total.

(*Signed*).. (P.T.O.)

143

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2478

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8

FORM 91.

REGISTER OF RAINFALL IN 1938.

HOLLERITH CARDS | INITIALS | DATE
PUNCHED BY | Jh | 16/4/59
VERIFIED | | 21/4/59

T.L. 150

Kept at Birmingham (Edgbaston.)
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 535 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
38	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	–	–	0.1	–	–	12.5	–	–	–	0.2	0.3	5.3		1
2	–	–	–	1.6	0.4	6.6	–	–	–	7.7	1.4	0.9		2
3	0.4	–	–	–	3.2	0.6	4.2	–	–	14.7	–	–		3
4	0.3	–	–	–	–	1.2	0.6	8.5	0.5	3.2	0.1	7.7		4
5	–	–	–	–	–	0.2	3.3	16.4	0.4	0.8	–	0.3		5
6	0.1	0.2	–	–	–	1.0	8.1	–	3.0	1.8	–	–		6
7	0.5	–	–	–	–	–	12.4	3.9	1.4	5.2	–	0.6		7
8	10.7	–	0.2	–	–	–	4.5	9.6	0.1	6.8	–	1.1		8
9	1.3	1.9	–	–	–	2.0	0.3	13.1	–	–	–	13.8		9
10	0.1	1.3	–	–	–	2.6	9.9	2.4	–	–	–	2.1		10
11	12.3	0.9	–	–	–	–	0.1	0.6	0.2	0.1	4.1	2.5		11
12	6.3	–	–	–	3.1	–	0.5	0.2	–	6.0	6.6	0.1		12
13	–	–	–	–	0.3	–	–	–	–	0.4	9.4	16.2		13
14	4.6	0.2	–	–	0.3	–	14.8	–	1.1	–	0.1	0.2		14
15	3.0	–	–	–	2.6	–	4.2	–	–	–	0.1	12.1		15
16	9.1	–	–	–	–	–	1.2	0.2	–	0.9	0.9	2.3		16
17	–	1.2	–	–	4.1	–	0.3	0.1	0.1	2.3	0.3	0.4		17
18	0.8	–	–	–	4.7	7.7	–	0.5	6.2	0.4	7.6	–		18
19	–	–	–	–	–	–	–	3.9	0.1	–	0.2	0.6		19
20	–	–	–	–	–	–	–	–	0.9	0.2	9.1	0.2		20
21	1.1	–	–	–	–	–	–	–	1.1	–	1.8	9.1		21
22	–	–	–	1.0	–	0.5	–	–	–	–	9.2	5.8		22
23	–	–	–	–	0.2	–	–	–	2.8	–	0.1	1.5		23
24	–	–	2.9	–	4.5	–	–	0.1	2.3	0.1	0.2	0.1		24
25	2.2	5.0	3.2	–	1.1	0.1	1.4	0.6	0.6	5.0	12.2	2.8		25
26	0.3	10.9	4.8	–	1.5	–	–	0.6	0.7	6.8	0.1	6.6		26
27	1.6	0.4	0.1	–	3.3	5.3	8.3	8.6	4.3	0.6	10.9	–		27
28	2.9	0.6	–	–	1.9	3.5	1.5	14.4	5.3	–	1.1	3.8		28
29	13.4	X	–	–	11.3	0.3	0.5	–	–	0.8	1.4	3.7		29
30	2.3	✕	–	–	–	7.2	–	–	17.1	0.4	9.2	4.8		30
31	5.1	✕	–	✕	4.3	✕	–	–	✕	3.4	✕	7.0		31
99													Year's Total	
TOTAL	78.4	22.6	11.3	2.6	46.8	51.3	76.1	83.6	48.2	67.8	86.4	111.6	686.7	
* Days with 0.2 mm. or more.	19	10	4	2	16	14	17	15	16	20	18	25	176	✓
* Days with 1.0 mm. or more.	14	5	3	2	12	10	12	9	10	11	13	18	119	✓

(141w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 3.09 .89 .44 .10 1.84 2.02 3.00 3.29 1.90 2.67 3.40 4.39 27.03

(Signed) ....

[P.T.O.

27.03

~~143~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2478

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 091.

REGISTER OF RAINFALL IN 1939.

Kept at Birmingham (Edgbaston)

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 535 ft.

HOLLERITH CARDS
PUNCHED

[illegible] T 19/4/52 150
[illegible] 21/4/59 400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
39	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	1.3	—	1.5	5.4	3.4	—	—	—	1.2	—	—	0.9		1
2	3.2	—	0.1	0.8	—	—	1.1	9.5	15.4	0.4	0.2	0.1		2
3	6.4	—	—	9.0	—	—	—	6.8	0.8	—	2.6	7.7		3
4	3.2	—	7.6	8.9	0.5	—	12.4	4.2	0.4	6.5	1.9	4.7		4
5	—	—	0.1	6.1	7.0	—	4.6	2.6	—	4.3	10.3	2.1		5
6	17.9	0.1	—	—	—	—	11.3	0.2	—	—	2.7	—		6
7	0.7	1.5	—	—	—	—	2.5	—	—	—	8.0	6.1		7
8	—	3.2	8.0	—	—	—	13.5	5.0	—	9.1	4.5	8.8		8
9	0.8	2.3	0.1	—	—	—	0.2	3.2	—	13.0	0.8	5.1		9
10	14.2	—	1.2	—	—	—	—	5.6	1.9	3.6	0.1	0.2		10
11	1.5	0.7	4.8	—	—	2.4	—	0.2	—	0.5	—	0.2		11
12	—	0.9	—	—	—	0.5	—	—	—	—	0.1	—		12
13	0.1	—	0.3	2.3	0.1	0.6	4.1	—	2.7	1.6	—	—		13
14	12.9	—	0.7	4.4	5.0	4.6	3.5	—	—	1.9	2.0	—		14
15	15.3	—	0.4	0.7	2.4	8.2	11.0	—	0.2	3.0	3.7	—		15
16	3.3	—	1.1	0.8	8.3	2.4	0.2	—	—	0.2	6.1	—		16
17	15.5	1.3	—	0.2	0.4	—	2.5	—	—	25.8	1.6	—		17
18	4.9	0.5	2.0	—	—	4.3	0.9	—	—	1.2	14.8	—		18
19	4.2	1.5	—	—	—	—	6.0	—	—	—	0.2	—		19
20	0.6	—	0.2	—	0.1	0.4	2.1	1.1	—	—	—	0.3		20
21	6.8	6.1	5.8	0.8	0.5	1.6	1.8	2.1	1.5	—	—	—		21
22	8.8	6.6	0.8	1.8	—	2.6	2.5	—	0.5	0.3	7.4	—		22
23	1.7	0.4	0.2	2.4	—	0.9	3.2	—	—	4.1	21.9	—		23
24	1.4	—	—	1.9	—	0.3	3.9	—	—	3.9	—	—		24
25	17.8	2.0	0.1	1.5	—	0.5	1.6	—	—	—	7.3	0.1		25
26	2.2	~~2~~	—	0.8	—	—	—	0.2	—	0.2	8.2	1.8		26
27	—	2.2	3.1	0.5	—	0.3	2.7	0.1	—	0.8	2.8	0.3		27
28	—	6.3	3.4	—	—	6.7	3.1	0.3	—	—	4.3	2.9		28
29	—	×	0.1	3.1	—	0.1	2.9	22.3	—	4.5	2.4	—		29
30	—	×	—	2.1	—	4.6	—	0.1	—	—	2.3	0.4		30
31	—	×	—	×	—	×	0.5	3.1	×	0.1	×	0.5		31
99 TOTAL	147.7	35.6	41.6	53.5	27.7	41.0	98.1	66.6	24.6	85.0	116.2	42.2	Year's Total 779.8 ✓	
* Days with 0.2 mm. or more.	22	14	16	19	8	16	24	15	9	19	22	15	199 ✓	
* Days with 1.0 mm. or more.	19	10	10	12	5	9	20	11	5	13	19	8	141 ✓	

(144w) * See Instruction 2 (f) on other side. † Spare column, no entries required, except year's total.

40-9999. 5.81 1.40 1.64 2.11 1.09 1.61 3.86 2.62 .97 3.35 4.57 1.66 30.69 ✓

(Signed) .... [P.T.O.

Section **A** for the entry of Daily Observations

Station No. 2478

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Edgbaston

in the County of Warwick

Diameter of funnel of gauge .... in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 535 ft.

millimetres

HOLLERITH CARDS	INIT	
PUNCHED	JL	16/4/5
	JL	20/4/5

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
40	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	~~in.~~ mm	†	
1	–	0·3	–	0·9	–	–	–	–	–	–	3·7	–		1
2	–	0·6	–	8·1	–	–	2·0	–	–	–	22·4	0·5		2
3	–	3·6	–	0·8	–	–	0·1	–	–	3·9	12·3	2·4		3
4	–	3·0	–	7·1	–	–	1·9	–	–	2·4	17·3	1·4		4
5	–	0·1	–	–	0·4	–	1·6	–	–	3·4	16·0	4·4		5
6	1·9	3·7	–	–	0·2	–	1·0	–	–	20·3	8·5	–		6
7	0·5	7·4	–	0·8	0·3	–	5·6	–	1·1	–	–	0·8		7
8	0·1	0·1	–	1·3	0·1	–	1·0	–	–	6·1	0·8	4·8		8
9	–	–	–	–	–	1·5	1·0	1·8	–	3·1	8·3	9·3		9
10	–	–	1·1	–	–	–	14·6	0·3	–	0·5	4·8	7·2		10
11	–	0·1	1·8	0·3	–	–	6·5	–	–	–	13·6	2·9		11
12	–	0·2	1·5	–	–	0·5	3·3	–	1·5	–	1·5	–		12
13	–	0·8	10·2	1·0	–	–	0·4	–	1·5	–	–	–		13
14	–	–	2·0	2·2	15·2	–	–	0·5	3·3	2·0	1·4	9·1		14
15	–	–	0·3	2·1	7·5	–	–	–	0·5	3·0	3·1	–		15
16	1·2	4·2	6·6	0·9	–	–	2·3	–	4·0	12·5	16·4	0·7		16
17	–	0·3	7·2	–	–	–	3·1	–	–	–	1·8	–		17
18	2·8	12·7	4·3	8·1	–	–	–	1·2	0·5	2·6	4·4	1·9		18
19	–	5·7	1·7	10·8	–	–	10·8	–	4·6	0·9	4·5	0·4		19
20	–	0·1	–	0·5	–	–	2·1	0·5	–	8·2	1·2	0·2		20
21	–	0·1	–	–	7·8	2·0	3·1	–	–	0·5	37·5	–		21
22	–	0·1	0·4	0·6	15·7	7·1	–	–	2·8	–	–	–		22
23	–	1·5	0·6	4·0	1·5	2·0	–	0·8	0·3	0·5	–	0·2		23
24	0·4	–	–	–	–	–	2·2	–	–	–	–	0·8		24
25	0·2	–	–	0·6	0·3	–	3·1	–	–	–	0·3	–		25
26	26·3	3·3	0·8	20·9	2·3	0·5	6·6	–	–	–	–	–		26
27	26·5	1·5	–	31·5	–	–	9·6	0·6	0·1	–	0·4	–		27
28	12·4	11·0	–	0·9	15·6	–	–	–	–	–	–	–		28
29	1·5	–	2·4	4·0	–	3·7	0·4	–	–	–	–	4·3		29
30	0·2	X	–	14·5	0·4	–	–	–	–	15·5	–	0·9		30
31	3·2	X	0·8	X	0·1	X	–	–	X	24·9	X	0·3		31
99 TOTAL	77·2	60·4	41·7	121·9	67·4	17·3	81·3	5·7	20·2	110·3	179·6	52·5	Year's Total 835·5	
*Days with .01 in. or more.														
*Days with .04 in. or more.	8													

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

2478

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 100

REGISTER OF RAINFALL IN 1931.

A.P.

150

Kept at Edgbaston

in the County of Warwick

Diameter of Funnel of Gauge............in.

Height of top of Gauge above Ground............ft............in.

,, Ground ,, Sea Level 535 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3									·78				3
4													4
5						1·10						·23	5
6													6
7													7
8													8
9													9
10													10
11													11
12							·76						12
13													13
14								1·43			·53		14
15													15
16													16
17					1·04								17
18													18
19													19
20			·06										20
21													21
22													22
23												·23	23
24													24
25				·89									25
26													26
27		·61											27
28													28
29		×								·41			29
30		×											30
31	·37	×		×		×			×		×		31 32·01
TOTAL	1·985	2·47	0·18	4·02	3·94	3·59	3·21	4·65	2·41	0·91	3·76	0·88	YEAR'S TOTAL 32·005
*Days with ·01 in. or more.	21	19	5	20	16	14	19	17	13	11	18	8	181
*Days with ·04 in. or more.	14	16	2	17	11	12	13	15	10	3	15	5	133
40-9999	50·4	62·7	4·5	102·1	100·2	91·1	81·4	118·2	61·1	23·2	95·5	22·5	812/9

(Signed).. [P.T.O.

*See Instruction 2 (*f*) on other side.

2478

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

AP

150

143

Kept at Edgbaston

in the County of Warwick

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 535 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4				·40							·47		4
5													5
6	·45												6
7													7
8										·52			8
9		·08											9
10	·45												10
11													11
12													12
13							·74						13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21					1·28								21
22									·59				22
23													23
24													24
25													25
26													26
27			·61										27
28								1·12					28
29													29
30		×				·88							30
31		×		×		×			×		×	·29	31
TOTAL	2·37 ✓	0·29 ✓	1·89 ✓	3·24 ✓	6·81	1·66 ✓	2·53 ✓	2·48 ✓	3·00 ✓	3·56 ✓	2·06 ✓	1·07 ✓	YEAR'S TOTAL 30·96
*Days with ·01 in. or more.	12	9	13	23	25	7	19	7	20	23	17	14	189
*Days with ·04 in. or more.	10	3	10	19	19	6	10	6	12	17	12	8	132
40-9999	60·2	7·3	48·0	82·2	173·0	42·1	64·2	62·9	76·1	90·3	52·4	27·3	786·0

*See Instruction 2 (*f*) on other side.

(*Signed*)..........

[P.T.O.

143 2478

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1933.

Kept at Edgbaston

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 535 ft.

150.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8							·60						8
9													9
10										1·63			10
11													11
12													12
13													13
14											·30		14
15	·67												15
16			·75										16
17													17
18													18
19													19
20													20
21													21
22								0·35					22
23				·18									23
24						·42							24
25									·27				25
26													26
27													27
28					·70								28
29													29
30		×										·14	30
31		×		×		×			×		×		31
TOTAL	1·92 ✓	3·89 ✓	2·92 ✓	0·73 ✓	2·28 ✓	2·26 ✓	2·11 ✓	0·78	0·71 ✓	5·00 ✓	0·93 ✓	0·49 ✓	YEAR'S TOTAL 24·02 ✓
*Days with ·01 in. or more.	15	13	17	6	15	16	13	56	11	21	14	9	156
*Days with ·04 in. or more.	11	10	12	5	11	10	8	34	7	14	5	5	102
40-9999	48·7	98·8	74·2	18·5 4	57·8	57·3	53·6	19·7	18·0	127·0	23·6	12·4	

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2478

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Edgbaston

in the County of Warwick

150

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ~~535~~ 536 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5								·50					·49	5
6					·33									6
7														7
8														8
9											·59			9
10														10
11	1·06													11
12														12
13														13
14			·33											14
15										·46				15
16														16
17														17
18														18
19														19
20														20
21						·23								21
22														22
23														23
24		·18												24
25														25
26														26
27														27
28				·47										28
29							·33		·57					29
30		×												30
31		×		×		×			×		×			31
TOTAL	3·13 ✓	0·29 ✓	2·04 ✓	2·20 ✓	0·92 ✓	1·02 ✓	1·00 ✓	2·31 ✓	2·07 ✓	1·65 ✓	18·70 ✓ 2·07	4·59 ✓	Year's Total 23·29	✓ 23·29
*Days with ·01 in. or more.	18	5	22	16	10	11	10	21	16	19	17	27	192	✓
*Days with .04 in. or more.	11	2	14	9	7	7	7	13	8	13	11	21	123	✓
40-9999	79·5	7·4	51·7	55·9	23·4	25·8	25·4	58·8	52·5	42·0	52·5	116·5		5914

† Spare column; no entries required.

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

5916. [P.T.O.

2478

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2478

AIR MINISTRY.—METEOROLOGICAL OFFICE.—~~BRITISH RAINFALL ORGANIZATION.~~

FORM 1090.

REGISTER OF RAINFALL IN 1935.

143

Kept at Edgbaston A.P.
in the County of Warwick

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground 1 ft ..... in.
,, Ground ,, Sea Level 535 ft.

150
TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5		·57												5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15				·65										15
16														16
17											0·96			17
18														18
19					·78									19
20							0.13							20
21														21
22														22
23			·17							0·47				23
24									0.87					24
25	·33					·43								25
26								·69						26
27												·87		27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	1·06	2·57	0·64	3·50	1·77	2·35	0.40	2·16	3·77	3·37	5·80	3·59	Year's Total 30·98	
*Days with ·01 in. or more.	12	15	8	21	8	18	6	8	20	22	22	21	181	
*Days with ·04 in. or more.	4	11.	5.	17	5	14	4	6	15	17	19	16	136	

27

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) ....

[P.T.O.

2478

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. #3

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]

REGISTER OF RAINFALL IN 1936.

Kept at Birmingham, Edgbaston

in the County of Warwick

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 535 ft.

TL 150 400 mm.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				·52										1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9							1·41							9
10								·32						10
11											·67			11
12					·25				0·50					12
13														13
14												·66		14
15														15
16														16
17		19·0												17
18														18
19														19
20														20
21						0·91								21
22														22
23														23
24										·45				24
25														25
26			·61											26
27														27
28														28
29														29
30		X												30
31	·56	X		X		X			X		X			31
TOTAL	3·54	2·74	2·30	2·02	0·99	3·34	6·59	0·82	2·98	1·61	2·91	2·67	Year's Total 32·57	40·8
*Days with ·01 in. or more.	17	14	17	13	11	18	25	10	16	14	17	18	190	1·61
*Days with .04 in. or more.	16	13	14	11	6	14	20	6	15	10	12	13	150	0·19
40-9999	89·8	69·7	58·5	51·2	25·1	84·9	167·3	20·8	75·7	[illegible]	74·0	~~76~~ 67·9		

*See Instruction 2 (*f*) on other side.

†Spare column, no entries required.

(*Signed*) .... [redacted]

[P.T.O.

FOR OFFICIAL USE. 2478

143

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.

Kept at Birmingham (Edgbaston)

in the County of Warwick

TL 150 400

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 5325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1													1
2				·63								~~·44~~	2
3													3
4													4
5													5
6													6
7		·50											7
8											·34		8
9													9
10													10
11			·48			·28							11
12													12
13								·50					13
14													14
15							1·24						15
16													16
17													17
18	·56								58				18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26					·59								26
27										·80			27
28													28
29		X											29
30		X											30
31		X		X		X			X		X		31 YEAR'S TOTAL
TOTAL	3·69	3·89	2·64	2·86	2·50	·82	2·74	·97	1·99	2·67	1·57	2·54	28·88 ✓
Days with 0·2 mm. or more.	22	25	17	15	13	10	13	6	13	10	10	20	174 ✓
Days with 1·0 mm. or more.	17	8	14	12	10	6	9	4	11	8	8	10	127 ✓
(144W) 40-9999	93·7	98·7	67·0	72·7	63·5	20·9	69·6	24·7	50·6	67·7	40·0	64·5	733·6

(Signed)

[P.T.O.

143

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2478

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1940

Kept at Birmingham (Edgbaston)
in the County of Warwick
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 535 ft.

T.L. 150 4400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		☒												30
31		☒		☒		☒			☒		☒			31
													Year's Total	
TOTAL	77·2	60·4	41·7	121·9	67·4	17·3	81·3	5·7	20·2	110·3	179·6	52·5	835·5	
* Days with 0.2 mm. or more.	12	16	15	22	12	7	21	7	10	17	21	19	179	
* Days with 1.0 mm. or more.	8	11	10	13	7	5	19	2	7	13	18	10	123	

(144w) * See Instruction 3 (f) on other side.

3·04 2·38 1·64 4·80 2·65 ·68

† Spare column, no entries required, except year's total.

3·20 (Signed) ·80 32·89 P.T.O.

·22 4·34 7·07 2·07

2479

Section **A** for th
AIR
FOR 990.

FALL ORGANIZATION.
31 .

2479

EGBASTON, CLARENDON RD

1931

780408

Kept at 22 Clarendo

in the County of

Diameter of Funnel of
Height of top of Gauge
,, Ground ,,

THE MORNIN **DAY.**

An observer who does no *the following*
year in the space on th

Pl

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	·01	—	·04	·04	·08	—	—	·27	—			1
2	·06	·16	—	·72	·04	·03	—	·05	·40	·02			2
3	·15	tr	tr	06	tr	—	·01	—	·82	·01			3
4	—	tr	—	·21	—	—	·48	·16	·17	tr			4
5	—	·07	—	·16	·07	1·11	·03	·01	·10	—			5
6	—	·19	—	·05	·01	·06	tr	·01	·02	·34			6
7	—	—	tr	tr	·02	tr	·58	·64	—	·02			7
8	·07	·07	tr	·08	tr	·07	—	·93	—	tr			8
9	·01	·27	tr	—	·01	·06	·05	·04	—		# moved		9
10	tr	·10	tr	—	·02	—	·01	·21	·10				10
11	·18	·33	tr	—	tr	·06	tr	tr	·10				11
12	·02	·13	—	tr	—	—	·77	·10	·41				12
13	·02	·01	—	—	tr	·01	·03	·10	—				13
14	tr	·08	·03	—	·01	1·14	·43	1·46	·03				14
15	tr	·11	—	·16	·13	·01	·13	·17	·02				15
16	·14	·10	—	·28	·41	65	tr	·05	·12				16
17	·08	·17	—	·27	1·01	·09	·02	—	·01				17
18	·13	·02	—	·27	·01	·27	·20	·18	·01				18
19	·01	·04	—	·1[illegible]8	—	·13	·23	·11	tr				19
20	·01	·16	·06	·01	—	tr	·11	·47	—				20
21	·15	—	·04	·01	·60	—	tr	tr	—				21
22	·14	—	·04	·01	·01	—	—	·11	—				22
23	·20	·01	tr	·30	·38	·17	·01	·04	—				23
24	·01	tr	tr	·11	·41	·01	·06	—	·01				24
25	·04	—	—	·99	·01	—	·33	—	—				25
26	·06	tr	—	·20	tr	—	·03	—	—				26
27	·11	·62	—	·05	·52	—	·04	—	—				27
28	·17	·15	—	·15	·33	—	tr	—	—				28
29	·07	×	tr	·12	·13	—	·14	—	—				29
30	—	×	tr	·01	tr	—	tr	—	—				30
31	·50	×	—	×	·04	×	tr	—	×		×		31
TOTAL	2·33	2·80	0·17	3·12	4·21	3·95	3·69	3·84	2·59				YEAR'S TOTAL
Days with ·01 in. or more.	22	20	4	23	21	16	20	18	15				
Days with ·04 in. or more.	16	16	3	19	13	12	13	16	9				

40-9999

(Signed) H Brenholz

[P.T.O.

Section **A** for t

2479

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR 990.

REGISTER OF RAINFALL IN 1931 .

Kept at 22 Clarendon Road Edgbaston Birmingham

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 547 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	tr	·01	—	·04	·04	·08	—	—	·27	—			1
2	·06	·16	—	·72	·04	·03	—	·05	·40	·02			2
3	·15	tr	tr	06	tr	—	·01	—	·82	·01			3
4	—	tr	—	·21	—	—	·48	·16	·17	tr			4
5	—	·07	—	·16	·07	1·11	·03	·01	·10	—			5
6	—	·19	—	·05	·01	·06	tr	·01	·02	·34			6
7	—	—	tr	tr	·02	tr	·58	·64	—	·02			7
8	·07	·07	tr	·08	tr	·07	—	·93	—	tr			8
9	·01	·27	tr	—	·01	·06	·05	·04	—		# moved		9
10	tr	·10	tr	—	·02	—	·01	·21	·10				10
11	·18	·33	tr	—	tr	·06	tr	tr	·10				11
12	·02	·13	—	tr	—	—	·77	·10	·41				12
13	·02	·01	—	—	tr	·01	·03	·10	—				13
14	tr	·08	03	—	·01	1·14	·43	1·46	·03				14
15	tr	11	—	·16	·13	·01	·13	·17	·02				15
16	·14	·10	—	·28	·41	65	tr	·05	·12				16
17	·08	·17	—	·27	1·01	·09	·02	—	·01				17
18	·13	·02	—	·27	·01	·27	·20	·18	·01				18
19	·01	·04	—	·1[illegible]8	—	·13	·23	·11	tr				19
20	·01	·16	·06	·01	—	tr	·11	·47	—				20
21	·15	—	·04	·01	·60	—	tr	tr	—				21
22	·14	—	·04	·01	·01	—	—	·11	—				22
23	·20	·01	tr	·30	·38	·17	·01	·04	—				23
24	·01	tr	tr	·11	·41	·01	·06	—	·01				24
25	·04	—	—	·99	·01	—	·33	—	—				25
26	·06	tr	—	·20	tr	—	·03	—	—				26
27	11	·62	—	·05	·52	—	·04	—	—				27
28	·17	·15	—	·15	·33	—	tr	—	—				28
29	07	×	tr	·12	·13	—	·14	—	—				29
30	—	×	tr	·01	tr	—	tr	—	—				30
31	·50	×	—	×	·04	×	tr	—	×		×		31
TOTAL	2·33	2·80	0·17	3·12	4·21	3·95	3·69	3·84	2·59				YEAR'S TOTAL
Days with ·01 in. or more.	22	20	4	23	21	16	20	18	15				
Days with ·04 in. or more.	16	16	3	19	13	12	13	16	9				

40-9999

(Signed) H Brenholz

P.T.O.

2480

Section A **for the entry of**

AIR MINISTRY

FORM 1090. REGIST

Kept at *Edgbaston (Carp*

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

2480

EGBASTON, CARPENTER RD.

1931—40

7F040F

OFFICIAL USE.

ANIZATION.

Jan. 1, following

Date	Jan.	Feb.	March									Dec.	Date
	in.	in.	in.									in.	
1	.01	—	—	.04	.04	.07	—	—	.31	.01	—	—	1
2	.05	.15	—	.63	.02	.04	—	.04	.40	.02	.02	.08	2
3	.14	—	—	.03	—	—	.01	—	.85	.01	.52	.10	3
4	—	—	—	.19	—	—	.54	.12	.12	.01	.04	—	4
5	—	.08	—	.15	.06	1.09	.07	.01	.05	—	—	.26	5
6	—	.16	—	.05	Trace	.04	.01	.01	—	.32	.21	Trace	6
7	—	.01	—	—	.05	Trace	.18	.58	—	.01	.12	.01	7
8	.08	.07	—	.09	Trace	.07	.04	.93	—	.02	.25	—	8
9	.01	.33	Trace	.03	—	.03	Trace	.05	—	—	.52	Trace	9
10	—	—	Trace —	—	.02	.05	Trace	.20	.09	—	.22	Trace	10
11	.17	.28	Trace	—	—	.01	.07	—	.11	—	.19	.01	11
12	.03	.13	—	Trace	—	.01	.68	.08	.36	.05	.01	—	12
13	—	—	—	Trace	Trace	—	.24	.12	—	—	—	—	13
14	—	.07	.03	—	.03	.86	.42	1.32	.04	—	.50	—	14
15	—	.12	—	.15	.10	—	.12	.19	.01	—	—	.04	15
16	.13	.08	—	.27	.54	.67	—	.04	.12	—	—	—	16
17	.10	.10	—	.25	.90	.09	.03	—	Trace	.01	.04	—	17
18	.11	.01	—	.20	—	.27	.19	.17	.01	Trace	.31	—	18
19	.02	.05	Trace	.14	—	.10	.26	.10	—	Trace	—	—	19
20	.01	.15	.09	.01	—	—	.19	.42	—	.02	.02	.03	20
21	.15	.01	—	.01	.56	—	—	.12	—	—	.15	—	21
22	.16	—	.03	—	.01	—	—	Trace	—	—	.01	—	22
23	.16	.02	Trace	.24	.44	.15	Trace	.03	Trace	—	.27	.23	23
24	.02	—	—	.12	.30	—	.05	—	Trace	—	.01	.01	24
25	.04	—	—	1.02	.01	—	.44	—	—	—	.06	—	25
26	.05	—	—	.16	—	—	.03	—	—	—	.32	Trace	26
27	.09	.62	—	.05	.45	—	.02	—	—	.03	.10	.06	27
28	.15	.12	—	.17	.30	—	—	—	—	.04	.01	.14	28
29	.06	×	—	.02	.10	—	.12	—	—	.40	.01	Trace	29
30	—	×	Trace	Trace	—	—	Trace	—	Trace	—	—	—	30
31	.43	×	—	×	.03	×	.01	—	×	—	×	.03	31
Total	2.17	2.56	.15	4.02	3.96	3.55	3.72	4.53	2.47	.95	3.91	1.00	Year's Total 32.99
*Days with ·01 in. or more.	22	19	3	22	18	15	21	18	12	13	23	12	198
*Days with ·04 in. or more.	16	15	1	17	12	12	15	15	10	4	16	7	160

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) L. Ashby Bolton. [P.T.O.

2480

Section **A** **for the entry of** OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Edgbaston (Carpenter Road)
in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	–	–	.04	.04	.07	–	–	.31	.01	–	–	1
2	.05	.15	–	.63	.02	.04	–	.04	.40	.02	.02	.08	2
3	.14	–	–	.03	–	–	.01	–	.85	.01	.52	.10	3
4	–	–	–	.19	–	–	.54	.12	.12	.01	.04	–	4
5	–	.08	–	.15	.06	1.09	.07	.01	.05	–	–	.26	5
6	–	.16	–	.05	Trace	.04	.01	.01	–	.32	.21	Trace	6
7	–	.01	–	–	.05	Trace	.18	.58	–	.01	.12	.01	7
8	.08	.07	–	.09	Trace	.07	.04	.93	–	.02	.25	–	8
9	.01	.33	Trace	.03	–	.03	Trace	.05	–	–	.52	Trace	9
10	–	–	Trace	–	.02	.05	Trace	.20	.09	–	.22	Trace	10
11	.17	.28	Trace	–	–	.01	.07	–	.11	–	.19	.01	11
12	.03	.13	–	Trace	–	.01	.68	.08	.36	.05	.01	–	12
13	–	–	–	Trace	Trace	–	.24	.12	–	–	–	–	13
14	–	.07	.03	–	.03	.86	.42	1.32	.04	–	.50	–	14
15	–	.12	–	.15	.10	–	.12	.19	.01	–	–	.04	15
16	.13	.08	–	.27	.54	.67	–	.04	.12	–	–	–	16
17	.10	.10	–	.25	.90	.09	.03	–	Trace	.01	.04	–	17
18	.11	.01	–	.20	–	.27	.19	.17	.01	Trace	.31	–	18
19	.02	.05	Trace	.14	–	.10	.26	.10	–	Trace	–	–	19
20	.01	.15	.09	.01	–	–	.19	.42	–	.02	.02	.03	20
21	.15	.01	–	.01	.56	–	–	.12	–	–	.15	–	21
22	.16	–	.03	–	.01	–	–	Trace	–	–	.01	–	22
23	.16	.02	Trace	.24	.44	.15	Trace	.03	Trace	–	.27	.23	23
24	.02	–	–	.12	.30	–	.05	–	Trace	–	.01	.01	24
25	.04	–	–	1.02	.01	–	.44	–	–	–	.06	–	25
26	.05	–	–	.16	–	–	.03	–	–	–	.32	Trace	26
27	.09	.62	–	.05	.45	–	.02	–	–	.03	.10	.06	27
28	.15	.12	–	.17	.30	–	–	–	–	.04	.01	.14	28
29	.06	×	–	.02	.10	–	.12	–	–	.40	.01	Trace	29
30	–	×	Trace	Trace	–	–	Trace	–	Trace	–	–	–	30
31	.43	×	–	×	.03	×	.01	–	×	–	×	.03	31
TOTAL	2.17	2.56	.15	4.02	3.96	3.55	3.72	4.53	2.47	.95	3.91	1.00	YEAR'S TOTAL 32.99
*Days with ·01 in. or more.	22	19	3	22	18	15	21	18	12	13	23	12	198
*Days with ·04 in. or more.	16	15	1	17	12	12	15	15	10	4	16	7	140

40-9999

M

*See Instruction 2 (f) on other side.

(Signed) L. Ashby Bolton [P.T.O.

2480

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2480.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Edgbaston (6 Carpenter Road)
in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.03	–	.18	.88	.04	.03	.15	.01	.16	.03	.01	1
2	.06	Trace	–	.12	.34	–	–	.02	.36	.09	–	.08	2
3	–	.01	–	.21	.08	–	Trace	Trace	.01	.01	Trace	.05	3
4	.03	–	–	.31	–	–	–	–	–	–	.46	.02	4
5	.45	.01	.06	.04	.07	Trace	–	–	.10	–	–	–	5
6	.40	–	.06	.34	Trace	–	.06	–	.40	–	–	–	6
7	–	–	.21	.21	–	–	Trace	–	.03	.32	–	–	7
8	–	–	–	.04	–	–	–	–	.67	.38	–	–	8
9	.24	.10	.01	.01	.03	–	–	–	Trace	–	–	–	9
10	.34	.02	.03	.18	.09	Trace	–	–	.18	.34	–	Trace	10
11	.01	.06	–	.05	.10	.12	.12	–	.01	.14	.02	.02	11
12	.29	–	–	–	.18	–	.01	Trace	.10	.36	.04	–	12
13	.02	.05	–	.11	.05	–	.72	.01	.01	.03	.02	.05	13
14	.24	.01	–	.04	Trace	–	.12	.11	–	.05	.07	.02	14
15	Trace	–	–	.07	1.05	–	–	–	–	.04	–	.03	15
16	.22	–	–	.14	.12	–	.03	–	–	Trace	–	–	16
17	–	–	Trace	–	.01	–	.03	–	Trace	.05	.01	–	17
18	–	–	–	–	.07	–	.01	–	.03	.02	.08	Trace	18
19	.01	.01	–	.11	.05	–	–	–	–	.23	–	–	19
20	–	–	–	.11	.70	–	.01	.83	–	.48	.08	–	20
21	.01	–	.15	.16	1.27	–	–	.13	–	.26	.05	.12	21
22	–	–	.17	.04	.03	–	.19	–	.58	.05	.25	.02	22
23	–	–	.01	Trace	.42	Trace	.02	–	.10	.05	.07	.04	23
24	.03	Trace	–	Trace	.03	–	.04	–	.15	.02	.29	–	24
25	.01	.04	–	Trace	.01	.12	.08	–	.09	.09	.05	.01	25
26	–	Trace	.04	.35	.18	–	.22	–	.05	.02	.03	–	26
27	–	–	.53	.19	.39	–	.05	–	–	Trace	.09	.02	27
28	–	–	.22	.04	.33	.14	.13	.87	–	–	–	.01	28
29	–	–	.22	.23	.13	.14	.05	.02	.16	.33	.04	.13	29
30	.01	×	.09	.08	.01	.94	.16	.07	.34	.16	.29	.14	30
31	.01	×	.07	×	.01	×	.51	–	×	.01	×	.27	31
TOTAL	2.41	.34	1.87	3.36	6.63	1.50	2.59	2.21	3.38	3.69	1.97	1.04	YEAR'S TOTAL 30.99
*Days with ·01 in. or more.	18	10	14	24	26	6	20	9	19	24	18	17	205
*Days with .04 in. or more.	8	4	11	23	19	6	13	6	13	18	13	8	142

40-9999
*See Instruction 2 (f) on other side.

(Signed) L. Ashby Bolton

P.T.O.

2480

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~2480~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Edgbaston (6 Carpenter Road)
in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.38	.50	.02	–	–	–	–	–	Trace	–	.02	–		1
2	.17	–	.29	–	.03	Trace	–	–	–	.01	.01	–		2
3	.01	.12	.12	–	.11	–	–	–	–	–	.02	–		3
4	.09	–	.03	–	.30	–	–	–	–	–	–	–		4
5	.07	.07	.29	–	.10	–	–	–	–	–	.01	–		5
6	–	.23	.01	–	.12	–	–	–	–	.09	–	.01		6
7	.07	.20	.07	–	–	–	–	Trace	–	.11	–	.01		7
8	.02	–	.12	Trace	.09	Trace	.54	Trace	–	.01	–	–		8
9	–	–	–	Trace	.11	–	.30	–	–	1.30	.01	–		9
10	.06	.31	–	–	Trace	.02	–	Trace	–	1.36	.05	–		10
11	Trace	–	–	–	.02	–	.27	Trace	–	.02	.01	–		11
12	.02	–	–	–	–	.02	.09	–	.03	.01	–	.02		12
13	.01	–	–	–	.24	.02	.26	Trace	.04	.05	.25	–		13
14	.06	Trace	–	–	–	–	.01	.01	–	.10	.28	–		14
15	.66	Trace	.01	–	Trace	.14	.11	.04	–	.01	.09	.06		15
16	.09	–	.74	–	.01	.10	.27	.01	–	.14	.06	.01		16
17	.10	.02	.36	–	Trace	.17	.03	.01	.06	–	.04	–		17
18	.05	–	.06	–	–	.25	–	–	–	–	.03	–		18
19	–	.02	.32	Trace	–	.22	–	–	.05	–	.04	–		19
20	–	.01	.03	–	.01	.25	–	.04	.05	.02	.01	–		20
21	–	Trace	–	–	–	.14	–	.17	–	.01	.01	–		21
22	–	–	–	–	–	.14	–	.34	–	.20	–	–		22
23	–	Trace	–	.18	–	.04	–	–	.10	.23	.01	–		23
24	–	.53	–	.16	.06	.40	–	–	.21	.02	.03	–		24
25	–	.64	–	.14	Trace	.23	–	–	.12	–	–	.05		25
26	–	.73	–	.08	.07	–	–	–	.03	.30	Trace	.01		26
27	–	.02	–	–	.45	–	–	–	.03	.01	–	.05		27
28	–	–	–	.16	.90	–	.01	–	.01	.09	–	.10		28
29	.02	×	.01	.02	–	–	.27	–	Trace	.09	–	.01		29
30	.04	×	.02	–	–	–	.03	–	Trace	.07	–	.12		30
31	.08	×	.33	×	–	×	.02	.09	×	.34	×			31
TOTAL	2.00	3.40	2.83	.74	2.42	2.14	2.21	.71	.93	4.59	.98	.45	Year's Total 23.20	
*Days with ·01 in. or more.	18	13	17	6	15	14	13	8	11	23	18	11	167	
*Days with ·04 in. or more.	13	9	10	5	11	11	8	5	7	14	7	5	105	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L Ashby Bolton

[P.T.O.

2480

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2480

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

File Number 693497/26

Kept at Edgbaston (6 Carpenter Road)
in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 1 in.
,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.03	–	–	–	–	–	–	.21	.13	.01	.10	.30		1
2	.03	.01	.07	–	Trace	–	–	.01	.58	–	.06	.12		2
3	.03	.05	–	–	–	–	–	.01	.02	.10	–	.05		3
4	.09	–	.08	.04	.14	–	–	Trace	.06	.03	.08	.42		4
5	.01	–	.08	.02	.12	–	–	.52	–	Trace	.12	.02		5
6	.01	–	.02	.01	.27	.05	–	.02	–	.13	–	.47		6
7	.13	.02	–	–	Trace	.08	–	.11	–	.08	.01	.31		7
8	–	–	Trace	–	.05	–	–	.02	–	.01	.18	.06		8
9	.02	–	.18	.05	–	–	–	.08	.01	–	.60	.41		9
10	.10	Trace	.17	.28	–	–	–	.16	–	Trace	.16	.01		10
11	.95	–	.06	.15	–	–	Trace	.19	–	Trace	.02	.28		11
12	.02	–	.19	.02	–	–	.17	.18	–	–	–	.02		12
13	.72	.01	.03	.17	–	–	.24	.06	–	.02	–	.07		13
14	.05	–	.35	.01	.04	.04	–	–	.02	.23	.28	.15		14
15	.08	.01	.13	Trace	.14	–	.05	–	.18	.36	.25	.14		15
16	.18	–	.12	–	.02	–	–	.01	–	.07	.03	–		16
17	.03	–	.05	.01	.02	–	.06	.01	.49	.06	.01	.10		17
18	.23	–	.01	.22	–	.03	.02	.01	.01	–	–	.02		18
19	–	–	.21	.02	Trace	.16	–	.02	.01	.01	–	.10		19
20	–	–	.05	.02	–	Trace	–	–	.01	Trace	–	.01		20
21	.03	–	.01	–	–	.24	–	.12	.01	.08	–	–		21
22	.01	–	.01	–	.01	–	–	.15	.23	.01	–	.23		22
23	–	–	.03	.26	.10	.14	.06	Trace	.01	–	.01	.03		23
24	–	.20	.12	.01	Trace	.08	.01	–	.21	.01	–	.01		24
25	.21	–	–	.05	.04	.22	–	–	–	.26	–	.44		25
26	.12	–	.05	.01	–	.02	–	–	.02	.07	.03	.03		26
27	.01	–	–	.33	–	.03	–	–	.02	.10	.03	.15		27
28	–	–	–	.35	–	.12	Trace	.19	–	–	.05	.35		28
29	–	×	–	–	–	–	.44	.11	.57	.03	–	.03		29
30	.04	×	–	–	–	–	.01	.02	.05	.01	–	.24		30
31	.01	×	–	×	–	×	.02	Trace	×	.12	×	.12		31
TOTAL	3.14	.30	2.02	2.03	.95	1.21	1.08	2.21	2.64	1.80	2.02	4.69	Year's Total 24.09	
*Days with ·01 in. or more.	24	6	21	19	11	12	10	21	19	21	17	29	210	
*Days with .04 in. or more.	12	2	15	10	8	9	6	12	9	12	10	20	125	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) L. Ashby Bolton

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2480

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Edgbaston (6 Carpenter Road)

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.03	.01	.02	.01	.07	.02	–	.13	.18	.18	.02		1
2	–	.01	Trace	Trace	–	.15	–	–	.03	.20	.01	.10		2
3	.01	.20	.09	.03	–	Trace	Trace	–	.01	.10	.22	.18		3
4	–	–	–	.18	–	.13	–	–	.02	.30	.02	.06		4
5	–	.49	.15	.07	–	Trace	.06	–	.03	–	.08	.01		5
6	–	–	.01	.34	–	.33	–	–	–	–	–	–		6
7	–	–	–	.19	–	.08	–	–	–	.21	.29	.13		7
8	–	–	–	.23	Trace	.07	–	.09	–	.14	.24	.09		8
9	.01	–	–	.30	Trace	.33	–	–	Trace	.32	.33	.01		9
10	–	–	–	.09	–	–	Trace	–	–	–	.03	Trace		10
11	.23	.01	–	–	–	.08	–	.01	Trace	.01	.23	.01		11
12	.12	.01	–	–	–	.04	–	.08	Trace	–	.01	Trace		12
13	.15	.08	–	.16	.18	–	–	–	–	.02	.01	–		13
14	.01	–	.01	–	.05	Trace	–	–	.05	–	.67	.13		14
15	–	.03	–	.62	.06	.09	Trace	–	.19	–	.15	.16		15
16	–	.07	.12	.27	–	.07	Trace	–	.60	.25	.98	.10		16
17	–	Trace	–	.10	–	.17	.09	–	.03	.02	.55	–		17
18	.01	–	–	.23	.10	.12	.08	–	.20	.05	.04	–		18
19	–	.01	–	.12	.75	.28	.10	–	.05	.06	.29	.02		19
20	.02	.30	–	.20	.03	.06	.05	–	.03	Trace	.42	–		20
21	–	.30	.01	–	–	–	–	–	.83	.03	.08	–		21
22	–	.08	.01	.09	–	–	–	Trace	.01	–	.01	–		22
23	.02	.01	.16	.02	Trace	–	–	.49	.10	.48	–	Trace		23
24	.11	.35	.01	–	–	–	–	.03	.82	.04	.01	.56		24
25	.20	.12	–	.07	–	.43	–	–	–	.01	–	.18		25
26	–	.04	–	–	–	–	–	.75	.17	Trace	.04	.63		26
27	–	.22	–	–	Trace	Trace	Trace	–	.39	.07	.18	.76		27
28	.05	.04	–	–	.61	–	–	.14	.07	.15	.07	.02		28
29	–	✕	.06	–	–	–	–	.01	.05	.06	.11	.27		29
30	.03	✕	–	.09	.02	.02	–	.32	.03	.22	.40	.15		30
31	Trace	✕	–	✕	–	✕	–	–	✕	.41	✕	.22		31

	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year's Total
TOTAL	.99	2.40	.64	3.42	1.81	2.52	.40	1.92	3.84	3.33	5.45	3.81	30.53
* Days with .01 in. or more.	14	19	11	20	9	17	6	9	21	22	27	21	196
* Days with .04 in. or more.	6	12	5	17	6	16	5	6	13	17	20	15	138

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. Ashby Bolton [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2480

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Edgbaston (6 Carpenter Road).
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.12	.09	.47	–	.23	.17	.09	.01	–	.07	.09		1
2	.05	.01	.05	.07	–	.17	1.06	–	–	–	.08	–		2
3	–	–	–	–	.01	.22	.03	.06	.30	–	.01	.03		3
4	Trace	Trace	.10	–	–	.15	–	.01	.29	–	.07	.08		4
5	.24	.06	.02	–	–	Trace	.04	.06	.05	–	.01	.29		5
6	.03	–	.01	–	.18	.05	.21	.12	.15	–	.26	.04		6
7	.03	–	.06	–	–	Trace	.26	–	.23	Trace	.17	.03		7
8	.30	–	.06	–	–	–	–	–	.05	Trace	.41	.03		8
9	.45	–	.08	–	–	Trace	1.07	–	.11	.15	.02	.01		9
10	.03	–	.08	–	–	–	.23	.29	.01	–	.02	–		10
11	–	–	–	.09	–	.04	.16	.03	.11	–	.69	–		11
12	–	–	–	.03	.27	.40	.54	–	.41	–	.12	.14		12
13	–	–	–	.09	Trace	.20	Trace	Trace	–	.03	.01	.51		13
14	–	–	–	.24	.03	.05	.16	–	.34	.02	.04	.59		14
15	.07	Trace	–	.01	.11	.02	.18	–	.22	–	.08	.14		15
16	.10	.15	Trace	Trace	Trace	–	.08	–	–	–	.54	.01		16
17	.01	.73	Trace	–	–	–	.13	–	–	.10	.03	.28		17
18	–	.07	–	–	.02	.17	.39	.01	–	.12	–	.05		18
19	.60	.16	.04	.31	–	.06	.01	.06	–	.04	–	–		19
20	.02	.20	Trace	.03	–	.06	.01	–	.09	.01	–	–		20
21	–	Trace	.01	.19	–	.91	.02	–	–	–	.01	–		21
22	–	.75	.05	–	.11	–	.22	–	–	Trace	–	.04		22
23	–	.02	.53	.11	.09	–	.40	–	–	.02	–	.01		23
24	.21	.10	–	.01	.02	–	–	–	.04	.38	.01	–		24
25	.12	–	.20	.25	–	Trace	.24	–	.28	.04	–	–		25
26	.06	.11	.38	Trace	–	.03	.03	–	Trace	.07	.05	–		26
27	.15	Trace	.03	–	Trace	–	.01	–	.06	.22	–	–		27
28	.44	.10	.24	–	–	Trace	.05	–	Trace	.05	.01	.11		28
29	.03	.24	.09	–	–	.18	.21	–	–	.03	.02	.15		29
30	.05	✗	–	–	.14	.23	.11	–	–	.28	.01	–		30
31	.62	✗	.08	✗	.01	✗	.04	Trace	✗	.07	✗	.24		31
TOTAL	3.62	2.82	2.20	1.90	.99	3.17	6.06	.73	2.75	1.63	2.74	2.87	Year's Total 31.48	✓
* Days with .01 in. or more.	21	14	19	13	11	17	27	9	17	16	23	20	207	✓
* Days with .04 in. or more.	14	12	15	9	6	15	21	6	15	11	12	14	150	✓

† Spare column, no entries required.

(*Signed*) L. Ashby Bolton [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2480

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Edgbaston (6 Carpenter Road)

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.10	.02	Trace	.03	–	–	Trace	–	.13	–	.09	.50		1
2	.01	.08	.06	.56	–	–	–	–	–	–	.01	.23		2
3	–	.08	.10	–	Trace	.01	.05	–	.09	–	–	.04		3
4	.11	.17	.01	–	.05	–	–	.01	–	–	.01	.60		4
5	.12	–	.18	–	Trace	–	.02	.01	–	–	–	–		5
6	.14	.01	.05	.05	.10	–	.01	–	–	.03	–	.01		6
7	–	.64	.01	.16	Trace	Trace	–	–	.01	–	Trace	–		7
8	–	.09	–	.03	.08	Trace	.03	–	Trace	–	.37	Trace		8
9	–	.01	–	.05	.22	–	.39	–	.17	–	–	–		9
10	.04	.08	.55	.04	–	.10	.03	–	–	–	–	.11		10
11	–	.01	.40	–	.42	.25	.01	Trace	–	–	–	.11		11
12	.16	.37	.19	–	.32	.01	Trace	.11	.17	–	–	.37		12
13	.04	.03	.02	.15	.01	.08	–	.57	.16	–	–	–		13
14	–	.01	.08	.05	Trace	–	–	.17	.03	–	.02	.12		14
15	.18	.07	–	.26	–	–	1.17	.03	.12	–	–	.02		15
16	.01	.23	.54	.40	–	Trace	–	.18	.12	–	.02	–		16
17	.19	.05	.32	.16	–	.01	–	.01	.17	Trace	–	–		17
18	.55	.08	.10	.03	–	–	.03	–	.52	–	.30	.05		18
19	.02	.05	.08	.10	–	.13	.33	–	Trace	–	.07	–		19
20	.31	.05	–	.37	.26	–	–	–	–	.01	–	–		20
21	.13	.21	.02	.08	.01	–	.28	–	–	–	.01	.11		21
22	.16	.05	.10	.01	.11	.09	.23	–	–	.46	.28	.02		22
23	.30	.01	.01	–	.38	–	.04	–	–	.34	.12	–		23
24	.28	.22	.06	Trace	.03	–	–	–	.05	.26	–	.02		24
25	.06	.37	–	–	.02	–	Trace	–	.05	.60	.01	–		25
26	–	.42	.07	–	.53	–	–	–	–	Trace	Trace	.02		26
27	Trace	.45	–	.21	–	–	–	–	–	.78	–	–		27
28	–	.08	.01	–	–	.06	–	–	–	.04	–	.05		28
29	.03	×	–	–	–	.02	–	–	–	.03	.09	.01		29
30	.35	×	–	–	–	.01	–	.08	–	.06	.07	.01		30
31	.28	×	–	×	–	×	–	–	×	.11	×	.01		31
													Year's Total	
TOTAL	3.57	4.04	2.96	2.74	2.54	.77	2.62	1.17	1.77	2.72	1.57	2.41	28.88	✓
* Days with .01 in. or more.	22	27	21	18	14	11	13	9	13	11	14	19	192	✓
* Days with .04 in. or more.	18	20	15	14	10	6	7	5	11	8	8	11	133	✓

† Spare column, no entries required.

(*Signed*) L. Ashby Bolton [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 2480

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Edgbaston (6 Carpenter Road)
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	Trace	–	–	.58	Trace	–	Trace	.20	.07	.22		1
2	Trace	–	–	.05	.02	.18	–	–	–	.14	–	.01		2
3	.02	–	–	–	.12	.02	.19	–	.01	.53	–	.01		3
4	.01	–	–	Trace	–	.04	.03	.28	–	.15	.01	.27		4
5	–	–	–	–	–	.01	.12	.64	.05	.05	.01	.02		5
6	.01	.02	–	–	–	.04	.37	.01	.07	.10	–	.01		6
7	.02	–	–	–	–	–	.40	.14	.08	.15	–	.02		7
8	.47	–	–	–	–	–	.13	.30	–	.25	–	.05		8
9	.06	.07	–	–	–	.08	.06	.75	–	Trace	–	.55		9
10	.01	.04	–	–	–	.10	.35	.11	–	Trace	–	.12		10
11	.46	.03	–	–	–	–	Trace	.01	.01	.02	.16	.05		11
12	.20	–	–	–	.12	–	.01	.01	–	.25	.53	Trace		12
13	–	Trace	–	–	.02	–	–	–	–	.01	.07	.60		13
14	.28	Trace	–	–	.01	–	.65	–	.04	–	–	.01		14
15	.13	–	–	–	.07	–	.16	.01	–	–	Trace	.44		15
16	.24	–	Trace	–	–	–	.01	.01	–	.07	.04	.09		16
17	–	.03	–	–	.29	–	.01	–	.01	.10	.01	.02		17
18	.03	–	–	–	.18	.37	–	.04	.31	.02	.33	–		18
19	–	–	–	–	–	Trace	–	.14	.01	–	.06	.03		19
20	.01	–	–	–	–	–	–	–	.03	–	.30	.23		20
21	.01	–	–	Trace	–	–	–	.01	.04	–	.08	.13		21
22	–	–	–	.04	–	.06	–	Trace	–	–	.36	–		22
23	–	–	–	Trace	.02	Trace	–	–	.10	.01	.01	–		23
24	.04	–	.15	–	.18	Trace	–	.01	.08	–	.02	.07		24
25	.04	.21	.07	–	.03	Trace	.06	.01	.03	.17	.43	.08		25
26	.03	.40	.18	–	.03	–	–	.14	.04	.26	.01	.30		26
27	.06	.01	Trace	–	.14	.19	.29	.38	.21	.03	.45	–		27
28	.12	.02	–	–	.09	.17	.06	.55	.15	.01	.04	.13		28
29	.49	×	Trace	Trace	.43	–	.01	–	–	.05	.16	.13		29
30	.08	×	–	–	Trace	.22	–	–	.60	–	.30	.20		30
31	.18	×	–	×	.18	×	Trace	–	×	.15	×	.27		31
TOTAL	3.00	.83	.40	.09	1.93	2.06	2.91	3.55	1.87	2.72	3.45	4.06	Year's Total 26.87	✓
* Days with .01 in. or more.	23	9	3	2	16	13	17	19	18	21	21	26	188	✓
* Days with .04 in. or more.	14	4	3	2	10	11	12	11	12	15	15	18	127	✓ 12

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. Ashby Bolton

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2480

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Edgbaston (Carpenter Road).
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 480 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	–	.07	.19	.07	–	–	–	.02	.03	Trace	.02		1
2	.09	–	Trace	.03	–	–	.03	.39	.57	–	.02	.01		2
3	.26	–	–	.35	–	–	–	.30	–	Trace	.13	.35		3
4	.09	–	.31	.39	.06	–	.47	.12	Trace	.35	.07	.17		4
5	–	.01	–	.18	.25	–	.18	.12	–	.11	.42	.08		5
6	.71	–	–	–	–	–	.46	.01	–	–	.13	–		6
7	.02	.05	Trace	–	–	–	.24	Trace	–	–	.28	.41		7
8	.01	.12	.31	–	–	–	.41	.08	–	.45	.16	.41		8
9	.01	.07	–	–	–	–	.01	.20	–	.38	.05	.21		9
10	.55	–	.04	–	–	Trace	Trace	.13	.07	.15	–	.01		10
11	.03	.02	.19	–	–	.08	–	.03	–	.02	Trace	.01		11
12	.01	.02	–	–	Trace	.02	–	Trace	Trace	Trace	.01	–		12
13	Trace	–	.01	.08	.01	.01	.16	–	.10	.07	–	–		13
14	.52	–	.03	.11	.20	.19	.11	–	–	.08	.09	–		14
15	.59	–	.01	.03	.11	.38	.49	–	.02	.15	.16	–		15
16	.15	Trace	.04	–	.32	.06	.01	–	–	.06	.20	–		16
17	.58	.04	Trace	.02	.03	.03	.09	–	–	1.00	.07	–		17
18	.26	.07	.09	–	–	.10	.05	–	–	.03	.57	–		18
19	.17	–	Trace	–	–	–	.24	–	Trace	Trace	Trace	.01		19
20	.15	–	.01	–	.01	.04	.07	.04	Trace	Trace	–	.01		20
21	.12	.23	.22	.02	.08	.05	.04	.10	.06	–	–	–		21
22	.37	.25	.02	.08	–	.14	.10	–	.01	.02	.33	–		22
23	.05	–	.01	.10	–	.04	.12	–	–	.06	.70	–		23
24	.16	Trace	Trace	.14	–	.01	.32	–	–	.15	–	–		24
25	.55	.08	.01	.01	Trace	.03	.04	–	Trace	.02	.33	.01		25
26	.03	–	.01	.03	–	–	–	.01	Trace	Trace	.38	.03		26
27	.01	.21	.10	.01	–	.03	.10	Trace	–	.04	.07	.10		27
28	.01	.14	.13	Trace	–	.33	.13	.02	–	Trace	.17	.03		28
29	–	✕	–	.12	–	Trace	.24	.77	–	.17	.07	–		29
30	–	✕	–	.14	–	.20	Trace	.01	–	–	.09	–		30
31	–	✕	–	✕	–	✕	.04	.09	✕	.01	✕	.03		31
TOTAL	5.59	1.31	1.61	2.03	1.14	1.74	4.15	2.42	.85	3.35	4.50	1.90	Year's Total 30.59	
* Days with .01 in. or more.	26	13	18	18	10	17	24	16	7	20	22	17	208	
* Days with .04 in. or more.	18	10	10	11	7	11	21	10	4	14	20	7	144	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. Ashby Bolton

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2680

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at 6 Carpenter Road Edgbaston

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 680 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	.06	Trace	Trace	—	—	—	—	.15	.01		1
2	.01	Traces	—	.33	—	—	.08	—	—	—	.80	.02		2
3	—	.25	—	.03	—	—	Trace	—	—	.14	.94	.09		3
4	—	.11	—	.26	—	—	.04	—	Trace	.09	.20	.08		4
5	—	.05	—	—	.02	—	.09	—	—	.11	.71	.17		5
6	.08	.22	—	—	—	—	.03	—	—	.56	.20	.02		6
7	.01	.24	—	.02	.02	—	.16	—	.03	Traces	Trace	.02		7
8	—	Trace	—	.02	Trace	—	.11	—	Trace	.23	.09	.14		8
9	—	—	Trace	—	—	.13	.08	.08	Trace	.12	.30	.30		9
10	—	—	.10	—	—	Trace	.59	Traces	Traces	.02	.15	.27		10
11	—	—	.03	.01	—	—	.25	—	—	—	.54	.10		11
12	—	Trace	.09	—	—	.03	.12	Trace	.07	—	Trace	.02		12
13	—	.03	.47	.03	—	—	—	Trace	.06	—	—	.07		13
14	—	—	.06	.10	.63	—	—	.03	.13	.08	.05	.35		14
15	—	—	.03	.05	.26	Trace	—	—	.06	.14	.10	.02		15
16	.07	.27	.27	.02	—	Trace	.10	—	.11	.46	.62	.02		16
17	—	.03	.21	—	—	—	.09	—	—	—	.15	.01		17
18	.12	.48	.24	.30	—	—	—	.05	.10	.13	.05	.06		18
19	—	.21	.08	.38	—	—	.28	Traces	.10	.01	.18	.01		19
20	—	.02	Trace	.03	—	Trace	.15	.02	—	.34	.01	—		20
21	.01	.01	.01	—	.49	.19	.10	—	—	.01	1.27	—		21
22	—	—	.02	.02	.39	.17	—	.03	.12	—	.01	—		22
23	—	.09	.02	.14	.07	.11	—	—	.02	.03	.01	.03		23
24	—	—	—	—	—	—	.08	Trace	—	.01	.01	.03		24
25	.02	—	—	.04	.01	Trace	.11	—	—	.01	—	—		25
26	1.09	.14	.03	.81	.09	.01	.22	Trace	—	—	.01	—		26
27	.49	.20	—	1.13	—	—	.56	.01	.01	—	.02	—		27
28	.51	.31	—	.04	.40	.03	—	—	—	—	—	—		28
29	.01	.01	.10	.15	—	.11	.02	—	—	Trace	—	.17		29
30	.04	✕	—	.49	.01	—	—	—	—	.59	.01	.02		30
31	.07	✕	.05	✕	.01	✕	—	—	✕	.96	✕	.02		31
TOTAL	2.51	2.67	1.81	4.46	2.40	.78	3.26	.22	.81	4.04	6.58	2.05	Year's Total 31.59	
* Days with .01 in. or more.	13	17	16	22	12	8	20	6	11	19	24	24	192	
* Days with .04 in. or more.	8	12	10	14	7	5	18	2	8	13	17	11	125	

† Spare column, no entries required.

(Signed) L. Ashby Bolton

* See Instruction 3 (f) on other side.

P.T.O.

2481

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGIS

Kept at Rotton Par

in the County of Warw

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform

year in the space on the right of

ng

Jan. 1, following

2481

BIRMINGHAM, ICKNIELD PORT

1931 — 40

780408

Date	Jan.	Feb.	March							ov.	Dec.	Date
	in.	in.	in.							n.	in.	
1	·01	·01	·	·04	·02	·07	·	·	·24	·	·	·	1
2	·06	·14	·	·64	·02	·02	·	·04	·36	·01	·02	·09	2
3	·16	·	·	·04	·	·	·	·	·82	·01	·40	·07	3
4	·	·	·	·22	·	·	·42	·17	·14	·	·08	·	4
5	·	·05	·	·14	·05	1·10	·02	·01	·04	·	·	·21	5
6	·	·14	·	·03	·	·09	·	·01	·03	·32	·21	·	6
7	·	·01	·	·	·01	·	·07	·64	·	·02	·11	·	7
8	·06	·05	·	·09	·	·06	·04	·98	·	·01	·22	·	8
9	·01	·36	·	·02	·	·08	·	·03	·	·	·38	·	9
10	·	·	·	·	·01	·05	·01	·13	·10	·	·21	·	10
11	·15	·30	·	·	·	·01	·	·	·11	·	·18	·	11
12	·03	·13	·	·	·	·	·81	·07	·31	·04	·	·	12
13	·	·	·	·	·	·	·02	·13	·	·	·	·	13
14	·	·06	·01	·	·03	1·14	·40	1·30	·03	·	·54	·	14
15	·	·12	·	·12	·08	·	·10	·16	·01	·	·	·03	15
16	·13	·12	·	·27	·41	·59	·	·04	·11	·	·	·	16
17	·09	·08	·	·24	1·01	·11	·02	·	·	·	·04	·	17
18	·10	·01	·	·25	·	·25	·21	·17	·	·	·30	·	18
19	·01	·05	·	·16	·	·11	·29	·10	·	·	·	·	19
20	·	·10	·08	·	·	·	·06	·40	·	·01	·01	·03	20
21	·12	·	·	·01	·59	·	·	·	·	·	·12	·	21
22	·14	·	·04	·	·	·	·	·10	·	·	·01	·	22
23	·13	·01	·	·26	·43	·10	·01	·03	·	·	·22	·22	23
24	·01	·	·	·09	·36	·	·05	·	·01	·	·01	·	24
25	·02	·	·	·94	·	·	·29	·	·	·	·05	·	25
26	·07	·	·	·16	·	·	·02	·	·	·	·31	·	26
27	·08	·66	·	·06	·49	·	·01	·	·	·02	·09	·02	27
28	·15	·12	·	·15	·31	·	·	·	·	·04	·01	·15	28
29	·05	·	·	·02	·09	·	·12	·	·	·39	·	·	29
30	·	×	·	·	·	·	·	·	·	·	·	·	30
31	·36	×	·	×	·03	×	·	·	×	·	×	·01	31
TOTAL	1·94	2·55	·13	3·98	3·94	3·78	2·94	4·51	2·31	·87	3·52	·83	YEAR'S TOTAL 31·33
*Days with ·01 in. or more.	21	19	3	21	16	14	19	18	13	10	21	9	184
*Days with ·04 in. or more.	15	15	2	14	10	12	12	14	9	4	16	5	131

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Muir White
Engineer.

[P.T.O.

2481

Section **A** for the entry … FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rotton Park Reservoir

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·	·04	·02	·07	·	·	·24	·	·	·	1
2	·06	·14	·	·64	·02	·02	·	·04	·36	·01	·02	·09	2
3	·16	·	·	·04	·	·	·	·	·82	·01	·40	·07	3
4	·	·	·	·22	·	·	·42	·17	·14	·	·08	·	4
5	·	·05	·	·14	·05	1·10	·02	·01	·04	·	·	·21	5
6	·	·14	·	·03	·	·09	·	·01	·03	·32	·21	·	6
7	·	·01	·	·	·01	·	·07	·64	·	·02	·11	·	7
8	·06	·05	·	·09	·	·06	·04	·98	·	·01	·22	·	8
9	·01	·36	·	·02	·	·08	·	·03	·	·	·38	·	9
10	·	·	·	·	·01	·05	·01	·13	·10	·	·21	·	10
11	·15	·30	·	·	·	·01	·	·	·11	·	·18	·	11
12	·03	·13	·	·	·	·	·81	·07	·31	·04	·	·	12
13	·	·	·	·	·	·	·02	·13	·	·	·	·	13
14	·	·06	·01	·	·03	1·14	·40	1·30	·03	·	·54	·	14
15	·	·12	·	·12	·08	·	·10	·16	·01	·	·	·03	15
16	·13	·12	·	·27	·41	·59	·	·04	·11	·	·	·	16
17	·09	·08	·	·24	1·01	·11	·02	·	·	·	·04	·	17
18	·10	·01	·	·25	·	·25	·21	·17	·	·	·30	·	18
19	·01	·05	·	·16	·	·11	·29	·10	·	·	·	·	19
20	·	·10	·08	·	·	·	·06	·40	·	·01	·01	·03	20
21	·12	·	·	·01	·59	·	·	·	·	·	·12	·	21
22	·14	·	·04	·	·	·	·	·10	·	·	·01	·	22
23	·13	·01	·	·26	·43	·10	·01	·03	·	·	·22	·22	23
24	·01	·	·	·09	·36	·	·05	·	·01	·	·01	·	24
25	·02	·	·	·94	·	·	·29	·	·	·	·05	·	25
26	·07	·	·	·16	·	·	·02	·	·	·	·31	·	26
27	·08	·66	·	·06	·49	·	·01	·	·	·02	·09	·02	27
28	·15	·12	·	·15	·31	·	·	·	·	·04	·01	·15	28
29	·05	·	·	·02	·09	·	·12	·	·	·39	·	·	29
30	·	×	·	·	·	·	·	·	·	·	·	·	30
31	·36	×	·	×	·03	×	·	·	×	·	×	·01	31
TOTAL	1·94	2·55	·13	3·98	3·94	3·78	2·97	4·51	2·31	·87	3·52	·83	YEAR'S TOTAL 31·33
*Days with ·01 in. or more.	21	19	3	21	16	14	19	18	13	10	21	9	184
*Days with ·04 in. or more.	15	15	2	14	10	12	12	14	9	4	16	5	131

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A. Muir White
Engineer.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2481

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rotton Park Reservoir

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft → in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.02	.	.06	1.01	.09	.01	.26	.	.15	.04	.	1
2	.04	.	.	.12	.38	.	.	.01	.18	.11	.	.10	2
3	.	.01	.	.20	.08	.	.	.	.01	.07	.	.05	3
4	.03	.	.	.35	.	.	.	.	.	.	.46	.	4
5	.38	.	.05	.03	.08	.	.	.	.10	.	.	.	5
6	.38	.	.06	.40	.	.	.01	.	.46	.	.	.	6
7	.	.	.25	.25	.	.	.	.	.02	.26	.	.	7
8	.	.	.01	.05	.	.	.	.	.50	.49	.	.	8
9	.23	.07	.	.	.	.	.	.	.	.	.	.	9
10	.31	.02	.	.15	.08	.23	.	.	.19	.27	.	.	10
11	.	.08	.	.05	.09	.	.11	.	.01	.18	.01	.02	11
12	.25	.	.	.	.19	.	.	.	.08	.26	.03	.	12
13	.02	.06	.	.10	03	.	.70	.01	.	.01	.01	.04	13
14	.19	.	.	.02	.	.	.17	.12	.	.06	.11	.01	14
15	.	.	.	.02	1.01	.	.	.	.	.03	.	.02	15
16	.22	.	.	.11	09	.	.01	.	.	.	.	.	16
17	.	.	.	.	.	.	03	.	.02	.07	.	.	17
18	.	.	.	.	.05	.	01	.	.02	.02	.08	.	18
19	.	.	.	.14	.04	.	.	.	:	.22	.01	.	19
20	.	.	.	.07	.70	.	.01	.79	.	.45	.09	.	20
21	.	.	.13	.21	1.31	.	.	.15		.26	.05	.11	21
22	.	.	.19	.07	.01	.	.14	.	.61	.05	.22	.01	22
23	.	.02	.	.	.34	.	.01	.	.08	.03	.07	.02	23
24	.02	.	.	.	.03	.13	.03	.	.09	.02	.36	.	24
25	.	.02	.	.	.02	.	.08	.	.06	.08	.06	.01	25
26	.	.	.03	.39	.20	.	.09	.	.02	.01	.04	.	26
27	.	.	.58	.17	.40	.	.02	1.28	.	.	.09	.01	27
28	.	.	.09	.03	35	.29	13	.01	.	.	.	.01	28
29	.	.	.21	.22	.10	.11	.05	.10	.18	.33	.03	11	29
30	.01	×	.09	.07	.	.83	.53	.	.39	.18	.28	.14	30
31	.	×	.04	×	.	×	.29	.	×	.01	×	.27	31
TOTAL	2.10	.30	1.73	3.28	6.59	1.68	2.43	2.73	3.02	3.56	2.04	.93	YEAR'S TOTAL 30.39
*Days with ·01 in. or more.	13	8	12	23	22	6	19	9	18	24	18	15	187
*Days with .04 in. or more.	8	3	10	19	18	6	10	6	12	16	13	7	128

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. Muir White

P.T.O.

Birmingham (Icknield Port) £737558/26

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2481

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Warwicks/4

Kept at Rotton Park Reservoir

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 490 ft.

cf. 2477-2480

late np '37

good agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·34	·62	·03	·	·	·	·	·	·	·	·03	·		1
2	·15	·	·25	·	·01	·01	·	·	·	·	·	·		2
3	·	·12	·07	·	·09	·	·	·	·	·	·02	·		3
4	·11	·01	·04	·	·30	·	·	·	·	·	·	·		4
5	·06	·06	·24	·	·13	·	·	·	·	·	·01	·		5
6	·	·29	·03	·	·11	·	·	·	·	·09	·	·		6
7	·06	·19	·04	·	·	·	·	·	·	·14	·	·		7
8	·02	·	·12	·	·10	·	·59	·	·	·01	·	·		8
9	·	·	·	·	·09	·	·22	·	·	1·34	·01	·		9
10	·06	·35	·	·	·	·01	·	·	·	1·57	·05	·		10
11	·01	·	·	·	·02	·	·28	·	·	·01	·	·		11
12	·	·	·	·	·	·01	·07	·	·01	·	·	·02		12
13	·	·	·	·	·20	·01	·27	·	·04	·05	·28	·		13
14	·05	·	·	·	·	·	·07	·01	·	·11	·27	·		14
15	·61	·	·01	·	·	·16	·07	·12	·	·01	·08	·05		15
16	·09	·	·75	·	·01	·10	·31	·	·	·15	·03	·01		16
17	·11	·	·37	·	·	·17	·01	·01	·06	·	·02	·		17
18	·04	·01	·04	·	·	·21	·	·	·	·	·02	·		18
19	·	·01	·34	·	·	·17	·	·	·04	·	·03	·		19
20	·	·02	·03	·	·	·21	·	·02	·06	·	·01	·		20
21	·	·	·	·	·	·12	·	·19	·	·02	·01	·		21
22	·	·	·	·	·	·19	·	·34	·	·25	·	·		22
23	·	·	·	·17	·	·03	·	·	·06	·26	·	·		23
24	·	·43	·	·15	·04	·52	·	·	·17	·03	·01	·		24
25	·	·62	·	·12	·	·17	·	·	·11	·	·	·05		25
26	·	·69	·	·08	·08	·	·	·	·03	·33	·	·01		26
27	·	·01	·	·	·25	·	·	·	·04	·07	·	·05		27
28	·	·	·	·17	·69	·	·	·	·01	·03	·	·09		28
29	·02	×	·01	·01	·	·	·27	·	·	·06	·	·01		29
30	·02	×	·04	·	·	·	·01	·	·	·07	·	·14		30
31	·06	×	·41	×	·	×	·	·	×	·36	×	·		31
TOTAL	1·81	3·43	2·82	·70	2·12	2·09	2·17	·69	·63	4·96	·88	·43	Year's Total 22·73.	
*Days with ·01 in. or more.	16	14	17	6	14	15	11	6	11	20	15	9	154	
*Days with ·04 in. or more.	12	9	12	5	11	10	9	3	8	14	4	5	102	

65 print

Print of

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) ~~A. Muir White~~ Supt CE

Engineer.

Birmingham Canal Navigation

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2481

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rotton Park Reservoir

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·	·	·		·	·	·	·06	·01	·10	·26		1
2	·02	·	·08	·	·	·	·	·17	·37	·	·04	·10		2
3	·03	·06	·	·	·	·	·	·	·02	·09	·01	·		3
4	·08	·	·07	·02	·	·	·	·02	·02	·04	·06	·43		4
5	·	·	·18	·01	·05	·	·	·	·	·	·17	·02		5
6	·01	·	·	·01	·18	·03	·	·50	·	·11	·	·49		6
7	·17	·	·	·	·26	·11	·	·01	·	·08	·	·29		7
8	·	·	·	·	·	·	·	·11	·	·	·18	·07		8
9	·	·	·17	·04	·05	·	·	·02	·01	·	·62	·37		9
10	·05	·02	·15	·29	·	·	·	·08	·	·	·18	·		10
11	·95	·	·05	·16	·	·	·	·13	·	·	·02	·23		11
12	·	·	·21	·01	·	·	·15	·31	·	·	·01	·01		12
13	·64	·	·03	·13	·	·	·28	·23	·	·02	·	·08		13
14	·03	·	·30	·	·	·02	·	·04	·01	·12	·28	·12		14
15	·10	·	·13	·	·01	·	·05	·	·05	·47	·28	·15		15
16	·17	·	·10	·	·14	·	·	·	·	·06	·05	·01		16
17	·03	·	·06	·	·03	·	·08	·01	·32	·05	·01	·07		17
18	·22	·	·	·26	·04	·	·08	·01	·03	·	·	·01		18
19	·	·	·18	·03	·	·11	·	·02	·	·01	·	·07		19
20	·	·	·07	·03	·	·	·	·	·	·	·	·		20
21	·	·	·01	·	·	·21	·	·01	·	·05	·	·		21
22	·02	·	·01	·	·01	·	·	·11	·24	·01	·	·26		22
23	·	·	·02	·30	·08	·12	·06	·20	·	·	·01	·03		23
24	·	·18	·11	·01	·08	·06	·01	·09	·21	·	·	·		24
25	·18	·01	·	·06	·04	·14	·	·	·	·24	·	·40		25
26	·21	·	·05	·01	·04	·01	·	·	·01	·06	·01	·01		26
27	·02	·	·	·35	·	·09	·	·	·	·08	·01	·15		27
28	·	·	·	·49	·	·08	·	·	·	·	·07	·32		28
29	·	×	·	·	·	·	·31	·15	·58	·02	·	·03		29
30	·03	×	·	·	·	·	·01	·01	·01	·	·	·30		30
31	·01	×	·	×	·	×	·	·01	×	·17	×	·13		31
													Year's Total	
TOTAL	2·99	·27	1·98	2·21	·89	·98	1·03	2·24	1·94	1·69	2·11	4·41	22·74	
*Days with ·01 in. or more.	20	4	19	17	11	11	9	21	14	18	18	26	188	
*Days with .04 in. or more.	10	2	15	9	8	8	7	12	7	13	11	19	121	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. Mann White

Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2481

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rotton Park Res: Birmingham

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·03	·	·01	·01	·04	·02	·	·16	·20	·21	·02		1
2	·	·01	·	·	·	·09	·	·	·08	·20	·01	·10		2
3	·	·27	·10	·	·	[illegible]	·	·	·07	·01	·19	·18		3
4	·	·01	·	·23	·	·07	·	·	·	·33	·03	·09		4
5	·	·60	·15	·09	·	·	·04	·	·01	·04	·08	·01		5
6	·	·	·01	·31	·	·29	·	·	·	·	·01	·		6
7	·	·	·	·20	·	·07	·	·	·	·12	·29	·16		7
8	·	·	·	·25	·	·13	·	·36	·	·15	·15	·08		8
9	·	·	·	·26	·	·33	·	·	·	·28	·24	·01		9
10	·	·	·	·05	·	·	·	·	·	·	·15	·		10
11	·26	·	·	·	·	·05	·	·	·	·01	·22	·02		11
12	·11	·	·	·	·	·04	·	·07	·	·	·01	·		12
13	·16	·07	·	·16	·18	·	·	·	·	·01	·	·		13
14	·01	·	·01	·	·05	·	·	·	·04	·	·76	·09		14
15	·	·02	·	·66	·08	·07	·	·	·20	·	·24	·08		15
16	·	·05	·12	·23	·	·	·	·	·61	·34	·53	·16		16
17	·		·	·13	·	·23	·02	·	·01	·05	·91	·01		17
18	·	·	·	·26	·02	·06	·09	·	·13	·10	·03	·		18
19	·	·	·	·11	·77	·26	·07	·	·02	·05	·29	·02		19
20	·02	·38	·	·16	·03	·06	·17	·	·04	·	·45	·		20
21	·	·26	·01	·02	·	·	·	·	·69	·01	·11	·		21
22	·	·14	·	·08	·	·	·	·	·02	·	·	·		22
23	·02	·01	·16	·02	·	·	·	·56	·11	·47	·	·		23
24	·17	·31	·	·	·	·	·	·	·84	·06	·	·48		24
25	·40	·14	·	·08	·	·45	·	·	·	·	·	·07		25
26	·01	·03	·	·	·	·	·	·59	·16	·	·02	·40		26
27	·	·16	·	·	·	·	·	·	·24	·07	·18	·89		27
28	·05	·07	·	·	·62	·	·	·16	·07	·10	·06	·18		28
29	·01	×	·05	·	·	·	·	·	·04	·12	·05	·19		29
30	·02	×	·	·10	·	·01	·	·31	·08	·22	·44	·13		30
31	·	×	·	×	·	×	·	·01	×	·40	×	·23		31
													Year's Total	
TOTAL	1·26	2·56	·61	3·41	1·76	2·25	·41	2·06	3·62	3·34	5·66	3·60	30·54	
* Days with .01 in. or more.	13	17	8	20	8	16	6	7	20	22	25	22	184	
* Days with .04 in. or more.	6	11	5	17	5	15	4	6	16	18	19	16	138	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Muir White
Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2481

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rotton Park Reservoir, B'ham

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·10	·13	·51	·	·18	·19	·10	·	·	·07	·08		1
2	·09	·01	·06	·06	·	·21	1·34	·	·	·	·03	·		2
3	·01	·	·	·	·	·26	·12	·02	·34	·	·07	·01		3
4	·	·	·12	·	·	·14	·	·	·18	·	·11	·07		4
5	·13	·06	·01	·	·	·	·02	·06	·28	·	·	·31		5
6	·05	·	·	·	·18	·04	·18	·08	·17	·	·26	·03		6
7	·03	·	·05	·	·	·01	·28	·	·24	·	·15	·03		7
8	·25	·	·05	·	·	·	·	·	·10	·	·35	·04		8
9	·43	·	·10	·	·	·	1·57	·	·08	·04	·01	·01		9
10	·03	·	·12	·	·	·	·30	·25	·04	·	·03	·		10
11	·	·	·	·06	·	·02	·25	·13	·06	·	·71	·		11
12	·	·	·	·04	·20	·52	·46	·	·50	·	·18	·11		12
13	·	·	·	·08	·	·24	·	·	·01	·02	·01	·50		13
14	·	·	·	·24	·	·07	·16	·	·41	·01	·02	·57		14
15	·03	·	·	·02	·14	·03	·13	·	·37	·	·11	·10		15
16	·12	·13	·	·	·	·	·06	·	·	·	·55	·		16
17	·	·72	·	·	·	·	·14	·	·	·06	·04	·21		17
18	·	·04	·	·	·03	·25	·34	·01	·	·17	·	·10		18
19	·54	·20	·03	·28	·	·05	·	·06	·	·04	·	·		19
20	·01	·18	·	·18	·	06	·	·	·06	.01	-	·		20
21	·	·	·01	·18	·	·96	·01	·	·	·	·	·		21
22	·	·83	·04	·	·13	·	·12	·	·	·	·	·06		22
23	·	·04	·55	·09	·09	·	·44	·	·	·01	·	·		23
24	·20	·10	·	·01	·02	·	·	·	·08	·46	·	·		24
25	·12	·	·11	·27	·	·	·21	·	·30	·01	·01	·		25
26	·01	·10	·57	·	·	·02	·01	·	·	·09	·07	·		26
27	·13	·01	·01	·	·	·	·01	·	·06	·21	·	·		27
28	·40	·10	·11	·	·	·	·02	·	·	·05	·	·11		28
29	·12	·29	·20	·	·	·15	·21	·	·	·02	·02	·13		29
30	·05	✕	·	·	·13	·09	·10	·	·	·28	·01	·01		30
31	·57	✕	·04	✕	·	✕	·04	·	✕	·03	✕	·09	Year's Total	31
TOTAL	3·33	2·91	2·31	2·02	·92	3·30	6·71	·71	3·28	1·51	2·81	2·57	3238	✓
* Days with .01 in. or more.	21	15	18	13	8	18	25	8	17	16	20	19	198	✓
* Days with .04 in. or more.	14	13	14	11	6	14	20	6	16	9	12	14	149	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Muir White
Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2481

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Rotton Park, Birmingham

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·31	·01	·	·01	·	·	·	·	·12	·	·08	·60		1
2	·01	·03	·05	·64	·	·	·	·	·	·	·01	·35		2
3	·	·08	·09	·	·	·01	·03	·	·02	·	·	·08		3
4	·11	·17	·01	·	·05	·	·	·01	·	·	·	·60		4
5	·13	·	·23	·01	·	·	·	·01	·	·	·	·		5
6	·16	·01	·03	·	·09	·	·	·	·	·01	·01	·		6
7	·01	·66	·	·19	·	·	·	·	·01	·	·	·		7
8	·	·11	·	·02	·01	·	·01	·	·	·	·34	·		8
9	·	·01	·	·04	·27	·	·39	·	·21	·	·	·		9
10	·01	·07	·50	·03	·	·17	·05	·	·	·	·	·10		10
11	·	·01	·38	·	·42	·37	·01	·		·	·	·16		11
12	·12	·39	·19	·	·32	·	·	·	·17	·	·	·30		12
13	·03	·03	·	·16	·01	·05	·	·54	·41	·	·	·04		13
14	·	·01	·11	·07	·	·	·	·22	·01	·	·01	·12		14
15	·16	·04	·01	·29	·	·	1·28	·02	·10	·	·	·01		15
16	·01	·18	·36	·41	·	·	·	·16	·12	·	·	·		16
17	·15	·03	·35	·16	·	·	·	·	·10	·	·	·		17
18	·59	·08	·09	·01	·	·	·06	·	·51	·	·35	·04		18
19	·02	·09	·09	·10	·	·12	·32	·	·01	·	·06	·		19
20	·29	·02	·	·40	·27	·	·	·		·	·	·01		20
21	·12	·19	·01	·07	·01	·	·27	·	·	·	·	·10		21
22	·14	·05	·10	·	·08	·13	·10	·	·	·41	·41	·02		22
23	·29	·01	·01	·	·30	·	·16	·	·	·39	·16	·		23
24	·25	·30	·05	·	·03	·	·01	·	·06	·24	·	·01		24
25	·04	·34	·	·	·01	·	·	·	·06	·51	·	·01		25
26	·	·40	·09	·	·57	·	·	·	·	·	·	·03		26
27	·	·44	·	·23	·	·	·	·	·	·85	·	·		27
28	·	·18	·	·	·	·03	·	·	·	·04	·	·03		28
29	·01	·	·	·	·	·02	·	·	·	·03	·08	·01		29
30	·33	✕	·	·	·	·	·	·08	·	·17	·04	·		30
31	·28	✕	·	✕	·	✕	·	·	✕	·13	✕	·01		31
TOTAL	3·57	3·94	2·75	2·84	2·44	·90	2·69	1·04	1·91	2·78	1·55	2·63	Year's Total ~~28·83~~	✓29·04
* Days with .01 in. or more.	23	27	19	17	14	8	12	7	14	10	11	20	182	✓ ✓
* Days with .04 in. or more.	16	17	14	12	9	5	8	4	10	8	8	11	122	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Muir White M. Inst. C.E.

Engineer

P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2481

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at ~~Rotton Park~~ Icknield Rd

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 459 ft.

Height to be used in BR 1938. SB

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·	·	·	·	·52	·	·	·01	·11	·06	·18		1
2	·	·	·	·07	·02	·30	·	·	·	·17	·	·04		2
3	·	·	·	·	·13	·02	·13	·	·	·60	·	·		3
4	·01	·	·	·	·	·05	·01	·34	·01	·09	·	·30		4
5	·	·	·	·	·	·	·09	·70	·01	·02	·	·		5
6	·	·	·	·	·	·04	·43	·	·12	·08	·	·		6
7	·02	·	·	·	·	·	·43	·16	·05	·08	·	·02		7
8	·42	·	·	·	·	·06	·14	·39	·01	·25	·	·04		8
9	·04	·07	·	·	·	·14	·01	·57	·	·	·	·50		9
10	·01	·05	·01	·	·	·	·36	·11	·	·	·	·09		10
11	·47	·04	·	·	·	·	·	·01	·01	·	·14	·06		11
12	·31	·	·	·	·11	·	·01	·01	·	·21	·28	·		12
13	·01	·	·	·	·01	·	·	·	·	·01	·30	·51		13
14	·22	·01	·	·	·	·	·55	·	·04	·	·	·		14
15	·03	·	·	·	·08	·	·20	·	·	·	·	·47		15
16	·32	·	·	·	·	·	·05	·01	·	·01	·03	·06		16
17	·	·02	·	·	·18	·	·	·	·	·08	·	·		17
18	·01	·	·	·	·18	·38	·	·02	·13	·01	·31	·		18
19	·	·	·	·	·	·	·	·14	·	·	·04	·04		19
20	·	·	·	·	·	·	·	·	·03	·	·31	·		20
21	·03	·	·	·	·	·	·	·	·04	·	·07	·23		21
22	·	·	·	·04	·	·02	·	·	·	·	·35	·19		22
23	·	·	·	·	·	·	·	·	·11	·	·	·02		23
24	·	·	·11	·	·13	·	·	·01	·09	·	·01	·01		24
25	·09	·18	·11	·	·04	·	·03	·01	·02	·20	·52	·03		25
26	·01	·44	·20	·	·06	·	·	·03	·02	·28	·	·32		26
27	·07	·02	·	·	·13	·19	·27	·32	·17	·02	·39	·		27
28	·11	·02	·	·	·08	·10	·05	·58	·21	·	·04	·14		28
29	·55		·	·	·43	·01	·01	·	·	·03	·12	·15		29
30	·08	✕	·	·	·01	·29	·	·	·69	·01	·28	·05		30
31	·18	✕	·	✕	·14	✕	·	·	✕	·12	✕	·41		31
TOTAL	2·99	·85	·43	·11	1·73	2·12	2·77	3·41	1·77	2·38	3·25	3·86	Year's Total 25·67	✓
* Days with .01 in. or more.	20	9	4	2	15	13	16	16	18	19	16	22	170	✓
* Days with .04 in. or more.	12	5	3	2	12	10	11	9	10	12	14	18	118	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. MuirWhite M Inst CE
Engineer

[P.T.O.

FORM 1090.

24 81

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.**

RAINFALL IN 1939

Icknield Port

At ~~Rotton Park~~

In the County of Warwickshire

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 459 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	5·34				
FEB.	1·25				
MAR.	1·53				
APRIL	1·88				
MAY	1·06				
JUNE	1·50				
JULY	3·94				
AUG.	2·64				
SEPT.	1·02				
OCT.	3·44				
NOV.	4·31				
DEC.	1·73				
TOTAL	29·64				

Signature H. Muir White

* See Instruction 3 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
Birmingham Canal Navigations
Engineer's Office, Sneyd House, Bloxwich

Hour of observation by the clock—in Winter 9 a.m. in Summer 9 a.m

Nearest Railway Station Icknield Port Road Distance 400 yds Direction from gauge N.

Nearest Parish Church at Christ Church Distance 350 yds. Direction from gauge N.W.

Nature of objects nearest to gauge	Store Shed	Factory	Reservoir dam.	
Height of objects	12' 0"	20' 8"	43' 0"	
Distances ...	64' 0"	150' 0"	250' 0"	
Directions from gauge ...	N.	S.E	W.	

If gauge has been moved during the year state—

Date of move ——— Distance ——— Direction ———

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M...
-7 FEB. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{l}17\\18\end{array}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 663/91
S.O. Code No. 40-9999

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations **Station No.** 2481

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at Rotton Park Reservoir (Birmingham Icknield Port)

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 490 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·	·	·08	·	·	·	·	·	·	·13	·		1
2	·	·	·	·28	·	·	·06	·	·	·	·93	·02		2
3	·	·37	·	·05	·	·	·	·	·	·15	·55	·09		3
4	·	·06	·	·27	·	·	·03	·	·	·09	·58	·		4
5	·	·	·	·	·	·	·05	·	·	·13	·60	·18		5
6	·10	·23	·	·	·	·	·	·	·	·70	·42	·		6
7	·	·20	·	·02	·01	·	·30	·	·04	·	·	·03		7
8	·	·	·	·05	·	·	·05	·	·	·23	·05	·19		8
9	·	·	·	·	·	·05	·05	·07	·	·12	·40	·34		9
10	·	·	·05	·	·	·	·56	·	·	·03	·14	·26		10
11	·	·	·03	·	·	·	·27	·	·	·	·53	·11		11
12	·	·01	·14	·	·	·02	·16	·	·07	·	·06	·		12
13	·	·01	·30	·04	·	·	·	·	·04	·		·		13
14	·	·	·12	·10	·53	·	·01	·	·12	·08	·06	·35		14
15	·	·	·16	·06	·38	·		·	·03	·11	·11	·		15
16	·03	·25	·35	·02	·	·	·09	·	·14	·51	·62	·02		16
17	·	·	·20	·	·	·	·11	·	·	·	·09	·		17
18	·14	·42	·15	·33	·	·	·	·05	·	·10	·16	·07		18
19	·	·12	·07	·41	·	·	·35	·	·19	·	·18	·		19
20	·	·	·	·01	·	·	·06	·01	·	·35	·05	·		20
21	·	·	·	·	·27	·03	·01	·01	·	·03	1·40	·		21
22	·	·	·01	·02	·62	·32	·	·	·10	·03	·	·		22
23	·	·26	·01	·15	·06	·08	·	·	·	·02	·	·		23
24	·01	·	·	·	·	·	·08	·	·	·	·	·		24
25	·	·	·	·02	·01	·	·15	·	·	·	·	·		25
26	1·01	·08	·02	·79	·07	·01	·15	·	·	·	·	·		26
27	·97	·21	·	1·23	·	·	·48	·	·01	·	·01	·		27
28	·	·28	·	·	·67	·	·	·	·	·	·	·02		28
29	·	·	·09	·18	·	·13	·01	·	·	·	·	·17		29
30	·19	×	·	·62	·02	·	·	·	·	·66	·	·02		30
31	·08	×	·03	×	·01	×	·	·	×	1·01	×	·		31
TOTAL	2·53	2·50	1·73	4·73	2·65	·64	3·03	·14	·74	4·35	7·07	1·87	Year's Total 31·98	✓
* Days with .01 in. or more.	8	13	15	20	11	7	20	4	9	17	20	14	158	✓
* Days with .04 in. or more.	6	11	10	15	7	4	16	2	7	13	19	9	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. Muir White
Engineer

[P.T.O.

X BIRMINGHAM (STE

2481/5

BIRMINGHAM, STECHFORD

1933 – 40

27040R

Section **A** for the en

AIR MIN

FORM 1090. **REC**

Station No. 2481/5

ORGANIZATION.

Warwick 4.

[illegible] 26/6/34

below

Kept at ~~The Birmingh~~

in the County of Wa

Diameter of Funnel of Gaug

Height of top of Gauge above

,, Ground ,,

THE MORNING M

An observer who does not conf ... *llowing year in the space on the righ*

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·25	·20	nil	nil	nil	nil	nil	nil	nil	·04	nil	1
2	·16	nil	·20	nil	·06	nil	nil	nil	nil	nil	·02	nil	2
3	nil	·11	·80	nil	·13	nil	nil	nil	nil	nil	·01	nil	3
4	·14	nil	·30	nil	·29	nil	nil	nil	nil	nil	nil	nil	4
5	·06	·04	·17	nil	·16	nil	nil	nil	nil	nil	·02	nil	5
6	nil	·23	·10	nil	·22	nil	nil	nil	nil	·08	nil	nil	6
7	·06	·24	nil	nil	·01	nil	·02	nil	nil	·12	nil	nil	7
8	·02	nil	·13	nil	·06	nil	·30	nil	nil	·01	nil	nil	8
9	nil	nil	nil	nil	·05	nil	·32	nil	nil	·47	·02	nil	9
10	·06	·13	nil	nil	·03	·02	nil	nil	nil	1·54	·04	nil	10
11	nil	nil	nil	nil	·02	nil	·17	nil	nil	·02	nil	nil	11
12	nil	nil	nil	nil	nil	·10	·11	nil	·03	nil	nil	·03	12
13	nil	nil	nil	nil	·16	·07	·27	nil	·01	·05	·28	nil	13
14	nil	nil	nil	nil	·01	nil	·04	·04	nil	·03	·19	nil	14
15	·60	nil	nil	nil	nil	·29	·30	·03	nil	·01	·12	·05	15
16	·03	nil	·69	·01	·01	·08	·04	·01	nil	·04	·04	nil	16
17	·01	nil	·33	nil	nil	·07	nil	·01	·03	nil	·04	nil	17
18	·07	nil	·04	nil	nil	·13	·02	nil	nil	nil	·01	nil	18
19	nil	nil	·21	nil	nil	·20	nil	nil	·02	nil	·02	nil	19
20	nil	·10	nil	nil	nil	·21	nil	·02	·04	·03	nil	nil	20
21	nil	nil	nil	nil	nil	·56	nil	·41	nil	nil	nil	nil	21
22	nil	nil	nil	nil	nil	·05	nil	·35	nil	·19	nil	nil	22
23	nil	nil	nil	·09	·04	·04	nil	nil	·14	·10	nil	nil	23
24	nil	·21	nil	·13	nil	·44	nil	nil	·18	·03	·04	nil	24
25	nil	·48	nil	·14	nil	·23	nil	nil	·11	nil	nil	·05	25
26	nil	·60	nil	·07	·03	nil	nil	nil	·03	·17	nil	nil	26
27	nil	·10	nil	nil	·38	nil	nil	nil	·04	·04	nil	·01	27
28	nil	nil	nil	·26	·04	nil	nil	nil	·01	·11	nil	·11	28
29	·05	X	nil	·06	nil	nil	·33	nil	nil	·06	nil	·01	29
30	nil	X	·11	nil	nil	nil	·03	nil	nil	·04	nil	·06	30
31	·03	X	·33	X	nil	X	·01	·08	X	·19	X	nil	31
TOTAL	1·71	2·49	3·61	·76	1·70	2·49	1·96	·95	0·64	3·33	0·89	0·32	YEAR'S TOTAL 20·85
*Days with ·01 in. or more.	~~4~~ 13	11 ~~nil~~	13 ~~nil~~	7 ~~4~~	17 ~~6~~	14 ~~4~~	13 ~~4~~	8 ~~4~~	11 ~~6~~	20 ~~6~~	14 ~~6~~	7 ~~3~~	~~47~~ 148
*Days with .04 in. or more.	9	11	13	6	11	13	9	4	5	14	8	4	107

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [illegible]

P.T.O.

X BIRMINGHAM DRAINAGE BOARD X

X BIRMINGHAM (STE

Section **A** **for the entry of Daily Observations.** **Station No.** 2451/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Warwick/4.

Kept at ~~The Birmingham Drainage Boards Works, South Yardley~~

in the County of Warwickshire

Letter sent to [illegible] 26/6/34

c 1933

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2 in X

,, Ground ,, Sea Level 31~~456~~ ft.

2" too low

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42	·25	·20	nil	nil	nil	nil	nil	nil	nil	·04	nil	1
2	·16	nil	·20	nil	·06	nil	nil	nil	nil	nil	·02	nil	2
3	nil	·11	·80	nil	·13	nil	nil	nil	nil	nil	·01	nil	3
4	·14	nil	·30	nil	·29	nil	nil	nil	nil	nil	nil	nil	4
5	·06	·04	·17	nil	·16	nil	nil	nil	nil	nil	·02	nil	5
6	nil	·23	·10	nil	·22	nil	nil	nil	nil	·08	nil	nil	6
7	·06	·24	nil	nil	·01	nil	·02	nil	nil	·12	nil	nil	7
8	·02	nil	·13	nil	·06	nil	·30	nil	nil	·01	nil	nil	8
9	nil	nil	nil	nil	·05	nil	·32	nil	nil	·47	·02	nil	9
10	·06	·13	nil	nil	·03	·02	nil	nil	nil	1·54	·04	nil	10
11	nil	nil	nil	nil	·02	nil	·17	nil	nil	·02	nil	nil	11
12	nil	nil	nil	nil	nil	·10	·11	nil	·03	nil	nil	·03	12
13	nil	nil	nil	nil	·16	·07	·27	nil	·01	·05	·28	nil	13
14	nil	nil	nil	nil	·01	nil	·04	·04	nil	·03	·19	nil	14
15	·60	nil	nil	nil	nil	·29	·30	·03	nil	·01	·12	·05	15
16	·03	nil	·69	·01	·01	·08	·04	·01	nil	·04	·04	nil	16
17	·01	nil	·33	nil	nil	·07	nil	·01	·03	nil	·04	nil	17
18	·07	nil	·04	nil	nil	·13	·02	nil	nil	nil	·01	nil	18
19	nil	nil	·21	nil	nil	·20	nil	nil	·02	nil	·02	nil	19
20	nil	·10	nil	nil	nil	·21	nil	·02	·04	·03	nil	nil	20
21	nil	nil	nil	nil	nil	·56	nil	·41	nil	nil	nil	nil	21
22	nil	nil	nil	nil	nil	·05	nil	·35	nil	·19	nil	nil	22
23	nil	nil	nil	·09	·04	·04	nil	nil	·14	·10	nil	nil	23
24	nil	·21	nil	·13	nil	·44	nil	nil	·18	·03	·04	nil	24
25	nil	·48	nil	·14	nil	·23	nil	nil	·11	nil	nil	·05	25
26	nil	·60	nil	·07	·03	nil	nil	nil	·03	·17	nil	nil	26
27	nil	·10	nil	nil	·38	nil	nil	nil	·04	·04	nil	·01	27
28	nil	nil	nil	·26	·04	nil	nil	nil	·01	·11	nil	·11	28
29	·05	×	nil	·06	nil	nil	·33	nil	nil	·06	nil	·01	29
30	nil	×	·11	nil	nil	nil	·03	nil	nil	·04	nil	·06	30 [illegible]
31	·03	×	·33	×	nil	×	·01	·08	×	·19	×	nil	31 [illegible]
TOTAL	1·71	2·49	3·61	·76	1·70	2·49	1·96	·95	0·64	3·33	0·89	0·32	YEAR'S TOTAL 20·85
*Days with ·01 in. or more.	~~4~~ 13	11 ~~nil~~	13 ~~nil~~	7 ~~1~~	17 ~~6~~	14 ~~1~~	13 ~~4~~	8 ~~4~~	11 ~~6~~	20 ~~6~~	14 ~~6~~	7 ~~3~~	~~47~~ 148
*Days with .04 in. or more.	9	11	13	6	11	13	9	4	5	14	8	4	107

40-9999

*See Instruction 2 (*f*) on other side.

N X BIRMINGHAM DRAINAGE BOARD X

(Signed) [illegible]

P.T.O.

BIRMINGHAM (STECHFORD)

COPY FOR OFFICIAL USE. § 310109/34

Section **A** for the entry of Daily Observations. **Station No** 2181/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

VI/Warwick/4

c Low. up 1933

Kept at Sewage Disposal Works, Cole Hall Lane

in the County of Yardley. Birmingham Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level ~~[illegible]~~ ft. 303'

Read daily & agreement satisfactory. Print. [illegible] 6/3/35.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	-	-	-	-	-	-	·26	·02	·01	·12	·25	1
2	·02	·01	·05	Trace	-	-	-	·02	·32	-	·05	·14	2
3	·02	·02	-	-	-	-	-	-	·01	·05	Trace	-	3
4	·06	Trace	·03	·06	·08	-	-	-	·08	·02	·06	·34	4
5	·01	-	·09	·03	·15	-	-	·44	-	·04	·10	·02	5
6	-	-	·04	·01	·22	·04	-	·04	Trace	·12	-	·41	6
7	·11	Trace	-	-	-	·04	-	·12	-	·05	-	·28	7
8	-	-	-	-	·07	Trace	-	·04	-	-	·13	·05	8
9	·01	-	·14	·04	Trace	-	-	·07	-	Trace	·74	·17	9
10	·07	-	·11	·25	-	-	-	·07	-	-	·16	·02	10
11	·80	-	·04	·21	-	-	·02	·22	-	-	·01	·20	11
12	-	-	·14	·01	-	-	·09	·22	-	Trace	-	·02	12
13	·43	-	·03	·11	Trace	-	·67	·07	-	·01	Trace	·07	13
14	·12	-	·32	·01	·03	·02	-	-	·14	·25	·33	·24	14
15	·08	-	·09	-	·18	-	·03	-	·21	·27	·25	·10	15
16	·15	-	·11	-	Trace	-	-	-	-	·09	·04	Trace	16
17	·02	-	·03	·01	·03	-	·07	-	·24	·04	·02	·11	17
18	·21	-	Trace	·22	-	-	-	·01	·01	-	-	·02	18
19	-	-	·16	·03	-	·12	-	·02	Trace	·01	-	·05	19
20	-	-	·02	·03	-	·01	-	-	-	-	-	Trace	20
21	-	-	-	-	-	·17	-	·08	-	·04	-	Trace	21
22	-	-	-	-	·01	-	Trace	·18	·21	Trace	-	·13	22
23	-	-	Trace	·24	·02	·16	·14	·02	-	-	·01	·05	23
24	-	·22	·09	·03	-	·03	·34	-	·18	Trace	Trace	·01	24
25	·17	·01	-	·05	·03	·02	-	-	Trace	·23	-	·48	25
26	·11	-	·03	·22	-	·01	-	-	·01	·05	·01	·02	26
27	-	Trace	-	·29	-	·01	Trace	-	·01	·07	Trace	·15	27
28	-	-	-	·36	-	·17	-	·19	-	Trace	·11	·31	28
29	-	×	-	Trace	-	-	·29	·03	·49	Trace	-	·02	29
30	·05	×	-	-	-	-	·29	-	·04	Trace	-	·24	30
31	·01	×	-	×	-	×	·02	-	×	·17	×	·11	31
TOTAL	2·48	0·26	1·52	2·21	·82	·80	1·96	2·10	1·97	1·52	2·14	4·01	YEAR'S TOTAL 21·79
*Days with ·01 in. or more.	19	4	17	19	10	12	10	18	14	17	15	27	182
*Days with .04 in. or more.	12	1	12	11	5	6	7	13	8	11	11	20	117

6½ Rain

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ~~[illegible]~~ [P.T.O.

BIRMINGHAM DRAINAGE BOARD Engineer ~~to the Board~~.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2481/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sewage Disposal Works, Colehall Lane, Stechford.
in the County of Birmingham, Warwick
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
,, Ground ,, Sea Level 301·7 ft. Liverpool

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·04	-	·04	·02	·06	·07	-	·19	·07	·16	·02		1
2	-	-	·04	-	-	·05	-	-	·04	·20	·01	·09		2
3	·01	·21	·07	·06	-	Tr	-	-	·07	·13	·28	·18		3
4	-	-	-	·14	-	·15	-	-	·01	·26	·01	·06		4
5	-	·65	·11	·09	-	·10	·02	-	Tr	-	·11	Tr		5
6	-	·02	Tr	·31	-	·25	-	-	-	-	-	-		6
7	Tr	-	-	·21	-	·15	-	-	-	·22	·30	·18		7
8	-	-	-	·21	-	·10	-	·26	-	·06	·19	·04		8
9	-	-	-	·19	Tr	·27	-	-	-	·27	·19	-		9
10	Tr	-	-	·09	-	·02	-	-	-	-	·03	Tr		10
11	·19	-	-	-	-	·05	-	Tr	-	-	·19	·03		11
12	·04	Tr	-	-	-	·12	-	·10	Tr	-	·01	-		12
13	·17	-	-	·15	·18	-	-	-	-	·02	-	-		13
14	Tr	-	·02	-	·03	·04	-	-	-	-	·43	·12		14
15	-	·07	-	·67	·07	·05	-	-	·19	-	·15	·17		15
16	-	·04	·15	·28	-	·03	Tr	-	·57	·25	·72	·14		16
17	-	-	-	·10	-	·13	·03	-	·02	·03	·56	-		17
18	Tr	-	-	·23	·10	·09	·05	-	·16	·06	·02	-		18
19	-	-	-	·09	·66	·22	·11	-	·04	·11	·23	-		19
20	·03	·26	-	·14	·04	·07	·15	-	·02	-	·21	-		20
21	Tr	·32	·01	·01	-	-	-	-	·32	·01	·08	-		21
22	-	·11	-	·13	-	-	-	-	·02	-	-	-		22
23	·02	·04	·19	Tr	Tr	-	-	·34	·10	·48	-	-		23
24	·11	·24	Tr	·08	-	-	-	Tr	·70	·04	-	·45		24
25	·19	·20	-	-	-	·77	-	-	-	-	-	-		25
26	-	·09	-	-	-	-	-	·48	·18	·01	·03	·48		26
27	-	·12	-	-	-	-	-	-	·33	·08	·18	·98		27
28	·07	-	-	-	·14	-	-	·47	·03	·10	·06	·06		28
29	-	-	·07	-	-	-	-	-	·05	·06	·11	·17		29
30	·03	×	-	·09	-	-	-	·36	·03	·12	·26	·12		30
31	-	×	-	×	-	×	-	-	×	·39	×	·18		31
TOTAL	0·87	2·41	0·66	3·31	1·24	2·72	0·43	2·01	3·07	2·97	4·52	3·47	Year's Total 27·68	
*Days with ·01 in. or more.	11	14	8	20	8	19	6	6	19	21	24	17	173	
*Days with .04 in. or more.	6	13	6	19	6	17	4	6	13	17	18	15	140	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column; no entries required.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2481/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Yardley Sewage Works

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 6 in.

,, Ground ,, Sea Level 301·7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·11	·09	·55	-	·23	·17	·11	·01	-	·06	·09		1
2	·08	·01	·07	·10	-	·18	1·28	·04	-	-	·11	·01		2
3	·03	-	-	Tr	·01	·28	·08	·08	·35	-	Tr	Tr		3
4	Tr	-	·10	-	-	·25	-	·04	·23	Tr	·07	·07		4
5	·10	·04	·02	-	-	·02	·04	·09	·07	-	·01	·23		5
6	·02	-	Tr	-	·28	·05	·22	·05	·12	-	·22	-		6
7	·02	-	·04	-	-	-	·15	-	·27	Tr	·11	·01		7
8	·23	-	·06	-	-	-	-	-	·02	-	·27	·07		8
9	·42	-	·25	-	-	-	1·26	-	·12	·09	·01	-		9
10	·03	-	·20	Tr	Tr	-	·13	·33	·02	-	-	-		10
11	-	-	Tr	·08	-	·06	·35	Tr	·07	-	·55	-		11
12	-	-	-	·06	·19	·29	·48	-	·85	-	·10	·01		12
13	-	-	-	·08	-	·17	Tr	-	·01	·04	·02	·47		13
14	-	-	-	·27	·03	·09	·18	-	·38	·01	·02	·51		14
15	·05	Tr	-	·01	·12	·04	·09	-	·01	-	·07	·13		15
16	·13	·15	Tr	Tr	-	-	·09	-	-	-	·50	·02		16
17	·02	·66	-	Tr	·08	-	·18	-	-	·09	·03	·22		17
18	-	·02	-	-	-	·15	·33	·01	-	·19	Tr	·03		18
19	·57	·11	·04	·41	-	·09	Tr	·07	-	·07	-	-		19
20	·02	·15	Tr	·02	-	·06	Tr	-	·05	Tr	-	Tr		20
21	-	-	Tr	·22	-	1·52	·03	-	-	-	-	-		21
22	-	·72	·04	·01	·12	Tr	·21	-	-	Tr	-	·06		22
23	-	·13	·17	·08	·07	-	·37	-	-	·02	-	Tr		23
24	·18	·10	-	·01	·03	-	·01	-	·08	·25	·04	-		24
25	·11	-	·16	·20	-	-	·13	-	·32	·04	-	-		25
26	·04	·07	·35	Tr	-	-	Tr	-	·01	·07	·03	-		26
27	·12	Tr	·03	-	-	-	·02	-	·04	·16	Tr	-		27
28	·39	·10	·16	-	-	-	·02	-	-	·01	-	·10		28
29	·02	·35	·09	-	-	-	·12	-	-	·03	·04	·09		29
30	·04	×	Tr	-	·13	·52	·08	Tr	-	·34	Tr	Tr		30
31	·61	×	·07	×	-	×	·02	-	×	·10	×	·19		31
TOTAL	3·25	2·72	1·94	2·10	1·06	4·00	6·04	0·82	3·03	1·51	2·26	2·31	Year's Total 31·04	✓
*Days with ·01 in. or more.	22	14	17	14	10	16	25	9	19	15	18	17	196	✓
*Days with ·04 in. or more.	14	12	15	10	7	15	20	8	13	11	12	12	149	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2481/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Yardley Works, Stechford Birmingham

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 301·7 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·01	-	Trace	-	-	-	-	·08	Trace	·14	·45		1
2	·01	·05	·04	·59	-	-	-	-	-	·01	Trace	·24		2
3	Trace	·05	·05	Trace	·01	Trace	·01	-	·08	-	-	·14		3
4	·10	·15	·01	-	·03	-	Trace	·02	-	-	-	·49		4
5	·20	-	·18	-	-	-	·01	-	-	-	-	·04		5
6	·13	·01	·03	·03	·11	Trace	-	-	-	·03	-	-		6
7	·01	·61	·01	·15	Trace	Trace	-	-	-	-	·02	-		7
8	-	·12	-	·02	·05	Trace	·02	-	Trace	-	·51	-		8
9	-	·01	-	·07	·33	-	·42	-	·18	-	-	-		9
10	Trace	·07	·25	·14	-	·09	Trace	-	-	-	-	·11		10
11	-	Trace	·26	Trace	·49	·77	·02	-	-	Trace	-	·11		11
12	·12	·36	·23	-	·25	·02	-	·25	·14	-	-	·33		12
13	·05	·05	·02	·12	·02	-	-	·26	·27	-	-	·02		13
14	-	·01	·10	·07	Trace	-	-	·15	·02	-	·01	·13		14
15	·18	·06	-	·31	-	-	1·00	Trace	·11	-	-	·01		15
16	Trace	·15	·47	·26	-	-	Trace	·08	·07	-	-	-		16
17	·16	·05	·28	·12	-	-	-	-	·16	-	-	-		17
18	·60	·08	·06	·03	-	-	·03	-	·49	-	·34	·05		18
19	·02	·08	·11	·09	-	·09	·28	-	·04	-	·10	-		19
20	·31	·03	-	·41	·28	·04	Trace	-	Trace	-	-	-		20
21	·12	·17	·02	·06	·01	-	·26	-	-	-	-	·08		21
22	·14	·02	·08	Trace	·10	·03	·23	-	-	·35	·46	-		22
23	·32	·01	·02	-	·04	-	·01	-	Trace	·32	·14	·02		23
24	·49	·28	·03	-	·03	-	·01	-	·03	·31	-	Trace		24
25	·14	·28	-	-	·03	-	Trace	-	·05	·36	-	·02		25
26	Trace	·38	·13	-	·64	-	-	-	-	Trace	-	-		26
27	Trace	·31	-	·18	-	-	-	-	-	·79	-	-		27
28	-	·09	·01	-	-	·03	-	-	-	·05	-	·07		28
29	·06	X	-	-	-	·02	-	-	-	·05	·08	·03		29
30	·18	✕	-	-	-	Trace	-	·04	-	·05	·06	-		30
31	·33	✕	-	✕	-	✕	-	-	✕	·19	✕	·02		31
													Year's Total	
TOTAL	3·74	3·49	2·39	2·65	2·42	1·09	2·30	0·80	1·72	2·51	1·86	2·36	27·33	✓ ✓
* Days with .01 in. or more.	21	26	21	16	15	8	12	6	13	11	10	18	177	✓ ✓
* Days with .04 in. or more.	18	19	13	13	9	4	5	5	11	9	8	12	126	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Engineer to ~~the~~ BIRMINGHAM TAME & REA DISTRICT DRAINAGE BOARD.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2481/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at B'ham Drainage Board, Yardley.

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 301·70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	Trace	-	-	Trace	·46	·24	-	Trace	·12	·03	·13		1
2	-	-	-	·07	·01	·32	-	-	-	·12	Trace	·02		2
3	·02	-	-	-	·13	·01	·07	-	-	·56	-	-		3
4	-	-	-	-	-	-	·05	·40	-	·12	Trace	·27		4
5	-	-	-	-	-	·02	·01	1·33	Trace	·03	-	-		5
6	Trace	-	-	-	-	·04	·43	-	·18	·10	-	-		6
7	·08	-	-	-	-	-	·27	·12	·09	·07	-	·06		7
8	·49	-	-	-	-	-	·15	1·55	-	·25	-	-		8
9	·01	·09	-	-	-	·07	·05	·01	-	-	-	·53		9
10	-	·02	-	-	-	·03	·35	·03	-	-	-	·09		10
11	·50	·06	-	-	-	-	·01	·22	-	-	·07	·03		11
12	·20	-	-	-	·11	-	·04	Trace	-	·19	·26	Trace		12
13	Trace	-	-	-	Trace	-	-	-	·09	-	·19	·62		13
14	·23	·02	-	-	·01	-	·57	-	-	-	Trace	Trace		14
15	·10	-	-	-	·07	-	·20	-	-	-	Trace	·41		15
16	·20	-	-	-	Trace	-	·02	Trace	-	·05	·06	·10		16
17	-	-	-	-	·24	-	·01	-	-	·07	Trace	·01		17
18	·03	-	-	-	·16	·19	Trace	·07	·28	·01	·28	-		18
19	-	-	-	-	-	-	-	·08	Trace	-	·12	Trace		19
20	Trace	-	-	-	-	-	-	-	·01	-	·28	Trace		20
21	·02	-	-	-	-	-	-	·02	·03	-	·08	Trace		21
22	Trace	-	-	·04	-	·08	-	-	Trace	-	·35	·34		22
23	-	-	-	-	·01	Trace	-	-	·37	-	Trace	·06		23
24	-	-	·10	-	·11	Trace	-	-	·11	-	Trace	Trace		24
25	-	·18	·09	-	·14	-	·02	Trace	-	·15	·35	Trace		25
26	·03	·31	·18	-	·04	·01	-	Trace	·05	·21	-	·28		26
27	·06	·02	Trace	-	·27	·14	·30	·31	·40	·07	·38	·01		27
28	·12	·01	-	-	·04	·25	·07	·64	·10	-	·01	·11		28
29	·35	-	-	-	·46	Trace	·01	Trace	-	·05	·14	·13		29
30	·06	✕	-	-	·06	·23	-	-	·56	Trace	·29	·08		30
31	·16	✕	-	✕	·16	✕	Trace	-	✕	·12	✕	·28		31
													Year's Total	
TOTAL	2·66	0·71	0·37	0·11	2·02	1·85	2·87	4·78	2·27	2·29	2·89	3·56	26·38	✓
* Days with .01 in. or more.	17	8	3	2	16	13	19	12	12	17	15	19	153	✓
* Days with .04 in. or more.	12	4	3	2	13	9	13	9	10	15	13	15	118	✓

† Spare column, no entries required.

(*Signed*) H. C. Whitehead

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 2481/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Sewage Disposal Works

in the County of Cole Hall Lane S. Yardley Worcs

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

,, Ground ,, Sea Level 301·70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	-	·04	·16	·04	-	trace	-	-	-	trace	·01		1
2	·06	-	-	·03	trace	-	trace	·30	·53	·06	·03	trace		2
3	·23	-	-	·33	-	-	-	·38	-	trace	·15	·37		3
4	·08	-	·35	·34	·05	-	·60	·25	·02	·30	·03	·17		4
5	trace	-	trace	·16	·17	-	·10	·15	-	·11	·36	·12		5
6	·54	-	-	trace	trace	-	·42	·01	-	-	·05	-		6
7	·02	·03	-	-	-	-	·23	-	-	trace	·21	·28		7
8	trace	·06	·21	-	-	-	·29	·06	-	·45	·09	·18		8
9	·02	·05	·01	-	trace	-	·23	·19	-	·33	·03	·17		9
10	·46	-	·05	-	-	trace	trace	·07	·03	·08	trace	trace		10
11	·01	·02	·17	-	-	·12	-	·05	-	·01	trace	trace		11
12	·01	·01	trace	-	trace	·16	-	-	-	·01	-	-		12
13	-	-	-	·03	·02	·02	·18	-	·04	·08	-	-		13
14	·37	-	·01	·06	·22	·12	·26	-	-	·06	·06	-		14
15	·33	-	-	trace	·15	·35	·35	-	·07	·17	·12	-		15
16	·09	-	·04	·01	·45	·08	·02	-	trace	·02	·14	-		16
17	·55	·04	-	trace	·03	·02	·19	-	-	1·54	·03	-		17
18	·22	·06	·06	-	-	·12	·17	-	trace	trace	·64	-		18
19	·13	trace	trace	-	-	-	·28	-	trace	-	·01	trace		19
20	·20	-	trace	-	-	·02	trace	·48	-	trace	-	-		20
21	·13	·17	·27	·02	-	·28	·23	·08	·07	trace	-	-		21
22	·15	·34	trace	trace	-	-	·14	trace	·02	trace	·34	trace		22
23	·03	-	trace	·06	-	·03	·06	-	trace	·18	·65	-		23
24	trace	trace	-	·09	-	·03	·20	-	-	·10	-	·01		24
25	·92	·06	-	trace	-	trace	·03	-	-	·01	·31	·01		25
26	·10	-	-	·09	-	trace	-	trace	trace	-	·24	·07		26
27	·01	·10	·11	·01	-	·02	·07	trace	-	·02	trace	-		27
28	·01	·20	·13	trace	-	·27	·06	-	-	trace	·17	·12		28
29	trace	×	trace	·14	-	-	·35	1·75	-	·21	·07	-		29
30	-	×	-	·12	-	·28	trace	-	-	trace	·10	-		30
31	-	×	-	×	-	×	·02	·11	×	trace	×	-		31
TOTAL	4·74	1·14	1·45	1·65	1·13	1·92	4·48	3·88	0·78	3·74	3·83	1·51	Year's Total 30·25	
* Days with .01 in. or more.	24	12	12	15	8	15	22	13	7	18	21	11	178	
* Days with .04 in. or more.	17	9	10	10	6	9	19	12	4	13	16	8	133	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. C. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2481/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Sewage Disposal Works Coleshall Lane Yardley, Birmingham.
in the County of Warwick.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 301·70 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·01	-	·05	Tr	-	-	-	-	-	·13	·01		1
2	Tr	·03	-	·34	-	-	·05	-	-	Tr	·77	·02		2
3	-	·12	-	·01	-	-	·01	-	-	·16	·99	·07		3
4	-	·08	-	·16	-	-	·04	-	-	·07	·18	·03		4
5	-	·01	-	Tr	·02	-	·05	-	-	·15	·63	·11		5
6	·03	·25	-	-	-	-	·06	-	-	·59	·33	·02		6
7	·01	·24	-	·01	·03	-	·01	-	·02	Tr	Tr	Tr		7
8	Tr	Tr	-	Tr	-	-	-	-	-	·13	·06	·19		8
9	-	-	·01	-	-	Tr	·11	·04	Tr	·10	·26	·26		9
10	-	-	·08	-	-	-	·49	·05	-	·03	·15	·28		10
11	-	-	Tr	·01	-	-	·20	-	-	-	·46	·12		11
12	-	-	·07	-	-	Tr	·09	Tr	·06	-	·05	-		12
13	-	·01	·50	·01	-	-	Tr	Tr	·04	Tr	-	·02		13
14	-	-	·02	·12	·47	-	Tr	·01	·08	·08	·06	·30		14
15	-	-	·01	·03	·57	-	-	-	·10	·14	·09	·01		15
16	·02	·26	·36	·02	-	-	·10	-	·10	·49	·64	·01		16
17	-	Tr	·20	Tr	-	-	·09	-	-	Tr	·14	Tr		17
18	·11	·57	·11	·25	-	-	Tr	·02	·19	·18	·02	·07		18
19	-	·24	·06	·35	-	-	·34	·01	·05	Tr	·14	·02		19
20	-	·01	Tr	·01	-	-	·11	·04	-	·29	·01	-		20
21	·01	·01	Tr	Tr	·42	·30	·06	·02	-	·01	1·24	-		21
22	-	Tr	Tr	·01	·36	·12	-	·02	·10	Tr	Tr	-		22
23	-	·05	·02	·20	·40	·10	-	-	Tr	·03	-	·05		23
24	·01	Tr	-	-	Tr	Tr	·06	-	Tr	·01	-	Tr		24
25	·02	-	-	·01	-	-	·09	-	-	·01	-	Tr		25
26	1·00	·12	-	1·18	·06	-	·05	-	-	·01	Tr	-		26
27	·46	·26	-	·42	Tr	-	·09	Tr	·01	-	·01	Tr		27
28	·49	·20	-	·04	·56	-	-	-	-	-	-	-		28
29	·10	Tr	·08	·06	·05	·11	·01	-	-	Tr	-	·12		29
30	·10	✕	-	·58	-	Tr	-	-	-	·57	Tr	·04		30
31	·08	✕	·02	✕	-	✕	-	-	✕	·93	✕	·01		31
TOTAL	2·44	2·47	1·54	3·87	2·94	0·63	2·11	0·21	0·75	3·98	6·36	1·76	Year's Total 29·06	✓
* Days with .01 in. or more.	13	17	13	21	10	4	20	8	10	19	20	20	175	✓
* Days with .04 in. or more.	7	11	8	12	8	4	17	3	8	13	17	11	119	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. C. [illegible]

[P.T.O.

X BIRMINGHAM (SALT

Section **A** for the entr
AIR MINIS

FORM 1090.

REG

Kept at ~~Saltley~~

in the County of Warw

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

An observer who does not conform

year in the space on the right of

—

2481/8

BIRMINGHAM, SALTBY S.W.

1933 – 40

78040

tion No. 2481/8

ORGANIZATION.

Warwick/4

26/6/34

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·47	·02	–	–	–	–	–	–	–	·03	–	1
2	·13	–	·22	–	·04	–	–	–	–	–	·03	–	2
3	–	·11	·09	–	·13	–	–	–	–	–	·01	–	3
4	·09	–	·03	–	·24	–	–	–	–	–	–	–	4
5	·04	–	·17	–	·06	–	–	–	–	–	·01	–	5
6	–	·18	–	–	·09	–	–	–	–	·07	–	–	6
7	·03	·32	–	–	–	–	–	–	–	·10	–	–	7
8	·04	–	·13	–	·05	·04	·41	–	–	–	–	–	8
9	–	–	–	–	·03	–	·16	–	–	1·17	–	–	9
10	·05	·21	–	–	·03	–	–	–	–	1·29	·06	–	10
11	–	–	–	–	–	–	·22	–	–	–	–	–	11
12	–	–	–	–	–	·03	·13	–	–	–	–	·03	12
13	–	–	–	–	·17	–	·14	–	–	·03	·28	–	13
14	–	–	–	–	–	–	·10	–	–	·06	·21	–	14
15	·71	–	–	–	–	·07	·17	·09	–	–	·10	·07	15
16	·04	–	·68	–	·01	·06	·11	–	–	·04	·05	–	16
17	·10	·03	·36	–	–	·05	–	–	–	–	·02	–	17
18	·10	–	·02	–	–	·11	–	–	·02	–	·01	·02	18
19	–	–	·27	–	–	·19	–	–	·01	–	·02	–	19
20	–	·02	·03	–	–	·21	–	–	–	–	–	–	20
21	–	–	–	–	–	·44	–	·46	–	·01	–	–	21
22	–	–	–	–	–	·08	–	·42	–	·25	–	–	22
23	–	–	–	·14	–	–	–	–	·05	·08	–	–	23
24	–	·23	–	·14	·02	·50	–	–	·20	·01	·01	–	24
25	–	·45	–	·12	–	·21	–	–	·21	–	–	·04	25
26	–	·71	–	·04	·04	–	–	–	·05	·16	–	–	26
27	–	·03	–	–	·18	–	–	–	–	·03	–	·03	27
28	–	–	–	·04	·13	–	–	–	·02	·09	–	·11	28
29	–		–	·15	–	–	·49	–	–	·07	–	·03	29
30	·04	×	·03	–	–	–	·01	–	–	·03	–	·07	30
31	·03	×	–	×	–	×		·05	×	·26	×	·07	31
TOTAL	1·55	2·76	2·05	0·63	1·22	1·99	1·94	1·02	0·56	3·75	0·84	0·47	YEAR'S TOTAL 18·78
*Days with ·01 in. or more.	13	11	12	6	14	12	10	4	7	17	13	9	128
*Days with .04 in. or more.	11	8	7	6	10	11	9	4	4	12	5	5	92

40-9999

*See Instruction 2 (*f*) on other side,

D N

(*Signed*) H. C. [illegible]

P.T.O.

X BIRMINGHAM DRAINAGE BD. X

X BIRMINGHAM (SALT

Section **A** for the entry of Daily Observations. Station No. 2481/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Warwick 4/4
[illegible]
26/6/34

Kept at ~~Saltley Works Saltley~~
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 292.~~75~~ ft.

c 1933.

not read daily

4' two [illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·47	·02	–	–	–	–	–	–	–	·03	–	1
2	·13	–	·22	–	·04	–	–	–	–	–	·03	–	2
3	–	·11	·09	–	·13	–	–	–	–	–	·01	–	3
4	·09	–	·03	–	·24	–	–	–	–	–	–	–	4
5	·04	–	·17	–	·06	–	–	–	–	–	·01	–	5
6	–	·18	–	–	·09	–	–	–	–	·07	–	–	6
7	·03	·32	–	–	–	–	–	–	–	·10	–	–	7
8	·04	–	·13	–	·05	·04	·41	–	–	–	–	–	8
9	–	–	–	–	·03	–	·16	–	–	1·17	–	–	9
10	·05	·21	–	–	·03	–	–	–	–	1·29	·06	–	10
11	–	–	–	–	–	–	·22	–	–	–	–	–	11
12	–	–	–	–	–	·03	·13	–	–	–	–	·03	12
13	–	–	–	–	·17	–	·14	–	–	·03	·28	–	13
14	–	–	–	–	–	–	·10	–	–	·06	·21	–	14
15	·71	–	–	–	–	·07	·17	·09	–	–	·10	·07	15
16	·04	–	·68	–	·01	·06	·11	–	–	·04	·05	–	16
17	·10	·03	·36	–	–	·05	–	–	–	–	·02	–	17
18	·10	–	·02	–	–	·11	–	–	·02	–	·01	·02	18
19	–	–	·27	–	–	·19	–	–	·01	–	·02	–	19
20	–	·02	·03	–	–	·21	–	–	–	–	–	–	20
21	–	–	–	–	–	·44	–	·46	–	·01	–	–	21
22	–	–	–	–	–	·08	–	·42	–	·25	–	–	22
23	–	–	–	·14	–	–	–	–	·05	·08	–	–	23
24	–	·23	–	·14	·02	·50	–	–	·20	·01	·01	–	24
25	–	·45	–	·12	–	·21	–	–	·21	–	–	·04	25
26	–	·71	–	·04	·04	–	–	–	·05	·16	–	–	26
27	–	·03	–	–	·18	–	–	–	–	·03	–	·03	27
28	–	–	–	·04	·13	–	–	–	·02	·09	–	·11	28
29	–		–	·15	–	–	·49	–	–	·07	–	·03	29
30	·04	×	·03	–	–	–	·01	–	–	·03	–	·07	30 not read
31	·03	×	–	×	–	×		·05	×	·26	×	·07	31
TOTAL	1·55	2·76	2·05	0·63	1·22	1·99	1·94	1·02	0·56	3·75	0·84	0·47	YEAR'S TOTAL 18·78
*Days with ·01 in. or more.	~~13~~	~~11~~	~~12~~	~~6~~	~~14~~	~~12~~	~~10~~	~~4~~	~~7~~	~~17~~	~~13~~	~~9~~	~~128~~
*Days with .04 in. or more.	~~11~~	~~8~~	~~7~~	~~6~~	~~10~~	~~11~~	~~9~~	~~4~~	~~4~~	~~12~~	~~5~~	~~5~~	~~92~~

40-9999

*See Instruction 2 (*f*) on other side.

D N

(Signed) H. E. [illegible]

P.T.O.

X BIRMINGHAM DRAINAGE BD. X

Birmingham (~~Saltley~~ SALTLEY S W)

f 310109/84

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2481/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

VI/Warwick/4

Kept at Sewage Disposal Works, Tyburn Rd Erdington, Birmingham
in the County of Warwick

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level ~~29.65~~ ft. 292

c 1933 rp Low

Read daily & agreement satisfactory. Print
6/3/35

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	-	-	-	-	-	-	·13	·02	-	·13	·25		1
2	·02	-	·07	-	-	-	-	-	·32	-	·03	·14		2
3	·02	·07	-	-	-	-	-	-	Trace	·06	·04	-		3
4	·06	-	·04	·03	·05	-	-	-	·07	·03	·08	·39		4
5	-	-	·16	-	·10	-	-	·47	-	·01	·12	·03		5
6	-	-	·05	·03	·27	·05	-	-	-	·10	-	·48		6
7	·08	·01	-	-	-	·04	-	·11	-	·05	-	·30		7
8	-	-	-	-	·06	-	-	·04	-	-	·15	·05		8
9	-	-	·20	·03	-	-	-	·07	-	-	·72	·27		9
10	·05	-	·19	·27	-	-	-	·10	-	-	-	·01		10
11	·96	-	·07	·21	-	-	-	·35	-	-	-	·22		11
12	-	-	·18	-	-	-	·06	·21	-	-	-	·04		12
13	·59	-	·03	·12	-	-	·66	·01	-	-	-	·07		13
14	·13	-	·35	-	·03	·01	-	-	-	·23	·34	·16		14
15	·08	-	·10	-	·11	-	-	-	·35	·31	·27	·13		15
16	·18	-	·12	-	-	-	-	-	-	·08	·08	-		16
17	-	-	·05	-	·07	-	·02	-	·47	·03	·05	·08		17
18	·20	-	·06	·29	-	-	·02	Trace	-	-	-	·01		18
19	·16	-	·20	-	-	·19	-	-	-	·01	-	·05		19
20	-	-	-	·03	-	-	-	·02	·02	-	-	·02		20
21	·20	-	-	-	-	-	-	·08	Trace	Trace	-	-		21
22	-	-	-	-	-	·16	-	·14	·21	-	-	·21		22
23	-	-	-	·30	·04	-	·09	·01	-	-	-	·03		23
24	-	·20	·13	-	-	·12	·04	-	·21	-	-	-		24
25	·10	-	-	·07	·02	·03	·03	-	-	·35	-	·41		25
26	·20	-	·04	·07	-	·05	-	-	Trace	·03	-	·02		26
27	-	-	-	·32	-	-	-	-	·01	·07	·07	·13		27
28	-	-	-	·50	-	·04	-	·15	-	-	-	·33		28
29	-	×	-	-	-	·10	·21	·04	·58	·03	-	-		29
30	·04	×	-	-	-	-	·03	-	·02	-	-	·27		30
31	·04	×	-	×	-	×	·09	-	×	·20	×	·10		31
TOTAL	3·16	0·28	2·04	2·27	0·75	0·79	1·25	1·93	2·28	1·59	20·8	4·20	Year's Total 22·62	
*Days with ·01 in. or more.	18	3	17	13	9	10	10	15	11	15	12	26	159	
*Days with ·04 in. or more.	16	2	16	9	7	8	6	12	7	9	11	20	123	

OK print

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

X BIRMINGHAM DRAINAGE BOARD X

~~Engineer to the Board.~~

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2481/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sewage Disposal Works Tyburn Rd, Erdington B'ham.
in the County of Warwick

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 291·65 ft.

dafo.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	·02	-	·05	·01	·06	·02	-	·13	·08	·21	·01		1
2	-	-	·07	-	-	·22	-	-	·08	·18	-	·10		2
3	-	·20	·04	-	-	-	-	-	·09	-	·25	·18		3
4	-	-	-	·17	-	·30	-	-	·03	·41	·01	-		4
5	-	·60	·09	·07	-	·02	·03	-	·04	-	·08	-		5
6	-	-	TRACE	·31	-	·26	-	-	-	-	-	-		6
7	-	-	-	·20	-	·07	-	-	-	-	·28	·03		7
8	-	-	-	·17	-	·10	-	-	-	·11	·16	·19		8
9	-	-	-	·25	-	·33	-	·64	-	·29	·30	·01		9
10	-	-	-	·04	-	-	-	-	-	-	·15	-		10
11	·23	-	-	-	-	·04	-	-	-	·01	·31	·02		11
12	·04	·01	-	-	-	·04	-	·07	-	-	-	-		12
13	·15	·04	-	-	·19	-	-	-	-	-	-	-		13
14	-	-	·02	·14	·02	·03	-	-	-	-	·65	·14		14
15	-	·03	-	·62	·12	·08	-	-	·17	-	·20	·10		15
16	-	·04	-	·24	-	·06	-	-	·65	·27	·63	·21		16
17	-	·04	·11	·13	-	·10	-	-	·01	·03	·67	-		17
18	TRACE	-	-	·23	·06	·10	·10	-	·14	·06	·01	-		18
19	-	-	-	·10	·64	·20	·07	-	·03	·15	·31	-		19
20	TRACE	·27	-	·11	·02	·06	·12	-	·03	-	·25	-		20
21	-	·27	·01	-	-	-	-	-	·67	-	·08	-		21
22	·02	·12	-	·07	-	-	-	-	·03	-	-	-		22
23	TRACE	-	·21	·03	-	-	-	·38	·08	·47	-	-		23
24	·08	·31	-	-	-	-	-	-	·89	·06	-	·58		24
25	·20	·20	-	·07	-	·58	-	-	[illegible]	-	-	·08		25
26	-	-	-	-	-	-	-	·63	·19	-	·03	·41		26
27	-	·26	-	-	-	-	-	·02	·39	·06	·18	·93		27
28	-	·01	-	-	·17	-	-	-	·05	·10	·04	·66		28
29	·05	-	·07	-	-	-	-	-	·03	·07	·10	·31		29
30	-	×	-	·11	-	·01	-	·31	·06	·15	·34	·13		30
31	·02	×	-	×	-	×	-	-	×	·34	×	·16		31
TOTAL	·81	2·42	·62	3·11	1·23	2·66	·34	2·05	3·79	2·84	5·24	4·25	Year's Total 29·36	
*Days with ·01 in. or more.	9	15	8	19	8	19	5	6	20	17	22	18	166	✓
*Days with ·04 in. or more.	6	11	6	18	5	16	3	5	14	15	19	14	132.	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2481/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sewage Disposal works

in the County of Tyburn Rd Erdington Birmingham Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 291.65 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·11	·11	·56	—	·13	·16	·14	—	—	·06	·08		1
2	·07	—	—	·07	—	·14	1·36	·02	—	—	·04	—		2
3	—	—	—	—	—	·36	·01	·04	·15	—	·07	·03		3
4	—	—	·12	—	—	·22	—	·02	·16	—	·07	·06		4
5	·11	·03	·02	—	—	—	·03	·11	·14	—	·02	·20		5
6	·03	—	—	—	·22	·04	·18	·09	·12	—	·24	·20		6
7	—	—	·04	—	—	—	·19	—	·29	—	·10	·03		7
8	·24	—	·06	—	—	—	—	—	·05	—	·31	·05		8
9	·45	—	·17	—	—	—	·89	—	·08	·10	·02	—		9
10	·03	—	·12	—	—	—	·21	·16	·03	—	·01	—		10
11	—	—	—	·10	—	·06	·28	·03	·01	—	·61	—		11
12	—	—	—	·04	·19	·28	·49	—	·78	—	·07	·10		12
13	—	—	—	·06	—	·23	—	—	—	·04	—	·43		13
14	—	—	—	·20	·03	·06	·14	—	·26	—	·02	·48		14
15	—	—	—	—	·15	·05	·05	—	—	—	·06	·09		15
16	·16	·15	—	·02	—	—	·07	—	·12	—	·53	—		16
17	—	·71	—	—	·12	—	·13	—	—	·09	·04	·20		17
18	—	·05	—	—	·03	·10	·37	·01	—	·15	—	·09		18
19	·66	·17	—	·30	—	·08	—	·07	—	·09	—	—		19
20	—	·19	·03	·10	—	·01	—	—	—	—	—	—		20
21	—	—	·08	·20	—	1·08	·02	—	·01	—	—	—		21
22	—	·67	·03	—	·12	—	·17	—	—	—	—	·08		22
23	—	·11	·29	·09	·60	—	·41	—	—	·02	—	—		23
24	·22	·10	—	—	·03	—	·01	—	·14	·47	—	—		24
25	·13	—	·11	·08	—	—	·21	—	·29	·02	—	—		25
26	·02	·07	·53	·19	—	—	·01	—	—	·09	·05	—		26
27	·19	—	—	—	—	—	·01	—	·07	·17	—	—		27
28	·44	·09	·08	—	—	—	·04	—	—	·02	—	·11		28
29	·02	·35	·08	—	—	·09	·10	—	—	·02	·04	·12		29
30	·04	✕	—	—	—	·50	·08	—	—	·26	—	—		30
31	·55	✕	·04	✕	·15	✕	·02	—	✕	·58	✕	·06		31
TOTAL	3·36	2·80	1·91	2·01	1·64	3·38	5·64	·69	2·70	2·12	2·36	2·41	Year's Total 31·02	✓
* Days with .01 in. or more.	16	13	16	13	10	16	26	10	16	14	18	17	185	✓
* Days with .04 in. or more.	12	12	13	12	4	14	19	6	13	10	14	15	147	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 24 81/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sewage Outfall Works, SALTLEY.

in the County of Warwick.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 291.65 ft.

To [illegible].

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	.05	.03	.63	-	-	-	-	.10	-	-	.41		1
2	-	.07	.15	.63	-	-	.02	-	.04	-	--	.10		2
3	.11	.14	.15	-	.02	-	.03	-	-	-	-	.57		3
4	.21	-	.19	-	-	-	-	.02	-	-	-	.04		4
5	.11	-	-	-	.10	-	-	-	.01	.05	-	-		5
6	-	.57	-	.18	.16	-	-	-	-	-	-	-		6
7	-	.22	-	.02	-	-	-	-	-	-	.54	-		7
8	-	-	-	.05	.33	-	.54	-	.19	-	-	-		8
9	.02	.06	.48	-	-	.12	-	-	-	-	-	.12		9
10	-	.02	.29	.08	.45	.15	.02	-	-	-	-	.09		10
11	.12	.36	.22	-	.25	.13	-	-	.15	-	-	.28		11
12	.05	.03	-	.13	.02	-	-	.62	.72	-	-	.10		12
13	-	-	.10	.07	-	-	-	.14	.03	-	.03	.12		13
14	.18	.03	-	.23	-	-	1.03	-	.08	-	-	.01		14
15	-	.12	.39	.29	-	.02	-	.10	.08	-	-	-		15
16	.14	.05	.40	.11	-	-	-	-	.11	-	-	-		16
17	.58	.04	.14	.03	-	-	.04	-	.42	-	.30	-		17
18	.02	.09	.08	.08	-	.08	.27	-	-	-	.08	-		18
19	.29	.02	-	.37	.27	.03	-	-	-	-	-	.06		19
20	.11	.15	.01	.05	-	-	.26	-	-	-	-	.07		20
21	.14	.03	.08	-	-	.02	.09	-	-	.33	.38	.03		21
22	.27	.01	-	-	.06	-	.12	-	-	.36	.14	-		22
23	.35	.33	.04	-	.02	-	-	-	.04	.28	-	-		23
24	.08	.32	-	-	-	-	-	-	.05	.56	-	-		24
25	-	.35	-	-	.56	-	-	-	-	-	-	-		25
26	-	.17	-	.16	-	-	-	-	-	.77	-	.06		26
27	-	.26	-	-	-	.03	-	-	-	.04	-	.07		27
28	-	-	-	-	-	.03	-	-	-	.06	.06	.02		28
29	.41	X	-	-	-	-	-	-	-	.02	.05	-		29
30	.33	☒	-	-	-	-	-	.05	-	.21	.27	-		30
31	-	☒	.01	☒	-	☒	-	-	☒	.08	☒	.01		31
TOTAL	3.54	3.49	2.76	3.11	2.24	0.61	2.42	0.93	2.02	2.76	1.85	2.16	Year's Total 27.89	inches. ✓ ✓
* Days with .01 in. or more.	19	23	16	16	11	9	10	5	12	11	9	17	158	✓ ✓
* Days with .04 in. or more.	16	17	13	14	8	4	7	4	11	10	8	13	125	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

Engineer to the BIRMINGHAM TAME & REA DISTRICT DRAINAGE BOARD

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2481/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sewage Purification Works Saltley

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 291.65 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	—	·06	—	—	·43	·22	—	—	·16	·04	·16		1
2	—	—	—	·05	—	·32	—	—	—	·25	—	·06		2
3	·04	—	—	·06	·17	·02	·07	—	—	·60	—	—		3
4	·02	—	—	—	—	—	—	·47	—	·08	—	·29		4
5	—	—	—	—	—	—	·02	1·53	·02	·02	—	—		5
6	—	—	—	—	—	·06	·41	—	·15	·09	—	—		6
7	·05	—	—	—	—	—	·28	·12	·08	·11	—	·04		7
8	·51	—	—	—	—	—	·10	1·15	—	·27	—	·03		8
9	·03	·10	—	—	—	·04	·04	·04	—	—	—	·53		9
10	—	·05	—	—	—	·08	·41	·04	—	—	—	·11		10
11	·46	·04	—	—	—	—	—	·03	·06	·03	·12	·03		11
12	·26	—	—	—	·10	—	·03	—	—	·18	·20	—		12
13	—	—	—	—	—	—	—	—	—	·01	—	·56		13
14	·24	—	—	—	—	—	·49	—	·06	—	—	—		14
15	·12	—	—	—	·04	—	·20	—	—	—	—	·38		15
16	·18	—	—	—	—	—	—	—	—	·03	—	·04		16
17	—	·04	—	—	·32	—	·02	—	—	·08	—	—		17
18	·03	—	—	—	·16	—	—	·02	·21	·01	·33	—		18
19	—	—	—	—	—	·44	—	·10	—	—	·04	—		19
20	—	—	—	—	—	—	—	—	·03	—	·27	·01		20
21	·04	—	—	—	—	—	—	·04	·03	—	·08	·25		21
22	—	—	—	·06	—	·04	—	—	—	—	·34	·28		22
23	—	—	—	—	—	—	—	—	·22	—	—	·05		23
24	—	—	·08	—	·07	—	—	—	·11	—	·01	·05		24
25	·09	·15	·13	—	·08	—	·02	·03	—	·17	·57	·22		25
26	·01	·33	—	—	·02	—	—	·02	·02	·24	—	·14		26
27	·06	·03	·17	—	·22	·19	·25	·30	·27	·05	·39	·02		27
28	·13	·02	—	—	·03	·13	·07	·60	·26	—	·02	·14		28
29	·37	×	—	—	·45	—	—	—	—	·04	·15	·12		29
30	·05	✕	—	—	·05	·38	—	—	·74	—	·30	·11		30
31	·16	✕	—	✕	·14	✕	—	—	✕	·15	✕	·25		31
TOTAL	2·86	·76	·44	·17	1·85	2·13	2·63	4·49	2·26	2·57	2·86	3·87	Year's Total 26·89	✓
* Days with .01 in. or more.	20	8	4	3	13	11	15	14	14	19	14	23	158	✓
* Days with .04 in. or more.	15	5	4	3	11	10	11	10	10	14	12	19	124	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. C. Whitehead

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 248/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

Kept at Sewage Disposal Works

in the County of Tyburn Road Erdington Birmingham

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 291.65 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	·06	·21	·08	—	—	—	·07	—	—	·02		1
2	·07	—	—	·05	—	—	—	·28	·65	·03	·02	—		2
3	·36	—	—	·37	—	—	—	·28	—	—	·13	·28		3
4	·09	—	·32	·38	·03	—	·79	·17	—	·28	—	·21		4
5	—	—	—	·28	·25	—	·18	·13	—	·13	·39	·09		5
6	·64	—	·02	—	—	—	·39	—	—	—	·08	—		6
7	·04	·06	—	—	—	—	·14	—	—	—	·21	·26		7
8	·04	·09	·26	—	—	—	·43	·09	—	·34	·12	·22		8
9	·03	·06	—	—	—	—	·15	·12	—	·48	·03	·16		9
10	·54	—	·07	—	—	—	—	·14	·04	·11	—	—		10
11	—	—	—	—	—	·06	—	·09	—	—	—	—		11
12	—	·13	·17	—	—	·10	—	—	—	·03	—	—		12
13	—	—	·01	·06	·01	·02	·13	—	·07	—	—	—		13
14	·44	—	—	·11	·19	·13	·09	—	—	·07	·06	—		14
15	·55	—	—	·02	·12	·27	·78	—	·05	·14	·08	—		15
16	·08	—	·05	—	·35	·11	·04	—	—	·02	·20	—		16
17	·66	·04	—	—	·01	—	·31	—	—	1·69	·04	—		17
18	·29	·06	·08	—	—	·12	·14	—	—	·01	·67	—		18
19	·15	—	—	—	—	—	·28	—	—	—	—	—		19
20	·09	—	·01	—	—	·02	·22	·21	—	—	—	—		20
21	·25	·21	·28	—	—	·05	·17	·32	·05	·03	—	—		21
22	·26	·27	—	·03	—	·22	·15	—	·02	·01	·37	—		22
23	·03	—	—	·05	—	·03	·09	—	—	·14	·69	—		23
24	·09	—	—	—	—	·02	·37	—	—	·11	—	—		24
25	1·05	·05	—	·06	—	—	·02	—	—	—	·23	—		25
26	·06	—	—	·04	—	—	—	—	—	—	·21	·06		26
27	—	·09	·14	·02	—	—	·08	—	—	·03	·03	·04		27
28	—	·18	·11	—	—	·29	·10	—	—	—	·18	—		28
29	—	—	—	·13	—	—	·13	·76	—	·18	·06	—		29
30	—	✕	—	·03	—	·22	—	—	—	—	·08	—		30
31	—	✕	—	✕	—	✕	·07	·04	✕	—	✕	—		31
Total	5·89	1·24	1·58	1·84	1·04	1·66	5·25	2·63	·95	3·79	3·88	1·34	Year's Total 31·09	
* Days with .01 in. or more.	22	11	13	15	8	14	23	12	7	18	20	9	172	
* Days with .04 in. or more.	20	11	10	11	5	10	22	12	6	11	17	8	143	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H.C. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2481/8

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940

Kept at Sewage Desposal works

in the County of Tyburn Rd. Erdington Birmingham Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 291·65 ft.

Jan 18th & 27th 31st. ests for snow
Snow circ sent 30. 4. 41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	·05	—	—	—	—	—	—	·14	—		1
2	—	—	—	·35	—	—	·06	—	—	—	·51	·02		2
3	—	·01	—	·05	—	—	—	—	—	·17	·62	·06		3
4	—	·54	—	·17	—	—	·05	—	—	·08	·43	·04		4
5	—	—	—	—	·01	—	·06	—	—	·12	·68	·10		5
6	·08	·21	—	—	—	—	·43	—	—	·49	·31	—		6
7	·02	·23	—	·03	·03	—	·05	—	·02	—	—	—		7
8	—	—	—	·01	—	—	—	—	—	·17	—	·22		8
9	—	—	—	—	—	·02	·07	·06	—	·10	·31	·28		9
10	—	—	·04	—	—	—	·55	·04	—	·01	·13	·23		10
11	—	—	·05	—	—	—	·16	—	—	—	·45	·11		11
12	—	—	·07	—	—	—	·11	·03	·05	—	·04	—		12
13	—	—	·30	·04	—	—	—	—	·02	—	—	—		13
14	—	—	·17	·09	·52	—	—	—	·09	·09	·03	·33		14
15	—	—	—	·06	·73	—	—	—	·02	·15	·11	—		15
16	—	—	·25	·03	—	—	·07	—	·11	·59	·63	·02		16
17	—	—	·25	—	—	—	·05	—	·06	—	·17	—		17
18	(·10) —	·79	·10	·29	—	—	—	·04	·06	·18	·09	·07		18
19	—	·25	·05	·37	—	—	·28	—	·13	—	·21	·01		19
20	—	·01	—	·02	—	—	·07	·04	—	·34	—	—		20
21	—	—	—	—	·32	·16	·06	·01	—	·01	1·21	—		21
22	—	—	—	·03	·50	·19	—	·03	·11	—	—	—		22
23	—	·03	—	·22	·18	·06	—	—	·02	·02	—	·03		23
24	·04	—	—	—	—	—	·07	—	—	—	—	—		24
25	—	—	—	·02	—	—	·09	—	—	·01	—	·02		25
26	1·11	·10	·03	·78	·09	—	·02	—	—	—	·01	—		26
27	— x	·05	—	1·40	—	—	·13	—	·01	—	—	—		27
28	— x (1·30)	·38	—	·04	·47	—	—	·29	—	—	—	—		28
″ 29	— x	—	·09	·05	·15	—	—	—	—	—	—	·13		29
+1·60 30	—	✖	—	·50	—	·09	—	—	—	·57	—	·02		30
31	—	✖	·03	✖	—	✖	—	—	✖	·85	✖	—		31
TOTAL	2·65 ~~1·26~~	2·60	1·43	4·60	3·00	·52	2·38	·54	·70	3·95	6·08	1·79	Year's Total ~~28·84~~	30·24
* Days with .01 in. or more.	~~4~~ 9	11	12	21	10	5	18	8	12	14	18	16	~~152~~	157
* Days with .04 in. or more.	7 ~~3~~	8	10	15	8	4	17	5	7	13	15	10	~~115~~	119

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) .... [P.T.O.

2482.

Section **A** for the entr

AIR MINIS

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090. **REG**

2482

NUNEATON
1931 – 40

780408

Kept at Nuneaton

in the County of Warw

Diameter of Funnel of Gauge

Height of top of Gauge above G

,, Ground ,, S

THE MORNING ME

An observer who does not confor
year in the space on the right

wing

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02	tr	·09	—	·04	—	—	·4	tr	tr	—	1
2	·01	·09	—	·72	tr	·08	—	—	·44	·04	·04	·07	2
3	·11	·01	—	·11	tr	·01	—	—	1·15	—	·7	·09	3
4	—	·07	—	·18	·01	—	·7	·18	·02	—	·12	·01	4
5	—	·05	tr	·04	·01	·92	—	·03	·17	—	—	·28	5
6	—	·14	tr	·03	—	·28	tr	tr	tr	·22	·27	·01	6
7	—	·01	tr	·01	—	·01	·06	·45	tr	·04	·04	·02	7
8	—	·07	tr	·09	tr	·02	·03	·69	—	tr	·19	—	8
9	·06	·19	·02	·04	tr	·04	tr	·17	—	tr	·33	·01	9
10	·02	·01	·01	—	tr	·06	·03	·2	·09	—	·04	tr	10
11	·11	·25	—	—	·01	·06	—	tr	·24	—	·08	tr	11
12	·02	·06	—	—	·01	tr	·88	tr	·24	·08	·02	tr	12
13	—	—	—	tr	·01	tr	·03	·27	—	·02	·09	—	13
14	tr	·07	—	—	·03	·3	·71	1·15	·07	—	·16	—	14
15	·01	·12	—	·07	·27	tr	·25	·3	—	—	·01	tr	15
16	·02	·21	—	·1	·25	·64	tr	·25	·12	—	tr	—	16
17	·04	·2	—	·35	·55	·03	—	·1	·01	—	·01	—	17
18	·05	·02	—	·22	tr	·13	·17	·27	tr	—	·35	—	18
19	·04	·06	—	·15	—	·13	tr	·11	tr	—	·01	—	19
20	tr	·03	·01	·03	—	—	tr	·33	—	·03	—	—	20
21	·1	—	—	—	·57	—	—	·03	—	—	·08	—	21
22	·15	—	·05	—	·03	tr	—	·07	tr	—	·01	—	22
23	·16	tr	·2	·09	·34	·07	·04	—	·04	tr	·15	—	23
24	·01	·01	—	·97	·39	—	tr	—	tr	—	·02	—	24
25	·01	tr	—	·27	·02	—	·31	—	tr	—	·04	—	25
26	·04	tr	—	·01	tr	—	·07	—	—	—	·19	—	26
27	·1	·66	—	·04	·4	—	·03	—	—	·07	·12	·29	27
28	·09	·19	—	tr	·11	—	tr	—	—	·02	·02	·08 some snow	28
29	·05	×	tr	tr	·04	—	·17	—	—	·27	·01 fog	tr snow	29
30	tr	×	—	—	tr	—	tr	—	—	·01	—	—	30
31	·25	×	—	×	tr	×	tr	—	×	—	×	·08 snow & rain	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	1·47	2·57	·29	3·61	3·05	2·82	3·48	4·6	2·99	·8	3·1	·94	29·72
*Days with ·01 in. or more.	22	22	5	20	17	16	14	16	12	10	25	10	189
*Days with ·04 in. or more.	14	15	1	16	9	12	10	14	10	6	17	6	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) V. E. Smith

[P.T.O.

2482.

Section **A** **for the entr** … **PY FOR OFFICIAL USE.**

AIR MINISTRY—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 321 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·02	tr	·09	—	·04	—	—	·4	tr	tr	—	1
2	·01	·09	—	·72	tr	·08	—	—	·44	·04	·04	·07	2
3	·11	·01	—	·11	tr	·01	—	—	1·15	—	·7	·09	3
4	—	·07	—	·18	·01	—	·7	·18	·02	—	·12	·01	4
5	—	·05	tr	·04	·01	·92	—	·03	·17	—	—	·28	5
6	—	·14	tr	·03	—	·28	tr	tr	tr	·22	·27	·01	6
7	—	·01	tr	·01	—	·01	·06	·45	tr	·04	·04	·02	7
8	—	·07	tr	·09	tr	·02	·03	·69	—	tr	·19	—	8
9	·06	·19	·02	·04	tr	·04	tr	·17	—	tr	·33	·01	9
10	·02	·01	·01	—	tr	·06	·03	·2	·09	—	·04	tr	10
11	·11	·25	—	—	·01	·06	—	tr	·24	—	·08	tr	11
12	·02	·06	—	—	·01	tr	·88	tr	·24	·08	·02	tr	12
13	—	—	—	tr	·01	tr	·03	·27	—	·02	·09	—	13
14	tr	·07	—	—	·03	·3	·71	1·15	·07	—	·16	—	14
15	·01	·12	—	·07	·27	tr	·25	·3	—	—	·01	tr	15
16	·02	·21	—	·1	·25	·64	tr	·25	·12	—	tr	—	16
17	·04	·2	—	·35	·55	·03	—	·1	·01	—	·01	—	17
18	·05	·02	—	·22	tr	·13	·17	·27	tr	—	·35	—	18
19	·04	·06	—	·15	—	·13	tr	·11	tr	—	·01	—	19
20	tr	·03	·01	·03	—	—	tr	·33	—	·03	—	—	20
21	·1	—	—	—	·57	—	—	·03	—	—	·08	—	21
22	·15	—	·05	—	·03	tr	—	·07	tr	—	·01	—	22
23	·16	tr	·2	·09	·34	·07	·04	—	·04	tr	·15	—	23
24	·01	·01	—	·97	·39	—	tr	—	tr	—	·02	—	24
25	·01	tr	—	·27	·02	—	·31	—	tr	—	·04	—	25
26	·04	tr	—	·01	tr	—	·07	—	—	—	·19	—	26
27	·1	·66	—	·04	·4	—	·03	—	—	·07	·12	·29	27
28	·09	·19	—	tr	·11	—	tr	—	—	·02	·02	·08 some snow	28
29	·05	×	tr	tr	·04	—	·17	—	—	·27	·01 fog	tr snow	29
30	tr	×	—	—	tr	—	tr	—	—	·01	—	—	30
31	·25	×	—	×	tr	×	tr	—	×	—	×	·08 snow+rain	31
TOTAL	1·47	2·57	·29	3·61	3·05	2·82	3·48	4·6	2·99	·8	3·1	·94	YEAR'S TOTAL 29·72
*Days with ·01 in. or more.	22	22	5	20	17	16	14	16	12	10	25	10	189
*Days with ·04 in. or more.	14	15	1	16	9	12	10	14	10	6	17	6	130

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) V. E. Smith

[P.T.O.

2482

Section **A** **for the entry of Daily Observations.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 321 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·03	—	·12	·46	·09	tr	·86	·07	·24	·03	·01	1
2	·05	—	—	·07	·22	tr	—	·01	·31	·06	tr	·06	2
3	·01	tr fog.	—	·17	tr	—	—	—	tr	·02	—	tr	3
4	·01	—	—	·25	·01	—	—	—	—	—	·38	tr	4
5	·2	·01	·01	·01	tr	—	—	—	·13	—	—	tr	5
6	·28	—	·01	·27	·01	—	·04	—	·46	—	—	—	6
7	tr	—	·25	·23	·04	—	—	—	·07	·12	—	—	7
8	—	—	tr	·1	tr	—	—	—	·16	·2	—	—	8
9	·26	·09 snow	—	·02	·03	—	—	—	·01	—	—	—	9
10	·22	·01 snow	—	·07	·03	—	·03	—	·08	·21	—	—	10
11	·02	·04	·04 snow	·1	·14	·25	·09	tr	·09	·06	·03	tr	11
12	·34	·01	·02	—	·15	—	·09	—	·1	·25	·05	tr	12
13	·18	·06	—	·23	·01	—	1·5	—	·04	·01	·03	—	13
14	·19	·01	—	·1	·01	—	·04	tr	—	·07	·09	·08	14
15	·01	·02	—	·03	·28	—	—	—	—	·04	—	·04	15
16	·27	—	tr	·16	·03	—	·01	—	—	·01	tr	—	16
17	·01	—	tr	·01	tr	—	·01	—	tr	·13	tr	—	17
18	—	—	—	—	·04	—	tr	—	—	—	·05	—	18
19	—	—	—	·06	·04	tr	—	—	—	·2	tr	·01	19
20	—	·01	—	·07	·85	—	tr	·55	—	·44	·14	·01	20
21	·01	tr	·19	·1	2·12	—	—	·22	—	·29	·02	·14	21
22	·01	tr	·22	·04	·03	tr	·25	tr	·61	·12	·42	·01	22
23	—	·01	·01	·01	·5	tr	·02	—	·03	·06	·04	—	23
24	·02	tr	—	tr	·01	tr	·18	—	·06	·04	·34	·05	24
25	·01	·04	—	·01	tr	tr	·29	—	·03	·12	·02	·02	25
26	—	tr	tr	·35	·28	—	·08	—	·07	·01	·03	—	26
27	—	—	·46	·29	·44	·04	·26	—	—	—	·07	—	27
28	—	—	·03	·1	·41	·15	·21	·37	—	·09	·01	·04	28
29	·01	—	·4	·22	·08	·14	·03	·74	·05	·27	·02	·1	29
30	—	×	·18	·02	·01	·84	·25	·11	·4	·27	·34	·26	30
31	—	×	·07	×	·02	×	·65	—	×	—	×	·1	31
TOTAL	2·2	·34	1·89	3·21	6·25	1·51	4·03	2·86	2·77	3·36	2·11	·93	YEAR'S TOTAL 31·46
Days with ·01 in. or more.	20	12	13	27	26	6	18	7	18	24	18	14	203
Days with ·04 in. or more.	10	4	8	20	15	6	13	6	15	20	10	9	136

40-9999

(Signed) K. E. Smith

P.T.O.

Section **A** for the entry of Daily Observations. Ref: 2482,

FOR OFFICIAL USE. 2482

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at The Quarry Nuneaton
in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 321 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·27	·02	tr	–	–	–	–	–	tr	·02	–	1
2	·26	–	·48	–	·07	–	–	–	–	–	·07	–	2
3	·01	·25	·01	–	·28	–	–	–	–	–	·06	–	3
4	·21	·01	–	–	·28	–	–	–	–	–	tr	–	4
5	·08	·03	·20	–	·02	–	–	–	–	–	·02	–	5
6	·01	·20	·03	–	·19	–	–	–	–	·08	·03	·01	6
7	·06	·40	·05	–	·01	–	–	tr	–	·11	tr	·01	7
8	·05	·01	·11	–	·11	–	·35	–	–	·03	–	–	8
9	–	–	·01	tr	·03	–	·28	·02	–	·12	·12	–	9
10	·04	·22	–	–	tr	·20	·01	·03	–	1·40	·07	–	10
11	·02	–	–	–	tr	–	·11	tr	–	·01	·01	–	11
12	·06	–	–	–	–	·02	·20	–	·2	tr	tr	–	12
13	·02	–	–	–	·10	·04	·16	tr	–	·06	·30	–	13
14	tr	–	–	–	·13	–	·07	·07	–	·13	·29	·03	14
15	·52	–	–	–	–	·11	·17	·04	–	tr	·39	·04	15
16	·06	–	·57	·06	·08	·14	·18	tr	tr	·03	·05	·03	16
17	·01	–	·50	tr	·01	·10	tr	–	·04	–	·08	tr	17
18	·08	·01	·03	–	tr	·10	–	–	–	–	·04	·01	18
19	·01	·01	·49	·01	–	·25	·01	tr	·08	–	·03	–	19
20	–	·05	·10	–	·01	·03	–	·04	·11	–	·01	–	20
21	–	·02	–	–	Thunder ·48	·07	tr	·22	–	·03	·01	–	21
22	–	–	–	–	–	·01	–	·35	tr	·01	tr	–	22
23	–	–	–	·13	–	·03	–	–	·34	·24	tr	–	23
24	–	·62	–	·10	·05	·60	–	–	·61	·01	·04	–	24
25	–	·48	–	·30	–	·29	–	–	·05	·03	·02	·04	25
26	–	·70	–	·08	·01	·23	–	–	·02	–	tr	tr	26
27	–	·01	–	tr	tr	–	–	–	·11	·09	–	tr	27
28	–	–	–	·36	·17	–	tr	–	·01	tr	–	·07	28
29	·03	–	–	·10	·01	tr	·15	–	tr	·11	–	·01	29
30	·03	✕	·08	·01	–	–	·06	–	tr	·05	–	1·12	30
31	·02	✕	·41	✕	–	✕	·01	·09	✕	·10	✕	–	31
TOTAL	1·91	3·29	3·09	1·15	1·99	2·22	1·76	·86	1·54	2·64	1·66	·37	YEAR'S TOTAL 22·51
*Days with ·01 in. or more.	20	16	15	9	18	15	13	8	10	18	19	10	141
*Days with ·04 in. or more.	11	9	10	7	11	11	10	6	8	11	11	4	109

40-9999

D

*See Instruction 2 (*f*) on other side.

(Signed) K. E. Smith

[P.T.O.

Ref: 2482.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** 2482

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at The Quarry, Lutterworth Rd Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ... in.

,, Ground ,, Sea Level 320·75 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	tr	—	—	—	·23	tr	—	·15	·31	1
2	·03	·02	·09	—	—	—	—	tr	·26	·01	·05	·16	2
3	·06	·04	·01	—	—	—	—	—	—	·07	·02	·01	3
4	·06	·01	·05	·31	·05	—	—	tr	·13	·2	·09	·4	4
5	·01	—	·07	·03	·11	—	—	·35	—	·01	·07	·04	5
6	·01	—	·03	·05	·3	·02	—	—	tr	·2	·01	·48	6
7	·09	—	tr	—	—	·02	—	·1	—	·05	tr	·25	7
8	—	—	—	—	·1	·09	—	·09	—	—	·16	·02	8
9	·01	·01	·16	·04	tr	—	—	·05	tr	—	·47	·35	9
10	·08	—	·18	·15	—	—	—	·06	—	—	·08	·01	10
11	·67	—	·23	·33	—	—	tr	·3	~~—~~	—	—	·18	11
12	·01	—	·15	·01	—	—	·05	·03	~~tr~~	·03	tr fg	·01	12
13	·46	—	·01	·09	·09	—	·21	·19	—	·02	tr	·11	13
14	·12	—	·3	·01	·04	tr	tr	tr	—	·36	·46	·37	14
15	·05	tr. fg	·09	—	·13	—	tr	—	tr	·08	·22	·01	15
16	·12	—	·19	—	·01	—	—	tr	—	·12	·04	·09	16
17	·02	tr. fg	·01	—	—	—	·01	·01	—	·1	·02	·12	17
18	·19	—	tr	·13	—	—	·67	·01	·12	tr	·01	·01	18
19	tr	—	·11	·01	tr	—	—	·01	·03	tr	·01	·06	19
20	—	—	·04	·16	—	·04	—	—	·01	·01	tr	tr	20
21	—	—	tr	tr	—	·17	tr	·04	·01	·06	tr	—	21
22	—	—	tr	—	tr	—	—	·39	·17	·01	—	·09	22
23	—	—	·05	·23	·02	·18	·14	tr	·04	tr	tr	·05	23
24	—	·28	·07	·02	tr	·02	·2	—	·28	·01	—	·01	24
25	·19	—	tr	·02	tr	·04	—	—	tr	·16	—	·47	25
26	·08	—	·04	·09	—	·04	—	tr	·07	·01	·01	·3	26
27	·01	·15	tr	·2	—	tr	tr	—	·01	·04	tr	·14	27
28	—	—	—	·33	tr	·18	tr	·34	—	—	·06	·35	28
29	—	×	—	—	—	—	·2	·16	·43	tr	tr	·02	29
30	·02	×	—	—	—	—	·09	—	·02	·01	tr	·12	30
31	·01	×	—	×	—	×	·02	—	×	·3 snow	×	·04	31
													YEAR'S TOTAL
TOTAL	2·32	·51	1·88	2·21	·85	·80	1·59	2·36	1·58	1·86	1·93	4·58	22·47
*Days with ·01 in. or more.	22	6	19	18	9	10	9	16	13	21	17	29	189
*Days with .04 in. or more.	12	3	15	~~13~~12	7	6	7	12	9	12	11	21	127

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) K. E. Smith

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2482

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 321 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·03	tr	·04	·02	·15	·02	—	·66	·05	·16	·01		1
2	·01	·03	·06	tr	tr	·01	—	—	·25	·23	·01	·16		2
3	tr	·22	·03	·03	—	·05	—	—	·24	·33	·25	·08		3
4	—	·01	—	·08	—	·08	—	—	tr	·14	·01	—		4
5	tr	·57	·09	·07	—	·23	·06	—	—	·01	·06	·02		5
6	tr	—	·01	·28	—	·26	—	—	—	tr	·01	tr		6
7	·02	—	tr	·4	—	·06	—	—	—	·19	·46	·19		7
8	—	—	tr	·2	—	·05	—	·2	—	·1	·19	·06		8
9	tr	—	—	·16	—	·2	—	—	—	·42	·28	·01		9
10	tr	·02	tr	·06	—	·03	—	—	—	·01	·13	·01		10
11	·19	tr	tr	tr	—	·11	·11	·02	—	·11	·21	·06		11
12	·04	tr	—	—	—	·26	—	·12	·06	·01	·01	tr		12
13	·06	·02	—	·16	·14	tr	—	—	—	·02	tr	—		13
14	tr	tr	·01	—	·03	·11	·14	—	·05	tr	·35	·15		14
15	tr	·07	—	·88	·04	·1	tr	—	·35	—	·22	·33		15
16	—	·06	·14	·18	tr	·26	·02	—	·4	·22	·89	·13		16
17	—	tr	—	·04	—	·27	·02	—	tr	·04	·61	tr		17
18	tr	tr	—	·25	·12	·22	·06	—	·07	tr	·01	tr		18
19	·01	tr	—	·08	·55	·24	·1	—	tr	·2	·27	tr		19
20	·03	·26	—	·21	·01	·08	·11	—	tr	—	·19	tr		20
21	tr	·37	·04	·17	—	·01	tr	—	·3	·04	·1	—		21
22	·02	·07	—	·07	—	—	—	·29	·04	tr	·01	tr		22
23	·05	·04	·14	tr	tr	—	—	·4	·17	·35	—	·04		23
24	·2	·17	·02	—	—	—	—	·01	·6	—	—	·36		24
25	·04	·05	—	·04	—	1·24	—	—	—	·01	·01	·04		25
26	tr	·02	—	—	—	—	—	·26	·27	·02	·01	·62		26
27	tr	·17	—	—	tr	—	—	tr	·05	tr	·23	1·27		27
28	·04	·11	—	—	·05	—	—	—	·02	tr	·03	·08		28
29	·01	×	·05	—	·26	—	—	·02	·09	·1	·06	·13		29
30	·02	×	tr	·06	·92	—	—	·42	·07	·2	·25	·08		30
31	—	×	—	×	—	×	—	—	×	·6	×	·13		31
TOTAL	·87	2·29	·59	3·46	2·14	4·02	·64	1·74	3·69	3·40	5·02	3·96	Year's Total. 31·76	
* Days with .01 in. or more.	15	18	10	20	10	21	9	9	14	22	27	21	199	
* Days with .04 in. or more.	8	12	6	19	7	19	6	6	16	16	18	14	150	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) K. E. Smith

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2482

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at ....The Quarry, ..Lutterworth R. Nuneaton

in the County of ...Warwickshire...............

Diameter of Funnel of Gauge......5.........in.

Height of top of Gauge above Ground.....1...ft.........in.

,, Ground ,, Sea Level ......321....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·05	·1	·46	–	·13	·11	·16	–	–	·08	·14		1
2	·03	·04	·13	·09	–	·44	1·14	·03	tr	–	·19	·04		2
3	·02	·02	·01	tr	tr	·5	·02	·02	·21	–	·01	tr		3
4	tr	tr	·12	–	–	·16	·01	–	·3	tr	·03	·1		4
5	·08	–	·03	–	–	tr	·04	·05	·26	–	tr	·13		5
6	·02	–	tr	–	·16	·14	·27	·12	·16	–	·1	·07		6
7	·08	–	·04	–	tr	tr	·83	–	·12	–	·02	tr		7
8	·3	–	·05	–	tr	–	tr	–	·02	–	·19	·1		8
9	·33	–	·13	–	tr	·02	1·86	–	·11	–	·01	tr		9
10	·04	–	·03	–	tr	tr	·21	–	·01	–	tr	·02		10
11	tr	–	–	·07	tr	·07	·6	·01	·16	–	·44	tr		11
12	–	–	–	·13	tr	·26	·53	–	1·03	–	·08	·1		12
13	–	–	–	·1	–	·31	·01	–	–	·06	·02	·29		13
14	–	–	–	·19	–	·05	·47	–	·4	·03	·01	·36		14
15	·02	tr	–	–	–	·05	·18	–	·01	tr	·05	·13		15
16	·19	·15	–	tr	tr	–	·1	–	–	–	·56	·02		16
17	tr	·46	–	tr	·03	–	·07	–	–	·09	·06	·16		17
18	–	·04	–	–	tr	·45	·26	–	–	·35	tr	·04		18
19	·36	·1	·06	·33	tr	·09	·01	·01	–	·12	–	tr		19
20	·01	·07	·04	·03	tr	·72	tr	·12	·01	·01	tr	tr		20
21	–	·01	·06	·18	·18	1·31	tr	–	–	–	tr	tr		21
22	tr	·64	·06	tr	·04	–	·2	–	–	tr	tr	·07		22
23	–	·07	·08	·12	·06	–	·55	–	–	–	·02	tr		23
24	·28	·1	tr	tr	–	–	·01	–	·16	·17	·01	–		24
25	·09	·01	·18	·24	–	–	·08	–	·23	·05	·01	tr		25
26	·03	·14	·34	tr	tr	–	·04	–	tr	·12	tr	–		26
27	·05	tr	·02	tr	–	–	·02	–	·09	·08	tr	tr		27
28	·38	·16	·16	tr	–	–	·12	–	·01	tr	·01	·08		28
29	·05	·25	·18	–	·65	·03	–	–	tr	·08	·18	·09		29
30	·04	✕	·01	–	·03	·18	·12	tr	–	·29	·09	tr		30
31	·63	✕	·05	✕	·03	✕	·04	tr	✕	·15	✕	·31		31
TOTAL	3·04	2·31	1·88	1·94	1·18	4·91	7·90	·52	3·29	1·59	2·17	2·25	Year's Total 32·98	✓
* Days with .01 in. or more.	21	16	21	11	8	17	27	8	17	13	21	18	198	✓
* Days with .04 in. or more.	14	13	18	10	5	15	21	4	12	11	11	16	156	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ......V. E. Smith...... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 2482

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193

Kept at The Quarry, Lutterworth R^d. Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 321 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·01	·03	tr	–	–	tr	–	·08	tr	·12	·25		1
2	·01	·04	·04	·57	–	tr	tr	–	–	–	tr	·11		2
3	tr	·05	tr	–	·26	·01	–	–	·07	–	tr	·23		3
4	·09	·15	·01	–	·04	–	–	tr	–	–	tr	·59		4
5	·28	tr	·19	–	tr	–	·02	tr	–	–	tr	·02		5
6	·12	tr	·1	tr	·08	–	tr	–	–	·02	tr	tr		6
7	·01	·7	·03	·16	tr	–	–	–	–	–	tr	–		7
8	tr	·2	–	·02	–	tr	·01	–	–	–	·31	·02		8
9	–	·01	tr	·04	·46	tr	·45	tr	·17	–	–	–		9
10	·01	·04	·4	·24	–	·23	·01	–	–	tr	–	·13		10
11	–	tr	·39	·01	·52	·2	tr	–	–	tr	–	tr		11
12	·09	·29	·14	–	·40	·02	–	·37	·15	–	tr	·27		12
13	·08	·07	·07	·14	·03	·16	–	·12	·06	–	–	·02		13
14	–	tr	·25	·02	tr	tr	–	·19	·02	–	–	·13		14
15	·18	·04	·01	·26	tr	tr	1·33	tr	·08	–	tr	·01		15
16	·03	·16	·49	·56	–	tr	–	·08	·26	–	–	tr		16
17	·15	·06	·39	·28	–	tr	–	–	·12	–	–	–		17
18	·58	·1	·07	·02	–	tr	·01	–	·03	·01	·25	·01		18
19	·02	·08	·03	·15	·02	·08	·27	–	–	·01	·1	tr		19
20	·29	·01	–	·43	·44	·07	·01	–	–	·01	–	·04		20
21	·09	·17	·03	·02	tr	–	·26	–	–	·02	tr	·04		21
22	·16	·06	·25	–	·09	–	·16	–	–	·27	·22	·02		22
23	·27	·02	·01	–	·02	–	·09	–	–	·39	·21	–		23
24	·14	·3	·08	tr	·03	–	·01	–	–	·3	tr	·01		24
25	·14	·29	·01	–	–	–	tr	tr	·01	·32	tr	·01		25
26	tr	·25	·06	tr	–	–	–	–	·06	·02	–	·02		26
27	tr	·35	tr	·28	–	–	–	–	–	·72	·01	tr		27
28	tr	·01	·01	–	–	·62	–	tr	–	·03	tr	·01		28
29	·1	×	–	–	–	tr	–	tr	–	·04	·07	–		29
30	·33	✕	–	–	–	·03	–	·1	–	tr	·09	·07		30
31	·33	✕	–	✕	–	✕	–	tr	✕	·13	✕	tr		31
TOTAL	3·52	3·46	3·09	3·20	2·39	·82	2·63	·86	1·11	2·29	1·38	2·01	Year's Total 26·76	✓ ✓
* Days with .01 in. or more.	23	24	23	16	12	9	12	5	12	14	9	20	179	✓ ✓
* Days with .04 in. or more.	14	19	14	11	8	5	6	5	9	8	8	10	120	✓ ✓

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) V. E. Smith [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2482

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at The Quarry, Lutterworth Rd., Nuneaton
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 321 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	tr	tr	·01	—	·03	·47	tr	—	—	·15	·01	·09		1
2	·07	tr	·01	·06	tr	·45	tr	—	tr	·13	tr	·01		2
3	·03	—	—	—	·07	·02	·1	—	tr	·67	·02	—		3
4	·01	tr	—	—	—	·03	·05	·25	—	·23	·01	·29		4
5	—	—	—	—	—	—	·3	·08	·01	·03	—	tr		5
6	·1	—	tr	—	—	·02	·41	tr	·13	·13	—	tr		6
7	·27	tr	—	—	—	tr	·12	·16	·08	·03	—	·04		7
8	·03	—	—	—	—	tr	·11	·06	—	·2	tr	·01		8
9	tr	·1	—	—	—	tr	·03	—	—	tr	—	·32		9
10	·03	·02	tr	—	—	·03	·22	·06	tr	—	—	·04		10
11	·52	·07	—	—	—	—	tr	·37	—	·07	·12	·02		11
12	·19	tr	—	—	·13	—	·03	—	—	·31	·04	—		12
13	·01	tr	—	—	—	—	tr	—	—	·01	·08	·38		13
14	·28	·01	—	—	·08	—	·69	—	·06	—	tr	·01		14
15	·07	—	—	—	·01	—	·13	—	—	·01	tr	·33		15
16	·25	—	tr	—	—	—	·18	tr	tr	tr	·03	·05		16
17	·01	·03	—	—	tr	—	·01	—	·03	·17	·03	tr		17
18	·12	—	—	—	·24	·25	tr	·04	·69	tr	·44	—		18
19	tr	—	—	—	tr	—	—	·12	·1	tr	·08	·05		19
20	tr	tr	—	—	tr	—	—	—	·01	—	·32	·04		20
21	·02	—	—	—	—	—	—	tr	·01	—	·09	·25		21
22	tr	—	—	·01	tr	·04	—	tr	tr	—	·26	·28		22
23	tr	—	—	tr	·09	tr	—	—	·1	—	·01	·05		23
24	tr	—	·01	tr	·04	tr	—	tr	·32	—	·01	·03		24
25	·09	—	·16	—	—	tr	·01	·42	tr	·1	·37	·15		25
26	·01	·36	·14	—	·05	tr	—	·02	·04	·2	tr	·17		26
27	·07	·01	tr	—	·22	·14	·36	·23	·2	·05	·25	tr		27
28	·17	tr	—	—	·28	·09	·05	·97	·02	t	·06	·18		28
29	·36	×	tr	—	·34	tr	·02	—	—	·05	·15	·17		29
30	·04		—	tr	tr	·42	—	—	·37	—	·26	·19		30
31	·17		—		·15		—	—		·12		·32		31
TOTAL	2·92	·60	·33	·07	1·76	1·96	2·82	2·78	2·17	2·66	2·74	3·47	Year's Total 24·28	✓
* Days with .01 in. or more.	23	7	5	2	13	11	17	12	15	18	20	24	167	✓
* Days with .04 in. or more.	15	3	2	1	11	7	12	11	10	14	13	19	118	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) K. E. Smith

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2482

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

Kept at The Quarry Lutterworth Rd Nuneaton
in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 321 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	tr	·28	·02	–	tr	·02	·01	–	tr	tr		1
2	·08	–	–	·08	–	–	·01	·24	·72	tr	·03	·06		2
3	·28	–	–	·42	tr	–	–	·63	·11	·03	·18	·33		3
4	·13	–	·39	·34	·06	–	·11	·27	·31	·32	·08	·1		4
5	tr	–	–	·12	·27	–	·04	·61	–	·1	·25	·16		5
6	·63	–	tr	–	·01	–	·37	·02	–	–	·01	–		6
7	·03	·02	tr	–	–	–	·20	·06	–	tr	·36	·17		7
8	tr	·05	·29	–	–	–	·42	·09	–	·43	·22	·31		8
9	·01	·05	tr	–	–	–	·05	·19	tr	·36	·07	·21		9
10	·37	–	·02	–	–	–	tr	·27	·02	·02	tr	tr		10
11	tr	·01	·18	–	tr	·12	tr	tr	tr	tr	–	tr		11
12	–	·04	tr	–	·01	·04	–	tr	tr	–	tr	tr		12
13	–	–	tr	·02	·02	·02	·18	–	·04	·38	tr	tr		13
14	·44	–	tr	·02	·71	·13	·18	–	tr	·39	·08	–		14
15	·27	–	–	·01	·07	·4	·55	–	tr	·25	·1	tr		15
16	·15	–	·1	–	·33	·23	·02	–	·02	·03	tr	tr		16
17	·4	·05	tr	tr	·04	–	·48	tr	tr	2·27 ✓	·15	–		17
18	·14	·03	·05	–	–	·38	·08	–	–	·01	·59	tr		18
19	·2	–	tr	–	–	–	·35	–	–	tr	tr	–		19
20	·12	·32	·01	–	–	·05	·01	·1	tr	–	–	–		20
21	·15	·21	·28	·02	–	·25	·15	·28	·03	tr	–	–		21
22	·2	–	·03	tr	–	–	·06	tr	·01	·03	·35	·01		22
23	tr	tr	·01	·03	–	·01	·02	–	tr	·13	·74	–		23
24	·14	·04	·03	·02	–	·03	·09	–	–	·06	–	–		24
25	1·27	·04	·05	tr	tr	tr	·03	tr	–	tr	·34	–		25
26	·14	tr	·02	tr	–	–	tr	–	tr	·01	·26	·05		26
27	tr	·2	·06	tr	–	·01	·09	tr	–	·05	·01	·05		27
28	tr	·14	·15	tr	–	·12	·06	tr	tr	tr	·2	·01		28
29	–	×	tr	·23	–	tr	·28	·13	–	·23	·03	–		29
30	–	×	–	·09	–	·18	tr	tr	–	·01	·1	–		30
31	–	×	tr	×	–	×	tr	·18	×	tr	×	tr		31
TOTAL	5·19	1·20	1·67	1·68	1·54	1·97	3·83	3·09	1·27	5·11	4·15	1·46	Year's Total. 32·16	✓
* Days with .01 in. or more.	20	13	15	13	10	14	23	14	9	19	20	11	181	✓
* Days with .04 in. or more.	18	10	9	7	6	10	18	12	4	12	16	9	131	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. E. Smith

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2482.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1940.

Kept at The Quarry Lutterworth Rd Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 321 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf. ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	—	·03	—	—	—	—	—	—	·11	—		1
2	tr	·06	—	·35	—	—	·03	—	—	tr	·66	·03		2
3	—	·14	tr	·16	—	—	tr	—	—	·1	·75	·02		3
4	—	·1	—	·05	—	—	tr	—	—	·14	·22	·06		4
5	—	·01	—	—	·05	—	tr	—	—	·21	·62	·12		5
6	·11	·25	—	—	tr	—	·13	—	—	·35	·37	·01		6
7	·04	·23	—	·01	·02	—	—	—	·03	—	tr	·01		7
8	tr	tr	—	·03	—	—	—	—	—	·1	·04	·22		8
9	—	—	·03	—	—	·06	·15	·02	·01	·12	·26	·23		9
10	—	—	·05	tr	—	—	·64	·01	—	—	·11	·21		10
11	—	—	·05	·01	—	—	·15	—	—	—	·57	·03		11
12	—	·01	·12	tr	—	·01	·36	tr	·06	—	·02	—		12
13	—	·01	·42	·03	—	—	tr	tr	·05	—	—	·02		13
14	—	tr	·02	·04	·31	—	·01	·01	·07	·04	·02	·37		14
15	—	tr	·01	·17	·03	—	·06	—	·06	·04	·1	tr		15
16	·05	·15	·32	·01	—	·01	·23	—	·15	·85	·67	—		16
17	—	·01	·26	—	—	—	·04	—	—	tr	·19	—		17
18	·07	·64	·27	·25	—	—	—	·01	·25	·22	—	—		18
19	—	·24	·05	·23	—	tr	·36	—	·09	tr	·23	·06		19
20	—	·01	tr	·04	—	—	·01	·1	—	·2	·02	—		20
21	·05	·01	tr	—	·21	·22	·31	·01	—	·01	1·3	—		21
22	tr	—	tr	tr	·32	·14	—	tr	·07	—	—	—		22
23	—	·16	·06	·04	·01	·1	—	tr	—	·05	tr	·04		23
24	tr	tr	tr	tr	—	—	·09	tr	—	·04	tr	·01		24
25	·07	—	—	tr	tr	—	·02	—	—	·02	—	—		25
26	·99	·12	—	tr	·05	·01	·29	—	—	tr	·01	—		26
27	·67	·2	—	·03	tr	tr	·04	—	tr	—	·12	—		27
28	·57	·18	tr	tr	·1	—	—	tr	—	—	—	—		28
29	·02	tr	·09	·02	·01	·01	—	—	—	—	tr	·25		29
30	—	×	tr	·66	—	—	—	—	—	·56	tr	·04		30
31	·03	×	·03	×	—	×	—	—	×	·8	×	—		31
TOTAL	2·67	2·61	1·78	2·16	1·11	·56	2·92	·16	·84	3·85	6·39	1·43	Year's Total. 26·78	✓
* Days with .01 in. or more.	11	19	14	18	10	8	17	6	10	17	20	17	167	✓
* Days with .04 in. or more.	9	13	10	10	6	4	13	1	8	15	16	10	115	✓

40-9999

† Spare column, no entries required.

(*Signed*) K. E. Smith

* See Instruction 2 (f) on other side.

[P.T.O.

Section **A** for the entry of D

AIR MINISTE

FORM 1090.

REGI

2483

FOR OFFICIAL USE.

ZATION.

1.

—

2483

WARWICK HIGH CROSS

1931 — 40

Kept at High C

in the County of W

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

" Ground " Sea

THE MORNING MEA Y.

An observer who does not conform *lowing*

year in the space on the right of th

Jan. 1, following.

78040P

Date.	Jan.	Feb.	Mar								Nov.	Dec.	*Date.*
	in.	in.	in.								in.	in.	
1	—	.02	—	.05	.01	.04	—	—	—	.03	.02	—	1
2	—	.06	—	.75	—	.04	—	.07	.35	.01	—	.04	2
3	—	—	—	.16	—	—	.03	—	.40	—	.50	.17	3
4	—	.09	—	.19	.01	.01	.44	.14	1.15	—	.13	—	4
5	—	.02	—	.04	.02	1.18	.02	.03	.06	—	—	26	5
6	—	.17	—	.03	—	.02	.04	—	.10	.20	.20	—	6
7	—	—	—	—	—	.01	.06	.41	—	.01	.17	.02	7
8	—	.07	—	.05	.08	.04	.01	.71	—	—	.02	—	8
9	.10	30	.05	.06	—	.02	—	.13	—	—	.25	.01	9
10	.02	—	—	—	.04	.03	.01	.17	.13	—	.02	—	10
11	.08	.33	—	—	—	.04	.03	—	.20	—	.06	—	11
12	.07	.17	—	—	—	—	.33	.09	.30	—	.02	—	12
13	—	—	—	—	—	—	.07	1.26	—	.04	—	—	13
14	—	.09	.03	—	—	.14	.56	.15	.02	—	.07	—	14
15	.04	.10	—	.10	.34	—	.19	.17	—	—	—	.02	15
16	.03	.31	—	.09	.61	.54	—	.09	.20	—	—	—	16
17	.05	.30	—	.51	.21	.02	.07	—	.03	—	—	—	17
18	.06	.03	—	.30	—	.04	.05	.26	—	—	.37	—	18
19	.05	.02	—	.21	—	.03	.03	.03	.10	—	.02	—	19
20	.02	.04	—	—	—	—	—	.37	.02	.04	.04	.02	20
21	15	—	—	—	.52	—	—	.08	—	—	—	—	21
22	26	—	—	—	—	—	—	.03	—	—	.01	—	22
23	.06	—	—	.05	.33	.06	—	—	.15	—	.21	.07	23
24	.01	—	.02	.04	—	—	.05	—	—	—	—	.01	24
25	.05	.03	—	.96	.01	—	.40	—	—	—	.04	—	25
26	—	.05	—	.36	.05	—	.09	—	—	—	.18	—	26
27	.10	.55	—	.01	.36	—	.09	—	—	.09	.14	—	27
28	.09	37	—	.05	.17	—	—	—	—	.02	—	.28	28
29	.06	X	—	.01	.05	—	.08	—	—	.30	.02	—	29
30	.05	X	—	.02	—	—	.02	—	—	—	.02	—	30
31	.33	X		X	—	X	—	—	X	—	X	—	31
TOTAL	168	312	.10	404	281	226	267	419	321	74	251	.90	YEAR'S TOTAL 28·23
Days with ·01 in. or more.	20	20	3	21	15	16	21	17	14	9	21	10	187
Days with ·04 in. or more.	16	15	1	17	11	9	14	14	11	5	13	5	13

40-12-1-27
144w)

(Signed) Joseph Parker Toone

[P.T.O.

2483

Section **A** for the entry of Da

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1921.

Kept at High Cross

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level ft.

~~Totals'~~ days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.02	—	.05	.01	.04	—	—	—	.03	.02	—	1
2	—	.06	—	.75	—	.04	—	.07	.35	.01	—	.04	2
3	—	—	—	.16	—	—	.03	—	.40	—	.50	.17	3
4	—	.09	—	.19	.01	.01	.44	.14	1.15	—	.13	—	4
5	—	.02	—	.04	.02	1.18	.02	.03	.06	—	—	.26	5
6	—	.17	—	.03	—	.02	.04	—	.10	.20	.20	—	6
7	—	—	—	—	—	.01	.06	.41	—	.01	.17	.02	7
8	—	.07	—	.05	.08	.04	.01	.71	—	—	.02	—	8
9	.10	.30	.05	.06	—	.02	—	.13	—	—	.25	.01	9
10	.02	—	—	—	.04	.03	.01	.17	.13	—	.02	—	10
11	.08	.33	—	—	—	.04	.03	—	.20	—	.06	—	11
12	.07	.17	—	—	—	—	.33	.09	.30	—	.02	—	12
13	—	—	—	—	—	—	.07	1.26	—	.04	—	—	13
14	—	.09	.03	—	—	.14	.56	.15	.02	—	.07	—	14
15	.04	.10	—	.10	.34	—	.19	.17	—	—	—	.02	15
16	.03	.31	—	.09	.61	.54	—	.09	.20	—	—	—	16
17	.05	.30	—	.51	.21	.02	.07	—	.03	—	—	—	17
18	.06	.03	—	.30	—	.04	.05	.26	—	—	.37	—	18
19	.05	.02	—	.21	—	.03	.03	.03	.10	—	.02	—	19
20	.02	.04	—	—	—	—	—	.37	.02	.04	.05	.02	20
21	.15	—	—	—	.52	—	—	.08	—	—	—	—	21
22	.26	—	—	—	—	—	—	.03	—	—	.01	—	22
23	.06	—	—	.05	.33	.06	—	—	.15	—	.21	.07	23
24	.01	—	.02	.04	—	—	.05	—	—	—	—	.01	24
25	.05	.03	—	.06	.01	—	.40	—	—	—	.04	—	25
26	—	.05	—	.36	.05	—	.09	—	—	—	.18	—	26
27	.10	.55	—	.01	.36	—	.09	—	—	.09	.14	—	27
28	.09	.37	—	.05	.17	—	—	—	—	.02	—	.28	28
29	.06	X	—	.01	.05	—	.08	—	—	.30	.02	—	29
30	.05	X	—	.02	—	—	.02	—	—	—	.02	—	30
31	.33	X		X	—	X	—	—	X	—	X	—	31
TOTAL	1.68	3.12	.10	4.04	2.81	2.26	2.67	4.19	3.21	.74	2.51	.90	YEAR'S TOTAL 28.23.
Days with ·01 in. or more.	20	20	3	21	15	16	21	17	14	9	21	10	187
Days with ·04 in. or more.	16	15	1	17	11	9	14	14	11	5	13	5	131

40-12-1-27
144w)

(Signed) Joseph Parker Toone

[P.T.O.

2483

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at High Cross

in the County of ~~[illegible]~~ + Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft ...... in.

,, Ground ,, Sea Level ...... ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.03	—	.09	.41	.13	—	.19	.10	22	.03	—	1
2	.04	—	—	.09	.22	.03	—	.07	.78	.08	.01	.08	2
3	—	.02	—	.20	.04	—	—	—	—	—	—	—	3
4	.01	—	—	.19	—	—	.03	—	.09	.01	.43	.01	4
5	.21	.01	.01	—	—	—	—	—	.48	—	—	—	5
6	.32	—	.03	.26	.04	—	—	—	—	—	—	—	6
7	—	—	22 ~~.02~~	—	—	—	—	—	.08	.03	—	—	7
8	—	—	—	.08	—	—	—	—	.12	.15	—	—	8
9	.10	—	—	.08	—	—	—	—	.13	—	—	—	9
10	.12	.19	—	.04	.02	—	.02	—	—	.16	—	—	10
11	—	.04	—	.05	.15	.05	—	—	.07	.05	.02	.02	11
12	.15	.02	—	—	.17	—	.10	—	.05	.29	.05	—	12
13	.06	.03	—	.08	—	—	1.42	—	.07	—	.03	.04	13
14	.17	—	.01	.09	.02	—	.03	.02	—	.06	.05	.01	14
15	.02	—	—	.04	.25	—	.05	—	—	.03	—	.01	15
16	.15	—	.01	.34	.10	—	.03	—	—	—	—	.03	16
17	—	—	—	.01	—	—	—	—	—	.10	.02	—	17
18	—	—	—	—	.06	—	—	—	.02	—	.05	—	18
19	—	—	—	.32	.01	—	.01	—	—	.18	.01	.01	19
20	—	—	—	.17	.42	—	.02	.36	—	.51	.14	.01	20
21	—	—	.12	.22	1.90	—	—	.33	—	.35	—	.11	21
22	.02	—	.25	.04	.16	.01	.20	—	.65	.17	.39	.01	22
23	—	.01	—	—	.98	—	.02	—	.07	.06	.07	.07	23
24	—	—	—	—	.03	—	.53	—	.04	.36	.42	.01	24
25	—	.11	—	—	—	.01	.07	—	.07	.05	.01	.03	25
26	—	—	—	.37	.16	—	.08	—	.06	.03	.03	—	26
27	—	—	.36	.27	.62	.02	.25	—	—	.01	.11	—	27
28	—	—	.02	.23	.40	.08	.23	.33	.01	.09	—	.03	28
29	—		.35	.30	.05	.06	.02	—	.10	.25	—	.07	29
30	—	×	.05	.04	—	.65	.03	.09	.51	.39	.38	.27	30
31	—	×	.06	×	.02	×	.97	—	×	.01	×	.06	31
TOTAL	149	46	149	360	603	104	411	139	350	334	225	98	YEAR'S TOTAL 29.68
*Days with ·01 in. or more.	13	9	12	23	22	9	19	7	19	24	18	18	193
*Days with ·04 in. or more.	10	3	7	22	17	5	10	6	17	18	10	7	132

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ......

[P.T.O.

2483

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at High Cross

in the County of Warwick + Leicester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 10 in.

,, Ground ,, Sea Level ft.

bag

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	—	.03	—	—	—			—	.02	.06	—	1
2	19	—	.42	—	.08	—	—	—	—	—	.07	—	2
3	—	.45	.23	—	.55	—	—	—	—	—	.03	—	3
4	.20	.06	.03	—	.08	—	—	—	—	—	.01	—	4
5	.05	.03	.13	—	.18	—	—	—	—	—	.03	—	5
6	—	29	.15	—	.21	—	—	—	—	.06	.02	—	6
7	.03	35	.07	—	.03	—	—	—	—	19	—	—	7
8	.07	—	.08	—	.09	—	26	—	—	.01	—	—	8
9	—	—	.01	—	.03	—	.30	—	—	.10	.10	—	9
10	.03	.17	—	—	—	.07	—	.07	—	.85	.19	—	10
11	.04	—	—	—	.03	.04	—	—	—	.01	.01	—	11
12	.09	—	—	—	—	—	.19	—	.20	—	—	—	12
13	—	—	—	—	.05	—	.07	.08	.01	.03	28	—	13
14	.05	—	—	—	.13	—	.03	.10	—	.20	.68	.03	14
15	.41	—	.03	—	—	.11	.82	—	—	—	.35	.01	15
16	.02	—	.57	—	—	.18	.08	—	—	.02	.05	.02	16
17	.08	—	.53	.03	.06	.04	—	—	.06	.01	.04	.03	17
18	.09	—	.03	.02	—	.20	.03	—	—	—	.05	—	18
19	—	.03	.50	.01	—	.04	—	—	.05	—	—	—	19
20	—	.07	.08	—	.01	.08	—	.01	—	.04	.01	—	20
21	—	.08	—	—	.12	.10	—	.08	.06	—	.02	.01	21
22	—	—	—	.01	—	.24	—	.38	—	.37	—	—	22
23	—	—	—	.06	—	.03	—	—	.31	—	—	—	23
24	—	.40	—	.05	.07	—	—	—	.56	.05	.04	.01	24
25	—	.60	—	.39	—	—	—	—	.21	—	—	.04	25
26	—	.50	—	.07	—	.32	—	—	.02	.08	.01	—	26
27	—	—	—	—	.01	—	—	—	.16	.05	—	.03	27
28	—	.05	—	.23	.07	.10	.03	—	.02	.07	—	.07	28
29	—	—	—	.18	—	—	.10	—	.01	.03	—	.03	29
30	.11	×	.06	.17	—	—	.06	—	—	.05	—	.10	30
31	.01	×	38	×	—	×	.02	.12	×	.25	×	—	31
TOTAL	177	308	333	122	180	155	199	84	167	249	205	38	YEAR'S TOTAL 2217
*Days with ·01 in. or more.	16	13	17	11	17	13	12	7	12	20	19	11	168
*Days with ·04 in. or more.	12	11	12	7	12	12	8	6	8	13	11	3	115

40-9999

(Signed) J. Parker Toone [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No** 2483

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at High Cross

in the County of Leicester + Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level ft.

Residence in Leicester
Gauge in Warwick

Total + Days
alt

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	—	.13	—	—	—	—	.01	.05	—	.18	23	1
2	.03	—	.08	—	—	—	—	.75	25	.04	.03	.17	2
3	.03	.10	—	—	—	—	—	—	—	.16	—	.02	3
4	.04	—	.05	38	—	—	—	—	.04	.04	.17	.32	4
5	.02	—	.03	.06	.11	.09	—	.20	—	.05	—	.12	5
6	—	—	.01	.06	.37	.08	—	—	—	.18	—	.47	6
7	.08	.02	—	—	—	.03	—	.09	—	.08	.06	.28	7
8	—	—	—	—	.10	—	—	.08	—	—	.14	—	8
9	.01	—	.14	—	—	—	—	.05	—	—	.50	.30	9
10	.04	—	.12	.04	—	—	—	.18	—	—	—	.01	10
11	.66	—	.11	.16	—	—	—	.06	—	—	.15	.15	11
12	—	—	.18	.31	—	—	.08	.06	—	.01	—	.01	12
13	.40	—	.01	—	.06	—	.13	.12	—	.01	.01	.31	13
14	.08	—	.21	—	.04	—	—	—	—	.30	.44	.36	14
15	.04	—	.14	.03	.10	—	—	—	—	.06	.22	.01	15
16	.13	.01	.18	—	—	—	—	—	—	.19	.03	.05	16
17	.03	—	—	—	—	—	.04	—	.02	.11	.06	.13	17
18	.13	—	—	.17	—	—	.51	.02	.22	—	—	.02	18
19	—	—	.13	.03	—	.03	—	—	.02	—	—	.04	19
20	—	—	.08	.08	—	.02	—	—	.04	—	—	—	20
21	—	—	—	.02	—	.20	—	.04	—	.16	—	.01	21
22	—	—	—	.25	—	—	—	23	.22	.01	—	.10	22
23	—	—	—	—	.02	.18	.21	—	—	—	—	.06	23
24	—	.30	.10	.07	—	.02	.05	—	33	.06	—	—	24
25	.18	.01	—	.05	—	.32	—	—	.13	.11	—	.35	25
26	.03	—	.05	.41	—	.06	—	—	—	—	.02	.28	26
27	—	.10	—	.11	—	—	—	—	—	—	—	.18	27
28	—	—	—	.40	—	.07	—	.33	—	—	.07	.40	28
29	—		—	—	—	—	.19	.17	.50	—	.01	.01	29
30	.06	×	—	—	—	—	—	—	.04	—	—	.06	30
31	.01	×	—	×	—	×	.01	—	×	22	×	.04	31
TOTAL	205	54	175	263	80	110	122	189	186	179	209	149	YEAR'S TOTAL 19·21
*Days with ·01 in. or more.	19	6	14	14	4	11	8	15	12	14	15	28	142
*Days with .04 in. or more.	12	3	14	14	6	4	4	13	10	14	10	21	131

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) Joseph Parker Toone

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2483

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at High Cross

in the County of Leicester Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	—	.08	.03	—	.03	.02	—	.01	.06	.10	.01	1
2	.01	.03	.01	.01	.02	.08	—	—	.24	.30	—	.12	2
3	—	.17	.02	.03	—	.11	—	—	.25	.33	23	.05	3
4	—	.51	—	.09	—	.15	.02	—	.01	.16	.01	—	4
5	.01	—	.11	.05	—	.08	—	—	—	—	.08	—	5
6	—	—	.01	.30	—	.22	—	—	—	—	.04	—	6
7	.02	—	—	.33	—	.11	—	—	—	.22	.52	.17	7
8	—	—	—	.29	—	.02	—	—	.01	.06	.19	.03	8
9	.02	—	—	.30	—	.16	—	—	—	.40	.29	.04	9
10	—	.07	—	.01	—	.03	—	—	—	—	.07	.02	10
11	.18	—	—	—	—	.01	—	—	.01	—	.19	.03	11
12	.09	—	—	—	—	.40	.01	.15	—	—	.02	—	12
13	—	.02	—	.18	.12	.01	—	—	—	.03	—	—	13
14	—	.01	.01	.01	.11	.03	—	—	—	—	.73	.19	14
15	—	.08	—	.75	—	.33	—	—	29	—	.17	.30	15
16	—	.01	.15	.29	—	.29	—	—	.38	.18	.85	.10	16
17	—	.07	—	.05	—	.27	.05	—	—	.03	.41	—	17
18	.01	.10	—	.24	—	.18	.07	—	—	.04	—	—	18
19	.01	—	—	.07	.06	.18	.05	—	.06	.05	.28	—	19
20	.04	22	—	.19	.60	.08	.06	—	.02	—	.23	—	20
21	—	.38	.02	.12	—	—	—	—	.40	.06	.11	—	21
22	—	.03	.13	.16	—	—	—	.12	.05	.01	.01	—	22
23	02	.03	.03	—	—	—	—	.51	.06	33	—	—	23
24	.04	14	.05	—	—	—	—	.01	.80	03	—	—	24
25	.15	.05	—	.07	.01	.77	—	—	.02	.01	.01	.48	25
26	.01	.17	—	—	—	—	—	20	.30	.01	.02	.90	26
27	—	.03	—	—	—	—	—	—	.03	.03	.22	.87	27
28	.01	.11	—	—	—	—	—	—	.04	03	.01	.11	28
29	—		.01	—	.03	—	—	.03	.16	.13	.11	.10	29
30	.05	×	—	.02	—	—	—	.68		.32	.18	.07	30
31	—	×		×	—	×			×	71	×	.18	31
TOTAL	82	223	63	359	95	354	28	170	319	353	508	377	YEAR'S TOTAL 29.31 ✓
*Days with ·01 in. or more.	16	19	12	22	7	21	7	7	19	23	25	18	196 ✓
*Days with .04 in. or more.	7	12	5	16	4	15	4	5	12	14	19	14	127 ✓

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) J. Parker Toone

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2483

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Totals
Days

Kept at High Cross
in the County of Warwick ~~+ Leicester~~
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.06	.07	40	—	06	92	.12	—	—	.09	.10		1
2	.03	.04	.12	10	—	45	.04	.03	—	—	—	.09		2
3	.01	.01	—	—	—	75	.01	.10	25	—	—	.07		3
4	—	—	.12	—	—	36	.01	—	.38	—	.02	.14		4
5	.05	05	.04	—	—	—	.03	03	.16	—	—	.08		5
6	.05	—	.01	—	31	.11	09	.42	.15	—	.11	—		6
7	.21	—	.03	—	—	—	.50	01	.08	—	.02	.10		7
8	.31	—	.08	—	—	03	.01	—	.03	.03	.12	—		8
9	.30	—	.04	—	—	—	04	—	.04	.05	—	.04		9
10	.05	—	—	—	03	—	.20	—	—	.03	.02	—		10
11	—	—	—	.04	—	03	.55	—	.95	—	28	—		11
12	—	—	—	.11	.02	25	57	—	—	—	.08	.08		12
13	—	—	—	.03	—	.28	—	—	—	.07	.02	.22		13
14	—	—	—	.21	—	07	40	—	.16	.02	.04	.49		14
15	—	—	—	.01	—	—	.12	.01	.06	—	.05	.21		15
16	—	.11	—	—	—	—	.12	—	—	03	.60 60	.03		16
17	—	.42	—	—	.12	—	.06	—	—	.12	11	.17		17
18	—	.02	—	01	—	05	19	—	—	27	.02	07		18
19	.40	.03	.03	36	—	57	—	.05	—	.11	—	—		19
20	.15	.04	.04	.01	—	.66	.03	—	.12	.02	—	.01		20
21	—	.01	—	.19	—	1.13	—	—	—	—	—	—		21
22	—	.62	.06	.01	22	—	.21	—	—	.01	—	09		22
23	.04	.07	.07	.14	04	—	.31	—	—	.06	—	.02		23
24	.22	.08	—	.01	.04	—	—	—	.13	.25	—	—		24
25	.07	—	.20	.35	—	13	.05	—	.23	.09	05	—		25
26	.04	.01	—	—	—	—	.03	—	—	.15	—	—		26
27	.02	.14	.29	—	—	—	—	—	09	.25	—	—		27
28	.58	.38	.17	—	—	—	.14	—	.03	.06	—	.05		28
29	.10	.19	.03	—	—	—	—	—	.16	—	.33	.07		29
30	.09	×	—	—	.39	09	.16	—	—	.36	.08	.01		30
31	.63	×	.09	×		×	.03		×	.05	×	.36		31
TOTAL	337	238	149	198	107	492	576	79	302	183	204	250	Year's Total. 31·15	✓
* Days with .01 in. or more.	20	17	17	15	8	16	25	8	16	19	17	21	199	✓
* Days with .04 in. or more.	16	12	13	9	5	13	18	4	14	13	12	17	146	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

2483

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ....

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at High Cross
in the County of Norwich + ~~Leicester~~
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level ....ft.

Totals ✓
Days ✓ 86

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	.03	.02	—	—	—	—	—	.08	—	.14	20	20	1
2	—	.04	.03	.67	—	—	—	—	—	—	.17	.19	1	2
3	—	.05	—	.01	.12	—	.01	—	.07	—	—	.06		3
4	—	.11	—	—	.06	—	—	.01	—	—	—	25		4
5	.43	—	.22	—	.01	—	.01	—	—	—	—	.09		5
6	.15	—	.19	.13	.15	—	—	—	—	—	—	—		6
7	—	.57	—	.03	—	—	—	—	—	—	.02	—		7
8	—	.10	—	.01	—	—	.02	—	.15	—	.40	—		8
9	—	—	.02	.09	—	—	40	—	—	—	—	—		9
10	.03	.04	.30	.37	.36	.21	—	—	—	—	—	.07		10
11	—	—	.37	—	.67	.11	—	—	—	—	—	.08		11
12	.09	.28	.19	—	.46	.02	—	.55	.15	—	—	.15		12
13	.06	.02	.22	.20	.06	.11	235	.10	—	—	—	—		13
14	—	.07	.18	—	—	—	—	.17	.13	—	—	.13		14
15	.19	.05	—	.30	—	—	—	—	—	—	—	.01		15
16	—	.11	.37	.61	—	—	—	.08	.30	—	—	—		16
17	.36	.09	.38	.35	—	—	—	—	.19	—	—	—		17
18	.16	.07	.19	.02	—	—	.05	—	.04	—	.44	—		18
19	.05	.06	.10	.11	.04	.05	.33	—	—	.02	.10	.04		19
20	.17	.02	—	.43	—	.06	.01	—	—	—	—	.05		20
21	.08	.17	.06	—	.12	—	.22	—	—	—	—	.06		21
22	.26	.01	.23	—	—	—	.20	—	—	.50	.25	—		22
23	.18	—	.02	—	.02	.01	.05	—	—	.58	.06	.01		23
24	.09	.29	.06	—	.01	—	.02	~~44~~	.02	.30	—	.03		24
25	.18	.56	—	—	.10	—	—	—	.04	.57	—	.01		25
26	—	.09	.08	—	.35	—	—	—	—	.97	—	—		26
27	—	.14	—	.25	—	—	—	—	—	.68	—	—		27
28	—	.03	—	—	—	.05	—	—	—	.03	—	.01		28
29	—		—	—	—	—	—	—	—	.05	.06	.07		29
30	.39	☒	—	—	—	—	—	20	—	.03	.10	.01		30
31	.25	☒	—	☒	—	☒		—	☒	—	☒	.02		31
TOTAL	321	300	323	358	248	62	367	111	117	283	174	154	Year's Total 2818	✓ ✓
* Days with .01 in. or more.	18	23	19	15	14	8	12	6	10	10	10	20	165	✓ ✓
* Days with .04 in. or more.	17	18	15	11	11	6	7	5	9	7	9	13	128	✓ ✓

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2483

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at High Cross.

in the County of Warwick + Leicester

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level ft.

Totals

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
Jan.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
01 1	49	.01	—	—	03	27	18	—	.01	20	—	11		1
— 2	—	—	01	.01	—	25	—	—	—	19	—	.01		2
03 3	—	—	—	—	05	03	20	—	03	50	26	—		3
— 4	—	—	—	—	—	—	—	73	.01	15	—	27		4
— 5	43	—	—	—	—	02	21	10	05	05	—	—		5
— 6	15	—	—	—	—	—	8	~~0~~2	10	15	—	07		6
.10 7	—	—	—	—	—	03	15	10	05	03	—	01		7
.22 8	—	—	—	—	—	—	—	—	04	.10	—	01		8
.03 9	—	.16	—	—	—	04	5	01	—	01	—	35		9
— 10	03	—	—	—	—	20	17	03	—	04	—	09		10
.56 11	—	.01	—	—	—	—	05	—	—	03	.10	47		11
.19 12	09	—	—	—	.10	—	03	—	—	15	.06	01		12
— 13	.06	08	—	—	—	—	—	—	—	03	.07	01		13
.28 14	—	02	—	—	—	—	57	—	05	.01	—	—		14
.07 15	.10	—	—	—	—	—	47	—	—	—	—	.17		15
.20 16	—	—	—	—	—	—	13	—	—	—	.01	—		16
— 17	30	05	—	—	—	—	—	—	01	11	06	—		17
09 18	.16	02	—	—	27	03	—	—	21	—	40	—		18
— 19	05	—	—	—	—	—	—	18	03	—	.13	—		19
— 20	17	—	—	—	—	—	—	—	—	—	48	—		20
.02 21	08	—	—	—	—	—	—	04	01	—	.15	—		21
— 22	.26	—	—	—	—	16	—	—	—	—	36	36		22
— 23	[illegible]	—	—	—	03	—		—	03	—	—	.18		23
.07 24	09	—	.09	—	.04	—	2.15	—	36	—	03	.07		24
.02 25	18	10	.04	—	—	—	17	19	.04	09	28	—		25
.01 26	—	.30	12	—	—	—	05	15	06	—	26	.30		26
.10 27	—	.01	—	—	15	17	31	18	.18	21	—	—		27
.16 28	—	—	—	—	.20	08	05	1.00	03	05	15	25		28
.47 29	—	—	—	—	.31	—	03	—	—	04	14	.08		29
.03 30	39		—	—	.14	21	01	—	39	—	.28	20		30
.10 31	25		—		—			—		—		.41	Year's Total	31
276 TOTAL	321	76	26	1	153	149	478	273	169	223	322	343	24.89	✓
* Days with .01 in. or more.	20	10	4	1	10	12	19	12	19	19	17	20	163	✓
* Days with .04 in. or more.	13	5	3	0	8	8	16	9	11	14	15	15	117	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2483

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at High Cross

in the County of ~~Leicester~~ Warwick

Diameter of Funnel of Gauge 5 inches in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	—	—	20	03	—	—	26	06		03	10		1
2	11	—	—	08	02	—	—	38	50	11	—	30		2
3	21	—	—	40	—	—	—	80	06	05	04	05		3
4	—	—	—	01	05	—	06	29	—	204	26	09		4
5	—	—	45	08	03	—	05	01	—	20	33	12		5
6	—	—	—	—	—	—	40	—	—	—	—	—		6
7	71	02	—	—	—	—	19	03	—	—	48	28		7
8	05	11	—	—	—	—	54	05	—	45	07	49		8
9	02	04	23	—	—	—	03	18	04	28	08	21		9
10	47	—	—	—	—	—	—	19	02	02	—	—		10
11	—	—	05	—	—	—	—	—	—	01	01	01		11
12	02	06	17	—	—	01	—	—	—	02	—	—		12
13	—	—	03	—	01	01	07	—	—	15	—	—		13
14	40	—	—	—	52	08	68	—	05	—	15	—		14
15	32	—	03	03	07	32	38	—	01	56	10	—		15
16	15	—	13	—	25	12	125	—	—	08	12	—		16
17	47	06	02	—	08	—	52	—	—	2.25	02	—		17
18	18	04	03	—	03	50	12	—	—	—	57	—		18
19	27	—	02	—	—	01	270	—	—	—	—	—		19
20	25	25	01	—	—	27	10	21	04	—	—	—		20
21	04	11	27	—	08	23	11	18	01	01	—	—		21
22	15	—	04	—	—	—	05	—	—	03	23	—		22
23	—	04	—	05	—	—	07	—	—	08	63	01		23
24	08	02	—		—	03	16	—	—	03	01	—		24
25	44	04	01	02	—	01	11	—	—	—	46	04		25
26	87	—	01	05	—	—	09	65	—	10	27	—		26
27	—	25	13	35	—	01	10		—	03		05		27
28	05	18	11	46	—	03	21	07	—	—	20	—		28
29	—		—	26	—	50	01	—	—	25	01	—		29
30	—	✕	01	17	—	20	03	27		—	10	—		30
31	—	✕		✕		✕	07		✕	—	✕			31
TOTAL	548	132	177	216	120	233	628	357	79	488	414	167	Year's Total 35·79	✓
* Days with .01 in. or more.	21	13	18	13	11	15	25	14	9	20	21	12	192	✓
* Days with .04 in. or more.	18	11	9	10	6	8	22	12	6	13	16	10	141	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2483

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at High Cross.

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ... ft. 10 in.

,, Ground ,, Sea Level ... ft.

Snow period. Jan + Feb apport. resto. Days. Totals.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·15 ~~·15~~	—	—	·03	—	—	—	—	—	·15	·03		1
2	—	— ✗	·01	·46	—	—	—	—	—	·01	·65	·05		2
3	—	— ✗	—	·07	—	—	—	—	—	·09	·73	·03		3
4	—	— ✗	—	—	—	—	—	—	—	·12	·25	·04		4
5	—	·25	—	—	—	—	—	—	—	·24	·61	·30		5
6	·15	— ✗	—	·03	—	—	—	—	—	·36	·27	·15		6
7	·06	·35 — ✗	·01	—	·01	—	·22	—	—	—	—	·80		7
8	—	—	—	·01	—	—	·20	—	—	·09	—	·17		8
9	—	·04	·05	—	·03	—	·10	—	·03	·03	·30	·21		9
10	—	—	·09	·04	—	·15	·58	·05	·04	—	·03	·30		10
11	—	—	—	·03	—	—	·12	·01	—	—	·56	—		11
12	—	—	—	—	—	—	·41	—	·01	—	—	—		12
13	—	—	·13	—	—	—	—	·01	·06	—	·02	—		13
14	·01	—	·17	·08	·20	—	·10	·05	·08	·04	·04	·34		14
15	—	—	·30	·13	·05	·01	·20	—	·02	—	—	·02		15
16	✗	·23 ✗	·05	·03	—	·01	·30	·01	—	1·18	·16	·01		16
17	·10	— ✓	·38	—	—	—	—	—	·14	—	—	—		17
18	✗	·57 ✗	·35	·31	—	—	·01	·02	·03	·16	·20	·03		18
19	—	·24	·40	—	—	·01	·31	—	·29	—	—	·05		19
20	—	—	·02	·18	·17	·01	·14	·03	—	·19	·11	—		20
21	— ✓	·04	—	·05	·35	·24	·40	—	·53	—	1·45	—		21
22	·03	—	—	—	—	·14	—	—	—	·01	—	—		22
23	—	·13	·40	·04	—	·12	·13	·01	—	·04	·01	·05		23
24	·01	—	—	·01	·05	—	·02	—	—	·09	·03	·03		24
25	—	—	—	—	—	—	·33	—	—	·04	—	—		25
26	✓ — (1·60)	·14	—	·01	·04	—	—	—	—	·06	—	·01		26
27	1·00	·20	·10	—	—	—	—	—	—	—	—	—		27
28	✗ (·75)	·06	—	·33	—	—	—	—	—	—	—	03		28
29	—	—	—	—	—	—	—	—	—	—	—	32		29
30	—		—	·68	—	—	—	·01	—	·50	—	—		30
31	—		·03		—		—	—		·75		·01		31
TOTAL	2·71	2·40 ~~2·62~~	2·49	2·49	·93	·69	3·57 ~~3·51~~	·20	1·23	4·00 ~~4·30~~	5·57.	2·98 ~~3·01~~	Year's Total 2[illegible]30	29·26 ~~28·90~~
* Days with .01 in. or more.	10	16	15	17	~~8~~9	8	16	9	10	18	17	21	~~159~~	166
* Days with .04 in. or more.	7	15	11	11	6	4	14	2	6	15	13	12	~~108~~	116

d"

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

P.T.O.

X BIRMINGHAM (HANDSWOR

2483/5

Section **A** for the entry of

AIR MINISTRY

FORM 1090. **REGIST**

OR OFFICIAL USE.

ANIZATION.

Warwick 7/4

—

2483/5

BIRMINGHAM, HANDSWORTH PK

1932 — 40

780408

Kept at Handsworth Park

in the County of Warwick

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to

year in the space on the right of thi

Jan. 1, following

Date	Jan.	Feb.	March									Dec.	*Date*
	in.	in.	in.									in.	
1												–	1
2											–	·09	2
3											–	·03	3
4											·52	–	4
5											–	–	5
6											–	–	6
7											–	–	7
8											–	–	8
9											–	–	9
10											–	–	10
11											–	·02	11
12											·04	–	12
13											–	·03	13
14											·17	·01	14
15											–	·02	15
16											–	–	16
17										·04	–	–	17
18										–	·07	–	18
19										·22	·01	–	19
20										·41	·08	–	20
21										·25	·06	·1	21
22										·03	·2	Trace	22
23										·04	·06	·02	23
24										·01	·37	–	24
25										·12	·08	·01	25
26										·01	·04	–	26
27										Trace	·08	·02	27
28										–	–	·03	28
29										·38	·03	·11	29
30		×								·21	·28	·13	30
31		×		×		×			×	–	×	·28	31
TOTAL											2·13	·9	YEAR'S TOTAL
*Days with ·01 in. or more.											16	14	
*Days with ·04 in. or more.											14	5	

999

*S…ruction 2 (*f*) on other side.

N

(*Signed*) Herbert H. Humphries

[P.T.O.

X THE CITY ENGINEER X

X BIRMINGHAM (HANDSWOR [redacted] 2483/5

Section **A** for the entry of [redacted] OR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

Warwick /4

REGISTER. OF RAINFALL IN 1932.

C1932.

Kept at Handsworth Park Birmingham

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 424 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·04	–	1
2											–	·09	2
3											–	·03	3
4											·52	–	4
5											–	–	5
6											–	–	6
7											–	–	7
8											–	–	8
9											–	–	9
10											–	–	10
11											–	·02	11
12											·04	–	12
13											–	·03	13
14											·17	·01	14
15											–	·02	15
16											–	–	16
17										·04	–	–	17
18										–	·07	–	18
19										·22	·01	–	19
20										·41	·08	–	20
21										·25	·06	·1	21
22										·03	·2	Trace	22
23										·04	·06	·02	23
24										·01	·37	–	24
25										·12	·08	·01	25
26										·01	·04	–	26
27										Trace	·08	·02	27
28										–	–	·03	28
29										·38	·03	·11	29
30		X								·21	·28	·13	30
31		X		X		X			X	–	X	·28	31
TOTAL											2·13	·9	YEAR'S TOTAL
*Days with ·01 in. or more.											16	14	
*Days with ·04 in. or more.											14	5	

9999

*S ruction 2 (*f*) on other side.

N

(Signed)

[P.T.O.

X THE CITY ENGINEER X

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. 2483/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Warwick/4

Kept at Handsworth Park, Birmingham

cf 2477-2480

in the County of Warwickshire

c. map 1932

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 424 ft.

(+A)

Good agreement

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·58	·04	-	-	-	-	-	-	-	·03	-		1
2	·18	-	·30	-	·02	-	-	-	-	-	-	-		2
3	-	·15	·08	-	·12	-	-	-	-	-	·02	-		3
4	·11	-	·03	-	·31	-	-	-	-	-	-	-		4
5	·06	·07	·26	-	·09	-	-	-	-	-	-	-		5
6	-	·29	-	-	·11	-	-	-	-	·09	-	-		6
7	·04	·19	·04	-	-	-	-	-	-	·22	-	-		7
8	·04	-	·13	-	·06	·02	·49	-	-	·04	-	-		8
9	-	-	-	-	·11	-	·17	-	-	1·28	·01	-		9
10	·05	·18	-	-	-	·04	·03	-	-	1·45	·03	-		10
11	-	-	-	-	·03	-	·26	·01	-	-	-	-		11
12	-	-	-	-	-	-	·13	-	-	-	-	·02		12
13	-	-	-	-	·22	·03	·36	-	·03	·07	·24	-		13
14	·02	-	-	-	-	-	·07	·03	-	·12	·28	-		14
15	·60	-	-	-	-	·06	·14	·04	-	-	·13	·06		15
16	-	-	·68	·05	·02	·13	·28	-	-	·08	·03	-		16
17	·15	·03	·38	-	-	·10	-	-	·08	-	·01	-		17
18	·06	·01	·06	-	-	·16	-	-	-	-	·02	-		18
19	-	·02	·36	-	-	·13	-	-	·34	-	·04	-		19
20	-	-	-	-	-	·16	-	·10	·07	·01	-	-		20
21	-	-	-	-	-	·21	-	·56	-	·01	-	-		21
22	-	-	-	-	-	·18	-	·37	-	·23	-	-		22
23	-	-	-	·17	-	·03	-	-	·08	·22	-	-		23
24	-	·56	-	·15	·02	·80	-	-	·16	·02	-	-		24
25	-	·75	-	·13	·01	·14	-	-	·05	-	-	·05		25
26	-	·80	-	·08	·13	-	-	-	·06	·26	-	-		26
27	-	·01	-	-	·15	-	-	-	·04	·02	-	·05		27
28	-	-	·01	·13	·30	-	-	-	-	·06	-	·08		28
29	·03	×	·02	·04	-	-	·26	-	-	·08	-	-		29
30	-	×	·03	-	-	-	·02	-	-	·08	-	·14		30
31	·09	×	·52	×	-	×	-	·09	×	·30	×	-		31
TOTAL	1·80	3·64	2·94	·75	1·70	2·19	2·21	1·20	·91	4·64	·84	·40	Year's Total 23·22	
*Days with ·01 in. or more.	13	13	15	7	15	14	11	7	9	19	11	6	140	
*Days with ·04 in. or more.	11	9	11	7	10	11	9	5	8	15	4	5	105	

OK print

Print A

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) THE CITY ENGINEER

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2483/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Handsworth Park, Birmingham

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 434 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	-	-	-	-		·20	·02	-	·12	·31		1
2	-	·01	·08	-	-	-		-	·36	-	·06	·12		2
3	·03	·06	-	-	-	-		-	·02	·07	-	·05		3
4	·09	-	·07	·02	·12	-		·03	-	·02	·06	·40		4
5	-	-	·21	·02	·18	-		·50	-	-	·14	-		5
6	-	-	·05		·26	·04		·01	-	·11	-	·52		6
7	·13	-	-		-	·04		·13	-	·16	-	·28		7
8	-	-	·02		·06	-		·02	-	-	·18	·07		8
9	-	-	·18	·04	-	-		·09	-	-	·67	·39		9
10	·10	-	·18	·29	-	-		·10	-	-	·20	-		10
11	·86	-	·16	·14	-	-		·45	-	-	·01	·25		11
12	-	-	·18	-	-	-	·14	·20	-	-	-	-		12
13	·62	-	·03	·14	-	-	·23	·04	-	·02	-	·07		13
14	·12	-	·33	-	·03	·03	-	-	·04	·14	·28	·13		14
15	·10	-	·13	-	·17	-	·05	-	·06	·34	·30	·16		15
16	·20	-	·13	-	-	-	-	·01	-	·06	·06	-		16
17	·02	-	·07	-	·03	-	·09	·01	·30	·04	·01	·08		17
18	·31	-	-	·25	-	·04	·02	·02	·05	-	-	·04		18
19	-	-	·20	·04	-	·12	-	·01	·01	·01	-	·08		19
20	-	-	·05	·04	-	-	-	-	·04	-	-	·01		20
21	·02	-	-	-	-	·20	-	·08	-	·07	-	-		21
22	-	-	-	-	-	-	-	·23	·22	-	-	·29		22
23	-	-	·05	·34	·06	·12	·09	·02	-	-	-	·08		23
24	·23	·18	·08	·02	-	·04	·03	-	·28	-	-	·02		24
25	·09	-	-	·07	·04	·12	-	-	-	·28	-	·43		25
26	-	-	·05	-	-	·02	-	-	·02	·05	·01	·03		26
27	-	-	-	·62	-	·04	-	-	-	·08	-	·14		27
28	-	-	-	·36	-	·05	-	·16	-	-	·04	·35		28
29	-	×	-	-	-	-	·34	·03	·57	·02	-	·01		29
30	·04	×	-	-	-	-	·01	-	-	-	-	·34		30
31		×	-	×	-	×	-	-	×	·20	×	·11		31
TOTAL	2·98	·25	2·25	2·39	·95	·86	·90	2·34	1·99	1·67	2·14	4·76	Year's Total 23·48	
*Days with ·01 in. or more.	16	3	19	14	9	12	9	20	13	16	14	26	171	
*Days with in.	12	2	17	11	7	10	6	11	9	12	11	22	130	

† Spare column, no entries required.

ion 2 (*f*) on other side.

(*Signed*)

[P.T.O.

ENCLOSURE
Nº 301
"JUSTSO"

COPY FOR OFFICIAL USE. ✓

Section **A** for the entry of Daily Observations.

Station No. 2483/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Duration

Kept at Handsworth Park Birmingham.

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 424 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·04	-	·02	-	·06	·02	-	·10	·14	·16	·01		1
2	-	-	·03	-	-	·24	-	-	·15	·21	.	·11		2
3	.	·26	·07	·04	.	·02	-	-	·04	·16	·19	·21		3
4	.	-	-	·21	.	·09	-	-	·02	·24	·03	·08		4
5	-	·84	·14	·07	-	.	·05	-	-	·02	·09	-		5
6	.	.	-	·32	.	·30	-	-	-	-	-	-		6
7	-	-	-	·17	.	·12	-	-	-	·15	·27	·17		7
8	-	-	-	·17	.	·08	-	·05	-	·10	·24	·06		8
9	-	.	-	·27	.	·35	-	-	-	·31	·28	-		9
10	-	.	.	·09	.	-	-	-	-	-	·02	-		10
11	·30	-	-	-	.	·02	-	-	.	-	·23	·02		11
12	·09	·02	.	-	.	·02	-	·08	-	-	-	-		12
13	·17	·06	.	·13	·16	-	.	-	-	.	·01	-		13
14	-	.	·03	.	·05	-	.	.	·03	.	·70	·15		14
15	-	·04	-	·69	·07	·05	-	.	·19	-	·11	·13		15
16	-	·06	·14	·20	.	·09	·02	-	·66	·34	·69	·07		16
17	-	.	-	·15	.	·11	·07	.	-	·08	·64	-		17
18	-	.	-	·27	·06	·14	·04	.	·13	·06	·02	-		18
19	-	.	.	·07	·81	·25	·17	.	·05	·08	·30	-		19
20	·02	·38	-	·14	·02	-	·08	-	-	-	·39	-		20
21	-	·34	.	-	-	-	-	.	·61	-	·09	-		21
22	-	·06	-	·12	.	-	-	·02	·02	-	-	-		22
23	·02	-	·25	·08	-	-	-	·50	·17	·49	-	-		23
24	·10	·36	-	-	.	-	-	·01	·75	·04	-	·55		24
25	·21	·14	-	·08	.	·57	-	-	.	-	-	·11		25
26	-	·13	-	-	-	-	-	·57	·19	-	·03	·53		26
27	-	·10	-	-	-	-	-	-	·21	·06	·20	·81		27
28	·06	·08	-	-	·41	-	-	·16	·05	·10	·02	·05		28
29	-	X	·06	-	-	-	-	-	·06	·07	·20	·19		29
30	·02	✕	-	·08	-	·02	-	·27	·07	·27	·34	·15		30
31	-	✕	-	✕	-	✕	-	-	✕	·40	✕	·23		31
TOTAL	1·02	2·61	0·72	3·37	1·58	2·53	0·45	1·66	3·50	3·32	5·25	3·63	Year's Total 29·64	
* Days with .01 in. or more.	10	15	7	20	7	17	7	8	18	19	23	18	169	
* Days with .04 in. or more.	6	14	5	19	6	13	8	6	15	18	17	16	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2483/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Kept at Handsworth Park Birmingham

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 424 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·07	·11	·55	-	·18	·19	·14	-	-	·08	·09		1
2	·09	-	·04	·08	-	·15	1·36	-	-	-	·11	-		2
3	-	-	-	-	-	·18	-	-	·32	-	-	·04		3
4	-	-	·12	-	-	·20	-	-	·34	-	·10	·07		4
5	·18	-	-	-	-	-	·03	·06	·19	-	-	·20		5
6	·03	-	-	-	·29	·04	·19	·12	·13	-	·26	·05		6
7	-	-	·05	-	-	-	·27	-	·40	-	·17	·02		7
8	·24	-	·04	-	-	-	-	-	·03	-	·32	·04		8
9	·56	-	·11	-	-	-	1·58	-	·09	·04	-	-		9
10	-	-	·06	-	-	-	·25	·18	·02	-	-	-		10
11	-	-	-	·04	-	·06	·28	·04	·13	-	·73	-		11
12	-	-	-	·05	·20	·56	·57	-	·48	-	·04	·12		12
13	-	-	-	·04	-	·17	-	-	-	·03	-	·53		13
14	-	-	-	·18	-	·06	·14	-	·28	-	-	·56		14
15	·10	-	-	·02	·13	·06	·10	-	·18	-	·10	·10		15
16	·11	·15	-	·01	-	-	·10	-	-	-	·56	·01		16
17	-	·72	-	-	-	-	·08	-	-	·15	·01	·22		17
18	-	·03	-	-	-	·16	·38	·01	-	·20	-	·14		18
19	·61	·20	·03	·42	-	·03	-	·06	-	·04	-	-		19
20	-	·18	-	·02	-	·07	-	-	·01	-	-	-		20
21	-	-	-	·17	-	1·03	-	-	-	-	-	-		21
22	-	·36	·04	-	·14	-	·24	-	-	-	-	·08		22
23	-	·10	·49	·10	·03	-	·42	-	-	·02	-	-		23
24	·20	·08	-	·01	·03	-	-	-	·04	·47	-	-		24
25	·13	-	·22	·31	-	-	·06	-	·27	·03	-	-		25
26	·05	·09	·52	-	-	-	·02	-	-	·05	·07	-		26
27	·12	-	·03	-	-	-	·02	-	·08	·19	-	-		27
28	·42	·11	·18	-	-	-	·03	-	-	·04	-	·10		28
29	·05	·34	·14	-	-	·16	·19	-	-	·02	·03	·13		29
30	·06	✕	-	-	·13	·06	·10	-	-	·36	-	-		30
31	·53	✕	·08	✕	-	✕	·02	-	✕	·08	✕	·29		31
TOTAL	3·50	2·43	2·26	2·00	0·95	3·17	6·62	0·61	2·99	1·72	2·58	2·79	Year's Total 31·62	✓
* Days with .01 in. or more.	17	12	16	14	7	16	23	7	16	14	13	18	173	✓
* Days with .04 in. or more.	15	11	12	10	5	15	18	6	13	10	11	16	142	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Herbert Manzoni Agt P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations   Station No. 2483/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Handsworth Park, Bham.

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 424·0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	-	-	·02	-	-	-	-	·09	-	·06	·58		1
2	-	·05	·03	·55	-	-	-	-	-	-	-	·26		2
3	-	·07	·08	-	-	·02	·02	-	-	-	-	·09		3
4	·12	·14	·01	-	·03	-	-	-	-	-	-	·52		4
5	·17	-	·15	-	-	-	-	·05	-	-	-	·03		5
6	·13	-	·06	·05	·10	-	-	-	-	-	-	-		6
7	-	·70	-	·15	-	-	-	-	-	-	-	-		7
8	-	·13	-	·01	·08	-	·03	-	-	-	·36	-		8
9	-	-	-	·06	·25	-	·52	-	·22	-	-	-		9
10	-	·06	·03	·01	-	·11	·02	-	-	-	-	·12		10
11	-	-	·41	-	·41	·22	·02	-	-	-	-	·16		11
12	·11	·36	·16	-	·27	-	-	·13	·21	-	-	·33		12
13	·05	·02	-	·14	-	·08	-	·40	·70	-	-	·02		13
14	-	-	·10	·09	-	-	-	·29	·02	-	·02	·13		14
15	·20	·06	-	·27	-	-	1·27	-	·13	-	-	·02		15
16	-	·16	·45	·41	-	-	-	·11	·10	-	-	-		16
17	·20	·06	·26	·13	-	-	-	-	·08	-	-	-		17
18	·57	·07	·10	·03	-	-	·04	-	·61	-	·35	-		18
19	·02	·05	·08	·10	-	·13	·17	-	-	-	·06	·03		19
20	·34	·02	-	·38	·26	-	-	-	-	-	-	-		20
21	·14	·19	·01	·06	-	-	·55	-	-	-	-	·08		21
22	·14	·04	·09	-	·08	-	·24	-	-	·47	·45	·02		22
23	·31	-	·03	-	·21	-	·05	-	-	·30	·13	-		23
24	·27	·36	·03	-	·05	-	·01	-	·07	·28	-	-		24
25	·04	·41	-	-	·02	-	-	-	·04	-	-	-		25
26	-	·37	·09	-	·57	-	-	-	-	·48	-	·10		26
27	-	·51	-	·19	-	-	-	-	-	·77	-	-		27
28	-	·08	-	-	-	·03	-	-	-	·04	-	·05		28
29	-	-	-	-	-	·02	-	-	-	-	·08	-		29
30	·41	✕	-	-	-	-	-	·10	-	·01	·06	-		30
31	·30	✕	-	✕	-	✕	-	-	✕	·19	✕	-		31
TOTAL	3·58	3·91	2·20	2·65	2·33	0·61	2·64	1·08	2·27	2·54	1·57	2·54	Year's Total 27·92	✓ ✓
* Days with .01 in. or more.	18	21	18	17	12	7	12	6	11	8	9	16	155	✓ ✓
* Days with .04 in. or more.	17	19	12	13	10	4	7	6	10	7	8	11	124	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2483/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Handsworth Park, Birmingham

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 424.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·03	-	-	·49	·30	-	-	·11	·07	·25		1
2	-	-	-	·06	-	·19	-	-	-	·20	-	·05		2
3	-	-	-	-	·19	·04	·04	-	-	·56	-	-		3
4	·02	-	-	-	-	·03	·02	·25	-	·07	-	·30		4
5	-	-	-	-	-	-	·04	·25	·12	·03	-	-		5
6	-	-	-	-	-	·04	·39	-	·07	·16	-	-		6
7	·05	-	-	-	-	-	·38	·11	·09	·04	-	·06		7
8	·41	-	-	-	-	-	·18	·98	-	·30	-	-		8
9	·03	·10	-	-	-	·06	·04	·18	-	-	-	·55		9
10	·02	-	-	-	-	·08	·39	·02	-	-	-	·11		10
11	·54	·04	-	-	-	-	-	·42	-	·03	·14	·05		11
12	·23	-	-	-	·10	-	-	·02	-	·22	·42	-		12
13	·04	-	-	-	·03	-	-	-	-	·02	·20	·59		13
14	·28	-	-	-	·01	-	·55	-	·08	-	-	-		14
15	·06	-	-	-	·09	-	·18	-	-	-	-	·47		15
16	·25	-	-	-	-	-	-	-	-	·02	·04	·07		16
17	-	·03	-	-	·19	-	·02	-	-	·07	-	·02		17
18	·05	-	-	-	·15	·18	-	·05	·08	-	·25	-		18
19	-	-	-	-	-	-	-	·08	·02	-	·09	-		19
20	-	-	-	-	-	-	-	-	·02	-	·35	-		20
21	·06	-	-	-	-	-	-	·07	·04	-	·08	-		21
22	-	-	-	·04	-	·05	-	-	-	-	·38	-		22
23	-	-	-	-	-	-	-	-	·09	-	-	·06		23
24	-	-	·15	-	·11	-	-	·07	·08	-	·02	·16		24
25	-	·16	·07	-	·04	-	·03	·02	-	·21	·58	·18		25
26	·02	·35	·19	-	·07	-	-	·05	·05	·25	-	·14		26
27	·09	·01	-	-	·17	·19	·25	·33	·28	·03	·40	-		27
28	·16	·02	-	-	·07	·10	·10	·46	·12	-	·02	·15		28
29	·46	×	-	-	·53	·02	-	-	-	·06	·10	·16		29
30	·07	✕	-	-	-	·18	-	-	·64	·01	·28	·10		30
31	·18	✕	-	✕	·16	✕	-	-	✕	·12	✕	·38		31
TOTAL	3·02	0·71	0·44	0·10	1·91	1·65	2·91	3·36	1·78	2·51	3·42	3·85	Year's Total 25·66	✓
* Days with .01 in. or more.	19	7	4	2	14	13	15	16	14	19	16	19	158	✓
* Days with .04 in. or more.	15	4	3	2	12	11	12	13	12	13	14	18	129	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2483/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Handsworth Park Birmingham

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 424·0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	-	·03	·20	·09	-	-	·12	·01	-	-	·04		1
2	·06	-	-	·04	-	-	·05	·33	·59	·07	Trace	-		2
3	·07	-	-	·40	-	-	-	·50	-x	-	·12	·30		3
4	-	-	·27	·40	·05	-	·56	·16	-x	·38	·02	·30		4
5	-	-	-	·17	·26	-	·15	·13	-	·09	·38	·05		5
6	·60	-	·02	-	-	-	·47	Trace	-	-	·09	-		6
7	-	·05	-	-	-	-	·25	-	-	-	·37	·42		7
8	·03	·11	·30	-	-	-	·35	·17	-	·45	·34	·12		8
9	·04	·08	-	-	-	-	·04	·16	-	·46	Trace	·18		9
10	·64	-	·05	-	-	-	-	·20	·08	·16	-	-		10
11	·04	·05	·20	-	-	·11	-	·05	-	·05	-	-		11
12	-	·09	-	-	-	·05	-	-	-	-	-	-		12
13	-	-	·01	·07	-	·05	·18	-	·11	·11	-	-		13
14	·50	-	·02	·18	·16	·20	·16	-	-	·09	·12	-		14
15	·62	-	·02	·08	·13	·31	·56	-	·02	·11	·16	-		15
16	·08	-	·05	-	·37	·03	·01	-	·01	·11	·17	-		16
17	·62	·05	-	Trace	-	-	·30	-	-	1·37	·04	-		17
18	·31	·06	·06	-	-	·15	·06	-	-	-	·64	-		18
19	·16	-	-	-	-	-	·37	-	-	-	Trace	-		19
20	·22	-	·02	-	Trace	Trace	·15	·16	-	-	-	-		20
21	·11	·26	·28	·02	-	·05	·15	·24	·05	-	-	-		21
22	·38	·27	Trace	·03	-	·13	·17	-	Trace	·03	·47	-		22
23	·05	-	-	·09	-	·04	·10	-	-	·17	·70	-		23
24	·04	-	-	·13	-	·04	·10	-	-	·20	-	-		24
25	·50	·07	Trace	·01	-	Trace	·06	-	-	Trace	·19	·02		25
26	·48	-	Trace	·10	-	-	-	·02	-	-	·33	·08		26
27	-	·23	·10	Trace	-	·04	·10	-	-	·04	-	Snow		27
28	·02	·12	·12	Trace	-	·25	·16	-	-	-	·20	Snow		28
29	-		-	·12	-	Trace	·10	1·85	-	·17	·08	-		29
30	-		-	·09	-	·22	-	·01	-	-	·07	-		30
31	-		-		-		·06	·12		Trace		-		31
TOTAL	5·66	1·44	1·55	2·13	1·06	1·67	4·66	4·22	·87	4·06	4·49	1·51	Year's Total 33·32	
* Days with .01 in. or more.	22	12	15	16	6	14	24	15	7	17	18	9	175	
* Days with .04 in. or more.	20	12	9	13	6	13	23	13	4	16	17	8	154	

x Recorder gauge out of order

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) ....

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2483/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Handsworth Park Birmingham

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 424 0 ft.

Jan. + Feb. estd. from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·07	–	–	–	–	–	–	·25	–		1
2	–	(·28)	–	·33	–	–	·05	–	–	–	·68	Trace		2
3	–	–	–	·10	–	–	·03	–	–	·14	·65	·06		3
4	–	·06	–	·26	–	–	·06	–	–	·10	·35	·04		4
5	–	·02	–	–	–	–	·01	–	·01	·12	·62	·12		5
6	·11	·22	–	–	–	–	–	–	–	·45	·32	·03		6
7	Trace	·24	–	·03	·03	–	·38	–	·12	–	–	·01		7
8	–	–	–	·04	–	–	Trace	–	–	·23	·06	·23		8
9	–	–	·01	–	–	·05	·08	·10	·01	·13	·32	·33		9
10	–	–	·08	–	–	–	·53	–	–	·07	·16	·21		10
11	–	–	·04	–	–	–	·23	–	–	–	·48	·11		11
12	–	Snow	·09	–	–	·05	·18	–	·07	–	·05	–		12
13	–	(·02) Snow	·22	·04	–	–	–	–	·04	–	–	–		13
14	–	–	·20	·10	·58	–	–	–	·11	·09	·04	·38		14
15	–	–	Trace	·08	·53	–	–	–	·03	·09	·11	–		15
16	(·05) Snow	(·25) Snow	·30	·01	–	–	·08	–	·11	·50	·70	·03		16
17	–	(·03) Snow	·27	–	–	–	·07	–	–	–	·15	–		17
18	(·12) Snow	(·45) ~~·20~~	·26	·30	–	–	–	·07	·14	·12	·07	·07		18
19	–	·30	·08	·38	–	–	·48	–	·06	·	·23	–		19
20	–	–	–	·02	–	–	·36	·03	–	·34	Trace	–		20
21	(·01) Snow	–	–	·01	·43	·27	·10	–	–	·02	1·20	–		21
22	–	–	–	·02	·35	·16	–	–	·09	–	–	–		22
23	–	(·10) ~~·04~~	·03	·21	·08	–	–	–	·02	·01	–	–		23
24	·03	–	–	–	–	–	·06	–	·01	–	–	·02		24
25	–	–	–	·02	–	–	·13	–	–	Trace	–	–		25
26	(1·10) ~~·40~~ Snow	·11	·04	1·24	·07	·06	·20	–	–	–	–	Trace		26
27	(·70) Snow	·21	–	·85	·04	–	·42	·01	·01	–	·02	–		27
28	(·50) Snow	·24	–	·02	·84	–	–	–	–	–	–	–		28
29	(·01) Snow	–	·09	·13	–	·15	·01	–	–	–	–	·17		29
30	(·20) Snow	✕	–	·56	·01	–	–	–	–	·64	–	·02		30
31	(·07) Trace	✕	·03	✕	–	✕	–	–	✕	·81	✕	·01		31
TOTAL	(2·80)	2·50	1·74	4·82	2·96	0·74	3·46	0·21	0·83	3·86	6·46	1·84	Year's Total 32·22	
* Days with .01 in. or more.	(11)	14	14	22	10	6	19	4	14	16	19	16	165	"d"
* Days with .04 in. or more.	(8)	11	11	15	8	6	16	2	8	14	18	10	127	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

2484

Section **A** for the entry of Daily Obs

AIR MINISTRY.—METEO

COPY FOR OFFICIAL USE.

RAINFALL ORGANIZATION.

FORM 1090.

REGISTER

193**1**.

2484 - 097260

WHITACRE W.W.

1931 - 1940

780408

Kept at WHITACRE

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft

,, Ground ,, Sea Level 2?9

THE MORNING MEASUREMENT **OUS DAY.**

An observer who does not conform to this rule sho *1st of the following*
year in the space on the right of this paragraph

Jan. 1, following

Please rea **eaf.**

Date	Jan.	Feb.	March	April	M				.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.						in.	in.	in.	
1	·01	·04	·03	·03	·03	·44	–	–	·27	–	–	–	1
2	·01	·06	–	·73	–	·05	–	·01	·50	·02	·01	·06	2
3	·03	–	–	·07	–	–	·01	–	1·26	–	·38	·10	3
4	–	·10	–	·15	–	–	·53	·20	·10	–	·07	–	4
5	–	·05	–	·07	·06	·93	–	·01	·08	–	–	·22	5
6	–	·18	–	·02	–	·11	·01	–	·02	·24	·22	–	6
7	–	–	–	–	–	–	–	·50	–	·01	·07	–	7
8	·06	·05	–	·09	–	·04	·02	1·22	–	–	·16	–	8
9	–	·20	–	·03	–	·01	–	·05	–	–	·38	–	9
10	–	–	–	–	–	·03	·01	·10	·06	–	·09	–	10
11	·10	·23	–	–	–	·01	–	–	·10	–	·10	–	11
12	·02	·06	–	–	–	–	·78	·03	·25	·02	·01	–	12
13	–	–	–	–	–	–	·02	·29	–	·01	–	–	13
14	–	·05	–	–	–	·16	·43	·91	·04	–	·29	–	14
15	–	·13	–	·08	·12	–	·45	·23	–	–	–	·01	15
16	·03	·10	–	·11	·27	·62	–	·34	·13	–	–	–	16
17	·09	·20	–	·14	·74	·03	·03	–	–	–	·01	–	17
18	·06	–	–	·22	–	·10	·14	·13	–	–	·24	–	18
19	·02	·03	–	·19	–	·43	·05	·06	–	–	–	–	19
20	–	·04	·01	·01	–	–	·02	·21	–	·04	–	·03	20
21	·07	–	–	–	·51	–	–	–	–	–	·10	–	21
22	·14	–	·08	–	–	–	–	·07	–	–	–	–	22
23	·10	–	–	·07	·34	·08	–	–	·02	–	·21	·10	23
24	–	–	–	·15	·38	–	·03	–	–	–	–	–	24
25	–	–	–	·92	–	–	·26	–	–	–	·03	–	25
26	·03	–	–	·17	–	–	·03	–	–	–	·17	–	26
27	·06	·63	–	·01	·34	–	·02	–	–	·03	·06	·07	27
28	·06	·15	–	·07	·20	–	–	–	–	·01	–	·16	28
29	·02	×	–	–	·06	–	·08	–	–	·27	·01	–	29
30	–	×	–	–	–	–	–	–	–	–	–	–	30
31	·22	×	–	×	–	×	·01	–	×	–	×	·01	31
TOTAL	1·13	2·30	0·12	3·33	3·05	3·04	2·93	4·36	2·83	0·65	2·61	0·76	YEAR'S TOTAL 27·11
*Days with ·01 in. or more.	18	17	3	20	11	14	19	16	12	9	19	9	167
*Days with ·04 in. or more.	10	16	1	15	10	10	8	13	10	3	14	6	116

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) J. M. Wilkinson [P.T.O.

Chief Engineer.
City of Birmingham Water Dept

2484

Section **A** for the entry of Daily Obs

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WHITACRE
in the County of WARWICK
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0½ in.
,, Ground ,, Sea Level 269.12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·04	·03	·03	·03	·44	–	–	·27	–	–	–	1
2	·01	·06	–	·73	–	·05	–	·01	·50	·02	·01	·06	2
3	·03	–	–	·07	–	–	·01	–	1·26	–	·38	·10	3
4	–	·10	–	·15	–	–	·53	·20	·10	–	·07	–	4
5	–	·05	–	·07	·06	·93	–	·01	·08	–	–	·22	5
6	–	·18	–	·02	–	·11	·01	–	·02	·24	·22	–	6
7	–	–	–	–	–	–	–	·50	–	·01	·07	–	7
8	·06	·05	–	·09	–	·04	·02	1·22	–	–	·16	–	8
9	–	·20	–	·03	–	·01	–	·05	–	–	·38	–	9
10	–	–	–	–	–	·03	·01	·10	·06	–	·09	–	10
11	·10	·23	–	–	–	·01	–	–	·10	–	·10	–	11
12	·02	·06	–	–	–	–	·78	·03	·25	·02	·01	–	12
13	–	–	–	–	–	–	·02	·29	–	·01	–	–	13
14	–	·05	–	–	–	·16	·43	·91	·04	–	·29	–	14
15	–	·13	–	·08	·12	–	·45	·23	–	–	–	·01	15
16	·03	·10	–	·11	·27	·62	–	·34	·13	–	–	–	16
17	·09	·20	–	·14	·74	·03	·03	–	–	–	·01	–	17
18	·06	–	–	·22	–	·10	·14	·13	–	–	·24	–	18
19	·02	·03	–	·19	–	·43	·05	·06	–	–	–	–	19
20	–	·04	·01	·01	–	–	·02	·21	–	·04	–	·03	20
21	·07	–	–	–	·51	–	–	–	–	–	·10	–	21
22	·14	–	·08	–	–	–	–	·07	–	–	–	–	22
23	·10	–	–	·07	·34	·08	–	–	·02	–	·21	·10	23
24	–	–	–	·15	·38	–	·03	–	–	–	–	–	24
25	–	–	–	·92	–	–	·26	–	–	–	·03	–	25
26	·03	–	–	·17	–	–	·03	–	–	–	·17	–	26
27	·06	·63	–	·01	·34	–	·02	–	–	·03	·06	·07	27
28	·06	·15	–	·07	·20	–	–	–	–	·01	–	·16	28
29	·02	×	–	–	·06	–	·08	–	–	·27	·01	–	29
30	–	×	–	–	–	–	–	–	–	–	–	–	30
31	·22	×	–	×	–	×	·01	–	×	–	×	·01	31
TOTAL	1·13	2·30	0·12	3·33	3·05	3·04	2·93	4·36	2·83	0·65	2·61	0·76	YEAR'S TOTAL 27·11
*Days with ·01 in. or more.	18	17	3	20	11	14	19	16	12	9	19	9	167
*Days with ·04 in. or more.	10	16	1	15	10	10	8	13	10	3	14	6	116

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) J. M. Wilkinson
Chief Engineer
City of Birmingham Water Dept.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2484

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Whitacre

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0½ in.

,, Ground ,, Sea Level 269.12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·01	-	·12	·67	·04	·01	·07	·02	·28	·01	-	1
2	·03	-	-	·05	·37	-	-	-	·22	·13	·01	·04	2
3	-	-	-	·24	·07	-	-	-	-	·04	-	-	3
4	·03	-	-	·20	-	-	-	-	-	-	·39	-	4
5	·21	-	·03	·01	·05	-	-	-	·07	-	-	-	5
6	·25	-	·02	·25	-	-	·01	-	·32	-	-	-	6
7	-	-	·19	·23	·65	-	-	-	·01	·19	-	-	7
8	-	-	-	·08	-	-	-	-	·30	·25	-	·01	8
9	·20	·07	-	·01	·02	-	-	-	-	-	-	-	9
10	·23	-	·01	·04	·01	-	-	-	·09	·15	-	-	10
11	·01	·02	-	·03	·11	·08	·09	-	·02	·12	·01	-	11
12	·20	-	-	-	·14	-	·01	-	·10	·32	·02	-	12
13	·01	·02	-	·09	·03	-	·83	-	·02	·01	·01	·03	13
14	·27	-	-	·08	-	-	·17	·03	-	·04	·07	·03	14
15	-	-	-	·11	·89	-	-	-	-	·01	-	·02	15
16	·19	-	-	·13	·04	-	·01	-	-	-	-	-	16
17	-	-	-	-	-	-	-	-	·01	·09	-	-	17
18	-	-	-	-	·03	-	-	-	·02	-	·04	-	18
19	-	·01	-	·07	·06	-	-	-	-	·15	-	-	19
20	-	-	-	·06	·81	-	·02	·65	-	·40	·08	-	20
21	-	-	·15	·08	1·41	-	-	·16	-	·25	·01	·12	21
22	·01	-	·21	·04	·01	-	·36	-	·61	·07	·23	-	22
23	-	-	·03	-	·55	-	·01	-	·09	·10	·02	·02	23
24	·02	-	-	-	-	-	·03	-	·10	·03	·36	-	24
25	-	·05	-	-	-	·02	·11	-	·14	·10	·02	·01	25
26	-	-	-	·33	·20	-	·20	-	·08	·01	·02	-	26
27	-	-	·35	·15	·41	-	·20	-	-	·05	·08	-	27
28	-	-	·06	·06	·39	·13	·15	·19	-	-	-	·03	28
29	-	-	·16	·14	·09	·13	·01	·02	·13	·33	·04	·07	29
30	-	×	·06	·02	-	·80	·09	·09	·35	·30	·25	·21	30
31	·01	×	·07	×	·01	×	·68	-	×	-	×	·15	31
TOTAL	1·69	·18	1·34	2·62	7·02	1·20	2·99	1·21	2·70	3·42	1·67	·74	YEAR'S TOTAL 26·78
*Days with ·01 in. or more.	15	6	12	24	23	6	18	7	19	23	18	12	183
*Days with .04 in. or more.	7	2	8	20	17	5	10	5	13	19	9	5	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Wilkinson Chief Engineer
(City of Birmingham Water Dept.

P.T.O.

2484

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WHITACRE

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0½ in.

,, Ground ,, Sea Level 209·12 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·35	·02	-	-	-	-	-	-	-	-	-	1
2	·24	-	·25	-	·05	-	-	-	-	-	·02	-	2
3	-	·18	·06	-	·11	-	-	-	-	-	·01	-	3
4	·10	-	·02	-	·31	-	-	-	-	-	-	-	4
5	·07	·03	·15	-	·12	-	-	-	-	-	·03	-	5
6	-	·24	-	-	·17	-	-	-	-	·08	·01	·01	6
7	·07	·26	·03	-	·03	-	·01	-	-	·17	-	-	7
8	·02	-	·11	-	·11	-	·20	-	-	-	-	-	8
9	-	-	-	-	·03	-	·27	-	-	·29	·04	-	9
10	·04	·14	-	-	·02	·11	-	-	-	1·48	·05	-	10
11	-	-	-	-	·02	-	·21	-	-	-	·02	-	11
12	·01	-	-	-	-	·11	·10	-	·09	·01	-	·01	12
13	·01	-	-	-	·11	·02	·32	-	·02	·08	·28	-	13
14	-	-	-	-	·04	-	·05	·04	-	·03	·22	-	14
15	·58	-	-	-	-	·47	·20	·03	-	-	·28	·03	15
16	·07	-	·72	·02	·02	·07	·12	-	·03	·03	·03	·02	16
17	·06	-	·39	-	-	·04	-	-	·03	-	·04	-	17
18	·03	·01	·03	-	-	·10	·01	-	-	-	·02	-	18
19	-	·01	·29	-	-	·15	-	-	·05	-	·01	-	19
20	-	·01	·06	-	-	·04	-	·10	-	·02	-	-	20
21	-	·01	-	-	-	·32	-	·33	-	-	-	-	21
22	-	-	-	-	-	·24	-	·40	-	·25	·01	-	22
23	-	-	-	·08	-	·03	-	-	·17	·06	-	-	23
24	-	·56	-	·14	·04	·27	-	-	·30	·01	-	-	24
25	-	·79	-	·19	-	·21	-	-	·12	-	·01	·04	25
26	-	·71	-	·13	-	·12	-	-	·03	·13	-	-	26
27	-	·01	-	-	·68	-	-	-	·08	·02	-	-	27
28	-	-	-	·28	·18	-	-	-	-	·23	-	·11	28
29	·03	×	-	·04	-	-	·14	-	-	·06	-	·01	29
30	·04	×	·04	-	-	-	·02	-	-	·05	-	·08	30
31	·02	×	·40	×	-	×	-	·08	×	·10	×	-	31
TOTAL	1·78	3·31	2·57	0·88	2·04	2·30	1·65	0·98	0·92	3·10	1·08	0·31	YEAR'S TOTAL 20·92
*Days with ·01 in. or more.	16	14	14	7	16	15	12	6	10	18	16	8	152
*Days with ·04 in. or more.	10	8	10	6	11	13	9	5	6	12	6	3	99

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) J W Wilkinson [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2484

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1934.

Kept at Whitacre, Birmingham W.W.

in the County of Warwickshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	–	–	–	–	–	·10	–	–	·12	·30	1
2	·02	·02	·08	–	–	–	–	·01	·25	–	·06	·13	2
3	·03	·04	–	–	–	–	–	·11	–	·17	·01	–	3
4	·07	–	·02	·11	·08	–	–	–	·15	–	·08	·33	4
5	–	–	·11	·03	·12	–	–	·37	–	·01	·03	·01	5
6	–	–	·02	·02	·25	·05	–	·07	–	·18	–	·47	6
7	·11	–	·02	–	–	·02	–	·11	–	·02	–	·24	7
8	–	–	–	–	·09	·02	–	·05	–	–	·12	·03	8
9	·01	–	·18	·03	–	–	–	·06	–	–	·52	·22	9
10	·08	–	·11	·22	–	–	–	·03	–	–	·19	–	10
11	·82	–	·05	·28	–	–	·01	·19	–	–	–	·21	11
12	–	–	·21	–	–	–	·05	·11	–	–	–	–	12
13	·47	·01	·02	·14	–	–	·41	·09	–	·02	–	·10	13
14	·08	–	·36	–	·01	–	–	–	–	·29	·34	·29	14
15	·04	–	·08	–	·13	–	·02	–	·04	·12	·25	·14	15
16	·13	·01	·17	–	–	–	–	–	–	·08	·04	·01	16
17	–	–	·02	–	–	–	·01	–	·30	·07	·03	·09	17
18	·15	–	–	·13	–	–	·04	–	·01	–	–	·01	18
19	–	–	·19	–	–	·09	–	·01	–	·01	–	·02	19
20	–	–	·12	·05	–	–	–	–	·02	–	–	–	20
21	–	–	–	–	–	·17	–	·07	–	·03	–	–	21
22	–	–	–	–	–	–	–	·33	·19	–	–	·07	22
23	–	–	·01	·23	·02	·15	·09	–	–	–	·01	·04	23
24	–	·23	·13	–	–	·03	·17	–	·22	–	–	–	24
25	·17	–	–	·02	·01	–	–	–	–	·25	–	·41	25
26	·13	–	·04	·11	–	·01	–	–	·02	·02	·03	·02	26
27	·02	·01	–	·25	–	–	–	–	·01	·05	·01	·14	27
28	–	–	–	·37	–	·15	–	·25	–	–	·06	·26	28
29	–	×	–	–	–	–	·22	·13	·59	–	–	–	29
30	·03	×	–	–	–	–	·08	–	·01	–	–	·19	30
31	·01	×	–	×	–	×	–	·04	×	·23	×	·03	31
TOTAL	2·42 ✓	0·32 ✓	1·94 ✓	1·99 ✓	0·71 ✓	0·69 ✓	1·10 ✓	2·13 ✓	1·81 ✓	1·55 ✓	1·90 ✓	3·76 ✓	YEAR'S TOTAL 20·32 ✓
*Days with ·01 in. or more.	18	6	19	14	8	9	10	18	12	15	16	24	169 ✓
*Days with .04 in. or more.	12	2	13	10	5	5	7	15	7	9	10	17	112

40-9999

*See Instruction 2 (*f*) on other side.

M

(Signed) J. W. Wilkinson M.Inst.C.E.

Chief Engineer. City of Birmingham Water Dept.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2484

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at (Birmingham W.W.) Whitacre

in the County of Warwickshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·05	-	·04	·01	·10	·09	-	·38	·02	·14	-		1
2	-	-	-	-	-	·01	-	-	·17	·17	-	·12		2
3	-	·22	·03	·10	-	·07	-	-	·29	·06	·27	·09		3
4	-	-	-	·11	-	·28	-	-	-	·38	-	-		4
5	-	·56	·09	·06	-	·04	·06	-	·01	-	·11	·01		5
6	-	·02	-	·31	-	·22	-	-	-	-	·09	-		6
7	-	-	-	·27	-	·08	-	-	-	·20	·35	·19		7
8	-	-	-	·17	-	·03	-	·18	-	·04	·15	·04		8
9	-	-	-	·12	-	·28	-	-	-	·28	·25	·04		9
10	-	-	-	·03	-	-	-	-	-	-	·01	-		10
11	·19	-	-	-	-	·04	-	-	-	·01	·18	·02		11
12	-	-	-	-	-	·10	-	·07	·01	-	-	-		12
13	·09	·01	-	·18	·16	-	-	-	-	-	-	-		13
14	-	-	·02	-	·09	·08	-	-	-	-	·41	·13		14
15	-	·03	-	·58	·06	·06	-	-	·16	-	·17	·27		15
16	-	·03	·14	·24	-	·03	-	-	·46	·31	·70	·04		16
17	-	-	-	·07	-	·11	·01	-	-	-	·67	-		17
18	-	-	-	·23	·12	·09	·04	-	·14	·04	-	-		18
19	-	-	-	·12	·45	·21	·09	-	·02	·03	·20	·03		19
20	·03	·16	-	·16	·01	·08	·04	-	·04	-	·19	-		20
21	-	·30	-	·13	-	-	-	-	·31	·01	·06	-		21
22	-	·11	-	·05	-	-	-	-	·17	-	-	-		22
23	·01	·07	·14	·06	-	-	-	·28	·09	·38	·01	·06		23
24	·05	·26	-	-	-	-	-	·01	·69	·01	-	·34		24
25	·18	·13	-	·09	-	·61	-	-	-	-	-	·04		25
26	-	·10	-	-	-	-	-	·30	·21	-	·01	·43		26
27	-	·21	-	-	-	-	-	-	·16	·06	·23	1·00		27
28	·08	·01	-	-	·02	-	-	·08	·04	·05	·01	·06		28
29	·01	×	·06	-	-	-	-	-	·06	·06	·10	·18		29
30	·03	×	-	·04	·02	-	-	·31	·03	·12	·24	·10		30
31	-	×	-	×	-	×	-	-	×	·47	×	·15		31
TOTAL	0·69	2·27	0·48	3·16	0·94	2·52	0·33	1·23	3·44 ✓	2·70	4·55	3·34 ✓	Year's Total 25·65	
*Days with ·01 in. or more.	10	16	6	21	9	19	6	7	19	19	22	20	174	
*Days with ·04 in. or more.	5	11	4	20	5	16	5	6	15	14	18	17	136	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) J. M. Wilkinson M.Inst.C.E.

Chief Engineer.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2484

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1[illegible]0.

REGISTER OF RAINFALL IN 1936.

Kept at Whitacre, Birmingham W.W.

in the County of Warwickshire

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·14	·06	·48	-	·08	·20	·15	-	-	·08	·08		1
2	·07	·10	·06	·01	-	·28	1·12	·07	-	-	·12	·01		2
3	·01	-	-	-	-	·73	·04	-	·41	-	-	·01		3
4	-	-	·10	-	-	·92	-	·02	·22	-	·04	·06		4
5	·14	·03	·02	-	-	-	·04	·05	·08	-	-	·10		5
6	·01	-	·02	-	·03	·05	·24	·08	·11	-	·22	-		6
7	-	-	·05	-	-	-	·24	-	·16	-	·07	·02		7
8	·22	-	·02	-	-	-	-	-	·02	·01	·21	·07		8
9	·42	-	·17	-	-	·01	·77	-	·09	·11	-	·01		9
10	·02	-	·09	-	-	-	·23	-	·05	-	·01	-		10
11	-	-	-	·10	-	·04	·30	-	·13	-	·46	-		11
12	-	-	-	·06	·05	·20	·46	-	·37	-	·06	·13		12
13	-	-	-	·05	-	·19	-	-	-	·03	·02	·34		13
14	-	-	-	·21	·03	·05	·18	-	·50	·03	·01	·40		14
15	·04	·12	-	·06	·02	·05	·27	-	·01	-	·05	·09		15
16	·11	·08	-	-	-	-	·07	-	-	-	·51	-		16
17	·01	·71	-	-	·05	-	·05	-	-	·07	·02	·16		17
18	-	-	-	-	-	·29	·28	·01	-	·24	-	·01		18
19	·44	·06	·04	·38	-	·11	-	·10	-	·05	-	-		19
20	·01	·12	·01	·05	-	·02	-	-	-	-	-	-		20
21	-	-	·06	·20	-	2·47	·01	-	-	-	-	-		21
22	-	·72	·05	-	·12	-	·19	-	-	-	·01	·07		22
23	-	·08	·07	·06	·11	-	·37	-	-	·01	-	·01		23
24	·17	·07	-	-	·05	-	·01	-	·07	·19	·01	-		24
25	·06	-	·17	·23	-	-	·22	-	·26	·04	-	-		25
26	·02	·07	·35	-	-	-	·01	-	-	·08	-	-		26
27	·08	-	·01	-	-	-	·01	-	·06	·09	-	-		27
28	·30	·10	·16	-	-	-	·04	-	-	·02	·01	·06		28
29	·01	·28	·07	-	-	·07	-	-	-	·07	·09	·07		29
30	·05	X	-	-	·06	·08	·08	-	-	·30	·06	-		30
31	·58	X	·06	X	-	X	·02	-	X	·15	X	·14		31
TOTAL	2·78	2·68	1·64	1·89	0·52	5·64	5·45	·48	2·54	1·49	2·06	1·84	Year's Total. 29·01	
* Days with .01 in. or more.	21	14	20	12	9	17	25	7	15	16	19	19	194	
* Days with .04 in. or more.	13	13	15	11	6	15	20	5	13	11	12	13	147	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) J. M. Wilkinson [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2484

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]90.

REGISTER OF RAINFALL IN 1937.

Kept at Whitacre, Birmingham W.W.

in the County of Warwickshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	-	·03	·01	-	-	-	-	·08	·01	·13	·41		1
2	-	·04	·03	·53	-	-	-	-	-	-	-	·25		2
3	-	·04	-	-	·13	·01	·01	-	·09	-	-	·26		3
4	·09	·12	-	-	·03	-	-	-	-	-	-	·58		4
5	·28	-	·15	-	-	-	-	-	-	-	-	·05		5
6	·12	-	·01	·02	·12	-	·01	-	-	·01	-	-		6
7	-	·65	-	·14	·01	-	-	-	-	-	-	-		7
8	-	·18	-	·02	-	·01	·01	-	-	-	·48	-		8
9	-	-	-	·02	·27	-	·52	-	·15	-	-	·02		9
10	·01	·05	·30	·10	-	·08	·03	-	-	-	-	·08		10
11	-	-	·40	-	·51	·46	·01	-	-	-	-	·15		11
12	·08	·32	·19	-	·37	-	-	·08	·14	-	-	·28		12
13	·05	·06	·02	·10	·03	·09	-	·33	·41	-	-	·02		13
14	-	·01	·11	·03	-	-	-	·32	·01	-	-	·15		14
15	·21	·04	-	·25	-	-	1·02	-	·16	-	-	·01		15
16	-	·13	·66	·37	-	-	-	·07	·09	-	-	-		16
17	·29	·04	·47	·07	-	·01	-	-	·02	-	-	-		17
18	·60	·09	·11	·04	-	-	·01	-	1·40	-	·27	·01		18
19	·02	·12	·12	·08	-	·15	·24	-	-	·02	·09	-		19
20	·33	·02	-	·37	·37	·04	-	-	-	-	-	·01		20
21	·08	·16	·02	·03	-	-	·32	-	-	-	·01	·03		21
22	·09	·02	·06	-	·06	·02	·15	-	-	·27	·25	-		22
23	·25	·01	-	-	·14	-	·07	-	-	·31	·15	-		23
24	·14	·29	·06	-	·03	-	·01	-	·02	·28	-	·01		24
25	·10	·27	-	-	·03	-	-	-	·04	·38	-	·02		25
26	-	·30	·05	-	·42	-	-	-	-	-	-	-		26
27	-	·28	-	·34	-	-	-	-	-	·70	-	-		27
28	-	·07	-	-	-	·01	-	-	-	·03	-	·05		28
29	·04	✕	-	-	-	-	-	-	-	·04	-	·03		29
30	·35	✕	-	-	-	-	-	·04	-	·01	·07	·01		30
31	·27	✕	-	✕	-	✕	-	-	✕	·20	✕	·01		31
TOTAL	3·46	3·31	2·79	2·52	2·52	0·88	2·41	0·84	2·61	2·26	1·45	2·44	Year's Total 27·49	✓ ✓
* Days with .01 in. or more.	20	23	17	17	14	10	13	5	12	12	8	21	172	✓ ✓
* Days with .04 in. or more.	18	19	12	11	9	5	6	5	9	7	7	10	118	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. M. Wilkinson [P.T.O.

M. Inst. C.E.

COPY FOR OFFICIAL USE

Sec n **A** for the entry of Daily Observations

Station No. 2484

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Whitacre, Birmingham W.W.
in the County of Warwick
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	·01	-	·01	·47	-	-	-	·10	·01	·12		1
2	·01	-	-	·05	·01	·44	-	-	-	·12	-	·01		2
3	·02	-	-	-	·16	·01	·04	-	-	·47	-	-		3
4	·03	-	-	-	-	·02	·02	·30	-	·10	-	·24		4
5	-	-	-	-	-	-	·02	·66	·02	·01	-	-		5
6	-	-	-	-	-	·02	·40	-	·14	·08	-	-		6
7	·18	-	·01	-	-	.	·20	·07	·08	·06	-	·04		7
8	·38	-	-	-	-	.	·13	·53	-	·23	-	·01		8
9	·02	·07	-	-	-	.	·01	-	-	-	-	·47		9
10	-	·03	-	-	-	·07	·39	-	-	-	-	·09		10
11	·49	·03	-	-	-	.	-	·10	-	·04	·12	·02		11
12	·21	-	-	-	·10	.	·05	-	-	·19	·16	-		12
13	-	·02	-	-	-	.	-	-	-	.	·14	·56		13
14	·25	-	-	-	·03	.	·57	-	·08	.	-	-		14
15	·09	-	-	-	·02	.	·18	-	-	.	-	·37		15
16	·21	-	-	-	-	.	·11	-	-	.	·02	·07		16
17	-	·03	-	-	-	.	·01	-	·02	·11	·02	.		17
18	·07	-	-	-	·19	·10	-	·01	·20	.	·33	.		18
19	-	-	-	-	-	.	-	·07	·01	.	·04	·01		19
20	-	-	-	-	-	.	-	-	-	.	·29	·01		20
21	·04	-	-	-	-	.	-	-	·02	.	·06	·13		21
22	-	-	-	·01	-	·04	-	-	-	.	·31	·20		22
23	-	-	-	-	·02	.	-	-	·30	.	·01	·05		23
24	-	-	·05	-	·04	.	-	-	·13	.	-	-		24
25	·06	·10	·08	-	·05	.	·04	-	-	·16	·26	·16		25
26	·01	·28	·09	-	·02	.	-	-	·04	·20	-	·12 ✓		26
27	·04	·01	-	-	·11	·12	·31	·24	·58	·09	·34	-		27
28	·11	-	-	-	·13	·09	·06	·74	·13	·01	·05	·13		28
29	·30	✕	-	-	·43	-	·02	-	-	·05	·14	·10		29
30	·03	✕	-	-	-	·32	-	-	·59	·01	·26	·17		30
31	·11	✕	-	✕	·13	✕	-	-	✕	·14	✕	·29		31
TOTAL	2·66	0·57	0·24	0·06	1·45	1·70	2·56	2·72	2·34	2·17	2·56	3·37	Year's Total 22·40	✓
* Days with .01 in. or more.	20	8	5	2	15	11	17	9	14	18	17	22	158	✓
* Days with .04 in. or more.	14	3	3	1	9	8	12	8	10	15	13	17	113	✓

† Spare column, no entries required.

(*Signed*) J. W. Wilkinson [P.T.O.
M. Inst. C. E.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 2484

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Whitacre, Birmingham W.W.
in the County of Warwickshire
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level 265 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	-	·02	·23	·03	-	-	·02	·01	-	-	-		1
2	·04	-	-	·04	-	-	·03	·33	·51	·02	-	·06		2
3	·27	-	-	·33	-	-	-	·30	-	[illegible]	·13	·32		3
4	·11	-	·47	·30	·03	-	·42	·36	·05	·40	·02	·09		4
5	-	-	-	·11	·26	-	·04	·16	-	[illegible]	·34	·13		5
6	·60	-	·01	-	-	-	·31	·01	-	-	·02	-		6
7	·02	·03	-	-	-	-	·26	-	-	-	·30	·25		7
8	-	·05	·25	-	-	-	·25	·13	-	·35	·07	·18		8
9	·02	·05	-	-	-	-	·10	·19	-	·38	-	·18		9
10	·46	-	·03	-	-	-	-	·18	·03	[illegible]	·02	-		10
11	·01	·01	·20	-	-	·06	-	·04	-		-	-		11
12	-	·08	-	-	-	·10	-	-	-	-	-	-		12
13	-	-	-	·02	·01	·01	·18	-	·04	·12	-	-		13
14	·42	-	·01	·09	·52	·13	·26	-	-	·03	·03	-		14
15	·33	-	-	-	·14	·36	·74	-	·02	[illegible]	·12	-		15
16	·08	-	·02	·01	·51	·17	·03	-	-	-	·18	-		16
17	·46	·03	-	-	·02	-	·10	-	-	1·55	·01	-		17
18	·22	·04	·08	-	-	·16	·04	-	-		·59	-		18
19	·17	-	-	-	-	-	·43	-	-	-	-	-		19
20	·14	-	·01	-	-	·02	-	·08	-	-	-	-		20
21	·15	·23	·25	·02	·02	·13	·06	·22	·04	[illegible]	-	-		21
22	·15	·33	-	-	-	·04	·10	-	·01	-	·34	·01		22
23	·01	-	-	·03	-	·02	·05	-	-	·03	·64	-		23
24	·09	-	-	·04	-	·04	·03	-	-	·05	-	-		24
25	·83	·04	-	-	-	-	·06	-	-	·01	·21	-		25
26	·10	-	-	·02	-	-	-	·01	-	-	·27	·09		26
27	-	·15	·07	·01	-	·01	·09	-	-	·09	·01	·04		27
28	-	·30	·09	·01	-	·16	·07	-	-	-	·17	·04		28
29	-	×	-	·14	-	-	·42	·33	-	·21	·04	-		29
30	-	✕	-	·10	-	·46	-	-	-	-	·10	-		30
31	-	✕	-	✕	-	✕	-	·12	✕	·01	✕	-		31
TOTAL	4·77	1·34	1·51	1·50	1·54	1·87	4·07	2·48	0·71	3·57	3·61	1·39	Year's Total 28·36	
* Days with .01 in. or more.	22	12	13	16	9	15	22	15	8	18	20	11	181	
* Days with .04 in. or more.	18	9	7	9	4	11	19	12	4	11	14	10	128	

† Spare column, no entries required.

(*Signed*) J. W. Wilkinson [P.T.O.

aaB.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2484

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Whitacre, Birmingham W.W.

in the County of Warwick

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

October figures amended as per letter d. 12-11-40

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	–	–	.02	–	–	–	–	–	–	.15	.01		1
2	–	.02	–	.32	–	–	.03	–	–	–	.65	.02		2
3	–	.16	–	.08	–	–	–	–	–	.11	.68	.08		3
4	–	.09	–	.07	–	–	.02	–	–	.08 ~~.11~~	.40	.03		4
5	–	–	–	–	.03	–	.11	–	–	.16 ~~.08~~	.61	.09		5
6	.07	.20	–	–	–	–	.14	–	–	.38 ~~.40~~	.29	–		6
7	.02	.24	–	.01	.03	–	–	–	.02	~~.38~~	–	.01		7
8	–	–	–	.01	–	–	–	–	–	.10	.03	.21		8
9	–	–	.02	–	–	–	.06	.02	.01	.20 ~~.10~~	.23	.24		9
10	–	–	.04	–	–	–	.55	–	–	.01 ~~.20~~	.17	.21		10
11	–	–	.04	.01	–	–	.20	–	–	– ~~.01~~	.41	.13		11
12	–	–	.08	–	–	.01	.11	–	.04	–	.03	–		12
13	–	–	.35	.02	–	–	.01	–	.03	–	–	.01		13
14	–	–	.03	.06	.46	–	–	–	.06	.05 –	–	.31		14
15	–	–	.02	.10	.03	–	–	–	.07	.03 ~~.05~~	.08	–		15
16	.01	.22	.37	.02	–	–	.27	–	.09	.50 ~~.03~~	.59	–		16
17	–	–	.28	–	–	–	.03	–	–	– ~~.50~~	.19	–		17
18	.10	.59	.16	.29	–	–	–	.01	.14	.19	.05	.05		18
19	–	.22	.03	.20	–	–	.35	–	.17	– ~~.19~~	.13	.01		19
20	–	–	–	.02	–	–	.07	.04	–	.30	.01	–		20
21	.01	–	–	–	.28	.21	.18	–	–	.08 ~~.30~~	1.25	–		21
22	–	–	.01	–	.39	.19	–	–	.10	– ~~.08~~	–	–		22
23	–	.06	.03	.11	.12	.08	–	–	–	.03	–	.04		23
24	–	–	–	–	–	–	.06	–	–	.01 ~~.03~~	–	–		24
25	–	–	–	–	–	–	.03	–	–	– ~~.04~~	–	–		25
26	1.14	.09	–	.42	.04	.01	.02	–	–	.01	.01	–		26
27	.50	.17	–	.08	–	–	.12	–	–	– ~~.04~~	.04	–		27
28	.49	.29	–	–	.22	–	–	–	–	–	–	–		28
29	.08	–	.06	–	.08	.04	.03	–	–	–	–	.16		29
30	.03	✕	–	.75	–	–	–	–	–	.50	–	.03		30
31	.09	✕	.05	✕	–	✕	–	–	✕	.91 ~~.50~~	✕	–		31
TOTAL	2.54	2.35	1.57	2.59	1.68	0.54	2.39	0.07	0.73	3.65 ~~2.74~~	6.00	1.64	Year's Total 25.75	✓
* Days with .01 in. or more.	11	12	15	18	10	6	19	3	10	18 ~~19~~	20	17	159	✓
* Days with .04 in. or more.	7	11	9	11	7	4	12	1	7	13 ~~12~~	16	10	108	✓

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) A. A. Barnes a/CHIEF ENGINEER

[P.T.O.

2485

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGIS

Kept at ERDINGTON

in the County of WARY

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

ing

Jan. 1, following

2485

ERDINGTON, OLD GUAGE

1931

7 8040P

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.		Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·05	·09	·03	·01	·10	–	–	·25	–	–	–	1
2	·02	·11	–	·55	·02	·04	–	·04	·39	·01	·01	·05	2
3	·02	–	–	·05	–	–	–	–	·95	·01	·37	·09	3
4	·01	·02	–	·15	–	–	·45	·34	·17	–	·07	–	4
5	·03	·05	–	·09	·05	1·02	–	–	·05	–	–	·19	5
6	–	·17	–	·04	–	·11	–	–	–	·29	·21	–	6
7	–	–	–	–	·01	–	·04	·54	–	·02	·10	·01	7
8	·02	·05	–	·06	·01	·09	·07	·93	–	–	·37	–	8
9	·02	·27	–	·05	–	·06	–	·05	–	–	·38	–	9
10	–	·01	–	–	·01	·06	–	·16	·07	–	·17	–	10
11	·12	·20	–	–	–	·01	–	–	·10	–	·16	–	11
12	·04	·01	–	–	–	–	·91	·03	·35	·03	·01	–	12
13	–	·04	–	–	–	–	·01	·24	–	·01	–	–	13
14	–	·05	–	–	·02	·73	·32	1·49	·05	–	·44	–	14
15	·01	·12	–	·11	·07	–	·19	·14	–	–	–	·04	15
16	·08	·06	–	·14	·39	·60	–	·03	·11	–	–	–	16
17	·05	·10	–	·22	·81	·05	·03	–	–	–	·02	–	17
18	·08	·05	–	·26	–	·17	·17	·15	–	–	·26	–	18
19	·02	·05	–	·15	–	·32	·15	·07	–	–	–	–	19
20	–	·04	·05	·01	–	–	·04	·38	–	–	–	·02	20
21	·10	–	–	–	·60	–	–	–	–	–	·16	–	21
22	·08	–	·03	·03	·02	–	–	·05	–	–	–	–	22
23	·10	–	–	·17	·31	·05	–	·03	–	–	·19	·13	23
24	–	–	–	·12	·45	–	·04	–	–	–	–	–	24
25	·01	–	–	·76	·01	–	·32	–	–	–	·03	–	25
26	·05	–	–	·18	–	–	·02	–	–	–	·27	–	26
27	·06	·60	–	·02	·41	–	·04	–	–	·04	·08	·03	27
28	·07	·05	–	·09	·23	–	–	–	–	·02	·01	·07	28
29	·03	×	–	–	·06	–	·10	–	–	·32	–	·07	29
30	–	×	–	–	–	–	–	–	–	–	–	–	30
31	·22	×	–	×	·02	×	–	–	×	–	×	·01	31
TOTAL	1·26	2·10	0·17	3·28	3·51	3·41	2·90	4·67	2·49	0·75	3·31	0·71	YEAR'S TOTAL 28·50
*Days with ·01 in. or more.	23	20	3	21	19	14	16	16	10	9	19	11	181
*Days with ·04 in. or more.	12	17	2	17	10	13	13	13	10	3	14	7	131

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) J. Wilkinson [P.T.O.

Chief Engineer.
City of Birmingham Water Dept.

Section **A** for the entry [redacted] FOR OFFICIAL USE. 2485

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ERDINGTON (OLD GAUGE)

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 2½ in.

,, Ground ,, Sea Level 472 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06	·09	·03	·01	·10	–	–	·25	–	–	–	1
2	·02	·11	–	·55	·02	·04	–	·04	·39	·01	·01	·05	2
3	·02	–	–	·05	–	–	–	–	·95	·01	·37	·09	3
4	·01	·02	–	·15	–	–	·45	·34	·17	–	·07	–	4
5	·03	·05	–	·09	·05	1·02	–	–	·05	–	–	·19	5
6	–	·17	–	·04	–	·11	–	–	–	·29	·21	–	6
7	–	–	–	–	·01	–	·04	·54	–	·02	·10	·01	7
8	·02	·05	–	·06	·01	·09	·07	·93	–	–	·37	–	8
9	·02	·27	–	·05	–	·06	–	·05	–	–	·38	–	9
10	–	·01	–	–	·01	·06	–	·16	·07	–	·17	–	10
11	·12	·20	–	–	–	·01	–	–	·10	–	·16	–	11
12	·04	·01	–	–	–	–	·91	·03	·35	·03	·01	–	12
13	–	·04	–	–	–	–	·01	·24	–	·01	–	–	13
14	–	·05	–	–	·02	·73	·32	1·49	·05	–	·44	–	14
15	·01	·12	–	·11	·07	–	·19	·14	–	–	–	·04	15
16	·08	·06	–	·14	·39	·60	–	·03	·11	–	–	–	16
17	·05	·10	–	·22	·81	·05	·03	–	–	–	·02	–	17
18	·08	·05	–	·26	–	·17	·17	·15	–	–	·26	–	18
19	·02	·05	–	·15	–	·32	·15	·07	–	–	–	–	19
20	–	·04	·05	·01	–	–	·04	·38	–	–	–	·02	20
21	·10	–	–	–	·60	–	–	–	–	–	·16	–	21
22	·08	–	·03	·03	·02	–	–	·05	–	–	–	–	22
23	·10	–	–	·17	·31	·05	–	·03	–	–	·19	·13	23
24	–	–	–	·12	·45	–	·04	–	–	–	–	–	24
25	·01	–	–	·76	·01	–	·32	–	–	–	·03	–	25
26	·05	–	–	·18	–	–	·02	–	–	–	·27	–	26
27	·06	·60	–	·02	·41	–	·04	–	–	·04	·08	·03	27
28	·07	·05	–	·09	·23	–	–	–	–	·02	·01	·07	28
29	·03	×	–	–	·06	–	·10	–	–	·32	–	·07	29
30	–	×	–	–	–	–	–	–	–	–	–	–	30
31	·22	×	–	×	·02	×	–	–	×	–	×	·01	31
TOTAL	1·26	2·10	0·17	3·28	3·51	3·41	2·90	4·67	2·49	0·75	3·31	0·71	YEAR'S TOTAL 28·56
*Days with ·01 in. or more.	23	20	3	21	19	14	16	16	10	9	19	11	181
*Days with ·04 in. or more.	12	17	2	17	10	13	13	13	10	3	14	7	131

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) J. Wilkinson [P.T.O.

Chief Engineer.
City of Birmingham Water Dept.

2486

Section **A** for the entry of Daily Observ

AIR MINISTRY.—METEORO … AINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER O … 1931 .

Kept at ERDINGTON (NEW GAU

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

,, Ground ,, Sea Level 44

THE MORNING MEASUREMENT IS … US DAY.

An observer who does not conform to this rule shoul … t of the following year in the space on the right of this paragraph.

Please read … af.

Jan. 1, following

2486 –

ERDINGTON – NEW GAUGE

1931 – 1940

780408

Date	Jan.	Feb.	March	April	May					Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.					in.	in.	in.	
1	·02	·06	–	·03	·01					–	–	–	1
2	·02	·14	–	·60	·02					·01	·01	·06	2
3	·02	–	–	·05	–	–	–	–	·96	·01	·40	·10	3
4	·01	·03	–	·17	–	–	·46	·35	·21	–	·08	–	4
5	·04	·05	–	·10	·06	1·08	–	–	·06	–	–	·20	5
6	–	·18	–	·04	–	·12	–	–	–	·31	·22	–	6
7	–	–	–	–	·01	–	·06	·57	–	·02	·10	·01	7
8	·04	·05	–	·07	·01	·09	·09	1·08	–	–	·39	–	8
9	·01	·32	–	·06	–	·06	–	·06	–	–	·41	–	9
10	–	·01	·01	–	·01	·06	–	·19	·07	–	·17	–	10
11	·14	·24	–	–	–	·01	–	–	·11	–	·17	–	11
12	·05	·01	–	–	–	–	·93	·04	·37	·04	·01	–	12
13	–	·07	–	–	–	–	·01	·25	–	·01	–	–	13
14	–	·06	–	–	·02	·74	·35	1·02	·05	–	·47	–	14
15	·01	·14	–	·12	·07	–	·21	·15	–	–	–	·04	15
16	·10	·08	–	·16	·42	·64	–	·03	·11	–	–	–	16
17	·06	·20	–	·25	·96	·06	·03	–	–	–	·02	–	17
18	·10	·06	–	·33	–	·17	·20	·16	–	–	·27	–	18
19	·02	·06	–	·19	–	·34	·19	·08	–	–	–	–	19
20	–	·04	·06	·01	–	–	·05	·42	–	–	–	·02	20
21	·11	–	–	–	·06	–	–	–	–	–	·17	–	21
22	·09	–	·03	·03	·02	–	–	·05	–	–	–	–	22
23	·12	–	–	·17	·32	·05	–	·03	–	–	·20	·15	23
24	–	–	–	·13	·47	–	·04	–	–	–	–	–	24
25	·01	–	–	·84	·01	–	·34	–	–	–	·03	–	25
26	·06	–	–	·21	–	–	·02	–	–	–	·29	–	26
27	·07	·65	–	·03	·43	–	·04	–	–	·04	·08	·04	27
28	·09	·26	–	·11	·26	–	–	–	–	·03	·01	·09	28
29	·03	✕	–	–	·06	–	·12	–	–	·36	–	·11	29
30	–	✕	–	–	–	–	–	–	–	–	–	–	30
31	·26	✕	–	✕	·02	✕	–	–	✕	–	✕	·01	31
TOTAL	1·48	2·71	0·10	3·70	3·84	3·58	3·14	5·13	2·60	0·83	3·50	0·83	YEAR'S TOTAL 31·44
*Days with ·01 in. or more.	23	20	3	21	19	14	16	16	10	9	19	11	181
*Days with ·04 in. or more.	14	17	1	17	10	13	13	14	10	4	14	8	135

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) J. M. Wilkinson

Chief Engineer
City of Birmingham Water Dept.

[P.T.O.

2486

Section **A** for the entry of Daily Obser

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at ERDINGTON (NEW GAUGE)

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 442 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·06	–	·03	·01	·12	–	–	·26	–	–	–	1
2	·02	·14	–	·60	·02	·04	–	·05	·40	·01	·01	·06	2
3	·02	–	–	·05	–	–	–	–	·96	·01	·40	·10	3
4	·01	·03	–	·17	–	–	·46	·35	·21	–	·08	–	4
5	·04	·05	–	·10	·06	1·08	–	–	·06	–	–	·20	5
6	–	·18	–	·04	–	·12	–	–	–	·31	·22	–	6
7	–	–	–	–	·01	–	·06	·57	–	·02	·10	·01	7
8	·04	·05	–	·07	·01	·09	·09	1·08	–	–	·39	–	8
9	·01	·32	–	·06	–	·06	–	·06	–	–	·41	–	9
10	–	·01	·01	–	·01	·06	–	·19	·07	–	·17	–	10
11	·14	·24	–	–	–	·01	–	–	·11	–	·17	–	11
12	·05	·01	–	–	–	–	·93	·04	·37	·04	·01	–	12
13	–	·07	–	–	–	–	·01	·25	–	·01	–	–	13
14	–	·06	–	–	·02	·74	·35	1·02	·05	–	·47	–	14
15	·01	·14	–	·12	·07	–	·21	·15	–	–	–	·04	15
16	·10	·08	–	·16	·42	·04	–	·03	·11	–	–	–	16
17	·06	·20	–	·25	·96	·06	·03	–	–	–	·02	–	17
18	·10	·06	–	·33	–	·17	·20	·16	–	–	·27	–	18
19	·02	·06	–	·19	–	·34	·19	·08	–	–	–	–	19
20	–	·04	·06	·01	–	–	·05	·42	–	–	–	·02	20
21	·11	–	–	–	·06	–	–	–	–	–	·17	–	21
22	·09	–	·03	·03	·02	–	–	·05	–	–	–	–	22
23	·12	–	–	·17	·32	·05	–	·03	–	–	·20	·15	23
24	–	–	–	·13	·47	–	·04	–	–	–	–	–	24
25	·01	–	–	·84	·01	–	·34	–	–	–	·03	–	25
26	·06	–	–	·21	–	–	·02	–	–	–	·29	–	26
27	·07	·65	–	·03	·43	–	·04	–	–	·04	·08	·04	27
28	·09	·26	–	·11	·26	–	–	–	–	·03	·01	·09	28
29	·03	×	–	–	·06	–	·12	–	–	·36	–	·11	29
30	–	×	–	–	–	–	–	–	–	–	–	–	30
31	·26	×	–	×	·02	×	–	–	×	–	×	·01	31
TOTAL	1·48	2·71	0·10	3·70	3·84	3·58	3·14	5·13	2·60	0·83	3·50	0·83	YEAR'S TOTAL 31·44
*Days with ·01 in. or more.	23	20	3	21	19	14	16	16	10	9	19	11	181
*Days with ·04 in. or more.	14	17	1	17	10	13	13	14	10	4	14	8	135

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) J M Wilkinson

Chief Engineer.
City of Birmingham Water Dept.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2486

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Erdington

in the County of Warwick

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 442 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·05	-	·16	·70	·07	·02	·12	·02	·16	·01	-	1
2	·05	-	-	·06	·28	-	-	-	·13	·12	·01	·07	2
3	-	-	-	·31	·12	-	-	-	-	·04	-	·01	3
4	·03	-	-	·39	-	-	-	-	-	-	·41	-	4
5	·37	-	·04	-	·02	-	-	·03	·08	-	-	-	5
6	·38	-	·03	·30	-	-	-	-	·32	-	-	-	6
7	-	-	·24	·29	·14	-	-	-	·02	·25	-	-	7
8	-	-	-	·08	-	-	-	-	·44	·42	-	-	8
9	·16	·04	-	-	·04	-	-	-	-	-	-	-	9
10	·30	·06	·05	·06	·03	-	-	-	·25	·25	-	-	10
11	-	·02	-	·04	·17	·06	·06	-	·02	·15	·01	·01	11
12	·20	·08	-	-	·16	-	-	-	·14	·24	·04	-	12
13	·04	·06	-	·10	·04	-	1·25	·01	·04	·05	·03	·03	13
14	·18	·01	-	·07	-	-	·15	·04	-	·14	·18	·01	14
15	-	-	-	·03	·98	-	-	-	-	·03	-	·04	15
16	·19	-	-	·13	·10	-	·03	-	-	-	-	-	16
17	-	-	-	-	·01	-	·02	-	-	·10	-	-	17
18	-	-	-	-	·04	-	-	-	·04	·01	·07	-	18
19	-	-	-	·04	·04	-	-	-	-	·16	-	-	19
20	-	-	-	·15	·81	-	·01	·89	-	·46	·07	-	20
21	-	-	·14	·18	1·49	-	-	·23	-	·27	·02	·10	21
22	-	-	·24	·05	·08	-	·37	-	·62	·03	·21	·01	22
23	-	-	-	-	·56	-	·02	-	·08	·05	·06	·02	23
24	-	-	-	-	·01	-	·17	-	·06	·03	·38	-	24
25	-	·04	-	-	-	·05	·13	-	·07	·09	·08	·01	25
26	-	-	·03	·54	·17	-	·05	-	·05	·02	·05	-	26
27	-	-	·41	·18	·42	-	·08	-	-	-	·11	-	27
28	-	-	·09	·04	·37	·29	·12	·74	-	-	-	·02	28
29	-	-	·20	·32	·09	·10	·05	·06	·21	·36	·03	·09	29
30	-	×	·16	·02	-	·80	·03	·10	·36	·32	·23	·16	30
31	-	×	·07	×	-	×	·73	-	×	-	×	·23	31
Total	1·92	·36	1·70	3·54	6·87	1·37	3·29	2·22	2·95	3·75	2·00	·81	Year's Total 30·78
*Days with ·01 in. or more.	11	8	12	22	24	6	17	9	18	23	18	14	182
*Days with ·04 in. or more.	9	6	10	20	20	6	11	7	15	18	12	6	140

40-9999 M

*See Instruction 2 (A) on other side,

(Signed) J. W. Wilkinson Chief Engineer P.T.O.
City of Birmingham Water Dept.

24876

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at BIRMINGHAM. ERDINGTON.

in the County of WARWICK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 442 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·55	·02	–	–	–	–	–	–	–	·06	–	1
2	·20	–	·25	–	·05	–	–	–	–	–	·02	–	2
3	–	·14	·08	–	·13	–	–	–	–	–	·02	–	3
4	·09	–	·02	–	·30	–	–	–	–	–	–	–	4
5	·08	·05	·21	–	·12	–	–	–	–	–	·01	–	5
6	–	·22	·03	–	·11	–	–	–	–	·08	–	·01	6
7	·05	·29	·05	–	–	–	·07	–	–	·12	–	·01	7
8	·03	–	·12	–	·07	·03	·45	–	–	·01	–	–	8
9	–	–	–	–	·05	–	·15	–	–	1·07	·03	–	9
10	·06	·21	–	–	·03	·02	–	·01	–	1·36	·07	–	10
11	–	–	–	–	·03	–	·27	·01	–	·01	–	–	11
12	–	–	–	–	–	·01	·08	–	·01	·02	–	·04	12
13	·01	–	–	–	·19	·06	·30	–	·01	·06	·24	–	13
14	–	–	–	–	–	–	·22	·02	–	·08	·22	–	14
15	·65	–	–	–	–	·08	1·28	·07	–	·01	·13	·09	15
16	–	–	·67	·01	·01	·09	·13	–	–	·05	·03	–	16
17	·14	·05	·40	–	–	·10	–	·02	·04	–	·02	–	17
18	·10	·01	·03	–	–	·16	–	–	–	–	·02	–	18
19	·02	–	·32	–	–	·15	–	–	·04	–	·03	·01	19
20	–	·04	·05	–	·01	·29	–	·18	·08	·01	·01	–	20
21	–	·01	–	–	–	·38	–	·37	–	·01	·01	–	21
22	–	–	–	–	–	·09	–	·33	–	·25	–	–	22
23	–	–	–	·15	–	·05	–	–	·11	·11	–	–	23
24	–	·57	–	·14	·03	·61	–	–	·21	·03	·03	–	24
25	–	·60	–	·14	–	·21	–	–	·09	–	–	·04	25
26	–	·75	–	·07	·05	–	–	–	·04	·20	–	–	26
27	–	·02	–	–	·07	–	–	–	·07	·04	–	·02	27
28	–	–	–	·17	·03	–	·01	–	–	·12	–	·11	28
29	–	×	·01	·32	–	–	·61	–	–	·08	–	·02	29
30	·03	×	·05	–	–	–	·02	–	–	·06	–	·08	30
31	·04	×	·45	×	–	×	·01	·07	×	·31	×	–	31
TOTAL	1·88	3·51	2·76	1·00	1·28	2·33	3·60	1·08	0·70	4·09	0·95	0·43	YEAR'S TOTAL 23·61
*Days with ·01 in. or more.	14	14	16	7	16	15	13	9	10	22	16	10	162
*Days with ·04 in. or more.	10	11	11	6	10	12	10	5	8	15	5	5	108

40-9999

*See Instruction 2 (*f*) on other side.

D

(Signed) J. W. Wilkinson [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 2486

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1934.

Kept at Birmingham, Erdington

in the County of Warwickshire

new gauge.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	–	–	–	–	–	·14	·02	–	·15	·28	1
2	·02	·01	·07	–	–	–	–	–	·30	–	·07	·16	2
3	·02	·07	–	–	–	–	–	·01	·01	·07	·01	·01	3
4	·08	·01	·05	·03	·08	–	–	·07	·05	·02	·08	·37	4
5	–	–	·19	·02	·13	–	–	·46	–	·02	·15	·01	5
6	–	–	·06	·01	·26	·06	–	–	–	·13	–	·48	6
7	·12	·02	–	–	–	·03	–	·11	–	·11	–	·27	7
8	–	–	·02	–	·06	–	–	·04	–	–	·15	·04	8
9	–	–	·14	·03	–	–	–	·06	–	–	·77	·25	9
10	·05	–	·17	·28	–	–	–	·02	–	–	·20	–	10
11	·88	–	·07	·18	–	–	–	·14	–	–	–	·22	11
12	·01	–	·23	–	–	–	·12	·16	–	–	–	·02	12
13	·55	–	·03	·12	–	–	·41	·04	–	·01	–	·08	13
14	·12	–	·29	–	·04	·01	–	–	–	·31	·35	·18	14
15	·05	–	·09	–	·13	–	·05	–	·41	·37	·32	·10	15
16	·15	–	·12	–	·01	–	–	–	–	·11	·05	–	16
17	·02	–	·05	–	·02	–	·05	–	·40	·04	·02	·07	17
18	·23	–	–	·28	–	–	·05	·01	·01	–	–	·01	18
19	–	–	·20	·08	–	·14	–	·01	–	·01	–	·06	19
20	–	–	·01	·03	–	–	–	–	·02	–	–	·01	20
21	·03	–	–	–	–	·16	–	·07	–	·04	–	–	21
22	–	–	–	–	·01	–	–	·17	·22	–	–	·18	22
23	–	–	·02	·32	·05	·13	·09	·02	–	–	·01	·07	23
24	–	·20	·12	·03	–	·04	·35	–	·26	–	–	·01	24
25	·17	·01	–	·05	·01	·02	–	–	–	·34	–	·37	25
26	·16	–	·04	·08	–	·01	–	–	·01	·03	–	·01	26
27	–	·01	–	·58	–	·04	–	–	–	·06	·01	·13	27
28	·01	–	–	·47	–	·21	–	·15	–	–	·03	·34	28
29	–	×	–	–	–	–	·23	·03	·57	·02	–	·01	29
30	·04	×	–	–	–	–	·03	–	·01	–	–	·35	30
31	·01	×	–	×	–	×	·07	–	×	·17	×	·15	31
TOTAL	2·76	0·33	1·97	2·59	0·80	0·85	1·45	1·71	2·29	1·86	2·37	4·24	YEAR'S TOTAL 23·22
*Days with ·01 in. or more.	20	7	19	16	11	11	10	18	13	17	15	28	185
*Days with .04 in. or more.	13	2	15	10	7	7	9	12	7	11	10	20	123

40-9999

*See Instruction 2 (*f*) on other side,

M

(Signed) J. M. Wilkinson M.Inst.C.E. P.T.O.

Chief Engineer. City of Birmingham Water Dept.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2486

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Birmingham, Erdington

in the County of Warwickshire

new Gauge.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·04	-	·04	·01	·05	·03	-	·13	·05	·17	-		1
2	-	-	·07	-	-	·19	-	-	·35	·17	-	·11		2
3	-	·22	·07	·06	-	·02	-	-	·11	·04	·24	·24		3
4	-	-	-	·15	-	·23	-	-	·01	·31	·01	·16		4
5	-	·57	·10	·09	-	·67	·01	-	-	·04	·09	-		5
6	-	-	-	·31	-	·25	-	-	-	-	-	-		6
7	-	-	-	·19	-	·07	-	-	-	·17	·30	·16		7
8	-	-	-	·14	-	·09	-	39	-	·11	·18	·04		8
9	-	-	-	·25	-	·35	-	-	-	·30	·25	·03		9
10	-	-	-	·03	-	-	-	-	-	-	·02	-		10
11	·28	-	-	-	-	·02	-	·01	-	-	·21	·03		11
12	·05	·01	-	-	-	·02	-	·08	·01	-	-	-		12
13	·18	·04	-	·13	·18	-	-	-	-	-	-	-		13
14	-	-	·01	-	·03	-	-	-	·02	-	·67	·10		14
15	-	·04	-	·60	·16	·03	-	-	·15	-	·18	·18		15
16	-	·04	·12	·19	-	·09	-	-	·66	·31	·69	·15		16
17	-	-	-	·12	-	·10	·04	-	-	-	·77	-		17
18	·01	-	-	·23	·06	·17	·06	-	·13	·05	·01	-		18
19	-	-	-	·11	·62	·23	·07	-	·03	·16	·32	·01		19
20	·02	·30	-	·10	-	·07	·12	-	·03	·01	·26	-		20
21	-	·27	·01	-	-	-	-	-	·65	·01	·09	-		21
22	-	·13	-	·05	-	-	-	-	·02	-	-	-		22
23	·03	·01	·20	·01	-	-	-	36	·12	·53	-	-		23
24	·13	·32	-	-	-	-	-	·01	·70	·04	-	·50		24
25	·21	·20	-	·09	-	·60	-	-	-	-	-	·05		25
26	-	·05	-	-	-	-	-	·55	·20	-	·04	·47		26
27	-	·18	-	-	-	-	-	-	·37	·09	·18	·95		27
28	·05	·02	-	-	·12	-	-	·02	·04	·23	·03	·10		28
29	-	×	·07	-	-	-	-	-	·04	·09	·18	·19		29
30	·02	×	-	·10	-	·02	-	·26	·10	·22	·34	·13		30
31	-	×	-	×	-	×	-	-	×	·38	×	·19		31
TOTAL	1·00	2·44	0·65	2·99	1·18	3·27	0·33	1·68	3·87	3·31	5·23	3·79	Year's Total 29·74	
*Days with ·01 in. or more.	11	16	8	20	7	19	6	8	20	20	22	19	176	
*Days with .04 in. or more.	6	13	6	18	5	14	4	5	14	18	18	16	137	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) J. M. Wilkinson M.Inst.C.E.
Chief Engineer.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2486

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1 0.

REGISTER OF RAINFALL IN 1936.

Kept at Birmingham, Erdington

in the County of Warwickshire

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

new gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·09	·15	·55	-	·13	·14	·14	-	-	·05	·11		1
2	·09	-	·05	·07	-	·13	1·25	·06	-	-	·10	·01		2
3	·04	-	-	-	-	·27	-	·03	·17	-	·01	·03		3
4	-	·01	·14	-	-	·29	-	·05	·39	-	·09	·04		4
5	·11	·02	·03	-	-	-	·04	·08	·06	-	-	·20		5
6	·02	-	-	-	·25	·06	·19	·15	·14	-	·23	·01		6
7	-	-	·03	-	-	·02	·22	-	·28	-	·13	·02		7
8	·21	-	·05	-	-	-	-	-	·04	·01	·27	·07		8
9	·53	-	·15	-	-	-	·82	-	·09	·06	-	·01		9
10	·04	-	·11	-	-	-	·23	·27	·02	-	-	-		10
11	-	-	-	·09	-	·06	·14	·03	·02	-	·62	-		11
12	-	-	-	·06	·15	·38	·52	-	·64	-	·12	·13		12
13	-	-	-	·05	-	·18	-	-	-	·04	-	·45		13
14	-	-	-	·20	·01	·05	·20	-	·31	-	·01	·62		14
15	-	-	-	-	·16	·07	·21	-	·24	-	·09	·12		15
16	·08	·13	-	·01	-	-	·10	-	-	-	·48	·01		16
17	·13	·67	-	-	·01	-	·09	-	-	·09	·04	·21		17
18	-	·05	-	-	·02	·08	·30	·01	-	·21	-	·11		18
19	·56	·18	·03	·33	-	·03	-	·04	-	·08	-	-		19
20	-	·17	-	·07	-	·03	-	-	-	-	-	-		20
21	-	-	·07	·19	-	1·12	·01	-	-	-	-	-		21
22	-	·71 ~~·37~~	·05	-	·09	-	·20	-	-	-	·01	·08		22
23	-	·07 ~~·44~~	·30	·09	·04	-	·35	-	-	·01	-	-		23
24	·20	·10	-	·01	·03	-	-	-	·09	·39	·01	-		24
25	·14	-	·17	·20	-	-	·23	-	·30	·03	-	-		25
26	·03	·06	·46	-	-	-	·01	-	-	·08	·03	-		26
27	·14	-	·02	-	-	-	·02	-	·08	·16	-	-		27
28	·49	·09	·14	-	-	-	·04	-	·01	·02	-	·12		28
29	·01	·30	·12	-	-	·10	·13	-	-	·03	·03	·15		29
30	·05	×	-	-	·14	·30	·10	-	-	·30	-	-		30
31	·54	×	·06	×	-	×	·02	-	×	·13	×	·19	Year's Total.	31
TOTAL	3·42	2·65	2·13	1·92	0·90	3·30	5·56	·86	2·88	1·64	2·32	2·69	30·27	
* Days with .01 in. or more.	19	14	18	13	10	17	24	10	16	15	17	20	193	
* Days with .04 in. or more.	15	12	14	11	6	14	20	7	13	10	11	14	147	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. M. Wilkinson

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2486

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM [illegible]90.

REGISTER OF RAINFALL IN 1937.

Kept at Birmingham, Edgbaston

in the County of Warwickshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	–	·01	–	–	–	–	–	·09	–	·07	·30		1
2	·01	·03	·02	·61	–	–	–	–	–	–	–	·34		2
3	–	·07	·24	–	·01	–	·01	–	–	–	–	·12		3
4	·11	·14	·01	–	·02	–	–	·04	–	–	–	·74		4
5	·23	–	·14	–	–	–	–	–	–	–	–	–		5
6	·11	–	·08	·02	·11	–	–	–	–	·01	–	–		6
7	–	·61	·02	·15	–	–	–	–	–	–	–	–		7
8	–	·17	–	·02	–	–	·03	–	–	–	·53	–		8
9	–	–	–	·03	·35	–	·52	–	·20	–	–	–		9
10	·01	·04	·37	·05	–	·08	–	–	–	–	–	–		10
11	–	·02	·35	–	·47	·32	·03	–	–	–	–	·24		11
12	·12	·37	·19	–	·24	·07	–	·15	·16	–	–	·30		12
13	·06	·05	–	·13	·01	·12	–	·36	·54	–	–	·02		13
14	–	·01	·12	·05	–	–	–	·13	–	–	–	·09		14
15	·16	·05	–	·22	–	–	1·15	–	·11	–	–	·03		15
16	–	·10	·35	·34	–	–	–	·13	·07	–	–	–		16
17	·13	·05	·38	·15	–	–	–	–	·14	–	–	–		17
18	·59	·07	·11	·02	–	–	·05	–	·66	–	·92	–		18
19	·02	·15	·07	·07	–	·09	·15	–	·02	–	–	–		19
20	·29	·02	–	·38	·28	·04	–	–	–	–	–	–		20
21	·09	·17	·01	·05	–	–	·25	–	–	–	–	·08		21
22	·13	·02	·10	–	·06	·05	·14	–	–	·34	·48	·01		22
23	·28	–	–	–	·12	–	·10	–	–	·37	·13	–		23
24	·32	·34	·05	–	·01	–	–	–	·03	·33	–	–		24
25	·07	·33	–	–	·01	–	–	–	·05	·50	–	·05		25
26	–	·34	·13	–	·57	–	–	–	–	–	–	–		26
27	–	·20	–	·16	–	–	–	–	–	·81	–	–		27
28	–	·11	–	–	–	·01	–	–	–	·05	–	·04		28
29	–	×	–	–	–	·04	–	–	–	·05	·06	·02		29
30	·38	×	–	–	–	–	–	·12	–	·07	·04	–		30
31	·35	×	–	×	–	×	–	–	×	·14	×	·02		31
TOTAL	3·55	3·46	2·75	2·45	2·26	0·82	2·43	0·93	2·07	2·67	1·63	2·40	Year's Total 27·42	✓ ✓
* Days with .01 in. or more.	20	23	19	16	13	9	10	6	11	10	7	15	159	✓ ✓
* Days with .04 in. or more.	17	18	14	12	8	8	7	6	9	9	7	10	125	✓ ✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. M. Wilkinson [P.T.O.

M. Inst. C.E.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2486

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Birmingham, Erdington

in the County of Warwick

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	.06	-	-	.44	.08	-	-	.13	.04	.20		1
2	-	-	-	.08	-	.37	-	-	-	.15	-	.04		2
3	.02	-	-	-	.18	.03	.04	-	-	.64	-	-		3
4	-	-	-	-	-	.01	-	.35	-	.09	-	.25		4
5	-	-	-	-	-	-	.03	1.45	.05	-	-	-		5
6	-	.01	-	-	-	.03	.36	-	.10	.07	-	-		6
7	.09	-	-	-	-	-	.29	.14	.06	.13	-	.03		7
8	.48	-	-	-	-	-	.10	1.19	-	.28	-	.03		8
9	.02	.09	-	-	-	.03	.08	.08	-	.	-	.47		9
10	.02	.06	-	-	-	.04	.37	.02	-	-	-	.09		10
11	.52	.04	-	-	-	.	-	.03	-	.03	.10	.03		11
12	.21	-	-	-	.09	.	.03	.01	-	.19	.28	-		12
13	-	-	-	-	-	.	-	-	-	.02	.21	.54		13
14	.29	-	-	-	-	.	.61	-	.06	-	-	-		14
15	.06	-	-	-	.03	.	.22	-	-	-	-	.34		15
16	.21	-	-	-	-	.	.01	-	-	.02	.03	.06		16
17	-	.03	-	-	.10	.	.02	-	-	-	.01	.		17
18	.04	-	-	-	.15	.52	-	.05	.19	.08	.29	.		18
19	-	-	-	-	-	.	-	.06	.03	.	.05	.		19
20	-	-	-	-	-	.	-	-	.01	.	.30	.		20
21	.03	-	-	-	-	.	-	.07	.02	.	.07	-		21
22	-	-	-	.03	-	.05	-	-	.01	.	.33	.34		22
23	-	-	-	-	.03	.	-	-	.23	.	.01	.04		23
24	-	-	.08	-	.10	.	-	.02	.12	.	-	.03		24
25	.08	.14	.15	-	.05	.	-	.03	-	.21	.52	.19		25
26	.01	.31	.20	-	.02	.	-	-	.04	.25	-	.18		26
27	.08	.01	-	-	.24	.18	.24	.26	.52	.05	.43	-		27
28	.23	.02	-	-	.03	.09	.09	.54	.11	.	.02	.15		28
29	.35	X	-	-	.45	-	-	-	-	.07	.11	.13		29
30	.04	✕	-	-	.04	.25	-	-	.73	.	.27	.11		30
31	.19	✕	-	✕	.14	✕		-	✕	.12	✕	.29		31
TOTAL	2.97	0.71	0.49	0.11	1.65	2.04	2.57	4.30	2.28	2.53	3.07	3.54	Year's Total 26.26	✓
* Days with .01 in. or more.	19	9	4	2	14	12	15	15	15	17	17	20	159	✓
* Days with .04 in. or more.	14	5	4	1	10	8	11	10	11	14	13	16	117	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Wilkinson [P.T.O.

M. Inst. C.E.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 2486

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Birmingham, Erdington

in the County of Warwickshire

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	-	·04	·21	·05	-	-	·20	·02	-	-	·03		1
2	·09	-	-	·06	·	-	-	·26	·61	·04	·03	-		2
3	·36	-	-	·39	·	-	-	·31	·02	-	·12	·25		3
4	·20	-	·31	·31	·03	-	·66	·15	-	·20	·05	·24		4
5	-	-	-	·23	·24	-	·19	·18	-	·15	·35	·09		5
6	·61	-	-	·	·	-	·38	·01	-	-	·07	-		6
7	·02	·04	-	·	·	-	·27	-	-	-	·22	·34		7
8	·03	·09	·31	·	·	-	·36	·08	-	·26	·15	·19		8
9	·03	·06	-	·	·	-	·35	·12	-	·27	·02	·20		9
10	·54	-	·06	·	·	-	·	·18	·09	·14	-	-		10
11	·03	·04	·21	·	-	·07	-	·06	-	-	-	-		11
12	·	·09	-	-	-	·16	-	·	-	-	-	-		12
13	-	·	·01	·06	·02	·03	·14	·	·03	·17	-	-		13
14	·47	-	·02	·12	·23	·16	·07	·	-	·13	·05	-		14
15	·58	·	-	·04	·13	·27	·45	·	-	·10	·11	-		15
16	·08	·	·05	·	·43	·09	·09	·	·06	·02	·18	-		16
17	·56	·04	-	·	-	·	·05	·	-	1·75	·05	-		17
18	·18	·07	·09	·	·	·15	·14	·	-	-	·73	-		18
19	·15	·	-	·	·	·	·24	·	-	-	·01	-		19
20	·17	-	·04	-	-	-	·71	·08	-	-	·	-		20
21	·20	·18	·31	·02	-	·06	-	·15	·06	-	·	-		21
22	·22	·27	-	·	-	·16	·18	·	·02	·03	·42	-		22
23	·03	·03	-	·03	-	·02	·08	·	-	·24	·69	-		23
24	·16	-	·02	·08	-	·05	·56	·	-	·15	-	-		24
25	·95	·06	-	·	-	-	·04	-	-	·01	·21	-		25
26	·06	-	·01	·03	-	-	-	-	-	-	·24	·08		26
27	·	·15	·10	·04	-	·01	·09	-	-	·03	-	·03		27
28	·	·14	·11	·02	-	·28	·14	-	-	-	·14	-		28
29	·	X	-	·13	·	-	·26	·91	-	·17	·07	-		29
30	·	×	-	·11	-	·13	-	-	-	-	·08	-		30
31	·	×	-	×	·	×	·05	·06	×	-	×	-		31
TOTAL	5·76	1·26	1·69	1·88	1·13	1·64	5·50	2·75	0·91	3·86	3·99	1·45	Year's Total 31·82	
* Days with .01 in. or more.	23	13	15	16	7	14	22	14	6	17	21	9	179	
* Days with .04 in. or more.	18	12	11	12	5	11	22	13	4	13	18	7	146	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. W. Wilkinson

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 2486

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Birmingham, Erdington

in the County of Warwick

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level ....ft.

Jan 27th estd from nearby stn.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	·09	-	-	-	-	-	-	·17	-		1
2	-	-	-	·37	-	-	·10	-	-	-	·75	·03		2
3	-	·19	-	·03	-	-	-	-	-	·18	·56	·07		3
4	-	·10	-	·16	-	-	·06	-	-	·09	·46	·03		4
5	-	-	-	-	·03	-	·02	-	-	·13	·68	·09		5
6	·12	·20	-	-	-	-	·22	-	-	·43	·37	·02		6
7	·02	·29	-	·03	·02	-	·12	-	·03	-	-	-		7
8	-	-	-	-	-	-	-	-	-	·17	·04	·21		8
9	-	-	·01	-	-	·01	·07	·09	-	·09	·23	·26		9
10	-	-	·06	-	-	-	·52	·10	·02	·06	·19	·28		10
11	-	-	·03	-	-	-	·18	-	-	-	·12	·17		11
12	-	-	·06	-	-	-	·12	·02	·07	-	·05	-		12
13	-	-	·51	·03	-	-	-	-	·03	-	-	-		13
14	-	-	·04	·09	·59	-	-	-	·09	·08	-	·33		14
15	-	-	-	·02	·51	-	-	-	·12	·12	·11	-		15
16	·03	·36	·27	·01	-	-	·08	-	·10	·49	·62	-		16
17	-	·09	·30	-	-	-	·05	-	-	-	·16	-		17
18	·10	·56	·21	·34	-	-	-	·05	·06	·16	·13	·09		18
19	-	·22	·06	·37	-	-	·35	-	-	-	·19	·02		19
20	-	-	-	·03	-	-	·35	·03	-	·95	·01	-		20
21	-	·02	-	-	·39	·22	·11	-	-	-	1·42	-		21
22	-	-	-	-	·44	·18	-	·02	·21	-	-	-		22
23	-	·03	·02	·25	·21	·03	-	-	·02	-	-	·02		23
24	-	-	-	-	-	-	·06	-	-	·03	-	-		24
25	-	-	-	-	-	-	·10	-	-	-	-	-		25
26	1·08	·10	·01	·96	·09	·04	·02	-	-	-	·01	-		26
27	(·55) ~~·95~~	·18	-	·67	·06	-	·20	-	·01	-	-	·03		27
28	·60	·32	-	·02	·72	-	-	-	-	-	-	-		28
29	·10	-	·08	·06	·09	·16	·02	-	-	-	-	·15		29
30	·04	✕	-	·54	-	-	-	-	-	·58	-	·05		30
31	·03	✕	·02	✕	-	✕	-	-	✕	·91	✕	-		31
TOTAL	2·67 ~~3·07~~	2·66	1·68	4·07	3·15	0·64	2·75	0·31	0·76	3·87	6·27	1·85	Year's Total ~~31·08~~	30·68
* Days with .01 in. or more.	10	13	14	18	11	6	19	6	11	15	19	16	158	
* Days with .04 in. or more.	7	11	9	11	9	4	16	3	6	14	17	10	117	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. A. Barnes
a/CHIEF ENGINEER.

[P.T.O.

X BIRMGHAM (ERDINGTON, SPRIN

2486/5

Section **A** for the entry o

AIR MINISTR

FORM 1090.

REGIS

FOR OFFICIAL USE.

GANIZATION.

Warwick /A

Kept at Spring Lane, Erdi

in the County of Warwick

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea I

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

Jan. 1, following

2486/5

ERDINGTON. SPRING LANE

1932 — 40

780408

Date	Jan.	Feb.	March									Dec.	*Date*
	in.	in.	in.									in.	
1												-	1
2									·12	·11	·02	·07	2
3									-	·03	-	-	3
4									-	-	·4	-	4
5									·06	-	-	-	5
6									·34	-	-	-	6
7									-	·26	-	-	7
8									·41	·38	-	-	8
9									-	-	-	-	9
10									·24	·24	-	-	10
11									·02	·12	-	·01	11
12									·14	·31	·04	-	12
13									·02	·03	·01	·02	13
14									-	·13	·16	-	14
15									-	·04	-	·03	15
16									-	-	-	-	16
17									-	·09	-	-	17
18									·02	·03	·06	-	18
19									-	·16	-	-	19
20								·88	-	·44	·07	-	20
21								·23	-	·26	·03	·1	21
22								-	·57	·02	·23	-	22
23								-	·08	·07	·04	·03	23
24								-	·07	·02	·38	-	24
25								-	·03	·08	·05	·01	25
26								-	·04	·02	·05	-	26
27								-	-	·01	·11	-	27
28								·65	-	-	-	·02	28
29								·03	·2	·39	·03	·1	29
30		X						·17	·3	·31	·23	·15	30
31		X		X		X		-	X	-	X	·22	31
TOTAL								[illegible]	2·68	3·7	1·91	·76	YEAR'S TOTAL
*Days with ·01 in. or more.									17	24	16	11	
*Days with ·04 in. or more.									12	17	12	5	

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Hubert Humphries

[P.T.O.

X THE CITY ENGINEER X

2486/5

Section **A** for the entry o[redacted] FOR OFFICIAL USE.
AIR MINISTR[redacted] ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Warwick /4

Kept at Spring Lane, Erdington, Birmingham
in the County of Warwickshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 316·[illegible] ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·02	·17	–	–	1
2									·12	·11	·02	·07	2
3									–	·03	–	–	3
4									–	–	·[illegible]	–	4
5									·06	–	–	–	5
6									·34	–	–	–	6
7									–	·26	–	–	7
8									·41	·38	–	–	8
9									–	–	–	–	9
10									·24	·24	–	–	10
11									·02	·12	–	·01	11
12									·14	·31	·04	–	12
13									·02	·03	·01	·02	13
14									–	·13	·16	–	14
15									–	·04	–	·03	15
16									–	–	–	–	16
17									–	·09	–	–	17
18									·02	·03	·06	–	18
19									–	·16	–	–	19
20								·88	–	·44	·07	–	20
21								·23	–	·26	·03	·1	21
22								–	·57	·02	·23	–	22
23								–	·08	·07	·04	·03	23
24								–	·07	·02	·58	–	24
25								–	·03	·08	·05	·01	25
26								–	·04	·02	·05	–	26
27								–	–	·01	·11	–	27
28								·65	–	–	–	·02	28
29								·03	·2	·39	·03	·1	29
30		×						·17	·3	·31	·23	·15	30
31		×		×		×		–	×	–	×	·22	31
TOTAL									2·68	3·7	1·91	·76	YEAR'S TOTAL [illegible]
*Days with ·01 in. or more.									17	24	16	11	[illegible]
*Days with ·04 in. or more.									12	17	12	5	

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) Hubert M Humphries [P.T.O.

X THE CITY ENGINEER X

X Birmingham (Erdington, Spring Lane) X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2486/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Warwick /4

Kept at ~~Spring Lane Erdington Birmingham~~.

in the County of Warwickshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 0 in. X

,, Ground ,, Sea Level 386·2 ft.

C. imp. 1932 Cf 2486.

OK print

(7A) X

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·52	·03	-	-	-	-	-	-	-	·06	-		1
2	·17	-	·26	-	·05	-	-	-	-	-	·02	-		2
3	-	·15	·08	-	·13	-	-	-	-	-	·02	-		3
4	·10	-	·03	-	·31	-	-	-	-	-	-	-		4
5	·06	·05	·23	-	·11	-	-	-	-	-	·01	-		5
6	-	·25	·03	-	·13	-	-	-	-	·10	-	·02		6
7	·06	·27	·06	-	·01	-	·09	-	-	·11	-	-		7
8	·03	-	·13	-	·08	·03	·35	-	-	-	-	-		8
9	-	-	-	-	·05	-	·18	-	-	1·20	·02	-		9
10	·06	·20	-	-	·03	·03	-	-	-	1·37	·07	-		10
11	-	-	-	-	·04	-	·28	·01	-	-	-	-		11
12	-	-	-	-	-	·03	·12	-	-	·02	-	·03		12
13	-	-	-	-	·20	·07	·23	-	·02	·06	·25	-		13
14	-	-	-	-	-	-	·13	·02	-	·09	·22	-		14
15	·72	-	-	-	-	·04	1·53	·14	-	·01	·11	·08		15
16	·03	-	·67	-	·02	·08	·09	-	-	·05	·05	-		16
17	·12	·06	·38	-	-	·09	-	·01	·05	-	·02	-		17
18	·08	-	·04	-	-	·15	-	-	-	-	·03	-		18
19	-	·03	·32	-	-	·20	-	-	·01	-	·04	-		19
20	-	·02	·04	-	·02	·08	-	·06	·05	·02	·01	-		20
21	-	·01	-	-		·36	-	·40	-	·01	·01	-		21
22	-	-	-	-	-	·07	-	·33	-	·24	-	-		22
23	-	-	-	·17	-	·05	-	-	·10	·11	-	-		23
24	-	-	-	·14	·03	·59	-	-	·15	·02	·01	-		24
25	-	·49	-	·14	-	·22	-	-	·09	-	-	·05		25
26	-	·64	-	·07	·04	-	-	-	·04	·23	-	-		26
27	-	·71	-	-	·07	-	-	-	·06	·01	-	·02		27
28	-	-	-	·25	·06	-	·01	-	·01	·15	-	·11		28
29	·02	×	·01	·27	-	-	·45	-	-	·07	-	·01		29
30	·03	×	·08	-	-	-	·01	-	-	·07	-	·08		30
31	·05	×	·42	×	-	×	·01	·08	×	·29	×	-		31
TOTAL	1·90	3·40	2·81	1·04	1·38	2·09	3·48	1·05	·58	4·23	·95	·40	Year's Total 23·31	
*Days with ·01 in. or more.	14	13	16	6	17	15	13	8	10	20	16	8	156	
*Days with	10	10	12	6	12	12	10	5	7	14	7	4	109	

OK print

Print ƒ

ENCLOSURE Nº 351 JUSTSO

tion 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) THE CITY ENGINEER

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2486/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Spring Lane Erdington Birmingham.

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 386·2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·05	-	-	-	-	-	-	·16	·02	-	·14	·28		1
2	·02	·01	·07	-	-	-	-	-	·32	-	·07	·15		2
3	·02	·06	-	-	-	-	-	-	·02	·06	-	·02		3
4	·08	·01	·06	·04	·09	-	-	·01	·07	·02	·07	·36		4
5	-	-	·24	·02	·14	-	-	·47	-	·01	·12	·01		5
6	-	-	·07	·01	·29	·05	-	-	-	·13	-	·46		6
7	·11	·02	-	-	-	·04	-	·11	-	·10	-	·29		7
8	-	-	-	-	·06	-	-	·04	-	-	·15	·04		8
9	-	-	·16	·03	-	-	-	·06	-	-	·75	·26		9
10	·08	-	·15	·27	-	-	-	·05	-	-	·20	·01		10
11	·90	-	·08	·22	-	-	·01	·15	-	-	-	·25		11
12	-	-	·20	-	-	-	·07	·15	-	-	-	·02		12
13	·58	-	·04	·13	-	-	·53	·05	-	·01	-	·07		13
14	·12	-	·32	-	·04	·01	-	-	·01	·30	·35	·28		14
15	·06	-	·09	-	·12	-	·05	-	·37	·36	·38	·11		15
16	·16	-	·13	-	-	-	-	-	-	·11	·05	-		16
17	·02	-	·05	-	·05	-	·04	·01	·53	·04	·01	·08		17
18	·34	-	-	·23	-	·01	·02	·02	·01	-	-	·01		18
19	-	-	·20	·08	-	·14	-	·02	-	·01	-	·06		19
20	-	-	-	·03	-	-	-	-	·02	-	-	·01		20
21	·03	-	-	-	-	·18	-	·09	·01	·05	-	-		21
22	-	-	-	-	·01	·04	-	·14	·23	-	-	·19		22
23	-	-	·03	·81	·05	·15	·09	·01	-	-	·01	·04		23
24	-	·20	·11	·04	-	-	·35	-	·28	-	-	-		24
25	·20	-	-	·06	·02	·03	-	-	-	·30	-	·40		25
26	·12	-	·05	·14	-	·01	-	-	·01	·02	·01	·02		26
27	-	·01	-	·47	-	·08	-	-	·01	·05	·01	·13		27
28	-	-	-	·53	-	·17	-	·15	-	-	·04	·32		28
29	-	×	-	-	-	-	·24	·04	·57	·03	-	·02		29
30	·04	×	-	-	-	-	·09	-	·02	-	-	·33		30
31	-	×	-	×	-	×	·10	-	×	·19	×	·15		31
TOTAL	2·83	0·31	2·05	3·11	0·87	0·91	1·59	1·73	2·47	1·79	2·36	4·37	Year's Total 24·39	
*Days with ·01 in. or more.	17	6	17	16	10	12	11	18	16	17	15	28	183	
*Days with ·04 in. or more.	13	2	16	12	8	8	9	13	7	11	11	20	130	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Hubert W Humphries

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2486/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Spring Lane Erdington Birmingham

Duration

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 386·2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·05	·	·05	·01	·06	·03	-	·15	·05	·16	-		1
2	-	-	·06	·	-	·27	-	-	·21	·17	-	·11		2
3	·01	·23	·07	·07	-	·01	-	-	·07	·09	·25	·23		3
4	-	-	-	·14	-	·22	-	-	·01	·29	·01	·11		4
5	-	·59	·10	·10	-	·38	·02	-	-	·01	·09	-		5
6	-	-	-	·31	-	·25	-	-	-	-	-	-		6
7	-	-	-	·20	-	·07	-	-	-	·20	·29	·18		7
8	-	-	-	·15	-	·11	-	·61	-	·09	·20	·04		8
9	-	-	·	·34	-	·31	-	-	-	·31	·26	·02		9
10	-	-	-	·04	-	-	-	-	·	-	·03	-		10
11	·27	-	-	-	-	·04	-	·01	-	·02	·20	·02		11
12	·04	·02	-	-	-	·04	-	·08	·01	-	·	-		12
13	·19	·04	-	·11	·20	-	-	-	-	-	·01	-		13
14	-	-	·02	-	·01	·04	-	-	·06	-	·70	·11		14
15	-	·05	-	·60	·15	·06	-	-	·16	-	·16	·20		15
16	-	·05	·13	·21	-	·09	-	-	·68	·30	·73	·20		16
17	-	·01	-	·12	-	·11	·05	-	-	-	·70	-		17
18	·01	-	-	·24	·01	·12	·04	-	·13	·06	·02	-		18
19	-	-	-	·12	·72	·23	·08	-	·05	·15	·29	-		19
20	·02	·34	-	·11	-	·07	·05	-	·01	-	·22	-		20
21	-	·28	·02	-	-	-	-	-	·82	·01	·08	-		21
22	-	·13	-	·11	-	-	-	-	·02	-	-	-		22
23	·02	·03	·23	·01	-	-	-	·34	·13	·49	-	-		23
24	·11	·31	-	-	-	-	-	-	·81	·03	-	·45		24
25	·21	·21	-	·09	-	·73	-	-	-	-	-	·06		25
26	-	·08	-	-	-	-	-	·56	·21	-	·04	·46		26
27	-	·15	-	-	-	-	-	-	·41	·09	·19	·91		27
28	·06	·02	-	-	·11	-	-	·07	·05	·13	·03	·07		28
29	-	×	·08	-	-	-	-	-	·04	·07	·18	·19		29
30	·03	✕	-	·11	-	·01	-	·27	·06	·20	·32	·12		30
31	-	✕	-	✕	-	✕	-	-	✕	·40	✕	·19		31
TOTAL	0·99	2·59	0·71	3·13	1·21	3·22	0·27	1·94	4·09	3·16	5·16	3·67	Year's Total 30·14	
* Days with .01 in. or more.	12	17	8	20	7	20	6	7	20	20	23	18	178	
* Days with .04 in. or more.	6	13	6	19	4	18	4	6	16	16	18	16	142	

40-9999.

* See Instruction 2 (f) or

ENCLOSURE
No 976
"JUSTSO"

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2486/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936. D

Kept at Spring Lane Erdington B'ham

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 386.2 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.11	.11	.53	–	.12	.15	.15	–	–	.04	.11		1
2	.08	.01	.05	.06	–	.14	1.32	.07	–	–	.10	–		2
3	.05	–	–	–	.01	.27	–	.03	.21	–	–	.05		3
4	–	–	.09	–	–	.25	–	.05	.34	–	.08	.05		4
5	.11	.01	.03	–	–	–	.04	.08	.06	–	–	.24		5
6	.02	–	–	–	.29	.06	.18	.13	.13	–	.23	–		6
7	–	–	.03	–	–	–	.24	–	.25	–	.12	–		7
8	.23	–	.06	–	–	–	–	–	.03	.01	.30	.09		8
9	.60	–	.17	–	–	–	.84	–	.09	.06	–	–		9
10	.01	–	.14	–	–	–	.16	.35	.01	–	–	–		10
11	–	–	–	.09	–	.06	.14	.03	.03	–	.59	–		11
12	–	–	–	.06	.13	.30	.51	–	.80	–	.08	.13		12
13	–	–	–	.04	–	.25	–	–	–	.04	–	.64		13
14	–	–	–	.20	.01	.06	.15	–	.31	–	.01	.59		14
15	.07	–	–	–	.14	.07	.22	–	.17	–	.09	.11		15
16	.12	.13	–	.02	–	–	.10	–	–	–	.50	–		16
17	.01	.63	–	–	.02	–	.12	–	–	.12	.03	.25		17
18	–	.05	–	–	.02	.10	.31	.02	–	.22	–	.11		18
19	.53	.16	.04	.35	–	.05	–	.05	–	.08	–	–		19
20	.01	.17	–	.05	–	.04	–	–	–	–	–	–		20
21	–	–	.05	.19	–	1.23	–	–	–	–	–	–		21
22	–	.64	.05	–	.10	–	.21	–	–	–	–	.06		22
23	–	.08	.31	.09	.05	–	.36	–	–	–	–	–		23
24	.20	.09	–	.01	.02	–	–	–	.07	.43	–	–		24
25	.12	–	.18	.22	–	–	.19	–	.28	.04	–	–		25
26	.05	.07	.40	–	–	–	.01	–	–	.06	.03	–		26
27	.10	–	.03	–	–	–	.02	–	.07	.14	–	–		27
28	.42	.09	.17	–	–	–	.04	–	.01	.01	–	.11		28
29	–	.36	.10	–	–	.09	.21	–	–	.02	.03	.19		29
30	.06	✕	–	–	.13	.44	.10	–	–	.33	–	–		30
31	.54	✕	.06	✕	–	✕	.02	–	✕	.10	✕	.21	Year's Total	31
TOTAL	3.34	2.60	2.07	1.91	0.92	3.53	5.64	0.96	2.86	1.66	2.23	2.78	30.50	✓
* Days with .01 in. or more.	20	14	18	13	11	16	23	10	16	14	14	15	184	✓
* Days with .04 in. or more.	15	12	15	11	6	16	20	7	12	11	10	15	150	✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Herbert Manzoni ~~[F.R.Met.S.]~~

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2486/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Jan 30th est'd from surr stns

Kept at Spring Lane Erdington B'ham

in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 386·2 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	·06	-	-	-	-	-	-	-	·08	-	·10	·35		1	
2	-	-	·03	·61	-	-	-	-	-	-	-	·41		2	
3	-	·11	·15	-	-	-	·01	-	·04	-	-	·13		3	
4	·13	·12	-	-	·02	-	-	·01	-	-	-	·66		4	
5	·24	-	·20	-	-	-	-	·01	-	-	-	·05		5	
6	·10	-	·02	·02	·12	-	-	-	-	·01	-	-		6	
7	-	·58	-	·13	-	-	-	-	-	-	-	-		7	
8	-	·16	-	·02	-	-	·03	-	-	-	·56	-		8	
9	-	-	-	·03	·34	-	·61	-	·20	-	-	-		9	
10	·01	·08	-	·09	-	·08	-	-	-	-	-	·13		10	
11	-	-	·37	-	·47	·46	·02	-	-	-	-	·12		11	
12	·13	·36	·23	-	·26	·06	-	·10	·17	-	-	·32		12	
13	·05	·05	-	·12	·01	·11	-	·48	·41	-	-	·02		13	
14	-	-	·12	·07	-	-	-	·15	-	-	·01	·15		14	
15	·17	·06	-	·22	-	-	·97	-	·11	-	-	-		15	
16	-	·12	·41	·32	-	-	-	·15	·07	-	-	-		16	
17	·17	·06	·41	·16	-	-	-	-	·16	-	-	-		17	
18	·56	·07	·16	·01	-	-	·05	-	·49	-	·36	-		18	
19	·02	·15	·07	·07	-	·09	·17	-	-	-	·10	-		19	
20	·30	·02	-	·39	·27	·08	-	-	-	-	-	-		20	
21	·11	·17	-	·04	-	-	·32	-	-	-	-	·06		21	
22	·14	·02	·12	-	·06	·12	·22	-	-	33	·52	-		22	
23	·27	-	-	-	·06	-	·07	-	-	·40	·12	-		23	
24	·36	·34	·05	-	·02	-	-	-	·02	·41	-	-		24	
25	·09	·36	-	-	·01	-	-	-	·05	·48	-	-		25	
26	-	·32	·13	-	·59	-	-	-	-	-	-	·02		26	
27	-	·22	-	·16	-	-	-	-	-	·49	-	-		27	
28	-	·11	-	-	-	·01	-	-	-	·03	-	·03		28	
29	-	-	-	-	-	·05	-	-	-	·05	·07	-		29	
30	(·30)	✕	-	-	-	-	-	·08	-	·10	·06	-		30	
31	·34	✕	-	✕	-	✕	-	-	✕	·22	✕	·01		31	
TOTAL	5 3·~~4~~5	3·48	2·47	2·46	2·23	1·06	2·47	0·98	1·80	2·52	1·90	2·46	Year's Total 3 27·~~0~~8	✓	✓
* Days with .01 in. or more.	1~~8~~9	20	14	16	12	9	10	7	11	10	9	14	15~~0~~1	✓	✓
* Days with .04 in. or more.	1~~6~~7	18	12	12	8	8	7	5	10	8	8	10	12~~7~~3	✓	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2486/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Spring Lane Erdington Birmingham.
in the County of Warwickshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 386·2 ft.

Letter sent 24/2/39

118921/31

n.p. big if no reply rec'd to this letter. G.B. 13/3/39

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	-	·06	-	-	·57	·29	-	-	·30	·05	·25		1
2	-	-	-	·09	-	·60	-	-	-	·20	-	·05		2
3	·01	-	-	-	19	·03	·02	-	-	·60	-	-		3
4	-	-	-	-	-	·01	-	·42	-	·09	-	·31		4
5	-	-	-	-	-	·01	·01	1·70	·04	-	-	-		5
6	-	·01	-	-	-	·04	·48	-	·15	·15	-	-		6
7	·12	-	-	-	-	-	·32	·15	·08	·09	-	·06		7
8	·60	-	-	-	-	-	·12	·69	-	·70	-	-		8
9	·02	·11	-	-	-	·02	·08	·13	-	-	-	·61		9
10	-	·08	-	·01	-	·11	·46	·01	-	-	-	·10		10
11	·62	·04	-	-	-	-	-	·16	-	·03	·13	·04		11
12	·24	-	-	-	·11	-	·02	-	-	·26	·37	-		12
13	·01	-	-	-	-	-	-	-	-	·01	·20	·70		13
14	·31	-	-	-	-	-	·70	-	·02	-	-	-		14
15	·08	-	-	-	·05	-	·27	-	-	-	-	·47		15
16	·25	-	-	-	-	-	·02	-	-	·02	·03	·08		16
17	-	·02	-	-	·08	-	·02	·01	-	·09	-	-		17
18	·02	-	-	-	·23	·50	-	·01	·06	-	·37	-		18
19	-	-	-	-	-	-	-	·02	-	-	·05	-		19
20	-	-	-	-	-	-	-	-	·01	-	·37	-		20
21	·05	-	-	-	-	-	-	·03	·01	-	·08	·09		21
22	-	-	-	·05	-	·08	-	-	-	-	·45	·28		22
23	-	-	-	-	·01	-	-	-	·05	-	-	·04		23
24	-	-	·10	-	·12	-	-	·01	·03	-	-	-		24
25	·10	·16	·20	-	·07	-	-	·01	-	·23	·69	·16		25
26	·02	·36	·26	-	·02	-	-	-	-	·30	-	·17		26
27	·09	-	-	-	·29	·23	·29	·35	·50	·06	·60	-		27
28	·27	·01	-	-	·02	·11	·10	·81	·06	-	·03	·10		28
29	·40	X	-	-	·55	-	-	-	-	·07	·15	·15		29
30	·06	✕	-	-	·05	·40	-	-	·75	-	·37	·11		30
31	·23	✕	-	✕	·13	✕	-	-	✕	·14	✕	·33		31
TOTAL	3·50	0·79	0·62	0·15	1·92	2.71	3·20	4·51	1·76	3.34	3.94	4·10	Year's Total 30·524	
* Days with .01 in. or more.	19	8	4	3	14	13	15	15	12	17	15	19	154	
* Days with .04 in. or more.	14	5	4	2	11	9	10	8	8	14	13	19	117	

big

n.p. big
G.B. 13/3/39

See 36A. in file

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

BIRMINGHAM (ERDINGTON, SPRING LANE) (+A)

COPY FOR OFFICIAL USE

Section **A.** for the entry of Daily Observations

Station No. 248615

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Spring Lane, Erdington Birmingham

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 386.2 ft.

Entry on Nov 18th estimated
by [illegible]

F 118921/31

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	-	·05	·23	·05	-	-	·25	·02	-	·01	·02		1
2	·05	-	-	·05	-	-	-	·30	·65	·03	·03	·01		2
3	·43	-	-	·44	-	-	-	·35	-	-	·11	·26		3
4	·10	-	·41	·38	·03	-	·93	·12	-	·29	·03	·23		4
5	-	-	-	·25	·32	-	·22	·17	-	·17	·37	·09		5
6	·75	-	·01	-	-	-	·43	-	-	-	·09	-		6
7	-	-	-	-	-	-	·33	-	-	-	·20	·30		7
8	·02	-	·31	-	-	-	·44	·11	-	·36	·13	·16		8
9	·02	-	-	-	-	-	·41	·16	-	·35	-	·16		9
10	·61	-	·05	-	-	-	-	·13	·05	·11	-	-		10
11	·01	-	·20	-	-	·20	-	·07	-	-	-	-		11
12	-	-	-	-	-	·19	-	-	-	-	-	-		12
13	-	-	-	·07	·01	·02	·17	-	·06	·12	-	-		13
14	·61	-	-	·16	·25	·19	·16	-	-	·14	·07	-		14
15	·76	-	-	·05	·15	·36	·45	-	·05	·10	·13	-		15
16	·07	-	·05	-	·28	·10	·18	-	No return received	-	·17	-		16
17	·78	-	·01	-	·11	-	·14	-	·01	1·75	·04	-		17
18	·34	-	·10	-	-	·15	·22	-	-	·01	(·65 x)	-		18
19	·18	·11	-	-	-	-	·25	-	-	-	·02	-		19
20	·24	-	·03	-	-	·01	·13	·15	-	-	-	-		20
21	·21	-	·35	·02	-	·07	·02	·11	·05	-	-	-		21
22	·27	·35	-	·01	-	·23	·17	-	·02	·01	·41	-		22
23	·03	-	-	·04	-	·01	·07	-	·01	·25	·69	-		23
24	·01	-	·02	·10	-	·03	·67	-	-	·12	-	-		24
25	·42	·07	-	-	-	-	·04	-	-	-	·22	-		25
26	·11	-	·03	·06	-	-	-	-	-	-	·23	·07		26
27	-	·20	·12	·01	-	·01	·08	-	-	-	-	·05		27
28	-	·12	·12	·01	-	·41	·13	-	-	-	·16	·04		28
29	-	-	-	·15	-	-	·15	1·0	-	·16	·05	-		29
30	-	✕	-	·12	-	·17	-	-	-	-	·08	-		30
31	-	✕	-	✕	-	✕	·06	·14	✕	-	✕	-		31
													Year's Total	
TOTAL	6·03	0·85	1·86	2·15	1·20	2·15	5·85	3·06	·92	3·97	3·89	1·39	33·32	Print
* Days with .01 in. or more.	22	5	15	17	8	15	23	13	9	15	21	11	174	Wt.
* Days with .04 in. or more.	16	5	10	13	6	10	22	13	5	12	17	9	138	

x Recorder gauge out of order

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

THE CITY ENGINEER

HBm. (Signed) Herbert [illegible]

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2486/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Jan + Feb. est'd from nearby stns.

Kept at Spring Lane Erdington Birmingham

in the County of Warwick

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 386·2 ft.

Snow Jan. Feb Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	(·01) -	-	·05	-	-	-	-	-	-	·18	-		1
2	-	-	-	·40	-	-	·03	-	-	-	·71	-		2
3	-	(·15)	-	·01	-	-	-	-	-	·18	·62	·10		3
4	-	(·10) (·99)	-	·16	-	-	·05	-	-	·09	·37	·04		4
5	-	(·01)	-	-	·03	-	·04	-	-	·15	·72	-		5
6	·05	(·25) ~~·16~~	-	-	-	-	·70	-	-	·46	·35	·03		6
7	-	(26) ~~·20~~	-	-	·02	-	·05	-	·02	-	-	-		7
8	-	-	-	-	-	-	·04	-	-	·16	·04	·22		8
9	-	-	-	-	-	·02	·05	·15	-	·10	·23	·28		9
10	-	-	·08	-	-	-	·55	·06	·01	·02	·20	·30		10
11	-	-	·02	-	-	-	·18	-	-	-	·42	·15		11
12	-	-	·07	-	-	-	·11	·01	·07	-	·03	-		12
13	-	(·01) -	·22	·02	-	-	-	-	·03	-	-	-		13
14	-	-	·17	·10	·56	-	-	-	·09	·11	-	·31		14
15	-	-	-	·02	·42	-	-	-	·10	·12	·10	-		15
16	(·04)	(·26) -	·33	·02	-	-	·08	-	·09	·45	·54	·03		16
17	-	-	·26	-	-	-	·05	-	-	-	·14	-		17
18	(·10)	(·60) ~~·02~~	·12	·32	-	-	-	·04	·05	·19	·08	·07		18
19	-	(·24)	·06	·38	-	-	·35	-	·13	-	·20	·02		19
20	-	-	-	·01	-	-	·28	·03	-	·33	-	-		20
21	-	-	-	-	·39	·23	·08	·02	-	·01	·54	-		21
22	-	-	-	·01	·37	·16	-	·02	·10	-	-	-		22
23	-	·04	-	·21	·24	·04	-	-	·02	·02	-	·03		23
24	-	-	-	-	-	-	·07	-	-	·01	-	-		24
25	-	-	-	-	-	-	·12	-	-	·01	-	-		25
26	(1·00) Snow	·11	-	1·03	·09	·04	·01	-	-	-	-	-		26
27	·53 & Snow	(·25) ~~·16~~	-	·83	-	-	·17	-	·01	-	·01	-		27
+1·94 28	(·44) ·24 & Snow	·21	-	·03	·50	-	-	-	-	-	-	-		28
29	·14 & Snow	-	·09	·06	·08	·10	·01	-	-	-	-	·17		29
30	(·10)	✕	-	·50	-	-	-	-	-	·57	-	·03		30
31	(·10)	✕	·01	✕	-	✕	-	-	✕	·75	✕	-		31
TOTAL	(2·50) ~~2·…~~	(2·50) ~~1·11~~	1·43	4·16	2·75	0·59	3·02	0·33	0·72	3·73	5·48	1·78	Year's Total (28·99)	✓
* Days with .01 in. or more.	(9)	(~~8~~14)	11	18	10	6	20	7	12	18	18	14	(157)	" d " ✓
* Days with .04 in. or more.	(9)	(~~4~~11)	9	11	8	5	17	3	7	13	16	9	(118)	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

2487.

Section **A** for the entry
AIR MINIST
FORM 1090.
REGIS

FOR OFFICIAL USE.
RGANIZATION.

2487

MINWORTH GREAVES

1931—40

750408

Kept at Minworth Grea
in the County of Warw

Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

ing

Jan. 1, following

Date	Jan.	Feb.	Marc							ov.	Dec.	Date
	in.	in.	in.							in.	in.	
1	·01	·05	·29	·04	·01	[illegible]				-	-	1
2	·01	·12	-	·62	·02	·06	-	·03	·41	-	·01	·07	2
3	·04	-	-	·05	-	-	·01	-	·97	·01	·27	-	3
4	-	·06	-	·16	-	-	·43	·31	·10	-	·04	·04	4
5	-	·05	-	·07	·12	1·27	-	-	·09	-	-	·18	5
6	-	·18	-	·03	-	·13	-	-	-	·26	·22	-	6
7	-	·01	-	-	·01	·03	-	·47	-	·03	·10	·02	7
8	melted snow ·05	·05	melted snow ·01	·10	-	·03	·05	·92	-	-	·25	-	8
9	-	·21	-	·03	-	·03	-	·05	-	-	·32	-	9
10	-	·01	melted snow ·01	-	-	·03	·04	·14	·05	-	·14	-	10
11	·12	·20	-	-	-	·01	-	-	·10	-	·15	-	11
12	·02	·06	-	-	-	-	·56	·03	·29	·03	·01	-	12
13	-	-	·01	-	-	-	·03	·23	-	·01	-	-	13
14	-	·06	-	-	·03	·22	·50	1·13	·07	-	·01	-	14
15	·01	·16	-	·11	·06	-	·25	·16	-	-	-	·03	15
16	-	·15	-	·14	·42	·58	-	·04	·14	-	-	-	16
17	·07	·18	-	·16	·83	·04	·04	-	-	-	·02	-	17
18	·10	-	-	·24	-	·10	·22	·15	-	-	·15	-	18
19	·04	·04	-	·14	-	1·15	·17	·07	-	-	·01	-	19
20	·01	·03	·04	-	-	-	·08	·16	-	·02	·01	·03	20
21	·08	-	-	-	·59	-	-	-	-	-	·15	-	21
22	·11	-	-	-	-	-	-	·06	-	-	·01	-	22
23	·08	-	-	·13	·31	·06	-	-	-	-	·13	·13	23
24	-	-	-	·08	·36	-	·03	-	-	-	-	-	24
25	·02	·01	-	·83	-	-	·26	-	-	-	·03	-	25
26	·07	-	-	·23	-	-	·04	-	-	-	·22	-	26
27	·06	·66	-	-	·66	-	·02	-	-	·05	·10	·08	27
28	·08	snow ·29	-	·07	·23	-	-	-	-	-	·01	·18	28
29	·04	×	-	-	·07	-	·10	-	-	·35	-	-	29
30	-	×	-	·01	-	-	-	-	-	-	-	-	30
31	·16	×	-	×	-	×	-	-	×	-	×	·02	31
TOTAL	1·18	2·58	·36	3·24	3·72	4·17	2·83	3·95	2·52	·76	~~2·45~~ 2·36	·78	YEAR'S TOTAL 28·~~94~~ 45
*Days with ·01 in. or more.	20	20	5	19	14	15	17	15	10	8	22	10	175
*Days with ·04 in. or more.	14	16	2	16	10	10	13	13	10	3	13	6	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H. C. Whitehead

M.Inst.C.E.

P.T.O.

Engineer to the Birmingham Tame & Rea District Drainage BOARD.

Section **A** for the entry … FOR OFFICIAL USE.

AIR MINIST… …RGANIZATION.

2487

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Minworth Greaves, Minworth

in the County of Warwickshire

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 258·50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·05	·29	·04	·01	·43	-	-	·30	-	-	-	1
2	·01	·12	-	·62	·02	·06	-	·03	·41	-	·01	·07	2
3	·04	-	-	·05	-	-	·01	-	·97	·01	·27	-	3
4	-	·06	-	·16	-	-	·43	·31	·10	-	·04	·04	4
5	-	·05	-	·07	·12	1·27	-	-	·09	-	-	·18	5
6	-	·18	-	·03	-	·13	-	-	-	·26	·22	-	6
7	-	·01	-	-	·01	·03	-	·47	-	·03	·10	·02	7
8	melted snow ·05	·05	melted snow ·01	·10	-	·03	·05	·92	-	-	·25	-	8
9	-	·21	-	·03	-	·03	-	·05	-	-	·32	-	9
10	-	·01	melted snow ·01	-	-	·03	·04	·14	·05	-	·14	-	10
11	·12	·20	-	-	-	·01	-	-	·10	-	·15	-	11
12	·02	·06	-	-	-	-	·56	·03	·29	·03	·01	-	12
13	-	-	·01	-	-	-	·03	·23	-	·01	-	-	13
14	-	·06	-	-	·03	·22	·50	1·13	·07	-	·01	-	14
15	·01	·16	-	·11	·06	-	·25	·16	-	-	-	·03	15
16	-	·15	-	·14	·42	·58	-	·04	·14	-	-	-	16
17	·07	·18	-	·16	·83	·04	·04	-	-	-	·02	-	17
18	·10	-	-	·24	-	·10	·22	·15	-	-	·15	-	18
19	·04	·04	-	·14	-	1·15	·17	·07	-	-	·01	-	19
20	·01	·03	·04	-	-	-	·08	·16	-	·02	·01	·03	20
21	·08	-	-	-	·59	-	-	-	-	-	·15	-	21
22	·11	-	-	-	-	-	-	·06	-	-	·01	-	22
23	·08	-	-	·13	·31	·06	-	-	-	-	·13	·13	23
24	-	-	-	·08	·36	-	·03	-	-	-	-	-	24
25	·02	·01	-	·83	-	-	·26	-	-	-	·03	-	25
26	·07	-	-	·23	-	-	·04	-	-	-	·22	-	26
27	·06	·66	-	-	·66	-	·02	-	-	·05	·10	·08	27
28	·08	snow ·29	-	·07	·23	-	-	-	-	-	·01	·18	28
29	·04	X	-	-	·07	-	·10	-	-	·35	-	-	29
30	-	X	-	·01	-	-	-	-	-	-	-	-	30
31	·16	X	-	X	-	X	-	-	X	-	X	·02	31
TOTAL	1·18	2·58	·36	3·24	3·72	4·17	2·83	3·95	2·52	·76	~~2·45~~ 2·36	·78	YEAR'S TOTAL 28·~~94~~ 45
*Days with ·01 in. or more.	20	20	5	19	14	15	17	15	10	8	22	10	175
*Days with ·04 in. or more.	14	16	2	16	10	10	13	13	10	3	13	6	126

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) H. C. Whitehead [P.T.O.

M.Inst.C.E.

Engineer to the Birmingham Tame & Rea District Drainage BOARD.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Minworth

in the County of Warwickshire

Diameter of Funnel of Gauge 8.0 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 276.25 ft.

days ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.04	-	0.14	0.69	0.06	-	0.04	0.03	0.25	0.01	-	1
2	0.04	-		0.06	0.27	-	-	0.01	0.10	0.13	-	0.07	2
3	-	-	-	0.28	0.09	-	-	-	-	0.05	-	-	3
4	0.02	-	-	0.22	-	-	-	-	-	-	0.39	-	4
5	0.23	-	0.04	0.02	0.01	-	-	-	0.07	-	-	-	5
6	0.25	-	0.02	0.28	-	-	-	-	0.36		-	-	6
7	-	-	0.24	0.27	0.42	-	-	-	0.02	0.17	-	-	7
8	-	-	-	0.07	-	-	-	-	0.78	0.30	-	-	8
9	0.14	0.09	-	-	0.01	-	-	-	-	-	-	-	9
10	0.19	-	0.04	0.04	0.03	-	-	-	0.16	0.18	-	-	10
11	0.04	0.04	-	0.04	0.14	0.12	0.10	-	0.03	0.09	0.02	-	11
12	0.13	-	-	-	0.15	-	0.01	-	0.12	0.42	0.14	-	12
13	0.02	0.02	-	0.08	-	-	0.85	-	0.03	0.03	0.03	0.03	13
14	0.16	-	-	-	-	-	0.12	0.03	-	0.11	0.13	0.02	14
15	-	-	-	0.04	1.42	-	-	-	-	0.02	-	0.03	15
16	0.16	-	-	0.09	0.07	-	0.13	-	-	-	-	-	16
17	-	-	-	-	-	-	0.09	-	0.02	0.11	-	-	17
18	-	-	-	-	0.04	-	-	-	-	0.—	0.05		18
19	-	0.01	-	0.08	0.02	-	-	-	-	0.14	-	-	19
20	-	-	-	0.06	1.13	-	0.01	0.67	-	0.46	0.05	-	20
21	-	-	0.16	0.17	1.33	-	-	0.22	-	0.26	0.03	-	21
22	-	-	0.24	0.03	-	-	0.24	-	0.62	0.03	0.20	0.03	22
23	-	-	-	0.01	0.61	-	0.01	-	0.08	0.09	0.02	-	23
24	0.07	-	-	-	0—	-	0.13	-	0.08	0.04	0.39	-	24
25	-	0.05	-	-	~~—~~	0.04	0.19	-	0.03	0.12	0.04	-	25
26	-	-	0.02	0.38	0.21	-	0.02	-	0.05	0.02	0.04	0.02	26
27	-	-	0.27	0.15	0.45	-	0.15	-	-	0.01	0.13	0.03	27
28	-	-	0.13	0.10	0.37	0.19	0.12	0.32	-	0.01	-	-	28
29	-	-	0.17	0.13	0.06	0.07	0.01	0.02	0.17	0.32	0.03	0.08	29
30	-	×	0.06	0.03	-	0.52	0.04	0.13	0.39	0.36	0.20	0.16	30
31	-	×	0.05	×	0.01	×	1.09	-	×	-	×	0.17	31
TOTAL	1.48	0.25	1.44	2.67	7.53	1.00	3.31	1.44	3.14	3.69	1.90	0.64	YEAR'S TOTAL 28.49
*Days with ·01 in. or more.	13 ✓	6 ✓	12 ✓	23 ✓	21 ✓	6 ✓	17 ✓	8 ✓	18 ✓	24 ✓	17 ✓	10 ✓	175
*Days with .04 in. or more.	10 ✓	4 ✓	10 ✓	19 ✓	16 ✓	6 ✓	12 ✓	5 ✓	12 ✓	18 ✓	11 ✓	~~8~~4 ✓	127

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) H.C. Whitehead ~~M. Inst. C.E.~~ P.T.O.

H.C. WHITEHEAD

Engineer to the Birmingham Drainage Board.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at MINWORTH GREAVES. MINWORTH.

in the County of WARWICKSHIRE.

Diameter of Funnel of Gauge EIGHT in.

Height of top of Gauge above Ground ONE ft — in.

,, Ground ,, Sea Level 258·50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·43	·02	—	—	—	—	—	—	—	·02	—	1
2	·16	—	·22	—	·06	—	—	—	—	—	·03	—	2
3	—	·17	·07	—	·14	—	—	—	—	—	·02	—	3
4	·09	—	·03	—	·30	—	—	—	—	—	·34	—	4
5	·09	·04	·16	—	·11	—	—	—	—	·01	—	—	5
6	·01	·26	—	—	·33	—	—	—	—	·08	·01	·01	6
7	·06	·28	·06	—	—	—	—	—	—	·13	—	·01	7
8	·02	—	·12	—	·12	—	·22	—	—	—	—	—	8
9	—	—	—	—	·05	—	·20	—	—	·73	·03	—	9
10	·05	·14	—	—	·05	·03	—	—	—	1·52	·05	—	10
11	—	—	—	—	—	—	·24	·01	—	—	·09	—	11
12	—	—	—	—	—	·10	·10	—	·01	·03	—	—	12
13	·02	—	—	—	—	·04	·21	—	·03	·05	·26	—	13
14	—	—	—	—	·16	—	·20	·03	—	·05	·17	·03	14
15	·64	—	—	—	—	·13	·75	·07	—	·01	·20	·04	15
16	·10	—	·69	·03	—	·09	·01	—	—	·03	·05	—	16
17	·07	—	·37	—	·02	·06	—	—	·05	—	·03	·01	17
18	·07	—	·03	—	—	·15	—	—	—	—	·02	—	18
19	—	·15	·20	—	—	·12	—	—	·03	—	·02	—	19
20	—	·02	·05	—	—	·05	—	·13	·03	·01	—	—	20
21	—	—	—	—	—	·84	—	·24	—	·05	—	—	21
22	—	—	—	—	—	·20	—	·36	—	·21	—	—	22
23	—	—	—	·13	—	·07	—	—	·21	·10	·01	—	23
24	—	·45	—	·15	·04	·52	—	—	·22	·03	—	—	24
25	—	·54	—	·17	—	·26	—	—	·07	—	—	·03	25
26	—	·63	—	·07	—	—	—	—	·02	·18	·05	—	26
27	—	·01	—	—	·02	—	—	—	·11	·01	—	·02	27
28	—	—	—	·27	·01	—	·01	—	·01	·24	—	·12	28
29	—	—	—	·05	—	—	·34	—	—	·04	—	·02	29
30	·07	×	·06	—	—	—	·01	—	—	·07	—	·13	30
31	·03	×	·45	×	—	×	·01	·06	×	·17	×	—	31
TOTAL	1·84	3·12	2·53	0·87	1·41	2·66	2·30	0·90	0·79	3·75	1·40	0·42	YEAR'S TOTAL 21·99.
*Days with ·01 in. or more.	15	12	14	7	13	14	12	7	11	21	17	10	153.
*Days with .04 in. or more.	11	10	11	6	10	13	8	5	5	14	8	3	104.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Minworth Greaves, Minworth
in the County of Warwickshire
Diameter of Funnel of Gauge eight in.
Height of top of Gauge above Ground 1 ft – in.
,, Ground ,, Sea Level 258·50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	–	–	–	–	–	–	·11	·04	–	·12	·22		1
2	·03	·01	·08	–	–	–	–	–	·21	–	·08	·12		2
3	·03	·05	·05	–	–	–	–	–	·01	·07	–	·03		3
4	·08	–	–	·08	·08	–	–	·01	·05	·01	·07	·22		4
5	–	–	·21	·08	·08	–	–	·44	–	·01	·06	·01		5
6	–	–	·04	·01	·20	·07	–	·05	–	·15	–	·38		6
7	·12	·02	–	–	–	·02	–	·11	–	·05	–	·19		7
8	–	–	–	–	·11	–	–	·05	–	–	·12	·03		8
9	·01	–	·13	·04	–	–	–	·06	–	–	·65	·14		9
10	·08	–	·11	·21	–	–	–	·05	–	–	·17	·01		10
11	·74	–	·05	·20	–	–	–	·05	–	–	–	·19		11
12	–	–	·19	–	–	–	·05	·16	–	·01	–	·03		12
13	·40	–	·02	·10	·01	–	·44	·08	–	·01	–	·07		13
14	·10	–	·22	–	·02	·01	–	–	–	·34	·41	·19		14
15	·05	–	·08	–	·12	–	·03	–	·11	·21	·23	·02		15
16	·14	–	·08	–	·01	–	–	–	–	·10	·03	·03		16
17	·02	–	·03	–	·03	–	·09	–	·19	·05	–	·09		17
18	·19	–	–	·21	–	·03	·02	–	·01	–	–	–		18
19	–	–	·15	·03	–	·07	–	·01	–	–	–	·03		19
20	–	–	·01	·04	–	–	–	–	·02	·01	·01	–		20
21	–	–	–	–	–	·14	–	·06	–	·02	–	–		21
22	–	–	–	–	–	–	·04	·16	·18	–	–	·13		22
23	–	–	–	·22	·03	·12	·24	–	–	–	·02	·04		23
24	–	·22	·13	–	–	·03	–	–	·21	–	–	–		24
25	·16	–	–	·06	–	·03	–	–	–	·19	–	·29		25
26	·12	–	·05	·18	–	·01	–	–	–	·01	·02	·21		26
27	·03	·01	–	·47	–	·02	–	–	–	·04	·01	·08		27
28	–	–	–	·40	–	·09	–	–	–	–	·06	·25		28
29	·03	X	–	–	–	–	·22	·15	·55	·01	–	–		29
30	·01	X	–	–	–	–	·29	·07	·02	–	–	·26		30
31	–	X	–	X	–	X	·02	–	X	·17	X	·06		31
													Year's Total	
TOTAL	2·40	0·31	1·63	2·33	0·69	0·64	1·44	1·62	1·60	1·46	2·06	3·32	19·50 ✓	
*Days with ·01 in. or more.	19	5	17	15	10	12	10	16	12	18	15	26	175	
*Days with .04 in. or more.	12	2	14	13	5	5	7	14	8	10	10	18	118	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. C. Whitehead

Engineer to the Board.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Minworth Greaves, Minworth

in the County of Warwickshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground one ft. ~~six~~ in.

,, Ground ,, Sea Level 276·0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·07	—	—	·02	·06	× see below ·08	—	·15	·03	·14	—		1
2	—	—	·03	—	—	·06	—	—	·06	·17	—	·18		2
3	—	·21	·04	·05	—	—	—	—	·20	·27	·28	·15		3
4	—	—	—	·14	—	·25	—	—	—	·11	—	·03		4
5	—	·59	·07	·13	—	·07	·03	—	—	—	·09	—		5
6	—	—	—	·27	—	·25	—	—	—	—	—	—		6
7	—	—	—	·21	—	·11	—	—	—	·18	·32	·17		7
8	—	—	—	·15	—	·11	—	·08	—	·07	·18	·04		8
9	—	—	—	·18	—	·31	—	—	—	·26	·13	—		9
10	—	—	—	·02	—	—	—	·01	—	—	·02	—		10
11	·21	—	—	—	—	·03	—	·09	—	·01	·21	·03		11
12	—	—	—	—	—	·12	—	—	—	—	—	—		12
13	·15	·02	—	·13	·19	—	—	—	—	—	—	—		13
14	—	—	·01	—	·02	·02	—	—	·01	—	·42	·09		14
15	—	·03	—	·63	·09	·04	—	—	·16	—	·13	·25		15
16	—	·05	·14	·20	—	·03	—	—	·59	·29	·74	·10		16
17	—	—	—	·12	—	·14	× see above ·08	—	—	—	·73	—		17
18	·01	—	—	·25	·19	·16	—	—	·01	·06	·01	—		18
19	—	—	—	·13	·48	·22	·01	—	·06	·11	·22	·02		19
20	·02	·23	—	·21	—	·06	·04	—	—	—	·22	—		20
21	—	·28	·01	·08	—	—	—	—	·58	·01	·07	—		21
22	—	·12	·01	·03	—	—	—	·03	·02	—	—	—		22
23	·02	·10	·16	·01	—	—	—	·36	·21	·50	—	·06		23
24	·08	·28	—	—	—	—	—	—	·73	·02	—	·34		24
25	·23	·20	—	·09	—	·88	—	—	—	—	—	·09		25
26	—	·09	—	—	—	—	—	·52	·21	—	·05	·39		26
27	—	·14	—	—	—	—	—	—	·32	·06	·19	1·04		27
28	·07	—	—	—	·04	—	—	·17	·03	·08	·03	·08		28
29	—	×	·07	—	—	—	—	—	·03	·05	·16	·15		29
30	·03	×	—	·09	—	—	—	·29	·04	·14	·27	·13		30
31	—	×	·03	×	—	×	—	—	×	·39	×	·18		31
													Year's Total	
TOTAL	0·83	2·41	0·57	3·12	1·03	2·92	0·24	1·55	3·41	2·81	4·61	3·52	27·02	
* Days with .01 in. or more.	10	14	10	20	7	18	5	8	17	19	21	19	168	
* Days with .04 in. or more.	5	12	5	17	5	15	3	6	12	15	18	16	127	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. C. .... [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Minworth Greaves, Minworth

in the County of Warwickshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground one ft six in.

,, Ground ,, Sea Level 276.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.02	.10	.08	.52	—	.14	.13	.18	—	—	.07	.10		1
2	.08	.04	.04	.08	—	.24	1.06	.09	—	—	.12	.02		2
3	.02	—	—	—	—	.35	—	.02	.28	—	.01	—		3
4	—	—	.08	—	—	.21	—	.04	.34	—	.06	.04		4
5	.08	.02	.03	—	—	—	.03	.07	.08	—	—	.13		5
6	—	—	.02	—	.25	.05	.22	.11	.10	—	.18	—		6
7	—	—	.03	—	—	—	.28	—	.20	—	.08	—		7
8	.19	—	.06	—	—	—	—	—	—	.02	.22	.07		8
9	.37	—	.28	—	—	.01	.92	—	.10	.10	—	—		9
10	—	—	.10	—	—	—	.15	.04	—	—	.02	—		10
11	—	—	—	.08	—	.05	.21	—	.13	—	.43	—		11
12	—	—	—	.06	.05	.30	.42	—	.71	—	.09	.14		12
13	—	—	—	.05	—	.21	—	—	—	.03	—	.23		13
14	—	—	—	.23	—	.03	.18	—	.32	.02	—	.44		14
15	.05	—	—	—	.05	.06	.35	—	.11	—	.08	.08		15
16	.13	.13	—	—	—	—	.07	—	—	—	.51	—		16
17	.02	.43	—	—	.07	—	.14	—	—	.06	—	.13		17
18	—	—	—	—	—	.80	.23	—	—	.27	—	.04		18
19	.44	.09	.03	.36	—	.03	—	.04	—	.05	—	—		19
20	—	.11	—	.05	—	.02	—	—	—	—	—	—		20
21	—	—	.02	.17	—	1.60	.02	—	—	—	—	—		21
22	—	.68	.04	—	.10	—	.16	—	—	—	.02	.07		22
23	—	.10	.12	.06	.05	—	.22	—	—	—	—	—		23
24	.18	.06	—	—	.03	—	.01	—	.17	.30	—	—		24
25	.10	—	.14	.21	—	—	.22	—	.30	.03	—	—		25
26	.03	.05	.28	—	—	—	—	—	—	.06	.02	—		26
27	.15	.01	.06	—	—	—	—	—	.05	.13	—	.07		27
28	.37	.11	.11	—	—	—	.02	—	—	.05	—	.07		28
29	.01	.39	.05	—	—	.08	—	—	—	.06	.05	.04		29
30	.06	×	—	—	.09	.40	.10	—	—	.31	.03	—		30
31	.54	×	.06	×	—	×	.02	—	×	.10	×	.18		31
TOTAL	2.84	2.32	1.63	1.87	0.69	4.58	5.16	0.59	2.86	1.59	1.99	1.85	Year's Total 27.97	✓
*Days with .01 in. or more.	18	14	19	11	8	17	22	8	13	15	16	16	177	✓
*Days with .04 in. or more.	13	12	14	11	7	13	17	7	13	11	11	15	144	✓

† Spare column, no entries required.

(Signed)

[P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Minworth Greaves, Minworth

in the County of Warwickshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground one ft. six in.

,, Ground ,, Sea Level 276.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·19	—	—	—	—	—	—	—	·09	—	·10	·28		1
2	—	·05	·03	·51	—	—	—	—	—	—	—	·35		2
3	·10	·05	—	—	·03	—	—	—	·05	—	—	·14		3
4	·09	·11	—	—	·03	—	—	·01	—	—	—	·66		4
5	·26	—	·18	—	—	—	—	·01	—	—	—	·06		5
6	·11	—	·01	·02	·09	—	—	—	—	·02	—	—		6
7	—	·57	—	·13	—	—	—	—	·01	—	—	—		7
8	—	·12	—	·02	·01	—	·03	—	—	—	·54	—		8
9	—	—	—	·03	·39	—	·56	—	·17	—	—	—		9
10	—	·08	·50	·16	—	·09	—	—	—	—	—	·11		10
11	—	—	·18	—	·46	·55	·02	—	—	—	—	·15		11
12	·10	·38	·19	—	·25	·08	—	·12	·15	—	—	·29		12
13	·06	·08	·01	·12	·03	·11	—	·36	·23	—	—	·02		13
14	—	—	·07	·02	—	—	—	·08	—	—	—	·15		14
15	·16	·06	—	·26	—	—	1·20	—	·10	—	—	·01		15
16	—	·10	·40	·27	—	—	—	·12	·06	—	—	—		16
17	·18	·05	·27	·10	—	—	—	—	·07	—	—	—		17
18	·56	·10	·05	·03	—	—	·02	—	·73	—	·33	·03		18
19	—	·14	·18	·07	—	·08	·22	—	·04	—	·09	—		19
20	·20	·04	—	·34	·30	—	—	—	—	·02	—	·01		20
21	·10	·17	—	·05	—	—	·29	—	—	—	—	·05		21
22	·12	·03	·08	—	·07	·06	·21	—	—	·26	·39	·01		22
23	·27	·01	—	—	·02	—	·05	—	—	·31	·17	—		23
24	·31	·24	·07	—	·04	—	—	—	·03	·28	—	·01		24
25	·11	·27	—	—	·03	—	—	—	·04	·39	—	·02		25
26	—	·31	·10	—	·61	—	—	—	—	—	—	·01		26
27	—	·37	—	·22	—	—	—	—	—	·76	—	—		27
28	—	·08	—	—	—	·01	—	—	—	·04	—	·04		28
29	·05	×	—	—	—	·01	—	—	—	·06	·07	·02		29
30	·28	×	—	—	—	—	—	·10	—	·04	·04	·01		30
31	·25	×	—	×	—	×	—	—	×	·22	×	·01		31
													Year's Total	
TOTAL	3·50	3·41	2·32	2·35	2·36	0·99	2·60	0·80	1·77	2·40	1·73	2·44	26·67	✓ ✓
* Days with .01 in. or more.	19	22	15	16	14	8	9	7	13	11	8	22	164	✓ ✓
* Days with .04 in. or more.	19	20	12	11	8	6	6	5	11	9	8	11	126	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Engineer to the BIRMINGHAM TAME & REA DISTRICT DRAINAGE BOARD

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Minworth Greaves, Minworth

in the County of Warwickshire

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground One ft. Six in.

,, Ground ,, Sea Level 276·0 ft.

Dec. Wetday Total Corr. for Arith. 3.3.39 CM7.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	·04	—	—	·49	·03	—	—	·09	·01	·16		1
2	·01	—	—	·09	·01	·45	—	—	—	·13	—	·03		2
3	·01	—	—	—	—	·02	·03	—	—	·53	—	—		3
4	·02	—	—	—	·10	·03	·02	·18	—	·08	—	·25		4
5	—	—	—	—	—	—	·10	·82	·04	—	—	—		5
6	—	—	—	—	—	·03	·38	—	·13	·08	—	—		6
7	·20	—	—	—	—	—	·32	·11	·10	·10	—	·04		7
8	·47	—	—	—	—	—	·12	1·16	—	·26	—	·03		8
9	—	·09	—	—	—	·01	·04	—	—	—	—	·49		9
10	—	·11	·01	—	—	·06	·43	·03	—	—	—	·09		10
11	·51	·05	—	—	—	—	—	·03	—	·03	·10	·02		11
12	·19	—	—	—	·09	—	·01	—	—	·18	·20	—		12
13	·02	—	—	—	—	—	—	—	—	—	·17	·61		13
14	·22	·01	—	—	—	—	·63	—	·07	—	—	—		14
15	·06	—	—	—	·07	—	·25	—	—	—	·01	·40		15
16	·17	—	—	—	—	—	·05	·03	—	·12	·05	·08		16
17	—	·03	—	—	·17	—	·01	·01	—	·07	·02	—		17
18	·10	—	—	—	·22	·17	—	·05	·41	·01	·29	—		18
19	—	—	—	—	—	—	—	·03	·01	—	·06	·03		19
20	—	—	—	—	—	—	—	—	—	—	·26	·01		20
21	·03	—	—	—	—	—	—	·05	·02	—	·06	·18		21
22	—	—	—	·01	—	·05	—	—	—	—	·36	·23		22
23	—	—	—	—	·01	—	—	—	·62	—	—	·06		23
24	—	—	·08	—	·02	—	—	—	·11	—	·01	—		24
25	·07	·12	·15	—	·03	—	·02	—	—	·16	·38	·20		25
26	·02	·31	·16	—	·02	·03	—	—	·04	·23	—	·11		26
27	·05	·01	—	—	·37	·11	·29	·28	·39	·07	·40	—		27
28	·13	·01	—	—	·08	·14	·08	·58	·11	—	·04	·11		28
29	·33	✗	—	—	·42	—	·05	—	—	·06	·15	·12		29
30	·08	✗	—	—	—	·30	—	—	·47	—	·27	·19		30
31	·15	✗	—	✗	·13	✗	—	—	✗	·11	✗	·31		31
TOTAL	2·84	0·74	0·44	0·10	1·74	1·89	2·86	3·36	2·52	2·31	2·84	3·75	Year's Total 25·39 #	✓
* Days with .01 in. or more.	20	9	5	2	14	13	18	13	13	17	18	22	164 #	✓
* Days with .04 in. or more.	14	5	4	1	9	8	12	8	11	15	14	14 7	118 #	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H C Whitehead

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2457

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at MINWORTH GREAVES, MINWORTH.

in the County of WARWICKSHIRE.

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground ONE ft. SIX in.

" Ground " Sea Level 276·0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	–	·03	·22	·02	–	–	·15	–	–	–	·01		1
2	·05	–	–	·05	–	–	–	·31	·67	·07	·02	·07		2
3	·29	–	–	·32	–	–	–	·34	–	·01	·13	·27		3
4	·15	–	·35	·30	·06	–	·55	·21	·07	·28	·02	·20		4
5	–	–	–	·18	·20	–	·24	·18	–	·11	·34	·13		5
6	·60	–	·02	–	–	–	·30	–	–	–	·06	–		6
7	·02	·03	–	–	–	–	·30	–	–	–	·21	·23		7
8	·01	·06	·29	–	–	–	·29	·09	–	·45	·08	·18		8
9	·01	·05	·01	–	–	–	·11	·20	–	·34	–	·15		9
10	·44	–	·04	–	–	–	–	·07	·05	·08	–	–		10
11	·02	·02	·19	–	–	·09	–	·05	–	–	–	–		11
12	–	·11	–	–	–	·04	–	–	–	·01	–	–		12
13	–	–	–	·03	·02	·01	·17	–	·02	·08	–	–		13
14	·41	–	·01	·09	·37	·15	·14	–	–	·08	·06	–		14
15	·49	–	–	·03	·11	·32	·47	–	·07	·14	·15	–		15
16	·06	–	·03	–	·41	·07	–	–	–	·02	·13	–		16
17	·48	·03	–	–	–	·02	·06	–	–	1·48	·04	–		17
18	·27	·06	·05	–	–	·10	·11	–	–	–	·63	–		18
19	·15	–	–	–	–	–	·26	–	–	–	–	–		19
20	·16	–	·01	–	–	·01	–	·10	–	–	–	–		20
21	·19	·17	·28	·01	–	·16	·01	·15	·05	–	–	–		21
22	·20	·31	–	·01	–	–	·09	–	·02	–	·37	–		22
23	·02	–	·01	·02	–	·03	·08	–	–	·12	·65	–		23
24	·11	–	–	·06	–	·05	·25	–	–	·06	–	–		24
25	1·08	·06	–	–	–	–	·06	–	·01	·01	·22	–		25
26	·07	–	–	·06	–	–	–	–	–	–	·27	·08		26
27	–	·12	·10	·02	–	·01	·08	–	·01	·01	·01	·06		27
28	–	·18	·12	·01	–	·18	·09	–	–	–	·16	·03		28
29	–	×	–	·16	–	–	·25	2·96	–	·19	·04	–		29
30	–	×	–	·13	–	·14	–	–	–	–	·10	–		30
31	–	×	–	×	–	×	·05	·11	×	·01	×	–		31
TOTAL	5·31	1·20	1·54	1·70	1·19	1·38	3.96	4·92	0.97	3.55	3.69	1·41	Year's Total 30·82	✓
* Days with .01 in. or more.	23	12	15	17	7	15	21	13	9	19	20	11	182	✓
* Days with .04 in. or more.	17	9	8	10	5	10	20	13	5	13	17	9	136	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2487

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at MINWORTH GREAVES, MINWORTH.

in the County of WARWICKSHIRE.

Diameter of Funnel of Gauge FIVE in.

Height of top of Gauge above Ground ONE ft. SIX in.

,, Ground ,, Sea Level 246.0 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	.01	–	.06	–	–	–	–	–	–	.18	–		1
2	–	–	–	.38	–	–	.03	–	–	–	.68	.02		2
3	–	.13	–	.03	–	–	–	–	–	.14	.85	.10		3
4	.01	.10	–	.08	–	–	.02	–	–	.07	.15	.04		4
5	–	.01	–	–	.02	–	.07	–	–	.15	.73	.10		5
6	.05	.21	–	–	–	–	.04	–	–	.40	.25	.03		6
7	.01	.26	–	.02	.03	–	.03	–	.04	–	–	.01		7
8	–	–	–	.01	–	–	.02	–	–	.09	.04	.21		8
9	–	–	.02	–	–	.03	.09	.16	–	.06	.21	.24		9
10	–	–	.07	–	–	–	.58	–	.01	.03	.21	.34		10
11	–	–	.01	.01	–	–	.16	–	–	–	.34	.11		11
12	–	–	.08	–	–	–	.12	–	.06	–	.03	–		12
13	–	.01	.45	.01	–	–	–	–	.03	–	–	–		13
14	–	–	.03	.07	.44	–	.01	–	.07	.05	–	.29		14
15	–	–	.02	.10	.11	–	–	–	.06	.13	.08	.01		15
16	.04	.18	.31	.01	–	–	.10	–	.06	.45	.64	.01		16
17	–	–	.25	–	–	–	.02	–	–	–	.17	.01		17
18	.08	.59	.08	.28	–	–	–	.02	.14	.20	.01	.06		18
19	–	.21	.05	.32	–	–	.35	–	.03	–	.16	.01		19
20	–	–	–	.01	–	–	.25	.04	–	.30	–	–		20
21	–	–	–	–	.35	.33	.16	.01	–	.03	1.20	–		21
22	–	–	–	.02	.39	.08	–	–	.07	–	–	–		22
23	–	.04	.02	.19	.31	.07	–	–	–	.03	–	.05		23
24	–	–	–	–	–	–	.07	–	–	–	–	–		24
25	.01	–	–	–	–	–	.03	–	–	.01	–	–		25
26	1.04	.09	–	2.55	.03	.01	.08	–	–	–	.01	–		26
27	.70	.25	–	.04	–	–	.12	–	.01	–	.07	.01		27
28	.43	.22	–	.08	.46	–	–	–	–	–	–	–		28
29	–	–	.06	.07	.18	.11	.01	–	–	–	–	.15		29
30	.04	✕	–	.62	–	–	–	–	–	.48	–	.04		30
31	.10	✕	.02	✕	–	✕	–	–	✕	.84	✕	–		31
													Year's Total	
TOTAL	2.51	2.31	1.47	4.96	2.32	.63	2.36	.23	.58	3.49	6.04	1.84	28.74	
* Days with .01 in. or more.	11	14	14	21	10	6	21	4	11	14	19	20	168	
* Days with .04 in. or more.	8	11	8	13	7	4	13	2	7	13	16	12	114	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*)

[P.T.O.

X NUNEATON (PU

2487/5

Section **A** for the entry
AIR MINIST

FORM 1090. **REGI**

—

2487/5

NUNEATON PUMPING STN.

1931-33

7to408

Y FOR OFFICIAL USE.
RGANIZATION.

Warwicks /4
[illegible] re [illegible] total
9/3/32

Kept at Sewage Pum
in the County of Wa

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform
year in the space on the right of

ing

Jan. 1, following

Date	Jan.	Feb.	Marc								ov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	-	·02	·			14		·	·29	-	-	-	1
2	-	·09	·	·23	·	·05	·	·	·40	·02	-	·03	2
3	·01	·	·	·14	·	·01	·	·	·76	·	·42	·07	3
4	-	·03	·	·22	·	-	87	·25	·05	·	-	·	4
5	-	·04	·	·02	·	·90	·02	·02	·17	·	·	·	5
6	-	·16	·	·	·	·09	·01	·	·	·14	·22	·22	6
7	-	·	·	·	·	-	·05	·28	·02	·02	·02	·02	7
8	·04	·54	·01	·04	·	-	·01	·72	·	-	·12	-	8
9	·	·08	·	·	·02	·03	-	·12	·	-	·38	-	9
10	·01	·08	·	·	·	·04	-	·19	·09	-	·08	-	10
11	·07	·18	·	·	·	·06	-	·	·12	-	·04	-	11
12	·02	·06		·	·	·	·85	·	·25	·05	-	-	12
13	·	-	·	·	·	·	·01	·22	·	·01	-	-	13
14	·	·05	·	7	·21	·17	·66	·83	·05	-	·15	-	14
15	·	·10	·	·07	·30	·	·40	·33	~~01~~	-	-	·02	15
16	·06	·07	·	·08	·62	·56	·	·29	·09	-	-	-	16
17	·06	·24	·	·35	·	·02	·04	·	-	-	·01	-	17
18	·03	·	·	·23	·	·10	·10	·23	-	-	·27	-	18
19	·02	·05	·	·16	·	·03	·03	·03	-	-	-	-	19
20	·	·03	·01	·02	·	·01	·01	·23	-	·02	-	·02	20
21	·08	·	·	·	·56	-	·	·01	-	-	·01	-	21
22	·11	·	·	·	·02	-	·	·07	-	-	·08	-	22
23	·14	·	·01	·05	·34	·07	·	·	·01	-	·18	·06	23
24	·02	·	·	·09	·33	·	·02	·	-	-	·	-	24
25	·03	·	·	·84	-	·	·23	·	-	-	·01	-	25
26	·	·	·	·19	-	·	·04	·	-	-	·17	-	26
27	·07	·57	·	·	·37	·	·02	·	-	·02	·08	·09	27
28	·06	·14	·	·04	·15	·	·	·	-	·03	-	·13	28
29	·01	·03	·	·	·03	·	·07	·	-	·23	-	-	29
30	-	×	·	·01	-	·	·	·	-	-	-	·02	30
31	·17	×	·	×	-	×	·	·	×	-	×		31
TOTAL	1·01	2·06	·03	2·83	2·95	2·28	3·44	3·82	2·30	·54	2·24	·68	YEAR'S TOTAL 24·18
*Days with ·01 in. or more.	18	19	3	18	11	15	18	15	12	9	16	13	164
*Days with ·04 in. or more.	10	15	-	15	8	10	10	12	10	3	12	5	110

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) R. C. Moore [P.T.O.

recorder

NUNEATON (PU

2487/5

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Warwick

Letter sent re low total

9/3/38

Kept at Sewage Pumping Station Nuneaton

in the County of Warwickshire.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 269·44 ft.

New 9.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·02	.	·05	.	·14	.	.	·29	-	-	-	1
2	-	·09	.	·23	.	·05	.	.	·40	·02	-	·03	2
3	·01	.	.	·14	.	·01	.	.	·76	.	·42	·07	3
4	-	·03	.	·22	.	-	·87	·25	·05	.	-	.	4
5	-	·04	.	·02	.	·90	·02	·02	·17	.	.	.	5
6	-	·16	.	.	.	·09	·01	.	.	·14	·22	·22	6
7	-	.	.	.	.	-	·05	·28	·02	·02	·02	·02	7
8	·04	·54	·01	·04	.	-	·01	·72	.	-	·12	-	8
9	.	·08	.	.	·02	·03	-	·12	.	-	·38	-	9
10	·01	·08	.	.	.	·04	-	·19	·09	-	·08	-	10
11	·07	·18	.	.	.	·06	-	.	·12	-	·04	-	11
12	·02	·06		.	.	.	·85	.	·25	·05	-	-	12
13	.	-	.	.	.	.	·01	·22	.	·01	-	-	13
14	.	·05	.	7	·21	·17	·66	·83	·05	-	·15	-	14
15	.	·10	.	·07	·30	.	·40	·33	~~[illegible]~~	-	-	·02	15
16	·06	·07	.	·08	·62	·56	.	·29	·09	-	-	-	16
17	·06	·24	.	·25	.	·02	·04	.	-	-	·01	-	17
18	·03	.	.	·23	.	·10	·10	·23	-	-	·27	-	18
19	·02	·05	.	·16	.	·03	·03	·03	-	-	-	-	19
20	.	·03	·01	·02	.	·01	·01	·23	-	·02	-	·02	20
21	·08	.	.	.	·56	-	.	·01	-	-	·01	-	21
22	·11	.	.	.	·02	-	.	·07	-	-	·08	-	22
23	·14	.	·01	·05	·34	·07	.	.	·01	-	·18	·06	23
24	·02	.	.	·09	·33	.	·02	.	-	-	.	-	24
25	·03	.	.	·84	-	.	·23	.	-	-	·01	-	25
26	.	.	.	·19	-	.	·04	.	-	-	·17	-	26
27	·07	·57	.	.	·37	.	·02	.	-	·02	·08	·09	27
28	·06	·14	.	·04	·15	.	.	.	-	·03	-	·13	28
29	·01	·03	.	.	·03	.	·07	.	-	·23	-	-	29
30	-	×	.	·01	-	.	.	.	-	-	-	·02	30
31	·17	×	.	×	-	×	.	.	×	-	×		31
TOTAL	1·01	2·06	·03	2·83	2·95	2·28	3·44	3·82	2·30	·54	2·24	·68	YEAR'S TOTAL 24·18
*Days with ·01 in. or more.	18	19	3	18	11	15	18	15	12	9	16	10	164
*Days with ·04 in. or more.	10	15	-	15	8	10	10	12	10	3	12	5	110

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) R.C. Moore

recorder

[P.T.O.

Old Gauge. NUNEATON P.S. [illegible] 809698/27.

~~COPY FOR~~ OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 2487/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Warwick

Kept at Borough of Nuneaton Sewage Pumping Station
in the County of Warwickshire

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 3 in.
,, Ground ,, Sea Level 269 ft.

1931 [illegible]

See [illegible] 2487/6

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.02	.	.06	.57	.05	.	.23	.03	.29	.01	.	1
2	.04	-	.	.05	.21	.	.	.	.21	.05	.02	.03	2
3	.	.	.	.12	.02	.	.	.	.	.01	.	.	3
4	.01	.	.	.14	-	.	.	.	.	.	.39	.	4
5	.13	.	.	.01	.01	.	.	.	.06	.	.	.	5
6	.17	.	.01	.30	.	.	.02	.	.32	.	.	.	6
7	-	.	.25	.29	.03	.	.	.	.02	.	.	.	7
8	-	.	.	.09	-	.	.	.	.15	.16	.	.	8
9	.14	.07	.	.01	.04	.	.	.	.	.	.	.	9
10	.12	.05	.	.03	.01	.	.	.	.11	.19	.	.	10
11	-	-	.	.14	.12	.09	.03	.	.02	.03	.01	.	11
12	.13	-	.	-	.11	.	.02	.	.08	.26	.06	.	12
13	.10	.08	.	.04	.01	.	1.34	.	.01	.03	.01	.02	13
14	.16	.09	.	.02	.	.	.15	.	-	.06	.08	.02	14
15	.01	.	.	.05	.30	.	.	.	.	.01	.	.02	15
16	.21	.	.	.12	.01	.	.	.	.	.	.	.	16
17	-	.	.	.	.01	.	.04	.	.	.07	.	.	17
18	-	.	.	.	.01	.	.	.	.	.	.03	.	18
19	-	.	.	.	.03	.	.	.	.	.13	.	.	19
20	.	.	.	.12	.92	.	.	.27	.	.35	.12	.02	20
21	-	.	.14	.10	2.01	.	.	.25	.	.29	.	.13	21
22	.	.	.27	.04	.02	.	.34	.	.58	.07	.31	.	22
23	-	.01	.01	.	.34	.	.01	.	.03	.03	.05	.	23
24	.02	.	.	.	.01	.	.14	.	.07	.01	.36	.	24
25	.	.03	.	.	.	.	.38	.	.02	.14	.	.	25
26	-	.	.	.36	.22	.	.06	.	.06	.02	.03	.	26
27	.	.	.43	.20	.46	.04	.21	.	.	.	.06	.	27
28	-	.	.02	.06	.39	.03	.14	.33	.	.05	-	.01	28
29	-	.	.23	.18	.20	.10	.02	.50	.09	.20	.01	.07	29
30	.	×	.06	.02	-	.65	.04	.15	.40	.28	.27	.18	30
31	.	×	.08	×	-	×	.61	.	×	-	×	.08	31
TOTAL	1.31	.35	1.50	2.55	6.06	.96	3.55	1.73	2.26	2.73	1.82	.58	YEAR'S TOTAL 25.40
*Days with .01 in. or more.	13	7	10	23	24	6	16	6	17	22	16	10	170
*Days with .04 in. or more.	10	4	7	18	13	5	11	6	11	15	9	11	113

40-9999

*See Instruction 2 (*f*) on other side,

(Signed) R.C. Moon

R.C. MOON ESQ. C.E.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2487/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at St Mary's Rd Depot Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground 1' ft 3" in.
,, Ground ,, Sea Level 269.44 ft.

October 1" Low
Year 3 or 4 inches Low

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0.29	0.28	0.01	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.01	Nil		1
2	0.21	Nil	0.30	Nil	0.04	Nil	Nil	Nil	Nil	Nil	0.04	Nil		2
3	Nil	0.20	0.13	Nil	0.19	Nil	Nil	Nil	Nil	Nil	0.04	Nil		3
4	0.12	Nil	0.02	Nil	0.32	Nil	Nil	Nil	Nil	Nil	Nil	Nil		4
5	0.07	0.02	0.11	Nil	0.03	Nil	Nil	Nil	Nil	Nil	Nil	Nil		5
6	Nil	0.16	0.01	Nil	0.09	Nil	Nil	Nil	Nil	0.06	0.01	Nil		6
7	0.05	0.35	0.02	Nil	Nil	Nil	Nil	Nil	Nil	0.12	Nil	Nil		7
8	0.02	Nil	0.06	Nil	0.13	Nil	0.28	Nil	Nil	0.02	Nil	Nil		8
9	Nil	Nil	Nil	Nil	0.03	Nil	0.22	0.01	Nil	0.06	0.07	Nil		9
10	0.02	0.23	Nil	Nil	Nil	0.25	Nil	Nil	Nil	0.81	0.05	Nil		10
11	0.01	Nil	Nil	Nil	Nil	Nil	0.12	Nil	Nil	0.01	Nil	Nil		11
12	0.02	Nil	Nil	Nil	Nil	0.02	0.05	Nil	0.16	Nil	Nil	0.03		12
13	0.01	Nil	Nil	Nil	0.05	0.02	0.22	Nil	0.02	0.05	0.14	Nil		13
14	0.01	Nil	Nil	Nil	0.11	Nil	0.03	0.01	Nil	0.10	0.22	Nil		14
15	0.42	Nil	Nil	Nil	Nil	0.04	0.40	0.05	Nil	Nil	0.38	0.03		15
16	0.35	Nil	0.50	0.06	0.03	0.07	0.15	Nil	Nil	Nil	0.01	0.04		16
17	0.02	Nil	0.45	Nil	Nil	0.07	Nil	Nil	0.02	Nil	0.08	Nil		17
18	0.04	0.02	0.02	Nil	Nil	0.17	0.01	Nil	Nil	Nil	0.02	Nil		18
19	Nil	Nil	0.31	0.01	Nil	0.12	Nil	Nil	0.05	Nil	0.02	0.01		19
20	Nil	0.04	0.08	Nil	Nil	0.01	Nil	0.06	0.07	0.01	Nil	Nil		20
21	Nil	0.02	Nil	Nil	0.10	0.04	Nil	0.16	Nil	Nil	Nil	Nil		21
22	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.35	Nil	0.19	0.01	Nil		22
23	Nil	Nil	Nil	0.11	Nil	0.01	Nil	Nil	0.27	Nil	Nil	Nil		23
24	Nil	0.35	Nil	0.09	0.05	0.41	Nil	Nil	0.65	0.02	0.02	Nil		24
25	Nil	0.50	Nil	0.23	Nil	0.37	Nil	Nil	0.03	Nil	0.01	0.03		25
26	Nil	0.64	Nil	0.08	Nil	0.23	Nil	Nil	Nil	0.06	Nil	Nil		26
27	Nil	Nil	Nil	Nil	0.02	Nil	Nil	Nil	0.07	0.01	Nil	Nil		27
28	Nil	Nil	Nil	0.26	0.20	Nil	Nil	Nil	Nil	0.06	Nil	0.04		28
29	0.03	–	Nil	0.04	Nil	Nil	0.08	Nil	Nil	Nil	Nil	0.01		29
30	0.02	×	0.09	Nil	Nil	Nil	0.03	Nil	Nil	0.03	Nil	0.09		30
31	Nil	×	0.32	×	Nil	×	Nil	0.06	×	0.07	×	Nil		31
TOTAL	1.71	2.81	2.43	0.88	1.41	1.83	1.59	0.70	1.24	1.68	1.13	0.28	Year's Total 17.69	
*Days with .01 in. or more.	17	12	15	8	14	14	11	7	9	16	16	8	147	
*Days with .04 in. or more.	8	9	10	4	11	10	8	5	6	10	8	3	95	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

Borough Surveyor

[P.T.O.

New Gauge NUN

Section **A** for the entry o ... n No. 2487/6

AIR MINISTR ... GANIZATION.

FORM 1090. REGIS ... Warwick /c.

Borough

Kept at Sewage Pu

in the County of Wa

Diameter of Funnel of Gauge

Height of top of Gauge above Grou ... elow

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t ... g
year in the space on the right of t

Jan. 1, following

2487/6

NUNEATON, PUMPING STN, NEW G.

1932. 1934–40

7Ao4of

Date	Jan.	Feb.	March								v.	Dec.	Date
	in.	in.	in.									in.	
1						·05	·	·23	·03	·29	·01	·	1
2					·21	·	·	·	·21	·05	·02	·03	2
3					·02	·	·	·	·	·01	·	·	3
4					·	·	·	·	·	·	·	·	4
5					·01	·	·	·	·06	·	·	·	5
6					·	·	·02	·	·32	·	·	·	6
7					·03	·	·	·	·02	·08	·	·	7
8					·	·	·	·	·15	·16	·	·	8
9					·04	·	·	·	·	·	·	·	9
10					·01	·	·	·	·11	·19	·	·	10
11					·12	·09	·03	·	·02	·03	·01	·	11
12					·11	·	·02	·	·08	·26	·06	·	12
13					·01	·	1·32	·	·01	·03	·01	·02	13
14					·	·	·15	·	·	·06	·08	·02	14
15					·30	·	·	·	·	·01	·	·02	15
16					·01	·	·	·	·	·	·	·	16
17					·01	·	·04	·	·	·07	·	·	17
18					·01	·	·	·	·	·	·03	·	18
19					·03	·	·	·	·	·13	·	·	19
20					·90	·	·	·27	·	·35	·02	·02	20
21					2·01	·	·	·25	·	·29	·	·13	21
22					·02	·	·34	·	·58	·07	·31	·	22
23					·34	·	·01	·	·03	·03	·05	·	23
24					·01	·	·14	·	·07	·01	·36	·	24
25					·	·	·38	·	·02	·14	·	·	25
26					·22	·	·06	·	·06	·02	·03	·	26
27					·46	·04	·21	·	·	·	·06	·	27
28					·39	·03	·14	·33	·	·05	·	·01	28
29					·20	·10	·02	·50	·09	·20	·01	·07	29
30		X			·	·65	·04	·15	·40	·28	·27	·18	30
31		X		X	·	X	·61	·	X	·	X	·08	31
TOTAL					6·04	·96	3·53	1·73	2·26	2·81	1·82	·58	YEAR'S TOTAL
*Days with ·01 in. or more.					24	6	16	6	17	23	16	10	imperfect.
*Days with .04 in. or more.					13	5	11	6	11	16	9	4	

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) R C Moon

X R C MOON ESQ. C.E. X

P.T.O.

New Gauge NUN [redacted]

Section **A** for the entry of Daily Observations. No. 2487/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Warwick/s.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Borough of Nuneaton

Kept at Sewage Pumping Station

in the County of Warwickshire

C1932

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 269·44 ft.

See old gauge below.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·05	·	·23	·03	·29	·01	·	1
2					·21	·	·	·	·21	·05	·02	·03	2
3					·02	·	·	·	·	·01	·	·	3
4					·	·	·	·	·	·	·	·	4
5					·01	·	·	·	·06	·	·	·	5
6					·	·	·02	·	·32	·	·	·	6
7					·03	·	·	·	·02	·08	·	·	7
8					·	·	·	·	·15	·16	·	·	8
9					·04	·	·	·	·	·	·	·	9
10					·01	·	·	·	·11	·19	·	·	10
11					·12	·09	·03	·	·02	·03	·01	·	11
12					·11	·	·02	·	·08	·26	·06	·	12
13					·01	·	1·32	·	·01	·03	·01	·02	13
14					·	·	·15	·	·	·06	·08	·02	14
15					·30	·	·	·	·	·01	·	·02	15
16					·01	·	·	·	·	·	·	·	16
17					·01	·	·04	·	·	·07	·	·	17
18					·01	·	·	·	·	·	·03	·	18
19					·03	·	·	·	·	·13	·	·	19
20					·90	·	·	·27	·	·35	·12	·02	20
21					2·01	·	·	·25	·	·29	·	·13	21
22					·02	·	·34	·	·58	·07	·31	·	22
23					·34	·	·01	·	·03	·03	·05	·	23
24					·01	·	·14	·	·07	·01	·36	·	24
25					·	·	·38	·	·02	·14	·	·	25
26					·22	·	·06	·	·06	·02	·03	·	26
27					·46	·04	·21	·	·	·	·06	·	27
28					·39	·03	·14	·33	·	·05	·	·01	28
29					·20	·10	·02	·50	·09	·20	·01	·07	29
30		×			·	·65	·04	·15	·40	·28	·27	·18	30
31		×		×	·	×	·61	·	×	·	×	·08	31
TOTAL					6·04	·96	3·53	1·73	2·26	2·81	1·82	·58	YEAR'S TOTAL
*Days with ·01 in. or more.					24	6	16	6	17	23	16	10	unfinish.
*Days with ·04 in. or more.					13	5	11	6	11	16	9	4	

40-9999

*See Instruction 2 (*f*) on other side.

N

(*Signed*) R.C. Moon

R.C. MOON ESQ., C.E.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2487/5 6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at St. Mary's Rd. Depot Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground 1 ft 3 in.

,, Ground ,, Sea Level 269·44 ft.

letter 5738

Readings from new g. on site selected. (V. Encl. 33A & 809 698/27) Particulars of recording g. given on this return in error

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·02	-	-	-	·	·	-	·15	·01	-	·13	·24		1
2	·02	·01	·06	-	-	·	-	-	·19	-	·05	·13		2
3	·04	·04	·	-	·	·	-	-	-	·03	·01	·01		3
4	·05	-	·03	·35	-	-	-	-	·14	·04	·06	·34		4
5	-	-	·05	·03	·11	·	-	·33	·	·	·04	·03		5
6	-	-	·01	·01	·18	·01	·	·	·	·18	-	·38		6
7	·08	·01	·01	-	-	·01	·	·07	-	·02	-	·20		7
8	-	-	-	-	·07	·04	-	·05	·	·	·12	·02		8
9	-	·	·12	·02	-	·	·	·04	-	-	·39	·22		9
10	·10	-	·15	·13	-	·	-	·03	-	·	·06	-		10
11	·58	-	·08	·29	-	-	-	·20	-	·	-	·12		11
12	-	-	·13	·03	·	-	·01	·03	-	·	·	·01		12
13	·33	-	·	·08	·06	·	·21	·19	-	·01	-	·07		13
14	·06	-	·26	·	·03	·	-	-	-	·19	·27	·26		14
15	·04	-	·06	-	·08	-	·01	-	·01	·05	·21	·		15
16	·10	-	·13	·	·02	·	-	-	-	·07	·02	·06		16
17	·01	-	-	·	·01	·	-	-	·17	·07	·01	·08		17
18	·12	-	·	·10	·	·	·51	-	·02	-	-	·01		18
19	·	-	·11	·01	·	·03	·	-	·01	-	-	·03		19
20	-	-	·01	·12	·	·	-	·01	·01	-	·	-		20
21	-	-	-	-	·	·13	-	·03	-	·08	·	-		21
22	-	-	-	-	·	-	·	·22	·16	-	-	·04		22
23	-	-	-	·20	·	·13	·10	-	-	-	-	·05		23
24	·	·23	·10	·02	·	·01	·15	-	·24	-	-	-		24
25	·16	·	-	-	-	·04	-	-	·	·16	-	·40		25
26	·05	-	·01	·15	-	·04	-	-	·03	·01	·01	·05		26
27	·01	·11	-	·23	-	-	-	-	-	·09	-	·12		27
28	-	-	·	·34	-	·09	-	·24	·	·	·03	·22		28
29	-	×	-	-	-	-	·13	·11	·36	-	·	·08		29
30	·01	×	·	-	·	-	-	-	·01	·	·	·13		30
31	-	×	·	×	·	×	·02	-	×	·26	×	·05		31
TOTAL	1·78	0·40	1·32	2·11	0·56	0·53	1·14	1·70	1·39	1·26	1·41	3·35	Year's Total. 16·95	
* Days with .01 in. or more.	14	5	16	16	8	10	8	14	13	14	14	26	161	
* Days with .04 in. or more.	12	3	11	10	5	6	5	10	6	10	9	21	108	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) R. L. Evans

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2487/5 6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Nuneaton Sewage Pumping Station

in the County of Warwickshire

Diameter of Funnel of Gauge ~~5~~ in.

Height of top of Gauge above Ground ~~1~~ ft. 9" ~~1¼~~ in.

„ Ground „ Sea Level ~~284.63~~ 381.21 ft.

Change on pages B.R. 1935

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.06	.02	-	.02	-	.09	.04	-	.62	.04	.16	-		1
2	.01	-	.04	-	-	-	-	-	.13	.21	-	.12		2
3	-	.05	-	.03	-	.03	-	-	.24	.21	.28	.06		3
4	-	-	-	.06	-	.10	-	-	-	.35	-	.04		4
5	-	.50	.07	.05	-	.10	.06	-	.01	.01	.05	-		5
6	-	-	-	.24	-	.18	-	-	-	-	.01	-		6
7	-	-	-	.23	-	.03	-	-	-	.15	.46	.16		7
8	-	-	-	.12	-	.01	-	.48	-	.08	.18	.66		8
9	-	-	-	.21	-	.15	-	-	-	-	.28	-		9
10	-	-	-	.07	-	.10	-	-	-	-	.12	-		10
11	.10	-	-	-	-	.15	.07	-	-	.28	.20	.17		11
12	.04	-	-	-	-	-	-	.06	.02	.04	-	-		12
13	.05	-	-	.12	.10	.15		-	-	-	-	-		13
14	-	-	-	-	.01	.24	-	.01	.01	-	.28	.10		14
15	-	.04	-	.65	.02	.25	-	-	.36	-	.17	.33		15
16	-	.03	.09	.14	-	.14	-	-	.38	-	.71	.10		16
17	-	-	-	.05	-	.19	-	.01	-	.24	.60	-		17
18	-	-	-	.20	.06	-	.04	-	.14	.01	-	.02		18
19	.01	-	-	.04	.42	-	.08	-	.03	.09	.23	-		19
20	.01	.10	-	.16	-	-	.01	-	.02	-	.18	-		20
21	-	.27	.03	.08	-	-	-	-	.41	.03	.10	-		21
22	-	.06	-	.06	-	-	-	-	.03	-	-	-		22
23	.01	.02	.11	-	-	-	-	.51	.06	.33	-	-		23
24	.04	.18	-	-	-	-	-	-	.72	.01	-	.32		24
25	.16	.04	-	.02	-	.64	-	-	-	-	-	.07		25
26	-	-	-	-	-	.21	-	.26	.24	-	.03	.53		26
27	-	.14	-	-	-	.11	-	-	.10	.03	.23	1.17		27
28	.02	.03	-	-	.03	.01	-	-	-	.04	.01	.06		28
29	-	×	.04	-	-	-	-	-	.09	.04	.08	.14		29
30	-	×	-	.04	.81	-	-	.35	.04	.16	.23	.09		30
31	-	×	-	×	-	×	-	-	×	.49	×	.10		31
TOTAL	0.51	1.53	0.38	2.61	1.45	2.88	0.30	1.68	3.71	2.84	4.57	3.64	Year's Total 26.07	
* Days with .01 in. or more.	11	13	6	20	7	19	6	7	19	20	21	18	167	
* Days with .04 in. or more.	6	9	5	17	4	15	5	5	13	11	18	17	125	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. C. Lecon

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2487/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Sewage Pumping Station, St Mary's Rd Nuneaton.
in the County of Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 269·44 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·02	0·06	0·47	—	0·14	0·11	0·11	—	—	0·08	0·12		1
2	0·03	—	0·17	0·08	—	0·42	0·12	0·02	—	—	0·19	0·04		2
3	0·01	0·04	—	—	—	1·60	—	0·06	0·13	—	—	0·02		3
4	0·01	—	0·11	—	—	0·28	—	0·02	0·27	—	0·02	0·08		4
5	0·09	0·01	0·02	—	—	—	0·03	0·04	0·10	—	—	0·11		5
6	0·03	—	—	—	0·29	0·08	0·32	0·11	0·13	—	0·11	0·02		6
7	0·06	—	0·03	—	—	0·01	0·63	—	0·10	—	0·02	—		7
8	0·24	—	0·05	—	—	—	—	—	0·02	—	0·16	0·11		8
9	0·33	—	0·14	—	—	—	1·03	—	0·05	0·90	—	—		9
10	0·04	—	0·03	—	—	—	0·20	—	—	—	0·01	—		10
11	—	—	—	0·06	—	0·04	0·44	—	0·04	—	0·42	—		11
12	—	—	—	0·08	—	0·17	0·49	—	0·77	—	0·05	0·11		12
13	—	—	—	0·02	—	0·38	0·01	—	—	0·06	0·01	0·31		13
14	—	—	—	0·20	—	0·04	0·30	—	0·46	0·01	0·01	0·34		14
15	—	0·01	0·01	—	—	0·06	0·13	—	—	—	0·06	0·11		15
16	0·12	0·13	—	—	—	—	0·10	—	—	—	0·60	—		16
17	0·01	0·54	—	—	0·01	—	0·13	—	—	0·11	0·06	0·15		17
18	—	0·03	—	—	—	0·35	0·21	0·01	—	0·22	—	0·02		18
19	0·42	0·11	0·04	0·26	—	0·08	—	0·11	—	0·09	—	—		19
20	—	0·07	0·02	0·04	—	0·78	—	—	—	—	—	—		20
21	—	—	0·06	0·15	—	1·50	0·01	—	—	0·01	—	—		21
22	—	0·62	0·06	—	0·14	—	0·18	—	—	—	—	0·08		22
23	—	0·06	0·08	0·09	0·07	—	0·56	—	—	—	—	—		23
24	0·26	0·08	—	—	0·04	—	—	—	0·08	0·11	—	—		24
25	0·08	—	0·15	0·19	—	—	0·08	—	0·20	0·05	—	—		25
26	—	0·10	0·33	—	—	—	0·05	—	—	0·07	—	—		26
27	0·06	0·01	0·01	—	—	—	—	—	0·09	0·05	—	—		27
28	0·35	0·11	0·17	—	—	—	0·05	—	—	0·01	—	0·06		28
29	0·06	0·27	0·13	—	—	0·03	—	—	—	0·06	0·15	0·10		29
30	0·04	✕	—	—	0·58	0·21	0·11	—	—	0·22	0·06	—		30
31	0·54	✕	0·06	✕	—	✕	0·03	—	✕	0·15	✕	0·21		31
TOTAL	2·78	2·21	1·73	1·64	1·13	6·07	6·32	0·48	2·44	1·32	2·01	1·99	Year's Total 30·12	✓
* Days with .01 in. or more.	19	16	20	11	6	17	23	8	13	15	16	17	181	✓
* Days with .04 in. or more.	14	11	14	10	5	15	18	5	12	12	11	14	141	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. C. Moon

Borough Surveyor.

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 2487/6

Section A for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at ST. MARYS RD. DEPOT SEWAGE PUMPING ST.
in the County of NUNEATON WARWICKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 269·44 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	-	0·02	-	.	-	.	-	0·05	0·01	0·11	0·21		1
2	-	0·04	0·05	0·51	.	-	-	-	0·03	-	-	0·13		2
3	.	0·06	-	-	0·26	-	.	.	0·03	-	-	0·25		3
4	0·08	0·12	-	-	0·05	-	-	-	-	-	-	0·49		4
5	0·26	-	0·16	-	0·02	-	-	-	-	-	-	0·01		5
6	0·13	-	0·04	-	0·06	-	-	-	-	-	-	-		6
7	-	0·68	0·03	0·13	-	-	-	-	-	-	-	-		7
8	-	0·18	-	-	.	-	-	-	-	-	0·32	0·01		8
9	-	-	-	0·03	0·38	-	0·45	-	0·12	-	-	-		9
10	-	0·03	0·14	0·10	-	0·21	.	-	.	-	-	0·12		10
11	-	-	0·53	-	0·44	0·15	-	-	.	-	-	0·04		11
12	0·10	0·29	0·14	-	0·40	0·03	-	0·18	0·12	-	-	0·22		12
13	0·05	0·06	0·04	0·10	0·01	0·15	-	0·27	0·04	-	-	0·02		13
14	-	-	0·28	0·02	-	-	-	0·16	0·02	-	-	0·08		14
15	0·19	0·04	-	0·23	-	-	1·27	-	0·04	-	-	0·06		15
16	0·02	0·16	0·40	0·42	-	-	-	0·05	0·21	-	-	-		16
17	0·23	0·02	0·28	0·26	-	-	-	-	0·10	-	-	-		17
18	0·58	0·09	0·10	-	-	-	0·01	-	0·11	-	0·26	-		18
19	0·01	0·07	-	0·15	-	0·04	0·24	-	-	-	0·10	.		19
20	0·30	-	-	0·33	0·40	0·04	-	-	-	-	.	0·01		20
21	0·09	0·18	.	-	-	-	0·28	-	-	-	.	0·05		21
22	0·14	0·05	0·02	-	0·13	-	0·10	-	-	0·33	0·21	0·03		22
23	0·30	0·01	0·20	-	0·01	-	0·10	-	-	0·37	0·18	-		23
24	0·15	0·29	0·01	-	0·01	-	-	-	-	0·33	-	-		24
25	0·10	0·31	0·07	-	0·09	-	-	-	0·06	0·35	-	0·01		25
26	-	0·30	-	-	0·34	-	-	-	-	-	-	-		26
27	-	0·16	0·07	0·24	0·01	-	-	-	-	0·64	-	-		27
28	-	0·04	-	-	-	-	-	-	-	0·01	-	0·03		28
29	0·02	-	-	-	-	-	-	-	-	-	0·06	0·01		29
30	0·40	✕	-	.	-	-	-	0·11	-	-	0·08	-		30
31	0·30	✕	.	✕	-	✕	-	-	✕	0·12	✕	-		31
													Year's Total	
TOTAL	3·53	3·18	2·58	2·52	2·61	0·62	2·45	0·77	0·93	2·16	1·32	1·48	24·45	✓ ✓
* Days with .01 in. or more.	20	21	18	12	15	6	7	5	12	8	8	18	150	✓ ✓
* Days with .04 in. or more.	16	18	14	10	10	5	6	5	9	6	8	10	117.	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. C. Moon [P.T.O.
Borough Surveyor.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 2487/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at St. Mary's Road Dept.
in the County of Nuneaton. Warwickshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 269.44 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	—	—	—	—	0.34	—	—	—	0.14	—	0.09		1
2	0.04	—	—	0.04	0.01	0.31	—	—	—	0.19	0.01	0.02		2
3	0.01	—	—	—	0.02	—	0.06	—	—	0.48	0.01	—		3
4	0.02	—	—	—	—	0.01	0.05	0.12	—	0.10	0.01	0.25		4
5	—	—	—	—	—	—	0.13	0.10	—	0.02	—	0.01		5
6	—	—	—	—	—	0.01	0.41	0.01	0.20	0.10	—	—		6
7	0.09	—	—	—	—	—	0.11	0.14	—	0.04	—	0.03		7
8	0.29	—	—	—	—	—	0.16	0.10	—	0.20	—	0.03		8
9	0.03	0.08	—	—	—	—	—	—	—	—	—	0.35		9
10	0.01	0.03	—	—	—	0.24	0.26	0.01	—	—	—	0.04		10
11	0.47	—	—	—	—	—	—	0.64	—	0.01	0.11	0.01		11
12	0.17	—	—	—	0.10	—	0.01	—	—	0.28	0.09	—		12
13	—	—	—	—	—	—	—	—	—	—	0.04	0.37		13
14	0.23	0.01	—	—	0.05	—	0.54	—	0.06	—	—	—		14
15	0.14	—	—	—	0.02	—	0.13	—	—	—	—	0.36		15
16	0.24	0.03	—	—	—	—	0.24	—	—	—	0.04	0.05		16
17	—	—	—	—	—	—	0.01	—	0.01	0.14	—	—		17
18	0.08	—	—	—	0.25	0.23	—	—	0.14	0.01	0.46	—		18
19	—	—	—	—	—	—	—	0.11	0.13	—	0.04	—		19
20	—	—	—	—	—	—	—	—	—	—	0.30	—		20
21	—	—	—	—	—	—	—	—	—	—	0.06	0.04		21
22	—	—	—	0.01	—	—	—	—	0.01	—	0.34	0.36		22
23	—	—	—	—	0.04	—	—	—	0.02	—	—	0.06		23
24	—	—	—	—	0.04	0.01	—	—	0.34	—	—	—		24
25	0.10	0.12	0.17	—	0.01	—	0.01	0.11	—	0.11	0.31	—		25
26	0.01	0.35	0.11	—	0.02	—	—	0.19	—	0.17	—	0.30		26
27	0.08	0.01	—	—	0.18	0.14	0.35	0.18	0.25	0.06	0.30	—		27
28	0.18	—	—	—	0.28	0.08	0.04	0.47	—	—	0.04	0.17		28
29	0.37		—	—	0.30	—	0.03	—	—	0.03	0.18	0.19		29
30	0.01	✕	—	—	0.01	0.19	—	—	0.34	0.01	0.22	0.12		30
31	0.18	✕	—	✕	0.12	✕	—	—	✕	0.12	✕	0.08		31
													Year's Total	
TOTAL	2.45	0.63	0.28	0.08	1.45	1.59	2.57	2.48	1.50	2.24	2.62	2.93	21.12	
* Days with .01 in. or more.	20	7	2	2	15	10	16	12	10	18	17	20	149	
* Days with .04 in. or more.	14	3	2	1	9	7	12	10	7	13	14	15	107	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2487/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at St Marys Road Depot

in the County of Nuneaton Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 269·44 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·22	-	0·01	0·28	0·02	-	-	0·01	0·01	-	-	-		1
2	0·04	-	-	0·08	0·02	-	0·01	0·25	0·65	-	0·05	0·03		2
3	0·07	-	0·01	0·46	-	-	-	0·48	-	0·07	-	0·34		3
4	0·15	-	0·36	0·35	-	-	0·10	0·18	0·05	0·28	0·05	0·08		4
5	-	-	-	0·12	0·30	-	0·06	0·65	-	0·16	0·26	0·15		5
6	0·40	-	0·02	-	-	-	0·31	0·01	-	-	0·01	-		6
7	0·07	0·01	-	-	-	-	0·16	0·02	-	-	0·28	0·18		7
8	-	0·06	0·24	-	-	-	0·24	0·05	-	0·37	0·23	0·26		8
9	-	0·04	-	-	-	-	0·04	0·15	-	0·40	0·01	0·21		9
10	0·40	-	0·04	-	-	-	-	0·28	0·02	0·01	-	0·01		10
11	-	0·01	0·17	-	-	0·16	-	-	-	-	-	-		11
12	-	0·02	-	-	0·01	0·02	-	-	-	-	0·01	-		12
13	-	-	-	-	-	0·02	0·18	-	0·03	0·25	0·01	-		13
14	0·47	-	0·01	0·17	0·70	0·13	0·14	-	-	0·23	0·08	-		14
15	0·25	-	-	-	0·05	0·31	0·58	-	-	0·21	0·05	-		15
16	0·12	-	0·07	-	0·28	0·20	0·02	-	-	-	0·17	-		16
17	0·34	0·05	-	-	0·03	-	0·18	-	-	2·20	-	-		17
18	0·17	0·04	-	-	-	0·42	0·05	-	-	-	0·44	-		18
19	0·19	-	-	-	-	-	0·36	-	-	-	-	-		19
20	0·13	-	0·01	-	-	0·02	-	0·11	-	-	-	-		20
21	0·16	0·30	0·28	0·02	-	0·17	0·15	0·20	0·05	-	-	-		21
22	0·20	0·20	0·02	-	-	-	0·11	-	0·01	0·01	0·37	-		22
23	-	-	-	0·01	-	-	0·04	-	-	0·12	0·40	-		23
24	0·06	-	0·01	0·01	-	0·01	0·03	-	-	0·07	-	-		24
25	1·00	0·03	0·03	-	-	-	0·03	-	-	-	0·21	-		25
26	0·12	-	-	-	-	-	-	-	-	-	0·24	0·01		26
27	-	0·28	0·04	-	-	0·01	0·06	-	-	0·03	0·02	-		27
28	0·01	0·14	0·09	-	-	0·16	0·05	-	-	-	0·18	-		28
29	-	×	-	0·16	-	-	0·23	0·09	-	0·18	0·02	-		29
30	-	✕	-	0·06	-	0·62	-	-	-	-	0·10	-		30
31	-	✕	-	✕	-	✕	-	-	✕	-	✕	-		31
TOTAL	4·87	1·18	1·41	1·72	1·41	2·25	3·13	2·48	0·82	4·58	3·52	1·27	Year's Total 28·64	
* Days with .01 in. or more.	20	12	16	11	8	13	22	13	7	15	21	9	167	
* Days with .04 in. or more.	19	8	8	8	4	8	18	10	3	12	15	6	119	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R C. Moon

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2487/6

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at ST. MARY'S ROAD DEPOT.
in the County of NUNEATON WARWICKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 269·44 ft.

Jan: Feb apport: & pt-estd.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	0·06	-	-	-	-	-	-	0·08	-		1
2	-	-	-	0·03	-	-	-	-	-	-	0·60	0·02		2
3	-	(·25) ~~0·45~~	-	0·01	-	-	-	-	-	0·04	0·60	0·04		3
4	-	0·15	-	0·03	0·05	-	-	-	-	0·10	0·36	0·02		4
5	-	0·14	-	-	-	-	0·02	-	-	0·14	0·60	0·11		5
6	0·08	0·24	-	-	0·02	-	0·25	-	-	0·33	0·40	0·01		6
7	0·04	0·25	-	0·03	-	-	-	-	0·01	-	-	-		7
8	-	-	-	0·01	-	-	0·01	-	-	0·09	0·02	0·22		8
9	-	-	0·03	-	-	0·01	0·09	0·02	0·01	0·08	0·24	0·23		9
10	-	-	0·02	-	-	-	0·52	0·02	-	0·02	0·11	0·15		10
11	-	-	0·05	0·01	-	-	0·30	0·01	-	-	0·40	0·13		11
12	-	-	0·10	-	-	-	0·24	-	0·02	-	0·02	-		12
13	-	-	0·28	-	0·36	-	0·01	-	0·05	-	-	-		13
14	-	-	0·14	-	0·02	-	-	0·01	0·04	0·04	-	-		14
15	-	-	0·03	0·14	-	-	0·02	-	0·05	0·05	0·11	-		15
16	-	-	0·24	0·02	-	-	0·29	-	0·12	0·41	0·60	-		16
17	- (·10)	-	0·30	-	-	-	0·04	-	-	-	0·13	-		17
18	-	0·14	0·06	0·24	-	-	-	0·04	0·01	0·17	0·06	0·03		18
19	-	0·38	0·05	0·20	-	-	0·30	-	0·18	0·01	0·15	0·04		19
20	-	0·02	-	0·04	0·18	-	0·12	0·11	-	0·13	0·03	-		20
21	-	0·01	-	-	0·28	-	0·04	0·03	-	0·06	1·35	-		21
22	-	-	0·03	-	0·01	0·21	-	-	0·04	-	-	-		22
23	-	0·21	0·04	0·04	-	0·12	-	-	-	0·02	-	0·03		23
24	0·06	-	-	-	-	-	0·04	-	-	-	-	0·01		24
25	-	-	-	-	0·06	-	0·04	-	-	0·01	-	-		25
26	(·82) ~~0·42~~	-	-	0·09	-	-	0·26	-	-	-	0·02	-		26
27	(·48) ~~0·18~~	0·19	-	0·01	0·28	-	0·13	-	-	-	0·04	-		27
28	-	0·21	-	0·02	0·04	0·02	-	-	-	-	-	-		28
29	(·32)	-	0·10	-	-	-	-	-	-	-	-	0·25		29
30	-	✕	-	0·61	-	-	-	-	-	0·51	-	0·05		30
31	~~0·12~~	✕	0·03	✕	-	✕	-	-	✕	0·91	✕	0·01		31
TOTAL	(1·90) ~~0·90~~	2·~~4~~25	1·52	1·59	1·33	0·36	2·81	0·24	0·59	3·45	5·98	1·38	Year's Total ~~22·60~~	23·40
* Days with .01 in. or more.	6	12	15	17	10	4	18	7	10	18	20	16	153	
* Days with .04 in. or more.	6	10	10	8	7	2	14	2	6	14	16	9	104	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Borough Engineer

[P.T.O.

2488

Section **A** for the entry of Daily Observa

AIR MINISTRY.—METEORO

RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090.

REGISTER O 1931 .

2488 — 098543

NUNEATON – HARTSHILL S.W.

1931 – 1940

780408

Kept at Hartshill Sewage Works

in the County of Warwickshire

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1' ft.

,, Ground ,, Sea Level 287

THE MORNING MEASUREMENT IS ... **US DAY.**

An observer who does not conform to this rule should ... *st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read t ... **af.**

Date	Jan.	Feb.	March	April	May					Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.					in.	in.	in.	
1		·03		·07	·01	·21			·30				1
2		·11		·66	·02	·07			·53	·02	·01	·03	2
3	·03			·07			·02		1·07		·39	·08	3
4		·05		·22			·61	·16	·34		·11		4
5		·06		·04	·05	·87	·01	·03	·19			·19	5
6		·21		·01		·05	·02			·24	·26		6
7							·18	·54	·04	·10	·03		7
8		·05		·04		·09	·02	·94			·19		8
9		·18		·10		·03		·10			·45		9
10	·07	·03			·03	·05		·15	·11		·09		10
11	·09	·23				·04	1·07		·14		·10		11
12	·05	·07						·01	·26	·04	·02		12
13							·81	·28		·02			13
14		·05				·16	·29	·71	·05		·28		14
15	·02	·15		·09	·15		·01	·26			·01	·03	15
16	·03	·03		·10	·37	·62	·06	·30	10				16
17	·05	·37		·37	·52	·03	·05				·01		17
18	·06	·01		·23		·08	·07	·19			·31		18
19	·03	·05		·21		·04	·02	·04					19
20		·06		·03				·32		·03	·01	·03	20
21	·08	·01			·60			·02			·10		21
22	·11		·01		·03			·08					22
23	·16		·11	·12	·40	·13			·03		·18	·08	23
24				·12	·39		·02					—	24
25	·05			·87			·38				·02	—	25
26	·02			·28			·03				·21	—	26
27	·07	·60			·38		·01			·06	·15	·22	27
28	·08	·17		·03	·23					·02		·10	28
29	·02	X		—	·04		·12			·26	·01	—	29
30		X					·01					—	30
31	·19	X		X		X	·01		X		X	—	31
TOTAL	1·21	2·52	·12	3·66	3·22	2·47	3·82	4·13	3·16	·79	2·91	·76	YEAR'S TOTAL 28·77
*Days with ·01 in. or more.	18	20	~~1~~2	19	14	14	21	16	12	9	21	8	169 174
*Days with ·04 in. or more.	12	15	1	16	10	12	10	13	11	5	13	5	123

40-9999

(Signed) R. C. Moore

[P.T.O.

*See Instruction 2 (*f*) on other side.

2488

Section **A** for the entry of Daily Observ

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Hartshill Sewage Works, nr. Atherstone
in the County of Warwickshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1' ft 1 3/4" in.
" Ground " Sea Level 287·63 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·03	·	·07	·01	·21	·	·	·30	·	·	·	1
2	·	·11	·	·66	·02	·07	·	·	·53	·02	·01	·03	2
3	·03	·	·	·07	·	·	·02	·	1·07	·	·39	·08	3
4	·	·05	·	·22	·	·	·61	·16	·34	·	·11	–	4
5	·	·06	·	·04	·05	·87	·01	·03	·19	·	·	·19	5
6	·	·21	·	·01	·	·05	·02	·	·	·24	·26	·	6
7	·	·	·	·	·	·	·18	·54	·04	·10	·03	·	7
8	·	·05	·	·04	·	·09	·02	·94	·	·	·19	·	8
9	·	·18	·	·10	·	·03	·	·10	·	·	·45	·	9
10	·07	·03	·	·	·03	·05	·	·15	·11	·	·09	·	10
11	·09	·23	·	·	·	·04	1·07	–	·14	·	·10	·	11
12	·05	·07	·	·	·	·	·	·01	·26	·04	·02	·	12
13	·	·	·	·	·	·	·81	·28	·	·02	·	·	13
14	·	·05	·	·	·	·16	·29	·71	·05	·	·28	·	14
15	·02	·15	·	·09	·15	·	·01	·26	·	·	·01	·03	15
16	·03	·03	·	·10	·37	·62	·06	·30	10	·	·	·	16
17	·05	·37	·	·37	·52	·03	·05	·	·	·	·01	·	17
18	·06	·01	·	·23	·	·08	·07	·19	·	·	·31	·	18
19	·03	·05	·	·21	·	·04	·02	·04	·	·	·	·	19
20	·	·06	·	·03	·	·	·	·32	·	·03	·01	·03	20
21	·08	·01	·	·	·60	·	·	·02	·	·	·10	·	21
22	·11	·	·01	·	·03	·	·	·08	·	·	·	·	22
23	·16	·	·11	·12	·40	·13	·	·	·03	·	·18	·08	23
24	·	·	·	·12	·39	·	·02	·	·	·	·	–	24
25	·05	·	·	·87	·	·	·38	·	·	·	·02	–	25
26	·02	·	·	·28	·	·	·03	·	·	·	·21	–	26
27	·07	·60	·	·	·38	·	·01	·	·	·06	·15	·22	27
28	·08	·17	·	·03	·23	·	·	·	·	·02	·	·10	28
29	·02	×	·	–	·04	·	·12	·	·	·26	·01	–	29
30	·	×	·	·	·	·	·01	·	·	·	·	–	30
31	·19	×	·	×	·	×	·01	·	×	·	×	–	31
TOTAL	1·21	2·52	·12	3·66	3·22	2·47	38·2	4·13	3·16	·79	2·91	·76	YEAR'S TOTAL 28·77
*Days with ·01 in. or more.	18	20	~~7~~2	19	14	14	21	16	12	9	21	8	174
*Days with ·04 in. or more.	12	15	1	16	10	12	10	13	11	5	13	5	123

40-9999

(Signed) R. C. Moore

*See Instruction 2 (*f*) on other side.

[P.T.O.

Borough of Nuneaton

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Hartshill Sewage Outfall Works.
in the County of Warwickshire
Diameter of Funnel of Gauge 5" in.
Height of top of Gauge above Ground 1' ft 1¾" in.
,, Ground ,, Sea Level 287·63 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02	-	·08	·59	·07	·01	·20	·05	·30	·01	.	1
2	·04	-	-	·04	·24	-	-	-	·24	·09	·02	·04	2
3	-	-	-	·11	·03	-	-	-	-	·02	-	-	3
4	·03	-	-	·15	-	-	-	.	-	-	·40	-	4
5	·16	-	·01	·03	-	-	-	.	·06	-	-	-	5
6	·22	.	·01	·30	-	-	-	.	·30	-	-	-	6
7	-	-	·28	·30	·11	-	-	-	·02	·11	-	-	7
8	-	.	-	·13	-	-	-	.	·17	·28	-	-	8
9	·15	-	-	·02	·07	-	-	-	-	-	-	-	9
10	·19	-	-	·08	-	-	-	.	·18	·26	-	.	10
11	·01	-	-	·13	·14	·06	·06	.	·02	·05	·02	-	11
12	·16	-	-	-	·13	-	·13	.	·06	·21	·03	.	12
13	·01	·08	-	·11	·01	.	1·45	.	·05	·03	·03	-	13
14	·24	·02	-	·08	-	.	·25	.	-	·08	·08	·03	14
15	-	-	-	·03	·44	-	-	.	-	·02	-	·04	15
16	·18	-	-	·11	·03	-	-	.	.	.	-	-	16
17	-	-	-	.	-	-	·16	.	-	·12	-	-	17
18	-	-	-	.	·03	-	-	.	-	-	·03	-	18
19	-	-	-	-	·05	-	-	.	-	·15	-	-	19
20	-	-	-	·14	·64	-	·02	·55	-	·44	·16	·03	20
21	·01	-	·15	·06	2·21	-	-	·31	-	·28	·01	·13	21
22	-	-	·21	·03	·04	-	·29	-	·66	·07	·33	-	22
23	-	·01	-	-	·40	-	·01	-	·70	·05	·05	·02	23
24	-	-	-	-	-	.	·21	.	·06	·03	·37	-	24
25	-	·04	-	-	-	·01	·33	.	·04	·24	·02	-	25
26	-	-	-	·34	·22	·01	·07	.	·07	·06	·02	-	26
27	-	-	·41	·17	·49	·01	·27	.	-	-	·06	·01	27
28	-	-	·05	·13	·44	·04	·16	·36	-	·05	-	·03	28
29	-	-	·24	·27	·37	·12	·01	·54	·11	·21	·03	·08	29
30	-	×	·06	·02	·01	·90	·05	·10	·35	·32	·30	·18	30
31	.	×	·05	×	-	×	·50	-	×	-	×	·12	31
TOTAL	1·43	·17	1·47	2·86	6·69	1·22	3·98	2·06	3·14	3·47	1·97	·71	YEAR'S TOTAL 29·17
*Days with ·01 in. or more.	13	5	10	23	21	8	17	6	17	23	18	11	172
*Days with .04 in. or more.	8	2	8	18	16	5	13	6	15	19	8	6	124

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) R.C. Moore

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Nuneaton Sewage Works Hartshill

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 3/4" in.

,, Ground ,, Sea Level 287.63 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.44	0.35	0.02	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.01	Nil		1
2	0.25	Nil	0.33	Nil	0.06	Nil	Nil	Nil	Nil	Nil	0.04	Nil		2
3	Nil	0.21	0.11	Nil	0.20	Nil	Nil	Nil	Nil	Nil	0.02	Nil		3
4	Nil	0.02	0.03	Nil	0.24	Nil	Nil	Nil	Nil	Nil	Nil	Nil		4
5	0.11	0.02	0.12	Nil	0.07	Nil	Nil	Nil	Nil	Nil	0.01	Nil		5
6	Nil	0.20	0.04	Nil	0.12	Nil	Nil	Nil	Nil	0.08	Nil	Nil		6
7	0.04	0.43	0.01	Nil	Nil	Nil	Nil	Nil	Nil	0.18	Nil	Nil		7
8	0.02	Nil	0.09	Nil	0.12	Nil	0.33	Nil	Nil	0.02	Nil	Nil		8
9	Nil	Nil	Nil	Nil	0.03	Nil	0.23	Nil	Nil	0.16	0.05	Nil		9
10	0.04	0.22	Nil	Nil	Nil	0.18	0.01	Nil	Nil	1.42	0.05	Nil		10
11	Nil	Nil	Nil	Nil	Nil	Nil	0.24	Nil	Nil	0.04	Nil	Nil		11
12	0.02	Nil	Nil	Nil	Nil	0.04	0.04	Nil	0.15	Nil	Nil	Nil		12
13	Nil	Nil	Nil	Nil	0.10	0.04	0.48	Nil	0.01	0.07	0.26	Nil		13
14	Nil	Nil	Nil	Nil	0.15	Nil	0.09	0.03	Nil	0.02	0.26	Nil		14
15	0.50	Nil	Nil	Nil	Nil	Nil	0.46	0.05	Nil	Nil	0.41	Nil		15
16	0.03	Nil	0.62	0.05	0.12	0.12	0.25	Nil	Nil	0.02	0.03	0.09		16
17	0.02	Nil	0.48	Nil	0.03	0.08	0.01	0.01	0.02	Nil	0.04	Nil		17
18	0.06	Nil	0.03	Nil	Nil	0.17	0.03	Nil	Nil	Nil	0.02	Nil		18
19	Nil	0.02	0.30	Nil	Nil	0.06	0.03	Nil	0.08	Nil	0.02	Nil		19
20	Nil	0.03	0.10	Nil	0.03	Nil	Nil	0.10	0.03	0.01	Nil	Nil		20
21	Nil	Nil	Nil	Nil	0.01	0.04	Nil	0.25	Nil	Nil	Nil	Nil		21
22	Nil	Nil	Nil	Nil	Nil	Nil	Nil	0.34	Nil	0.22	Nil	Nil		22
23	Nil	Nil	Nil	0.10	Nil	0.03	Nil	Nil	0.19	0.02	Nil	Nil		23
24	Nil	0.22	Nil	0.12	0.05	0.43	Nil	Nil	0.38	0.01	0.03	Nil		24
25	Nil	0.56	Nil	0.21	Nil	0.14	Nil	Nil	0.02	Nil	Nil	0.03		25
26	Nil	0.64	Nil	0.17	Nil	0.02	Nil	Nil	Nil	0.07	Nil	Nil		26
27	Nil	0.02	Nil	Nil	0.19	Nil	Nil	Nil	0.10	Nil	Nil	Nil		27
28	Nil	Nil	Nil	0.28	0.26	Nil	Nil	Nil	Nil	0.21	Nil	·06		28
29	0.01	X	Nil	0.03	Nil	Nil	0.12	Nil	Nil	Nil	Nil	·01		29
30	0.03	X	0.07	0.01	Nil	Nil	0.02	Nil	Nil	0.04	Nil	·11		30
31	Nil	X	0.39	X	Nil	X	Nil	0.08	X	0.10	X	Nil		31
TOTAL	1.60	2.92	2.64	0.97	1.78	1.35	2.34	0.86	0.98	2.69	1.25	0.30	Year's Total 19.68	
*Days with ·01 in. or more.	13	12	15	8	16	13	14	7	9	17	14	5	142	
*Days with .04 in. or more.	7	8	11	6	12	10	9	6	5	11	7	3	95	

40-9999

*See Instruction 2 (*f*) on other side.

10

† Spare column, no entries required.

(*Signed*) R. L. Moon
Borough Surveyor

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934

Kept at Nuneaton Sewage Works - Hartshill

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 3/4 in.

,, Ground ,, Sea Level 284·63 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	-	·	·	·	·	·	·21	-	·	·16	·30		1
2	·01	·01	·07	·	·	·	·	·01	·24	·	·05	·16		2
3	·06	·03	·	·	·	·	-	·	-	·02	·05	·02		3
4	·07	-	·04	·34	·01	-	·	·	·03	·	·07	·35		4
5	-	-	·18	·04	·17	·	·	·37	·	·	·04	·05		5
6	-	-	·05	·02	·26	·04	·	·	·	·20	·	·45		6
7	·10	·03	·	·	·	·02	·	·07	·	·02	·	·24		7
8	-	-	·	·	·07	·03	·	·07	·	·	·15	·03		8
9	-	-	·14	·03	·	·	·	·05	·	·	·51	·25		9
10	·04	-	·22	·15	·	·	·	·04	·	·	·19	·		10
11	·93	-	·09	·37	·	-	·	·09	·	·	·01	·17		11
12	·	·	·16	·01	-	·	·03	·06	·	·03	·	·02		12
13	·48	·	·	·07	·08	·	·30	·12	·	·01	·	·05		13
14	·13	·	·34	·	·02	·01	·	·	·	·36	·27	·30		14
15	·06	·	·15	·	·15	·	·	·	·	·06	·25	·04		15
16	·14	·	·17	·	·02	·	·	·	·	·11	·03	·07		16
17	·03	·	-	·	·	·	·09	·	·31	·08	·03	·09		17
18	·13	·	-	·21	·	·	·08	·	·13	·	·	·01		18
19	·	·	·15	-	·	·03	·	·	·01	·	·	·03		19
20	·	·	·01	·10	·	·	·	·	·03	·	·	-		20
21	-	·	-	-	·	·18	·	·10	-	·03	·	·		21
22	-	·	-	-	·	·	·	·27	·15	·	·	·05		22
23	·	·	·	·38	·	·15	·12	·02	·	·	·	·09		23
24	·	·25	·12	·	·	·01	·19	·	·28	·	·	·		24
25	·19	·	-	·02	·	·05	·	·	·	·23	·	·45		25
26	·08	·	·04	·14	·	·02	·	·	·02	·01	·03	·11		26
27	·02	·10	·	·24	·	-	·01	-	·	·09	·	·13		27
28	·	-	·	·44	·	·19	·	·33	-	·	·05	·28		28
29	-	×	·	·	·	·	·14	·20	·45	·	·	·06		29
30	·01	×	·	·	·	·	·	·	·	·	·	·18		30
31	·01	×	·	×	·	×	·	·	×	25	×	·08		31
TOTAL	2·54	0·42	1·93	2·5~~5~~ 6	0·78	0·73	0·96	2·01	1·65	1·50	1·89	4·06	Year's Total 21·0~~7~~ 3	
* Days with .01 in. or more.	18	5	15	15	8	11	8	15	10	14	15	27	161	
* Days with .04 in. or more.	13	2	14	11	5	5	6	13	6	8	11	22	116	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. C. Moore

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Nuneaton Sewage Works Hartshill

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 3/4 in.

,, Ground ,, Sea Level 284·63 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	·04	–	1·04	·01	·11	·07	–	·64	·05	·14	·02		1
2	–	·01	–	–	–	·43	–	–	·21	·20	–	·12		2
3	–	·24	·03	·04	–	·04	–	–	·25	·06	·24	·09		3
4	–	–	–	·07	–	·08	–	–	·02	·45	–	·03		4
5	–	·34	·09	·03	–	·02	·04	–	–	·01	·12	–		5
6	–	·02	·01	·28	–	·14	–	–	–	–	·16	–		6
7	·02	–	–	·26	–	·10	–	–	–	·10	·44	·19		7
8	–	–	–	·14	–	·06	–	·69	–	·13	·13	·04		8
9	–	–	–	·19	–	·14	–	–	–	·28	·26	·03		9
10	–	–	–	·08	–	·02	–	–	–	–	·11	–		10
11	·15	–	–	–	–	·05	·02	–	–	·01	·19	·01		11
12	·05	–	–	–	–	·09	–	·06	–	–	–	–		12
13	·07	–	–	·17	·12	–	–	–	–	–	–	–		13
14	–	–	–	–	·08	·01	–	–	·02	–	·31	·08		14
15	–	·05	–	·82	·09	·08	–	–	·15	–	·20	·31		15
16	–	·04	·12	·23	–	·10	–	–	·43	·29	72	·19		16
17	–	–	–	·04	–	·15	–	·04	–	·04	·58	–		17
18	–	–	–	·30	·06	·15	·23	–	·15	·07	–	–		18
19	–	–	–	·08	·53	·25	·06	–	·01	·07	·20	–		19
20	·01	·14	–	·15	·01	·09	·03	–		–	·14	–		20
21	–	·29	·03	·05	–	–	–	–	·28	·05	·09	–		21
22	–	·09	–	07 ~~·04~~	–	–	–	–	·05	–	–	–		22
23	·02	·01	·17	·01	–	–	–	·34	·06	·30	–	–		23
24	·04	·25	·02	–	–	–	–	·01	·82	·04	–	·29		24
25	·18	·04	–	·03	–	·63	–	–	–	–	–	·08		25
26	–	–	–	–	–	–	–	·25	·22	–	·02	01 ~~·09~~		26
27	–	·24	–	–	–	–	–	–	·10	·03	·23	1·02		27
28	·05	·02	–	–	·03	–	–	–	·01	·04	–	·12		28
29	–	×	·06	–	–	–	–	–	·08	·01	·04	·13		29
30	·02		–	·05	·31	–	–	·33	·05	·19	·31	·12		30
31	–		–		–		–	–		49		·10		31
TOTAL	0·69	2·02	0·53	3·16	1·24	2·80	0·45	1·45	3·58	2·91	4·72	29 ~~3·48~~	Year's Total 68 ~~24·33~~	
* Days with ·01 in. or more.	11	15	8	21	9	20	6	4	18	21	20	19	175	
* Days with ·04 in. or more.	4	11	4	18	6	14	4	6	4	14	19	15	128	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) R. Calcoon

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Hartshill Sewage Works

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1¾ in.

,, Ground ,, Sea Level 284.63 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	0·12	0·04	0·52	—	0·10	0·16	0·06	—	—	0·10	0·12		1
2	0·05	—	0·09	0·08	—	0·47	0·80	0·12	—	—	0·14	0·03		2
3	0·01	—	—	—	—	0·79	—	0·07	0·17	—	0·06	—		3
4	—	—	0·14	—	—	0·62	0·01	—	0·53	—	0·03	0·05		4
5	0·06	0·04	0·03	—	—	—	0·02	0·03	0·09	—	—	0·18		5
6	—	—	—	—	0·36	0·07	0·35	0·16	0·12	—	0·12	—		6
7	0·02	—	0·03	—	—	—	0·59	—	0·12	—	0·04	—		7
8	0·24	—	0·04	—	—	—	—	—	0·04	—	0·20	0·08		8
9	0·34	—	0·25	—	—	—	1·17	—	0·06	0·24	—	—		9
10	0·04	—	0·04	—	—	—	0·25	—	0·01	—	0·02	—		10
11	—	—	—	0·09	—	0·04	0·36	—	—	—	0·45	—		11
12	—	—	—	0·06	0·01	0·19	0·45	—	0·48	—	0·04	0·09		12
13	—	—	—	0·02	—	0·26	—	—	—	0·05	0·02	0·35		13
14	—	—	—	0·21	—	0·08	0·17	—	0·31	0·02	—	0·40		14
15	—	—	—	—	—	0·06	0·17	—	0·03	—	0·09	0·07		15
16	0·13	0·12	—	—	—	—	0·04	—	—	—	0·56	0·15		16
17	—	0·59	—	—	0·02	—	0·16	—	—	0·08	0·07	0·15		17
18	—	0·05	—	—	—	0·16	0·23	—	—	0·14	—	0·02		18
19	0·44	0·09	0·03	0·28	—	0·12	—	0·08	—	0·09	—	—		19
20	—	—	—	0·10	—	0·76	—	0·01	—	—	—	—		20
21	—	—	0·05	0·18	—	1·43	—	—	—	—	—	—		21
22	—	SNOW 0·60	0·05	—	0·14	—	0·15	—	—	—	—	0·07		22
23	—	0·11	0·03	0·07	0·09	—	0·50	—	—	—	—	—		23
24	0·19	0·06	—	—	0·06	—	—	—	0·08	0·27	—	—		24
25	0·09	—	0·10	0·23	—	—	0·05	—	0·20	0·02	—	—		25
26	—	0·11	0·43	—	—	—	0·02	—	—	0·08	—	—		26
27	0·05	0·01	—	—	—	—	—	—	0·09	0·05	—	—		27
28	0·34	0·11	0·15	—	—	0·02	0·02	—	—	—	—	0·06		28
29	0·09	0·29	0·15	—	—	0·05	—	—	—	0·05	0·14	0·08		29
30	0·06	✕	—	—	0·35	0·48	0·11	—	—	0·20	0·05	—		30
31	0·48	✕	0·05	✕	—	✕	0·03	—	✕	0·14	✕	0·04		31
TOTAL	2·63	2·30	1·70	1·84	1·03	~~4~~ 5 ·70	5·81	0·53	2·33	1·43	2·13	1·94	Year's Total 28·37	✓
* Days with .01 in. or more.	16	13	17	11	4	17	22	7	14	13	16	16	169	✓
* Days with .04 in. or more.	14	12	13	10	5	16	17	5	12	11	13	14	142	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. S. Moon [P.T.O.

Borough Surveyor

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at SEWAGE OUTFALL WORKS - HARTSHILL NUNEATON

in the County of WARWICKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 3/4 in.

,, Ground ,, Sea Level 284.63 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	-	-	-	-	-	-	-	0.04	0.01	0.09	0.09		1
2	-	0.03	0.08	0.52	-	-	-	-	-	-	-	0.31		2
3	-	0.05	-	-	0.32	0.01	-	-	-	-	-	0.30		3
4	0.09	0.09	-	-	0.04	-	-	-	-	-	-	0.50		4
5	0.28	-	0.16	-	-	-	-	-	-	-	-	0.03		5
6	0.13	-	0.04	-	0.06	-	-	-	-	-	-	-		6
7	-	0.53	0.01	0.15	-	-	-	-	-	-	-	-		7
8	-	0.30	-	0.01	-	-	-	-	-	-	0.43	-		8
9	-	-	-	0.01	0.33	-	0.38	-	0.16	-	-	-		9
10	-	0.04	0.21	0.08	-	0.24	-	-	-	-	-	0.10		10
11	-	-	0.30	-	0.34	0.08	-	-	-	-	-	0.07		11
12	0.08	0.26	0.19	-	0.41	0.06	-	-	0.14	-	-	0.22		12
13	0.03	0.06	-	0.06	0.02	0.13	-	0.34	0.32	-	-	0.08		13
14	-	-	0.14	0.01	-	-	-	0.16	0.02	-	-	0.09		14
15	0.16	0.02	0.03	0.23	-	-	2.64	-	0.02	-	-	0.01		15
16	0.04	0.14	0.43	0.34	-	-	-	0.04	0.22	-	-	-		16
17	0.29	0.02	0.25	0.23	-	-	-	-	0.09	-	-	-		17
18	0.54	0.04	0.28	0.03	-	-	-	-	0.33	-	0.28	-		18
19	-	0.10	0.04	0.16	0.01	0.16	0.26	-	-	-	0.09	-		19
20	0.35	0.01	-	0.34	0.41	0.04	-	-	-	-	-	0.02		20
21	0.06	0.18	0.01	0.01	-	-	0.34	-	-	-	-	0.02		21
22	0.10	0.03	0.21	-	0.11	-	0.05	-	-	0.32	0.20	-		22
23	0.32	0.01	-	-	0.04	-	0.13	-	-	0.33	0.23	-		23
24	0.15	0.30	0.04	-	0.02	-	-	-	0.01	0.24	-	-		24
25	0.09	0.29	-	-	0.03	-	-	-	0.05	0.39	-	-		25
26	-	0.26	·05 0.[illegible]	-	0.32	-	-	-	-	0.59	-	-		26
27	-	0.31	-	0.27	-	-	-	-	-	-	-	-		27
28	-	0.01	-	-	-	-	-	-	-	0.05	-	0.04		28
29	0.04	×	-	-	-	-	-	-	-	0.01	0.06	-		29
30	0.34	×	-	-	-	-	-	0.06	-	0.13	0.09	-		30
31	0.32	×	-	×	-	×	-	-	×	-	×	-		31
TOTAL	3.59	3.14	2.53	2.48	2.49	0.45	3.83	0.63	1.40	2.10	1.47	1.88	Year's Total 26.29	✓ ✓
* Days with .01 in. or more.	19	22	14	15	14	7	6	4	11	9	8	14	146	✓ ✓
* Days with .04 in. or more.	18	10	14	10	10	6	6	4	8	7	8	10	116	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. C. Moon [P.T.O.

Borough Surveyor.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Sewage Outfall Works, Hartshill

in the County of Nuneaton, Warwickshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1¾ in.

,, Ground ,, Sea Level 284·63 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	—	—	—	—	0·43	—	—	—	0·16	—	0·12		1
2	0·03	—	—	0·06	—	0·29	—	—	—	0·14	—	0·04		2
3	0·02	—	—	—	0·05	0·01	0·03	—	—	0·49	0·01	—		3
4	0·01	—	—	—	—	0·01	—	0·09	—	0·04	—	0·30		4
5	—	—	—	—	—	—	0·04	0·06	—	—	—	—		5
6	—	—	—	—	—	0·01	0·42	—	0·33	0·04	—	—		6
7	0·09	—	—	—	—	—	0·15	0·12	0·08	0·10	—	0·30		7
8	0·30	—	—	—	—	—	0·19	0·12	—	0·24	—	—		8
9	0·06	0·04	—	—	—	—	0·02	—	—	—	—	0·47		9
10	—	0·01	—	—	—	0·20	0·31	0·01	—	—	—	0·05		10
11	0·54	0·03	—	—	—	—	—	0·05	—	—	0·11	0·01		11
12	0·19	—	—	—	0·08	—	0·02	·02 0·~~[illegible]~~	—	0·28	0·09	—		12
13	—	—	—	—	—	—	—	—	—	—	0·08	0·47		13
14	0·19	—	—	—	0·04	—	0·66	—	0·04	—	—	—		14
15	0·13	—	—	—	0·04	—	0·19	—	—	—	—	0·36		15
16	0·14	—	—	—	—	—	0·26	—	—	—	0·02	0·03		16
17	—	0·03	—	—	—	—	0·02	—	0·02	0·13	0·01	—		17
18	0·06	—	—	—	0·24	0·14	—	—	0·54	0·01	0·39	—		18
19	—	—	—	—	—	—	—	0·08	0·28	—	0·04	0·02		19
20	—	—	—	—	—	—	—	—	0·03	—	0·28	—		20
21	—	—	—	—	—	—	—	—	—	—	0·06	0·12		21
22	0·02	—	—	0·04	—	0·04	—	—	—	—	0·32	0·21		22
23	—	—	—	—	0·05	—	—	—	0·06	—	—	0·05		23
24	—	—	—	—	0·06	—	—	—	0·36	—	—	—		24
25	0·10	0·09	0·11	—	0·01	—	0·04	0·02	0·02	0·11	0·31	0·04		25
26	0·02	0·32	0·16	—	0·03	—	—	0·16	0·02	0·19	—	0·21		26
27	0·04	0·01	—	—	0·22	0·12	0·33	0·15	0·32	0·04	0·33	—		27
28	0·20	0·01	—	—	0·26	0·06	0·05	0·44	0·01	—	0·09	0·18		28
29	0·38	+	—	—	0·49	—	0·05	—	—	0·03	0·13	0·14		29
30	0·03	▨	—	—	0·01	0·18	—	—	0·45	—	0·24	0·14		30
31	0·10	▨	—	▨	0·11	▨	—	—	▨	0·12	▨	0·33		31
TOTAL	2·41	0·54	0·24	0·10	1·69	1·49	2·81	1·65	2·59	2·24	2·51	3·62	Year's Total 22·25	
* Days with .01 in. or more.	20	8	2	2	14	11	16	12	14	15	16	20	150	
* Days with .04 in. or more.	13	3	2	2	11	8	12	9	9	13	13	14	112	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) R. E. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Hareshill Sewage Outfall Works
in the County of Warwickshire (Nuneaton)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 3/4 in.
,, Ground ,, Sea Level 287·63 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·12	-	0·01	0·31	0·04	-	-	0·03	0·15	-	-	-		1
2	0·06	-	-	0·06	-	-	0·02	0·28	0·41	-	0·03	-		2
3	0·33	-	-	0·43	-	-	-	0·37	-	0·05	0·22	0·31		3
4	0·13	-	0·32	0·37	-	-	0·14	0·20	-	0·35	0·06	0·14		4
5	-	-	-	0·11	0·38	-	0·09	0·48	-	0·14	0·33	0·19		5
6	0·63	-	-	-	-	-	0·28	-	-	-	0·04	-		6
7	0·04	0·03	-	-	-	-	0·11	0·02	-	-	0·35	0·18		7
8	-	0·03	0·26	-	-	-	0·31	0·10	-	0·30	0·23	0·19		8
9	-	0·04	-	-	-	-	0·07	0·16	-	0·45	0·01	0·18		9
10	0·45	-	0·02	-	-	-	-	0·35	0·02	0·02	-	-		10
11	-	-	0·19	-	-	0·09	-	0·01	-	-	-	-		11
12	-	0·03	-	-	-	0·06	-	-	-	-	-	-		12
13	-	-	-	-	-	0·01	0·15	-	0·02	0·08	-	-		13
14	0·48	-	0·01	0·15	0·77	0·14	0·10	-	-	0·08	0·05	-		14
15	0·34	-	-	0·01	0·07	0·27	0·61	-	-	0·16	0·03	-		15
16	0·07	-	0·11	-	0·32	0·26	0·05	-	-	-	0·19	-		16
17	0·39	0·04	-	-	0·01	-	0·13	-	-	2·18√	0·02	-		17
18	0·20	0·03	0·05	-	-	0·31	0·05	-	-	-	0·53	-		18
19	0·18	-	-	-	-	-	0·33	-	-	-	-	-		19
20	0·07	-	-	-	-	0·01	-	0·16	-	-	-	-		20
21	0·20	0·26	0·22	0·02	-	0·05	0·63	0·18	0·03	-	-	-		21
22	0·15	0·20	0·04	-	-	0·03	0·11	-	0·02	0·01	0·36	-		22
23		-	0·01	0·01	-	-	0·16	-	-	0·14	0·66	-		23
24	0·06	-	0·04	0·05	-	0·04	0·01	-	-	0·18	-	-		24
25	0·91	0·05	0·01	-	-	-	0·04	-	-	-	0·22	-		25
26	0·14	-	-	-	-	-	-	-	-	0·01	0·24	0·04		26
27	-	0·26	0·06	-	-	-	0·08	-	-	0·02	0·05	0·02		27
28	-	0·17	0·09	-	-	0·32	0·06	-	-		0·18	0·02		28
29	-	×	-	0·13	-	-	0·56	·01	-	0·22	0·02	-		29
30	-		-	0·06	-	0·27	-	-	-	-	0·07	-		30
31	-		-		-		-	-		-		-		31
TOTAL	4·95	1·14	1·44	1·71	1·59	1·86	4·09	2·35	0·95	4·39	3·89	1·27	Year's Total 29·63	
* Days with .01 in. or more.	19	11	15	12	6	13	22	13	6	16	21	9	163	
* Days with .04 in. or more.	19	7	10	9	5	10	20	9	2	12	16	7	126	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) R.C. [illegible]

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 2488

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Sewage Outfall Works - Hartshill. Nuneaton

in the County of Warwickshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 3/4 in.

,, Ground ,, Sea Level 284·63 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	0·04	-	-	-	-	-	-	0·19	-		1
2	-	0·04	-	0·35	-	-	0·01	-	-	-	0·58	0·08		2
3	-	0·21	-	0·09	-	-	-	-	-	0·13	0·62	0·04		3
4	-	0·12	-	0·02	-	-	0·01	-	-	0·11	0·42	0·03		4
5	-	-	-	-	·05	-	0·13	-	-	0·19	0·58	0·14		5
6	0·10	0·21	-	-	-	-	0·09	-	-	0·24	0·34	-		6
7	0·04	0·23	-	0·02	-	-	-	-	0·05	-	-	-		7
8	-	-	-	-	-	-	0·04	-	-	0·11	0·02	0·22		8
9	-	-	0·05	-	-	0·03	0·05	0·01	-	0·09	0·24	0·33		9
10	-	-	0·02	-	-	-	0·64	-	-	0·01	0·09	0·13		10
11	-	-	0·03	0·01	-	-	0·35	-	-	-	0·39	0·09		11
12	-	-	0·09	-	-	0·01	0·22	-	0·05	-	0·01	-		12
13	-	0·01	0·33	0·03	-	-	-	-	0·08	-	-	-		13
14	-	-	0·09	0·03	0·36	-	-	0·03	0·04	0·05	-	0·28		14
15	-	-	0·04	0·12	0·02	-	0·01	-	0·04	0·04	0·04	-		15
16	0·01	0·12	0·38	0·03	-	-	0·22	-	0·11	0·74	0·63	0·01		16
17	-	-	0·32	-	-	-	0·04	-	-	-	0·14	-		17
18	0·04	0·55	0·14	0·29	-	-	-	0·02	-	0·29	0·04	-		18
19	-	0·21	0·03	0·14	-	-	0·50	-	0·46	-	0·15	0·04		19
20	-	-	-	0·02	-	-	0·12	0·11	-	0·16	-	-		20
21	-	-	-	-	0·13	-	0·14	0·03	-	-	1·39	-		21
22	-	0·09	0·03	-	0·35	0·35	-	-	0·04	-	-	-		22
23	-	-	0·04	0·05	0·01	0·04	-	-	0·01	0·04	-	0·03		23
24	0·02	-	-	-	-	-	0·08	-	-	-	-	0·02		24
25	-	0·10	-	-	-	-	0·08	-	-	-	-	-		25
26	0·88	0·04	-	0·23	·04	0·02	0·07	-	-	-	0·01	-		26
27	0·45	0·36	-	0·06	-	-	0·37	-	-	-	-	-		27
28	0·35	-	-	-	0·18	-	-	-	-	-	-	-		28
29	-	~~-~~	0·13	-	0·08	0·04	0·01	-	-	-	-	0·22		29
30	-	✕	-	0·40	-	-	-	-	-	0·43	-	0·03		30
31	0·08	✕	0·05	✕	-	✕	-	-	✕	0·90	✕	-		31
TOTAL	2·00	~~2·29~~ 2·28	1·77	2·26	1·22	0·52	3·21	0·20	0·97	3·62	5·91	1·72	Year's Total ~~25·69~~ ✓	
* Days with .01 in. or more.	9	13	15	17	9	6	20	5	9	15	18	15	151	✓ 25·68
* Days with .04 in. or more.	7	12	11	10	7	3	16	1	8	14	15	10	114	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) R. C. Moon
Borough Engineer

[P.T.O.